



Caremax Version : 2020~2021

Easy life, Keep moving

Version: 2020~2021



FOSHAN SHUNKANGDA MEDICAL TECH CO., LTD.
CAREMAX REHABILITATION EQUIPMENT CO., LTD.

ADD: Pingnan Industrial Area, GuiCheng Nanhai District, 528251 Foshan City,
Guangdong, People's Republic of China.

TEL: +86-757-81816516 / 81816518

E-mail: info@caremax-med.com

FAX: +86-757-81816523

Inquiry: salesteam@caremax-med.com

POST CODE: 528251



*Easy life,
keep moving*



Contents

Company profile	01-02
Rollator Series	03-10
Power Wheelchair Series	11-14
Aluminum Wheelchair Series	15-25
First Aid Series	26
Steel Wheelchair Series	27-36
Commode Series	37-50
Bathroom Safety Series	51-60
Walker Series	61-68
Cane Series	69-72
Others	73-76
Hospital Bed Series	77-80
Spare Parts	81-84

Company profile



Caremax Rehabilitation Equipment Co., Ltd. Was established in 1992, located at Pingnan Industrial Region, Nanhai District, Foshan City, China, covering the facility with 30,000m², having a very convenient routine itinerary to Guangzhou airport and Shenzhen airport.

Our team is highly motivated, producing high quality products included wheelchairs, rollators, crutches, walking canes, walker frames, commode chairs, bathroom accessories and so on. The products have been exported worldwide.

We have been certified the ISO9001:2000 and ISO13485:2003, and also has obtained many internationally recognized certificates for all products, which are complied with relevant European and American approval standards such as TUV, CE, FDA, SGS certificates.

In order to maintain advantage, our company has always been obtained the advance conception and technology through most active international congress on the professional seminar. Our innovative products are coming from a group of experienced engineers who not only putting safety as priority but also the first concern let the consumer to go anywhere as their free mind. This is our mission to create an easy life for elder & disable people.

With 20 years history to guide excellent brand products and complex quality service, streamlined the management system and collaborated with you as our best business partner. Our vision is to get rid of the boundaries for elder & disable people.



Rollator Series



CA8864L Aluminum Rollator

- Light weight liquid coated frame without welding
- Reflectors on both sides and front
- 10" front castors & 8" rear castors
- Easily foldable
- Option: cup holder, cane holder



CA8860L Aluminum Rollator (Euro-style)

- Light weight Alu liquid coated frame
- Nylon seat and backrest
- 8" castors, with shopping bag
- Easily foldable
- Option: cup holder, cane holder



CA8862L Deluxe Aluminum Rollator

- Light weight Alu liquid coated frame
- Nylon seat and backrest
- 10" front castors & 8" rear castors, with shopping bag
- Easily foldable
- Option: cup holder, cane holder



CA8861L Deluxe Aluminum Rollator

- Light weight Alu liquid coated frame
- Nylon seat and backrest
- 8" castors, with shopping bag
- Easily foldable
- Option: cup holder, cane holder



SPECS(cm) MODEL	Width	Folding width	Seat width	Rear wheel INCH	Front wheel INCH	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity (KGS)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA8864L	64	27.5	46.5	8"	10"	55	73.5		83-95	78x29.6x39	1PC/CTN	130	7.1/8.4	305	750
CA8860L	64	25	46	8"	8"	47/53	72	24.5-34.5	82-92	75x27x85	1PC/CTN	130	7.1/9.7	160	392
CA8861L	66	31	40	8"	8"	55	85	20-32.5	81-93	67x34.5x79	1PC/CTN	130	6.1/7.7	151	370
CA8862L	65	25.5	46	8"	10"	55	74		81-93	75.5x27x84	1PC/CTN	130	7.0/8.7	161	394



◦ **CA861L** Aluminum Rollator

- Liquid coated frame
- With 6" wheels, PVC soft seat
- With locking mechanism
- Optional shopping bag and basket



◦ **CA8611L** Aluminum Rollator

- Liquid coated frame
- With 6" wheels, PVC soft seat
- With locking mechanism
- Optional shopping bag and basket



◦ **CA882L** Aluminum Rollator

- PVC soft seat
- Liquid coated frame
- With 8" castors
- Optional shopping bag and basket



◦ **CA8851L** Aluminum Rollator

- PVC soft seat
- Liquid coated frame
- With 8" castors
- Optional shopping bag and basket



◦ **CA873L** Aluminum Rollator

- PVC soft seat
- Liquid coated frame
- With 6" wheels



◦ **CA871L** Aluminum Rollator

- PVC soft seat
- Powder coated frame
- With 5" wheels
- Optional shopping bag and basket



◦ **CA882LW** Extra Wide Aluminum Rollator

- Liquid coated frame
- Optional shopping bag and basket
- With 8" wheels
- PVC soft seat
- Weight capacity: 300LBS



◦ **CA882W** Extra Wide Steel Rollator

- Liquid coated frame
- Optional shopping bag and basket
- With 8" wheels
- PVC soft seat
- Weight capacity: 350LBS

SPECS(cm) MODEL	Width	Folding width	Seat width	Rear wheel INCH	Front wheel INCH	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA861L	62	20	44	6"	6"	54	52	24	79-90	61x22.5x86	1PC/CTN	100	7/8.5	233	572
CA8611L	61	20	44	6"	6"	54	52	25	79-90	61x22.5x86	1PC/CTN	100	6.9/8.4	233	572
CA873L	61	20	44	6"	6"	54	62	24	79-90	61x22.5x85	1PC/CTN	100	7.2/8.7	236	579
CA871L	61	20	44	5"	5"	53	61	24	78-89	61x22.5x85	1PC/CTN	100	7.2/8.7	236	579

SPECS(cm) MODEL	Width	Folding width	Seat width	Rear wheel INCH	Front wheel INCH	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA882L	61	22	45	8"	8"	54	69	25	79-90	61x22.5x86	1PC/CTN	100	8.2/9.7	233	572
CA8851L	61	22	45	8"	8"	54	69	25	79-90	61x22.5x86	1PC/CTN	100	8.2/9.7	233	572
CA882LW	74	22	56	8"	8"	55	69	23	78-89	73x22.5x86	1PC/CTN	150	9.2/10.7	195	478
CA882W	74	22	56	8"	8"	55	69	23	78-89	73x22.5x86	1PC/CTN	200	12.3/13.8	195	478



◦ **CA888L** Aluminum Rollator

- Liquid coated frame
- Folding footrest for extra comfort
- With 8" castors
- Optional shopping bag and basket



◦ **CA8882L** Aluminum Rollator

- Liquid coated frame
- Folding footrest for extra comfort and armrest
- With 8" castors
- Optional shopping bag and basket



◦ **CA874** Steel Rollator

- Powder coated frame
- Detachable footrest
- With 8" wheels



◦ **CA8741L** Aluminum Rollator

- Aluminum anodized color frame
- Detachable footrest
- Nylon seat & PU armrest



◦ **CA8880L** Aluminum Rollator

- Liquid coated flame frame
- Optional shopping bag and basket
- With 8" castors
- Folding footrest for extra comfort
- With hand brake



◦ **CA8854L** Aluminum Rollator

- Liquid coated flame frame
- With 8" wheels
- With nylon shopping bag
- PVC soft seat



◦ **CA880** Steel Rollator

- Powder coated frame
- With basket
- 8"x2" wheel & PVC seat
- Option: tray



◦ **CA8801** Steel Rollator

- Powder coated frame
- 8"x2" wheel & PVC seat & basket
- Option: tray
- With PU push paddle & brake system

SPECS(cm) MODEL	Width	Folding width	Seat width	Rear wheel INCH	Front wheel INCH	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA888L	61	21	44	8"	8"	54	92	25	78-89	61x22.5x86	1PC/CTN	100	8.88/10.38	233	572
CA8882L	61	26.5	44	8"	8"	53	92		78-89	61x22.5x86	1PC/CTN	100	9/10.5	233	572
CA8880L	62	24.5	45	8"	8"	47	82.5	23	80-91.5	63.5x26x85	1PC/CTN	100	6.9	196	481
CA8854L	62	23	45	8"	8"	47	58	31	77-89	63.5x24.5x79	1PC/CTN	100	6.5	224	549

SPECS(cm) MODEL	Width	Folding width	Seat width	Rear wheel INCH	Front wheel INCH	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA874	60	19	43	8"	8"	51	92	26	79-89	70x20x75	1PC/CTN	100	11.1	262	643
CA8741L	64	31	48	8"	8"	49	95.5	30	82.5-95	73x33x85	1PC/CTN	100	9.82/10.2	134	330
CA880	60	24	42	8"	8"	62	76	\	78.5-91	60x26x71	1PC/CTN	100	11/12.5	248	608
CA8801	60	24	62	8"	8"	62	76	\	78.5-91	60x26x71	1PC/CTN	100	11/12.5	248	609



CA892

Steel Rollator

- Power coated frame
- With PVC bag, basket and tray
- 8"x2" castors



CA8776

Knee Walker

- Steel powder coated frame
- Easily foldable
- 8"x1" Castor, with shopping bag
- Height adjustable PU Seat

CA891L

Aluminum Rollator

- Liquid coated frame
- With PVC bag, basket and tray
- 8"x1" castors



CA8865L

Aluminum Rollator

- Aluminum polished frame
- Handle height adjustable
- 7"/8" universal castors
- Optional: cup holder



CA894

Steel Rollator

- Liquid coated frame
- With nylon seat, backrest & bag
- 8"x1" castors



CA8761L

Aluminum Rollator

- PVC seat, anodized or liquid coated color
- Detachable frame and easily foldable
- 8" castors

SPECS(cm) MODEL	Width	Folding width	Seat width	Rear wheel INCH	Front wheel INCH	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA892	64	24		8"	8"		57		82-97	66x30x72	1PC/CTN	100	7.5/16.5	193	473
CA891	64	24		8"	8"		57		82-97	66x30x72	1PC/CTN	100	7.5/16.5	193	473
CA894	64	24	34	8"	8"	55	56	18	85-101	68x25x75	1PC/CTN	100		216	529

SPECS(cm) MODEL	Width	Folding width	Seat width	Rear wheel INCH	Front wheel INCH	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA8776	43	43	18	8"	8"	42-58	82		84-105	84x47x45	1PC/CTN	100	10.2/11.6	155	380
CA8865L	50		40.4	7"	7"	43	59.2	30.5	86-99.5	51.5x33x69.5	1PC/CTN	100	6.95/8	233	571
CA8761L	60	22	43	8"	8"	67		27	84-92	61x26x83	1PC/CTN	100	6.7/8	209	513

Power Wheelchair Series



• CA512F

Electric Foldable Scooter

- Aluminum alloy frame
- 6" front & 7.5" rear castors
- Automatic folding system
- Separable front & rear axle, wight 20.6+9KG
- Detachable & separable battery allowed by air travel
- Height adjustable handle
- Adjustable armrest
- Colors: Blue, Red, Black
- Motor: 120W-4450, Controller: PG/45A,
- Charger: DC24V-2A, Electric magnetic brake system
- Travel distance: 12km
- Sloping ability: 12 degree
- Folding method: remote control/button on controller/manual



• CA513LF-20


- Motor: 250W*2
- Charger: 29.4V/2A
- Brake System: EABS
- Travel distance: 25-30km
- Sloping ability: 15-20 degree
- 8" front & 14"/20" honeycomb tyre (shock-absorption)



CA5131LF •

- Motor: 250W*2
- Charger: 29.4V/2A
- Brake System: EABS
- Travel distance: 25-30km
- Sloping ability: 15-20 degree
- 8" front & 10" rear honeycomb tyre (shock-absorption)

Optional plug:



SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Rear wheel INCH	Front wheel INCH	Maximum speed	Battery type	Paekaging DIM	Maximum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA512F		100	105	39.5	32.5	52.5	7.5"	6"	6km/hr	Lithium battery 24V/5AH*2	57x42x80	120	29.6	144	352
CA513LF-20	68	97.5	87.5	45	41	49	20"	8"	8km/hr	Lithium battery 29.4V 10.4Ah	76.5x43x76	130	23.9/26.3	110	270
CA5131LF	68	97.6	87.5	46	42	50	10"	8"	8km/hr	Lithium battery 29.4V 10.4Ah	69x35.5x76	130	19.9/22.2	148	363



◦ CA500Q

- Motor: 24V/250W
- Controller: Shanghai Micon
- Travel distance: 20km
- 8" solid tyre/12.5" pneumatic tyre
- Sloping ability: 6 degree
- Rear wheel hub material: Aluminum alloy



◦ CA500C

- PG VR2 joystick
- Electric magnetic brake system
- Aluminum alloy frame, weight 22-27KG
- Easy and quick folding system
- Colors: Silver,black,white,orange
- High maneuverability
- Switch on-off, speed regulating, speed-battery charge indicator, audio alarm system in joystick
- Flip-up armrest



◦ CA501L

- Powder coating aluminium frame
- Adjustable armrest pad
- Detachable sideboard
- Detachable footrest
- 12" pneumatic wheel
- Foldable frame

◦ CA504L

- Powder coating aluminium frame
- Deluxe vehicle seat
- Reclining high back
- Adjustable PU armrest
- Detachable footrest



SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Rear wheel INCH	Front wheel INCH	Maximum speed	Battery type	Packaging DIM	Maximum weight capacity KGS (kg)	NW/GW KGS (kg)	20FCL PCS	40FCL PCS
CA500Q	67	97	96	41	41	52	16"	7"	6km/hr	Acid lead battery 12v/20AH*2	74x42x76	100	43/48	113	278
CA500C	59	96	92	45	45	53	12"	7"	9km/hr	Lithium battery 24V/20AH	84x50x51	120	24/33	128	315

SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Rear wheel INCH	Front wheel INCH	Maximum speed	Battery type	Packaging DIM	Maximum weight capacity KGS (kg)	NW/GW KGS (kg)	20FCL PCS	40FCL PCS
CA501L	62	102	93	46	40	50	12"	8"	6km/hr	Acid lead battery 24V/28AH	83x38x96	110	52/59	91	223
CA504L	66	109	99	48	37	51	12"	8"	6km/hr	Acid lead battery 24V/28AH	82.5x71.5x91	110	51/58	58	141

Aluminum Wheelchair Series



CA9869LQ

Aluminum Leisure Sport Wheelchair

- Foldable light weight frame
- Angle adjustable front castor
- Breathable, comfortable cushion
- Foldable anti-tipper
- Ergonomic handle
- 24" fashionable sporty rear wheels and 4" front wheels
- Optional: small bag



CA9791LFHQ

Deluxe Aluminum Wheelchair

- Light weight Alu liquid frame
- PU amrest
- Breathable and comfortable cushion
- Detachable footrest, foldable backrest
- 8" front castors & 24" rear wheels
- Quick release rear wheel



CA979LFH-12

Deluxe Aluminum Wheelchair

- Light weight Alu liquid frame
- PU amrest
- Breathable and comfortable cushion
- Fixed footrest, foldable backrest
- 8" front castors & 12" rear wheels

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pos./ctn	Maximum weight capacity (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA9869LQ	57	32	38	38	24"	4"	48	85	78	28	86x34x79.5	1	120	11/13	118	290
CA9791LFHQ	68	33.5	45	41	24"	8"	47	97.5	87.5	37	85x35.5x77	1	130	13.5/15.7	118	291
CA978LFH-12	62	29	45	41	12"	8"	48.5	96.5	86.5	33.5	84x33x76	1	130	11.2/13.4	131	320



◦ CA9862LFQ

Aluminum Functional wheelchair

- Liquid coated frame
- Height adjustable, front & back adjustable, flip-up, detachable armrest
- Foldable backrest
- Height adjustable, quick release rear wheels
- With anti-tippers
- Detachable footrest
- Double cross bar



◦ CA9865LFHQ

Aluminum Functional wheelchair

- Liquid coated frame
- Flip-up & detachable armrest
- Detachable footrest
- 8" front wheel 22" solid rear wheel (quick release)
- Foldable backrest
- Double layer breathable seat & backrest



CA9801LQ◦

Leisure sport wheelchair

- Sporty design with a light weight frame
- Breathable, comfortable cushion
- Foot pad height can be adjusted



CA9865LFH-12◦

Aluminum Functional Wheelchair(Economic)

- Liquid coated frame
- Flip-up & detachable armrest
- Detachable footrest
- 8" front wheel & 12" rear fixed wheel
- Foldable backrest
- Double cross bar

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS (kg)	NW/GW KGS (kg)	20FCL PCS	40FCL PCS
CA9862LFQ	65	31	46	43	24"	8"	52	100	94	35	78x32x95.5	1	120	16.5/18.5	115	283
CA9801LQ	63	31	41	41	24"	5"	47	99	78	36.5	91x33x78	1	130	12.4/14.5	95	233

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS (kg)	NW/GW KGS (kg)	20FCL PCS	40FCL PCS
CA9865LFHQ	65	29	46	40	22"	8"	52.5	106	95	40	79x34x76	1	110	13/15	135	331
CA9865LFH-12	57.5	28	46	40	12"	8"	53	92	94	41	69.5x28.5x76.5	1	110	12.2/14.4	181	445



CA991LB

Aluminum Wheelchair

- Flip up armrest ,swing away footrest
- 8" front solid castor, 24" rear Mag wheel
- Height adjustable
- Nylon seat and backrest

CA992LB

Aluminum Wheelchair

- Flip up armrest ,swing away footrest
- 8" front solid castor, 24" rear Mag wheel
- Height adjustable
- Nylon seat and backrest
- Double cross bar



CA993LF

Aluminum Wheelchair

- Flip up armrest, swing away footrest
- 8" front solid castor, 24" PU spoke wheel
- Folding backrest

CA994LB

Aluminum Wheelchair

- Liquid coated frame
- 8" front castor, 24" rear mag wheel
- Flip up armrest, detachable footrest
- Height adjustable



CA995LBQ

Aluminum Wheelchair

- Liquid coated frame
- 8" front castor, 24" rear Mag wheel
- Flip up armrest, detachable footrest
- Quick release rear wheel
- Height adjustable armrest



SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity(KGS)	NW/GW KGS	20FCL PCS	40FCL PCS
CA991LB	63	26	46	40	24"	8"	50	106	88	39	80x28x91	1	100	15.76/17.7	135	331
CA992LB	63	28	46	40	24"	8"	50	109	91	41	79x28x93	1	100	15.7/18	134	328
CA993LF	64	29	46	40	24"	8"	51	116	94	43	86x30x78	1	100	14.56/16	137	335

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity(KGS)	NW/GW KGS	20FCL PCS	40FCL PCS
CA994LB	65	30	46	40	24"	8"	50	103	93	42	86x29x95	1	100	16.7/18.7	116	285
CA995LBQ	65	29	46	40	24"	8"	49	104	95	43	86x29x95	1	100	16.86/18.8	116	285

Option!



CA9671LFH-A

Aluminum Light Weight Wheelchair

- Aluminum Light weight frame
- 6" front solid castor, 20 PU rear wheel
- Foldable backrest
- With both loop brake and hand braket
- Fixed PU armrest, flip up footres

CA9671LFH-B

Aluminum Light Weight Wheelchair

- Aluminum Light weight chair frame
- 6" front solid castor, 12" PU rear wheel
- Foldable backrest
- With both loop brake and hand brake
- Fixed armrest, flip up footrest

CA974LB

Aluminum Light Weight Wheelchair

- 8" Solid wheel, 24" pneumatic wheel
- Fixed armrest and footrest
- Double cross bar
- With both loop brake and hand brake

CA981LH

Light Weight Aluminum Wheelchair

- 8" Solid wheel, 24" PU spoke wheel
- With both loop brake and hand brake
- Fixed armrest and footrest
- Double cross bar



CA963LFH

Aluminum Light Weight Wheelchair

- Aluminum Light weight frame
- Folding backrest
- Fixed armrest, Fixed footrest
- 6" Solid Castor,
- Double cross bar
- 20" Spoke wheel

CA9612LHB

Aluminum Light weight Transport Chair

- Aluminum Light weight chair frame
- 16" Mag wheel with PU tyre
- Fixed armrest, Fixed footrest
- With loop brake and hand brake
- 6" Solid Castor

CA965LEH

Aluminum Light Weight Wheelchair

- Colored nylon seat
- With loop brake and hand brake
- Powder coated
- 6" front wheel, 22" solid wheel

CA966LEH

Aluminum Transport Chair

- Colored nylon seat
- With loop brake and hand brake
- Powder coated
- 6" front wheel, 16" PU wheel

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA9671LFH-A	63		46		20"	6"	49		91		80x30x72	1	100	12/14.2	159	391
CA9671LFH-B	65		46		12"	6"	49		91		80x30x72	1	100	12.3/14.5	159	391
CA963LFH	57	28	43	35	20"	6"	49	94	92	42	82x28x77	1	100	12.5/14	156	382
CA9612LHB	57	25	43	35	16"	6"	47	93	85	39	85x27x87	1	100	12.15/13	138	338

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA974LB	62	27	45	40	24"	8"	50	106	93	40	92x28x89	1	100	16/18	120	294
CA981LH	63	30	41	44	24"	8"	40	103	87	38	92x28x89	1	100	13.28	120	294
CA965LEH	63	29	41	40	22"	6"	44	102	85	40	90x28x88	1	100	13.44/15	124	304
CA966LEH	61	28	41	40	16"	6"	44	97	84	40	86x28x88	1	100	11.6/13.6	130	319



CA9866LFH

Aluminum Light Wheelchair

- Flip up armrest
- Portable package size
- 7" front pu wheel, 8" rear pu wheel
- Foldable backrest & bolt down
- Hand brake with parking function

Optional



Nylon packing bag

CA9784LFH

Foldable Aluminum Wheelchair

- Detachable legrest and flip up armrest
- Forward fold backrest
- 6" front wheel, 12" PU rear wheel
- Loop brake and hand brake



CA978LFH

Deluxe Aluminum Transport chair,

- Extra light weight
- Liquid coated frame
- Fold up backrest for easy storage
- Fixed armrest and swing away footrest
- Loop brake and hand brake



CA9731LFH

Aluminum Transport Chair

- Powder coated frame
- Fixed armrest and detachable footrest
- 8" front solid wheel, 12" PU rear wheel
- Foldable backrest, with loop brake

CA9712LFH

Aluminum Transport Chair

- Fixed armrest & detachable footrest
- Folding backrest
- Loop brake & hand brake



CA967LHB

Economic Transport Chair

- Aluminum frame
- Steel cross bar
- 6" solid castor, 12" rear mag wheel
- Fixed armrest & footrest

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA9866LFH	45	28	36	38	8"	7"	47.5	94.5	89	35	57x29x61.5	1	100	7	271	664
CA9784LFH	57	25	48	40	12"	6"	47	105	86	40	62x27x70	1	100	9.5/11.2	235	576
CA978LFH	54	25	43	40	12"	6"	47	98	87	40	64x28x73	1	100	9.6/11.6	210	516

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA9731LFH	60	27	41	40	12"	8"	50	103	94	44	67x26x79	1	100	11.11/12.6	200	490
CA9712LFH	59	27	41	40	8"	8"	50	103	94	41	64x25x78	1	100	10.5/12.5	220	541
CA967LHB	55	25	43	35	12"	6"	48	90	89	40	75x24x93	1	100	10.5/12.5	164	403



• **CA982LGC**

Light weight Aluminum Reclining Wheelchair


- Angle adjustable seat and backrest
- Adjustable head holder
- Swing away elevating legrest
- 6" front solid wheel, 16" rear PU wheel
- PU arm pad and legrest pad



• **CA984LGC**

Light weight Aluminum Reclining wheelchair

- Angle adjustable seat and backrest
- Adjustable head holder
- Swing away elevating legrest
- 6" front solid wheel, 16" rear PU wheel
- PU arm pad and legrest pad



• **EW-300/350/1000**


Eye Wash Bottle

- 300ml, 350ml, 1000ml optional



• **SH-0214**

Cool Cushion



• **SH-0212**

Air Cushion



• **C-200/300**

Disposable Cold Pack

- 200g, 300g optional



• **H-200/300**

Disposable Hot Pack

- 200g, 300g optional




• **EX-2/EX-1**

Extractor

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity (KGS)	NW/GW KGS (kg)	20FCL PCS	40FCL PCS
CA982LGC	49	25	35	38	16"	6"	49	168	112	39	79x28x92	1	100	19/19.8	135	332
CA984LGC	52		38/40/44		16"	6"	49	103	87		77x40x95	1	75	21.4/24.3	94	231

SPECS(cm) MODEL	EW-300/350/1000	EX-2/EX-1	SH-0214	SH-0212	C-200/300	H-200/300
Size(cm)		8x2.6 / 12x2.8	39x41x5	47x45	17x14 / 23x14	17x14 / 23x14
Weight(g)	300ml/350ml/1000ml(volumn)	100	5000	335	200/300	200/300
Pcs/ctn	100/100/50	100	3	24	24	24

Steel Wheelchair Series



16", 18", 20"

CA9221
Magic Adjustable Wheelchair

- Steel texture coated frame
- Seat width adjustable in one chair: 16", 18", 20"
- Detachable nylon seat
- Movable armrest and detachable footrest
- 8" solid front casters, 24" rear mag wheels



300LBS

CA928B
Heavy Duty Steel Wheelchair

- Detachable armrest and footrest
- Extra wide, double crossbar

20", 22", 24"

CA9868
Heavy Duty Steel Wheelchair

- Detachable armrest and footrest
- Extra wide, double crossbar
- Seat width: 24"



350LBS



350LBS

20", 22", 24"

CA9810
Heavy Duty Steel Wheelchair

- Flip-up armrest and detachable footrest
- Extra wide, double crossbar
- Seat width: 24"

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA9221	67	30	46	40	24.5"	8"	50	105	88	40	80x30x91	1	110	19.5/21.5	126	309
CA928B	76	30	56	40	24.5"	8"	50	109	89	40	81x29x94	1	136	21.5/22.5	125	306
CA9868	79.5	33	61	42.5	24"	8"	47.5	104	89	39	85x34x91	1	250	20/22	105	257
CA9810	79.5	33	61	42.5	24"	8"	47.5	104	89	39	85x34x91	1	250	20/22	105	257



• **CA923** Steel Wheelchair

- Chrome frame
- Detachable armrest and footrest



• **CA9232** Steel Wheelchair

- Chrome frame
- Detachable armrest and footrest
- 8"x2" castors, 24" pneumatic tyre



• **CA912BE** Economy Steel Wheelchair

- Powder-coated frame
- Fixed armrest, detachable footrest



• **CA913** Steel Wheelchair

- Fixed armrest detachable footrest



• **CA931BC** Steel Wheelchair

- Flip up armrest and detachable footrest
- Powder coated frame
- Double crossbar



• **CA932B** Steel Wheelchair

- Flip up armrest
- Detachable footrest
- Powder coated frame



• **CA933B** Steel Wheelchair

- Fixed armrest
- Detachable footrest
- Double cross bar



• **CA926-51** Steel Wheelchair

- Powder coated frame
- Detachable footrest and armrest
- Double crossbar

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity (Kg)	NW/GW (Kg)	20FCL PCS	40FCL PCS
CA923	64	28	46	40	24"	8"	50	94	39	89	79x27x89	1	100	16.7/18.7	145	356
CA9232	66	25	46	40	24"	8"	50	104	40	89	79x27x89	1	100	16.76/18.76	145	356
CA931BC	64	27	46	40	24"	8"	49.5	103	43	88	79x28x89	1	100	21.5/23.5	140	343
CA932B	65	28	46	40	24.5"	8"	48	82	40	90	79x25x92	1	100	17/19	151	371

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity (Kg)	NW/GW (Kg)	20FCL PCS	40FCL PCS
CA912BE	63	25	46	40	24"	8"	50	104	38	88	79x25x89	1	100	17.5/19.5	156	384
CA913	63	24	41	40	24"	8"	50	94	40	88	79x23x89	1	100	18.3/20.3	170	417
CA933B	65	29	43	40	24.5"	8"	49	112	41	89	79x25x92	1	100	16.5/18.5	151	371
CA926-51	69	27	51	40	24"	8"	49	108	42	91	80x28x93	1	100	18/20	132	324

BASIC MODEL



CA902

Steel Wheelchair

- Steel chrome frame
- PVC seat & backrest
- Metal footrest
- 8" castor & 24" solid wheel
- fixed footrest & armrest

Option!

- Footrest:
- Aluminum footrest
 - Plastic footrest

- Seat material:
- PVC(Blue/Black)
 - Nylon(Black/Scott Style)

Option!



N4: Plastic Food Table



CA904-51 Extra Wide Steel Wheelchair

- Chrome frame, fixed armrest and footrest
- Double cross bar
- 8" castor and 24" rear wheel



Option!

Reflector on the wheels

CA9041-43 Steel Wheelchair

- Steel chrome frame, with IV holder
- Good quality PVC seat
- 8" castors, 24" air wheels (or PU wheels)
- Double cross bar



E: Powder coated

Frame Color: Black, Grey, Red, Blue

H: Hand Brake

B: Mag Wheel

A: Air Tyre

Z: Bicycle Tyre



Scott style

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA902	64	22	46	40	24"	8"	49	104	40	87	92x22x89	1	100	16/18	153	375

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA904-51	70	27	51	40	24"	8"	51	106	43	91	92x26x92	1	112	18.8/20.8	125	307
CA9041-43	64	25	43	40	24"	8"	46	103	42	89	93x28x89	1	100	18.1/20.1	119	291

◦ **CA951E**
Steel Transport Wheelchair

- Powder texture frame
- Fixed armrest
- Detachable footrest
- 8" castors
- With safety belt



Option!

◦ **CA903-35**
Steel Wheelchair(Children)

- Chrome frame
- Fixed armrest and footrest
- 6" castor and 20" rear wheel



Option!



◦ **CA951F**
Steel Transport Wheelchair

- Steel chrome frame
- Fixed armrest, foldable backrest
- Detachable footrest
- 8" castors
- With safety belt



◦ **CA987L**
Aluminum Wheelchair(Children)

- Powder coated aluminium frame
- Flip up armrest and height adjustable
- Detachable footrest
- 6" castor and 22" rear wheel

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pos./ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA951E	60	27	41	40	8"	8"	50	93	50	102	71.5x25x91	1	100	12.88/15	172	400
CA951F	60	27	41	40	8"	8"	50	93	50	102	62x25x76	1	100	12.88	233	573

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pos./ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA903-35	56	25	35	35	20"	6"	40	93	42	85	82x22x86	1	100	12.5	177	435
CA987L	45		35		20.5"	6"	52	85	32	88	74x33x91	1	75	12.5/14.5	177	435



◦ **CA941**
Steel Reclining Wheelchair

- Powder coated frame
- Detachable armrest and elevating legrest
- 8" castor and 24" rear wheel



◦ **CA601** Steel Commode Wheelchair

- Chrome frame
- 6" castor and 24" rear wheel
- fixed armrest and swing away footrest



◦ **CA608** Steel Commode Wheelchair

- Chrome frame
- "U" shape seat
- fixed armrest and footrest



CA609GC
Steel Reclining Commode Wheelchair

- Steel chrome frame
- Detachable armrest and elevating legrest
- Square seat



◦ **CA608GC**
Steel Reclining Commode Wheelchair

- Steel chrome frame
- Detachable armrest and elevating legrest
- "U" shape seat



◦ **CA609** Steel Commode Wheelchair

- Chrome frame
- Square seat
- fixed armrest and footrest




◦ **CA609BE** Steel Commode Wheelchair

- Powder coated frame
- 8" castor and 24" rear mag wheel
- fixed armrest and footrest

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs./ctn	Maximum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA941	63	31	43	40	24"	8"	46	180	49	122	94x32x92	1	100	24.6/26.6	99	244
CA609GC	63	33	44	40	24"	8"	54	180	40	123	94x33x92	1	100	26.66	96	237
CA608GC	63	32	43	43	24"	8"	53	180	40	123	94x33x92	1	100	26.2	96	237

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel INCH	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging DIM	Pcs./ctn	Maximum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA601	60	46	44	44	24"	6"	52	93	39	91	76x29x92	1	100	18.5	136	333
CA608	64	30	43	40	24"	8"	48	105	40	88	92x28x88	1	100	18.48	121	298
CA609	63	24	41	40	24"	8"	52	106	36	87	92x28x88	1	100	18.6	121	298
CA609BE	64	24	43	43	24"	8"	52	106	36	87	92x28x88	1	100	18.5	121	298

Commode Series



Option!

CA6206L ◦ Aluminum Reclining Commode Chair

- Aluminum powder coated frame
- Tool free assembly
- PU seat(16"/18"), PU armrest & backrest
- Angle adjustable headrest
- 5" universal wheel
- Detachable footrest
- 0-30 degree free tilting

◦ CA6203L

Aluminum Commode Chair

- Aluminum powder coated frame
- PU seat 16"/18", PU armrest & backrest
- Flip up armrest, swing away footrest
- 5" solid castors
- Tool free KD frame



Option!



CA6204L ◦

Aluminum Commode Chair

- Aluminum powder coated frame
- PU seat, PU armrest & backrest
- Flip up armrest, swing away footrest
- 5" solid castors
- Foldable frame
- Strong cross bar foldable frame

SPECS(cm) MODEL	Width 	Seat width 	Seat depth 	Seat height 	Length 	Backrest height 	Height 	Packaging DIM 	Pcs/ctn 	Medium weight capacity KGS (Kg) 	NW/GW KGS (Kg) 	20FCL PCS	40FCL PCS
CA6206L	54	46	56	54	98	48	106	67x61x49	1	120	17/19	137	337
CA6203L	55	48	40	50.5	85	45.5-48	95.5-98	70x33x58	1	120	13.5/15.5	205	504
CA6204L	55	48	40	51	89	45-48	93	70x27.5x74	1	120	15.5/17.5	193	474



20", 22", 24"

CA6205L

Aluminum Commode Chair (Heavy Duty)

- Aluminum powder coated frame
- PU seat
- Flip up armrest, swing away footrest
- 5" front solid castor & 24" rear wheel
- Foldable frame

Option!



20", 22", 24"

CA6208L

Aluminum Commode Chair(Heavy Duty)

- Aluminum powder coated frame
- PU seat
- Flip up armrest, swing away footrest
- 5" solid castors
- Tool free KD frame



Seat width
16"
18"
20"



CA697S

Stainless Steel Commode Chair

- Stainless Steel frame
- PU/PVC seat
- Flip up armrest, swing away footrest

CA6992L

Aluminum Commode Chair

- Alu powder coated frame
- PU Seat, net fabric backrest
- 5" wheel
- Flip up footrest



SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA6205L	79	61	41	51	105	39	93	84x36x88.5	1	250	19.6/22.1	103	252
CA6208L	79	61	41	51	102	42	96	84.5x62x42.5	1	250	18.5/21	124	303

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA697S	57.5	44	44	51	111	44.5	96.5	54x52.5x56	1	100	12.3/13.8	173	425
CA6992L	55	44	42	55	61	40	97	98x53x58	1	100	8.4/9.4	91	224



◦ **CA614L**
Aluminum Commode Chair

- Folding footrest
- Soft PVC seat



◦ **CA611**
Steel Commode Chair

- Powder coated frame
- Detachable armrest & footrest



◦ **CA612**
Steel Commode Chair

- Powder coated frame
- Fixed armrest and folding footrest



◦ **CA662**
Steel Commode Chair

- Height adjustable
- PE seat



◦ **CA615**
Steel Commode Chair

- Steel chrome frame
- With 3" wheels



◦ **CA616**
Steel Commode Chair

- Steel chrome frame
- Easy folding



◦ **CA613**
Steel Commode Chair

- Steel chromed frame
- Flip up armrest and swing away footrest



◦ **CA613-Luxury**
Steel Commode Chair

- Steel powder coated frame
- Flip up armrest and swing away footrest
- Deluxe silent castors



◦ **CA613L**
Aluminum Commode Chair

- Aluminum frame
- Flip up armrest and swing away footrest



◦ **CA6621**
Steel Commode Chair

- Steel Chromed frame
- Easy folding



◦ **CA615L**
Aluminum Commode Chair

- Easy folding
- 3" wheels



◦ **CA616L**
Aluminum Commode Chair

- Easy folding
- PE seat

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA614L	56	45	42	53	84	36	96	49x24x67	1	100	8.2/9.2	349	857
CA611	55	44	44	51.5	82	37	92	54x53x53	1	100	12.3/13.8	181	445
CA612	54	44	44	47	74	33	83	52x26x66	1	100	12.3	308	756
CA613	57.5	44	44	50.5	111	44.5	92	54x53x57	1	100	12.3/13.8	189	414
CA613-Luxury	57.5	44	44	50.5	111	44.5	92	54x53x57	1	100	12.3/13.8	189	414
CA613L	55	46	40	52	70	49	93	54x53x57	1	100	11.4/12.4	189	414

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA662	56	43	43	44-54	54	33	77-88	53x26x80	1	100	7	249	612
CA615	55	46	40	44-51	54	33	74-84	50x19x77	1	100	5.22/6.3	376	923
CA616	55	46	40	41-51	51	35	74-84	50x19x77	1	100	6.5/7.4	376	923
CA6621	41		42	44-80	51	33	76-92	58x23x78.5	1	100	6.8/8	263	645
CA615L	55	45	40	47	49	31	77	50x19x77	1	100	5.2/6.2	376	923
CA616L	53	46	42	46-56	52	/	73.5-83.5	50x21x76	1	100	3.5/5	345	846



◦ **CA618**

Steel Commode Chair

- Folding frame
- Height adjustable



◦ **CA618A**

Steel Commode Chair

- Powder coated frame
- Height adjustable



◦ **CA6181**

Steel Commode Chair

- Soft PVC seat
- Easy folding



◦ **CA668**

Steel Commode Chair

- Fixed frame
- Height adjustable



◦ **CA6521**

Steel Commode Chair

- Tool free KD frame
- Height adjustable



◦ **CA693**

Steel Commode Chair

- Foldable frame
- Comfortable PE seat



◦ **CA663**

Steel Commode Chair

- Fixed frame
- Padded seat



◦ **CA6997**

Steel Commode Chair

- Powder coated frame
- PVC seat
- Height adjustable



◦ **CA620L**

Aluminum Commode Chair

- Detachable armrest
- PVC seat
- Height adjustable



◦ **CA691L**

Aluminum Commode Chair

- Soft PVC seat
- Easy folding
- Good stability



◦ **CA6995**

Steel Commode Chair

- Powder coated frame
- Easy folding
- PVC seat



◦ **CA6996L**

Aluminum Commode Chair

- Easy folding
- Height adjustable
- PE seat

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA618	57	47	43	42-57	54	21	63-78	61x21x71	1	100	6.28/7.5	302	742
CA618A	57	41	41		52	18	87	61x21x71	1	100	6.2/7.45	302	742
CA6181	41	48	42	46	53	44	90-102	58x25x71	1	100	6.8/8	267	656
CA663	54	44	44	47	44	35	82	50x26x66	1	100	10.5/11.7	321	767
CA6997	59	46	43	43-53	47	42	81-91	59x51x91	2	100	15.6	201	493
CA620L	44		47	46-56	51	35	86-96	62x52x88	2	100	10.1/12	194	476

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA668	64	46	40	43-58	46	20	82-77	66x66x66	4	100	6	383	939
CA6521								56x56x32	2	100		548	1345
CA693		45.5	45	31-40.5	69	44	56-84.5	80x51x53	2	100	12.6/14.6	254	624
CA691L	58	40	42	43-50	60	38.5	83-90	58x23x88	1	100	4.88/5.6	234	575
CA6995	59	47		43-47	56		88-93	101x29x60	1	100	8.4/9.8	156	384
CA6996L	49		44	46-51	59	40	85-90	102x30x62	2	100	9.8	290	712



◦ **CA651L**
Aluminum Commode Chair

- Fixed anodized frame
- Height adjustable



◦ **CA652**
Steel Commode Chair

- Fixed powder coated frame
- Height adjustable



◦ **CA653**
Extra Wide Steel Commode Chair

- Fixed powder coated frame
- Height adjustable



◦ **CA697**
Steel Commode Chair



◦ **CA697A**
Steel Commode Chair



◦ **CA698**
Steel Commode Chair



◦ **CA6642L**
Aluminum Commode Frame

- Powder coated frame
- Height adjustable



◦ **CA6642**
Steel Commode Frame

- Powder coated frame
- Height adjustable



◦ **CA6511L**
Aluminum Commode Chair

- Height adjustable



◦ **CA699**
Steel Commode Chair



◦ **CA699W**
Steel Commode Chair



◦ **CA6981**
Steel Commode Chair

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA651L	65	47	37	41-51	43	22	61-71	87x66x66	4	100	3.19	290	712
CA652	66	47	41	42-57	60	20	62-77	66x66x66	4	100	6.2	383	939
CA653	79	62	43	46-56	58	17	65-75	82x56x66	2	100	8.8	181	445
CA6642L	54	48	37	63-76	49.5-53		69-86	58x58x70	4	100	4.5	467	1147
CA6642	54	48	37	50-65.5	49.5		69-86	58x58x74.5	4	100	4.5	439	1077
CA6511L	40		41	40-50	43	/	62-72	45x18x63	1	100	2.6/3.6	539	1323

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA697	39	/	/	45.5	40			66x20x41	2	100	2.4	1016	2494
CA697A	39	/	/	45.5	40			66x20x41	2	100	2.4	1016	2494
CA698	39	/	/	40	40			76x30x40	6	100	1.5	1809	4441
CA699	54	43	40		50	36	78	79x43x55	4	100	4.16	589	1445
CA699W	60	43	40	49	59	39	82	80x30x60	2	100	6.4	382	938
CA6981/6982		38	41	39	42		80	75.5x33x38.5	2	100	6.8/7.7	573	1407



◦ **CA667**
Steel Commode Chair

- Easy drop armrest
- Height adjustable



◦ **CA667S**
Steel Commode Chair

- Small size
- Easy drop armrest
- For children

◦ **CA6671**
Steel Commode Chair

- Soft seat and backrest
- Easy drop armrest



◦ **CA673L**
Aluminum Toilet Safety Frame

- Height and width adjustable
- Soft armrest



◦ **CA670**
Steel Toilet Safety Frame

- Height and width adjustable
- Quick release frame



◦ **CA669**
Aluminum Toilet Frame



◦ **CA677**
Steel Toilet Safety Frame

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Medium weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA667	57	49	40	37-47	51	28.5	82-72	56x40x36	1	100	6.2	341	837
CA6671	56	/	/	54-64	50		79-91	58x51x45	1	100	14.5/15.7	207	507
CA667S	35	/	37	29-36.5	42	23	51-58.5	46x38x30	1	100	4.9/5.6	524	1287

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Medium weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA673L	55	/	/	/	54	/	65-75	53X43X39	2	100		619	1519
CA670	61-65.5	54	/	/	50	/	70-82	55X14X72	1	100	5	496	1218
CA669	60	52.5	/	/	61.5	/	89-69	72X14X63	1	100	4.6	433	1063
CA677	49	/	/	/	78	/	66	67.5X49.5X12	1	100	5.4	686	1684



• **CA6712**
Raised Toilet Seat



• **CA671**
Raised Toilet Seat



• **CA672**
Raised Toilet Seat



N5
Urinal



N6
Urinal



• **CA674-2"/4"/6"**
Raised Toilet Seat
• 2" , 4" , 6" height optional



• **CA6741-2"/4"/6"**
Raised Toilet Seat
• 2" , 4" , 6" height optional
• With lid



N8
Urinal



N9
Urinal




N7
Bedpan



N10
Bedpan


SPECS (cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximun weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA6712	53	/	/	/	45	/	33	52x19x44.5	1	100		625	1535
CA671	53	/	/	/	45	/	33	52x19x44.5	1	100	2.44	625	1535
CA672	42	/	/	/	44	/	18	43x19x45	1	100	1.78	748	1836
CA674-2	36	/	/	/	39	/	15	39x16x44	1	100	4.92	1002	2458
CA674-4	36	/	/	/	39	/	17	39x18x44	1	100	5.36	890	2185
CA674-6	36	/	/	/	39	/	20	39x21x44	1	100	3	763	1873
CA6741-2	36	/	/	/	39	/	15	39x16x44	1	100	4.92	1002	2458
CA6741-4	36	/	/	/	39	/	17	39x18x44	1	100	5.36	890	2185
CA6741-6	36	/	/	/	39	/	20	39x21x44	1	100	3	763	1873

Bathroom Safety Series



CA3521L-KD Aluminum shower chair

- PE seat & backrest
- Tool free assembling
- Height adjustable
- with inner box
- Optional: blue seat & backrest



CA301A/B Steel Grab Bar

- Specifications: 12", 16", 18", 24"



CA3182 Stainless Steel Grab Bar



CA303 SS/Alu Grab Bar

- Specifications: 12", 16", 18", 24"



CA305 Plastic Grab Bar

- Specifications: 12", 18", 24"



CA331 Steel Bathtub Bar

SPECS(cm) MODEL	Width	Length	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA301A/B-12	7.5/8	38	10.3/9.2	39x37.5x12 41.5x25.5x24	10 6	100	0.45	15670 6497	38462 15946
CA301A/B-16	7.5/8	48	10.3/9.2	49x37.5x12 51.5x25.5x24	10 6	100	0.6	12472 5235	30612 12650
CA301A/B-18	7.5/8	53/54	10.3/9.2	55x37.5x12 57.5x25.5x24	10 6	100	0.7	11111 4689	27273 11508
CA301A/B-24	7.5/8	68.5/69	10.3/9.2	70x37.5x12 71.5x25.5x24	10 6	100	0.8	8730 3771	21429 9255
CA301A/B-32	7.5/8	89	10.3/9.2	90x37.5x12 92.5x25.5x24	10 6	100	0.9	6790 2915	16667 7154
CA3182		52.8	14.4	12.5x4.2x60 78.8x14.5x82.5	1pc/box 18box/ctn	130	0.88/17	6949	17057
CA303-12	8	38	9	41x26x30	10	100	0.35	8599	21107
CA303-18	8	53	9	56x26x30	10	100	0.5	6296	15453
CA303-24	8	64	9	71x26x30	10	100	0.6	4966	12189
CA305-12	8		8.5	9.5x8.5x40	1	100		8514	20898
CA305-16	8	53	8.5	9.5x8.5x50	1	100	0.48	6811	16718
CA305-18	8		8.5	9.5x8.5x55	1	100		6192	15198
CA305-24	8		8.5	9.5x8.5x70	1	100		4865	11942
CA331	15	20-27	50	43.5x34x54	4	100	2.8	1377	3381

CA3741 Wall Mounted Folding Shower Seat

- White powder coating frame
- Flip-up seat when not in use
- Securely mounted to the wall



CA3742L Aluminum Wall Mounted Folding Shower Seat

- White powder coating frame
- Flip-up seat when not in use
- Securely mounted to the wall



SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA3521L-KD							39.4-51.7	56x76x38.5	4	100	3.3/4	671	1648
CA3741		45	37	50-52	41		50-52	59x22x51	2		4.9/10.7	831	2039
CA3742L		49	40					54x49x18	1		2.74	577	1417



◦ CA311
ABS shower chair



◦ CA314
Wall Mounted Shower Seat



◦ CA3361L
Aluminum Bathtub Seat



◦ CA336L
Aluminum Bathtub Seat



◦ CA312
ABS Grab Bars



◦ CA3124
ABS Grab Bars



◦ CA3373
Steel Step Stool



◦ CA330
Plastic Bath Board



◦ CA3362U
Stainless Steel Bathtub Seat



◦ CA3128
ABS Bathroom Grab Bars



◦ CA3131
ABS Bathroom Grab Bars



◦ CA3372L
Aluminum Step Stool



◦ CA337L
Aluminum Foot Stool



◦ CA3374L
Aluminum Foot Stool



◦ CA3132
ABS Bathroom Grab Bars

• Specifications: 12", 16", 18", 24"

SPECS(cm) MODEL	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA311	42x37x47	1		3.95	377	924
CA314	49x41x11	1		3.1	1244	3054
CA312	78.5x13.5x23.5	1		3.39	1133	2781
CA3124	65x34x25	5		11.65	2489	6109
CA3128	51x19.5x86.5	5		2/10	2079	5103
CA3131	35x11x77	4		1.6/6.4	3711	9108
CA3132-12	52x47x22	10		0.6/6	5115	12554
CA3132-16	57x52x22	10		0.7/7	42177	10351
CA3132-18	67x52x11	10		0.8/8	7176	17613
CA3132-24	77x52x11	10		0.9/9	8244	15326

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA3361L								85x26x41	5	100		1517	3725
CA336L	80-90	42	23		27		22	43x11x25	1	100	1.5	2326	5708
CA3373								54x45x48	2	100		472	1157
CA330	32				71		19	73x8x33	1	100	2.5	1427	3502
CA3362U	36		28	33	84-130	41		73x42x27	2	100	7.2/8.2	855	1609
CA3372L	50	41.5	22.5	/	46	29	/	29x16x48.5	1	100	2.52	1222	2999
CA337L	43	42	23				21-26	42x10x25	1	100	1.5	2619	6429
CA3374L								39.5x36x27	1	100	1.7/2.2	716	1758



◦ **CA3402L**
Aluminum Shower Chair



◦ **CA342L**
Aluminum Shower Chair



◦ **CA350L**
Aluminum Shower Chair



◦ **CA343L**
Aluminum Shower Chair

- Height adjustable
- PP seat




◦ **CA3432L**
Aluminum Shower Chair

- Height adjustable
- PE seat



◦ **CA343LW**
Aluminum Shower Chair

- Height adjustable
- PP seat (heavy duty)



◦ **CA341**
Steel Folding Shower Bench



◦ **CA347L**
Alu Folding Shower Bench



◦ **CA3501L**
Deluxe Alu Shower Chair



◦ **CA351L**
Aluminum Shower Chair



◦ **CA3512L**
Aluminum Shower chair



◦ **CA3522L**
U shape Shower Chair



◦ **CA3552L**
Aluminum shower chair



◦ **CA355L**
Aluminum shower chair



◦ **CA3553L**
Aluminum shower chair

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity (Kg)	NW/GW KGS	20FCL PCS	40FCL PCS
CA3402L	42	42	30	/	50		39-49	61x45x31	4	100	3.6	1293	3173
CA342L	50		30		44		39-57	59x44x49	4	10	1.8	865	2123
CA350L	49		30	35	51	35-52	69-86	60x36x41	4	100	3.1	1242	3049
CA341	49	49	30		38		52	73x21x53	2	100	3.1	677	1662
CA347L	51	49.5	31		43-49		48-51	57x10x40	1	100	2.4	1206	2961
CA3501L	49	38	29	39	46	35-43	73-83	60x36x45	4	100	3.1	1132	2778
CA351L	50		30	38	49	35-53	71-89	64x52x52	4	100	2.9	636	1560
CA3512L	50	50	30	35	49	35-53	70-88	64x52x53	4	100	2.82	624	1531
CA3522L	49	49	33	38	48	36-54	71-89	69x36x46	5	100	2.78	1203	2954

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity (Kg)	NW/GW KGS	20FCL PCS	40FCL PCS
CA343L	32				32		35-53	50x38x26	6	100	1.22	3340	8198
CA3432L	33	32	32		35		38-55	36x15x46	2	100	1.54	2214	5435
CA343LW	32				32		35-53	50x38x26	6	100	1.5	3340	8198
CA3552L	51	40	33	33	44		41-53	52x47x44	2	100	2.8	511	1255
CA355L	51	40	33	33	44	41-53	73-85	60x28x45	2	100	3.2	728	1786
CA3553L	51		37	41	41	34-44	73-83	59x49x75	2	100	3.7	254	623



• **CA345L** Rotating Plastic Shower Chair

- PP hard seat
- Tool free assembling
- Height adjustable



• **CA364L** Commode Shower Chair

- Foldable aluminum frame
- With armrest & footrest
- Plastic PE seat



• **CA357U**
Bathtub Chair

- Stainless steel frame
- Rotate seat



• **CA3573U**
Bathtub Chair

- Stainless steel frame
- Rotate seat



• **CA356L**
Alu Shower Chair

- Powder coated frame
- Height adjustable



• **CA3563L** Alu Shower Chair

- Aluminum frame
- KD frame
- Adjustable seat height



• **CA3451** Plastic Shower Chair

- ABS legs, commode cover & shelf
- Tool free assembly
- PP seat & backrest



• **CA358L**
Alu Shower Chair

- Powder coated frame
- Fixed armrest
- Height adjustable



• **CA3561L**
Alu Shower Chair

- Alu powder coated frame
- PU seat & backrest
- Height adjustable



• **CA346L**
Alu Shower Chair

- Height adjustable
- Bamboo plate seat
- Tool free

SPECS (cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctr	Maximum weight capacity (KGS)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA345L													
CA364L	63		40	54	40		92	109x24x52	1	100	5.2	202	496
CA3563L	56.5	48	42	43-55.5	46	36	77	56x66.5x60	4	136	3	492	1208
CA3451	54		38	39-51	56	38	76-88	56x23.5x45	1	93	4.6/5.4	440	1150

SPECS (cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctr	Maximum weight capacity (KGS)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA357U	73	50			52		52	77x56x38	2	100	4.32	336	824
CA3573U	41		37	76-86	51	39-49	37	70x56x41.5	2	100	4.7	338	830
CA356L	50		37	37	51	49-59	81-91	85x55x56	2	100		210	516
CA358L	45	42	41	97	55	43-63	80-90	55x41x78	2	100	4.5	313	768
CA3561L	49	41	39	36	55	38-48	72-82	55x45x83	4	100	16	535	1314
CA346L	58				58	34-47	34-47	57x10x43	1	100	3	1122	2754



◦ **CA3631L** Alu Transfer Bench

- Height adjustable
- Padded seat



◦ **CA363L** Alu Transfer Bench

- Height adjustable
- Padded seat



◦ **CA342L-KD**
Aluminum Shower Chair

- PE seat
- KD frame



◦ **CA3511L-KD**
Aluminum Shower Chair

- PE seat
- KD frame



◦ **CA351LS**
Aluminum Shower Chair

- PE seat
- Height adjustable



◦ **CA3602L**
Alu Transfer Bench

- Detachable armrest
- Suction cup rubber tips




◦ **CA360L**
Alu Transfer Bench

- Fixed armrest
- Suction cup rubber tips



◦ **CA362L**
Alu Transfer Bench

- Detachable armrest
- Suction cup rubber tips



◦ **CA342LW-KD**
Aluminum Shower Chair

- PE seat
- Heavy duty
- KD frame



◦ **CA351LW-KD**
Aluminum Shower Chair

- PE seat
- Heavy duty
- KD frame



◦ **CA371LW**
Aluminum Shower Chair

- PE seat
- Heavy duty
- Fixed frame

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA3631L	51		42	38	64	46-56	84-94	80x52x56	2	100	6.5	236	579
CA363L	67.5	62	41	39	48.5	46-56	83.5-93.5	72x52x86	1	100	5.72	85	210
CA3602L	61	47.5	41	46-56	53	38.5	84-94	59x55x50.5	2	250	4.81	336	824
CA360L	77	70	41	39	53	43-53	81-91	80x22x45	2	100	4.68	694	1705
CA362L	81	70	41	35	55	46-56	81-91	81x46x46	2	100	4.4	321	788

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS	20FCL PCS	40FCL PCS
CA342L-KD	44	49	30	39.5-52			43-55.5	53x37x75	4		1.93/2.43	748	1836
CA3511L-KD	30	49.5	39	42.5-55		34	75-88.5	53x37x75	4		2.79/3.29	748	1836
CA351LS		38.7	37.5	30-40			60-70	53x53x40	2		4.5/5.6	489	1201
CA342LW-KD	44	49	29.5	44-56.5			44-56.5	53x37x91	4		2.33/2.93	616	1513
CA351LW-KD	45	49	37	44-56.5		38	75-87.5	101.7x37x53	4		3.12/3.72	552	1354
CA371LW		45	42	43-53			80-90	50x48x45	1		3.5/4.7	266	652

Walker Series



◦ **CA8114LG-44**
Aluminum Fixed Walker

- Frame: aluminum matte

Front legs



Rear legs



Tips Parts



Option!



◦ **CA8272TX** Steel Moving Walker

- Steel chrome frame
- With seat



◦ **CA8273** Steel Moving Walker

- Steel chrome frame
- With seat



◦ **CA819LL/M/S**
Aluminum Fixed Walker

- Frame: anodized or polish



◦ **CA8242L**
Aluminum Fixed Walker

- Frame: anodized



◦ **CA824L-4**
Aluminum Fixed Walker

- Frame: anodized or polish

SPECS(cm) MODEL	Width	Folding width	Length	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA8114LG-44	67	10	56	77-87	66.5x36x81	4	100		567	1392
CA8272TX	64	/	73	110-135	75x22.5x89	1	100	11.2	183	449
CA8273	63	/	73	100-125	75x22.5x89	1	100	15.4	183	449
CA819LL	45	/	38	85-95	96x68x35	10	100		1204	2954
CA819LM	44	/	38	75-85	86x68x35	10	100		1344	3298
CA819LS	43	/	38	65-75	76x68x35	10	100		1520	3732
CA8242L	63	22	61	83-90.5	66x44x82	4	100	1.9	462	1134
CA824L-4	68	20	65	84-92	96x68x38	10	100	2	1109	2721



◦ **CA8112L**
Transfer Walker

- Colored anodized frame
- With seat & wheels
- Tool free assembling



◦ **CA8111L-Y**
Walker

- Colored anodized option
- Height adjustable
- Easily foldable



◦ **CA818L**
Aluminum Walker

- With PU paddle



◦ **CA812LXS**
Walker



◦ **CA821LS**
Walker



◦ **CA810L-4**
Aluminum Walker

- Soft Seat
- Height adjustable



◦ **CA810LD-5**
Aluminum Walker

- Soft Seat
- Height adjustable
- Push down lock system



◦ **CA875**
Steel Walker

- Steel Powder coated frame
- Easily foldable



◦ **CA8244I-3**
Walker



CA8241L-3



◦ **CA8241L**
Walker



◦ **CA8246L**
Walker

SPECS(cm) MODEL	Width	Folding width	Length	Height	Packaging DIM	Pos./ctn	Maximum weight capacity (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA8112L	54	/	51	78-93	53x17x89	1	100	4.87	442	1086
CA8111L-Y	52	10	46	76-93.5	55x27x80	4	100	2.4	926	2273
CA818L						4	100			
CA810L-4	47	10	50	79-89	60x34x89	2	100	7/8.7	303	744
CA810LD-5	47	10	50	79-89	60x34x89	2	100	7/8.7		
CA875	58	10	46	76-93.5	54x16x70	1	100	2.4/11.1	455	1116

SPECS(cm) MODEL	Width	Folding width	Length	Height	Packaging DIM	Pos./ctn	Maximum weight capacity (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA812LXS	55		42	48.5-58.5	53x18x52	2	100	3.6/4.6	1109	2721
CA821LS	58	10	44	64-81.5	57x27x70	4	100	2.5	1021	2508
CA8244L-3	35	10	56	41-51	59x30x82	2	100	52/6.2	501	1230
CA8241L	62		39	51-61	52.5x22x83	2	100	2.9/3.9	756	1855
CA8246L	34		35	75-82	43x14.5x76.5	2	100	3.2/4	1153	2830



◦ **CA812L**
Alu Reciprocating Walker

- Polish frame



◦ **CA812LMG**
Aluminum Walker

- Height adjustable
- Anodized



◦ **CA812LG**
Aluminum Walker

- Anodized frame



◦ **CA821L**
Alu Two Button Walker



◦ **CA821LW**
Alu Two Button Walker

- Extra wide



◦ **CA812L-C**
Alu Reciprocating Walker

- Bronze frame



◦ **CA811L**
Alu Reciprocating Walker

- Anodized frame



◦ **CA811LG**
Aluminum Walker

- Anodized frame



◦ **CA811LG-5**
Aluminum Walker

- Anodized frame



◦ **CA821L-5**
Alu Two Button Walker



◦ **CA8211LW-55**
Alu Two Button Walker

- Extra wide



◦ **CA821LH-5**
Alu Two Button Walker

SPECS(cm) MODEL	Width	Folding width	Length	Height	Packaging DIM	Pos./ctn	Maximum weight capacity (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA812L	52	10	46	76-93.5	55x27x80	4	100	2.2	926	2273
CA812LMG	60	10	47	70-83	57.5x27x76	4	100	2.4	932	2288
CA812LG	60	10	46	76-93.5	59x27x80	4	100	2.2	886	2174
CA811L	52	10	46	76-93.5	55x27x80	4	100	2.2	926	2273
CA811LG	58	10	46	76-93.5	57x27x80	4	100	2.2	893	2193
CA811LG-5	60	10	51	77.5-95	57x27x83	4	100	2.8	881	2114

SPECS(cm) MODEL	Width	Folding width	Length	Height	Packaging DIM	Pos./ctn	Maximum weight capacity (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA821L	56	10	47	81-98	57x27x80	4	100	2.62	893	2193
CA821LW	65	11	47	78-96	62x27x80	4	100	2.6	821	2016
CA812L-C	52	10	46	76-93.5	57x52x83	4	100	2.2	447	1098
CA821L-5	64	11	51	80-97	57x27x83	4	100	2.9	861	2114
CA8211LW-55	75	10	54	85-111	80x41x89	4	100		377	925
CA821LH-5	60	10	51	77.5-95	65x19x89	2	100	2.8	634	1556



◦ **CA816L**
Aluminum Step Walker



◦ **CA816LG-5**
Aluminum Step Walker



◦ **CA828L**
Aluminum Step Walker



◦ **CA8122LG-3**
Aluminum Walker

- With 3"wheel
- Push down legs



◦ **CA8122LG-4**
Aluminum Walker

- With 4"wheel
- Push down legs



◦ **CA8122LG-5**
Aluminum Walker

- with 5"wheel
- Push down legs



◦ **CA8243LS**
Aluminum Walker



◦ **CA8243LM**
Aluminum Walker



◦ **CA8243LL**
Aluminum Walker



◦ **CA8123LG-3**
Aluminum Walker

- with 3"wheel



◦ **CA823L**
Alu Two Button Walker



◦ **CA829L**
Alu Two Button Walker

- With seat

SPECS(cm) MODEL	Width 	Folding width 	Length 	Height 	Packaging DIM 	Pos./ctn 	Maximum weight capacity KGS 	NW/GW KGS (Kg) 	20FCL PCS	40FCL PCS
CA816L	56	10	51	74-86.5	58x27x76	4	100	2.3/10.7	937	2299
CA816LG-5	63	10	56	74-92	57.5x16x78	2	100	2.3/10.7	897	2201
CA828L	64	10	49	82-100	57x27x83	4	100	2.5	861	2114
CA8243LS	59		52	45-55	53x18x85	2	100	8/6.9	887	2177
CA8243LM			71	54-65	68x28x59	2	100	6.6/6.9	527	1294
CA8243LL	72		85	80-100	76x19x96	2	100	9.4/11.2	397	974

SPECS(cm) MODEL	Width 	Folding width 	Length 	Height 	Packaging DIM 	Pos./ctn 	Maximum weight capacity KGS 	NW/GW KGS (Kg) 	20FCL PCS	40FCL PCS
CA8122LG-3	61	12.5	55	77-87	53x16x69	2	100	3.06	940	2307
CA8122LG-4	66	12.5	55	77-87	53x16x69	2	100	3.24	940	2307
CA8122LG-5	68	12.5	56	77-87	53x16x69	2	100	3.44	940	2307
CA8123LG-3	58	12.5	53	80-90	53x16x69	2	100	2.46	940	2307
CA823L	61	11	47	77-95	55x27x80	4	100	2.5	928	2273
CA829L	44	10	49	74-92	57x19x79	2	100	2.1	643	1578

Cane Series



• CA851L1 • CA851L2 • CA851L3 • CA851L5 • CA852L1 • CA852L1-N • CA852L2



• CA854L • CA856LL/LM/LS/LXS • CA838L • CA853 • CA853-N



• CA831L3 • CA833L1 • CA833L2 • CA833L3 • CA833L4 • CA833L5 • CA834L1



• CA834L2 • CA834L3 • CA834L4 • CA834L5 • CA835L1 • CA835L2 • G1 • G2



• CA836 • CA8332L



• CA8391 Carbon Fibre Cane • CA8392 Carbon Fibre Cane

SPECS(cm) MODEL	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA831L3	67.5-90	69x16x28	20	100	0.3	17792	43672
CA833L1	67.5-90	66x16x28	20	100	0.3	18601	45657
CA833L2	67.5-90	66x12x28	20	100	0.3	24802	60877
CA833L3	67.5-90	66x16x28	20	100	0.3	18601	45657
CA833L4	77-100	72x17x36	20	100	0.3	12482	30637
CA833L5	67.5-90	66x16x28	20	100	0.3	18601	45657
CA834L1	70-93	72x33x19	20	100	0.3	12183	29904
CA834L2	70-93	79x31x19	20	100	0.3	11820	29013
CA834L3	70-93	72x33x19	20	100	0.3	12183	29904
CA834L4	70-93	80x31x19	20	100	0.3	11672	28650
CA834L5	78-100	81x19x32	20	115	0.3	11168	27412
CA835L1	70-93	63x17x29	20	100	0.34/8.3	17708	43466
CA835L2	79.5-87	63x17x29	20	100	0.34	17708	43466
CA851L1	81-104	106x30x30	20	100	0.52	5765	14151
CA851L2	81-104	106x30x30	20	100	0.52	5765	14151
CA851L3	81-104	106x30x30	20	100	0.52	5765	14151
CA851L5	81-104	106x30x30	20	100	0.52	5765	14151
CA852L1	95-126	96x30x30	20	100	0.56/11.84	6366	15625
CA852L1-N	95-126	96x30x30	20	100	0.56/11.84	6366	15625
CA852L2	87-117	86x30x30	20	100	0.5/11.22	7106	17442
CA854L	94-120	96x31x37	20	100	0.58	4995	12260
CA858LL	104-134	106x31x37	20	100	0.66	4292	10534
CA856LM	94-124	96x31x37	20	100	0.64	4995	12260
CA856LS	84-114	87x31x37	20	100	0.62	5512	13529
CA856LXS	64-91	71x31x37	20	100	0.54	6754	16577
CA838L	94-117	27x18x102	6	100	7.2/8.5	3328	8170
CA853	119	42x12x26	20	100	0.18	41872	103022
CA853-N	119	42x12x26	20	100	0.18	41972	103022
CA836	84.5	85x27x41	10	100	0.84	2923	7174
CA8332L	75-98	70x43x32	20	100	0.547/12.2	5710	14016
CA8391	71-93.8	83.5x54.5x17.5	10	130	0.24	4541	11145
CA8392	81-91	54.5x34.5x20	10	130	0.26	7313	17950



• CA8451 • CA8411 • CA8412 • CA841 • CA842 • CA8422 • CA8424



• CA801LL/LM/LS/LXS • CA802LL/LM/LS • CA803LL/LM/LS



• CA8425 • CA8426 • CA8423EX • CA8431 • CA843 • CA8432 • CA845L



• CA8430L • CA8452L • CA8434L • CA8427 • CA8453 • CA8454L • CA8456



• CA8061L • CA8062L • CA807LL/LM/LS



• CA2131L • CA837L

SPECS(cm) MODEL	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA8451	72-97	78x29x43	10	100	0.81/9.3	2827	6940
CA8411	73-96	80x34x46	10	100	0.95	2198	5395
CA8412	72-94.5	80x34x45	10	100	0.92	2247	5515
CA842	66-89	76x24x45	10	100	0.78	3350	8224
CA841	66.9-89.7	76x42x47	10	100	1.17	1833	4499
CA8422	70.5-94	80x24x45	10	100	0.74	3183	7813
CA8423	70.5-94	81x24x45	10	100	0.74	3144	7716
CA8424	70.5-94	80x24x46	10	100	0.74	3114	7643
CA8425	78-109	94x34x38	10	100	0.94/10.9	2264	5558
CA8426	79-95	80x30x40	10	90	0.83/9.6	2865	7031
CA8423EX	70.5-94	81x24x45	10	100	0.74	3144	7716
CA843	73-96	76x29x45	10	100	0.76	2773	6806
CA8431	73-96	76x29x45	10	100	0.76	2773	6806
CA8432	73-96	76x29x45	10	100	0.76	2773	6806
CA845L	75-95	61x34x34	4		3.4/4.3	1560	3829
CA8430L	70-90	84x27x27	4		3.2/4.2	2358	5787
CA8452L	72-92	64x27x25	4		3.2/4.1	2546	6250
CA8434L	70-93	76x39x23	8		5.0/6.2	3227	7921
CA8427	66-89	70x21x44	8		7.3/8.5	3401	8349
CA8453	73.5-96	78x29x43	10		0.79/9.1	2827	6940
CA8454L	75-95	61x34x34	4		3.4/4.3	1560	3829
CA8455	74-97	78x29x43	10		0.85/9.5	2827	6940
CA8456	73-88	79x34x44	10		0.78/8.8	2327	5711
CA801LL	134.5-154	140x33x29 / 140x27x29	10/8prs	100	0.9	2053 / 2007	5039 / 4926
CA801LM	113-133	120x33x29 / 120x27x29	10/8prs	100	0.8	2395 / 2314	5878 / 5747
CA801LS	84-114	100x33x29 / 100x27x29	10/8prs	100	0.75	2874 / 2810	7053 / 6897
CA801LXS	72-87.5	81x33x29	10prs	100	0.75	3548	8708
CA802LL	132-152	138x33x29	10prs	100	0.8	2082	5111
CA802LM	112-133	118x33x29	10prs	100	0.76	2435	5977
CA802LS	84-114	98x33x29	10prs	100	0.7	2903	7125
CA803LL	127.5-147.5	133x33x29	10prs	100	0.9	2161	5303
CA803LM	108.5-129	119x33x28	10prs	100	0.8	2501	6139
CA803LS			10prs	100			
CA8061L	100-130	83x33x29	10prs	100	19/20	3462	8498
CA8062L	94-142	100x43x29.5	10prs	136	0.98	2168	532
CA807LL		143x33x29	10prs	100		2009	4932
CA807LM		123x33x29	10prs	100		2336	5734
CA807LS		103x33x29	10prs	100		2790	6848
CA2131L	84x35x25		30		0.33/10.9	11224	27551
CA837L	91x29x52		10		1.44/16.1	2004	4919



◦ **CA223**
Steel Bedside Rail
• Powder coated frame



◦ **CA2231**
Steel Bedside Rail
• Powder coated frame



◦ **CA2233**
Steel Bedside Rail
• Powder coated frame



◦ **CA224**
IV Stander
• Stainless steel pole
• Metal base with castors



◦ **CA222**
IV Stander
• Stainless steel pole
• Plastic base with castors



◦ **CA211LF**
Alu Foldable Ramp
• Available: 3", 4", 5", 6"



◦ **CA2312**
Pedal Exercizer
• Powder coated frame
• Foldable



◦ **CA221**
Steel Backrest
• Powder coated frame
• Nylon material



◦ **CA230**
Hamper
• Steel chrome frame
• With wheels



◦ **CA202**
Over Bed Table
• Powder coated frame
• Desk color: brown



◦ **CA203**
Over Bed Table
• Powder coated frame



◦ **CA201**
Over Bed Table
• Powder coated frame

SPECS(cm) MODEL	Width	Length	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA223				53x9x33 44x35x55	1 5			1747 1623	4288 3985
CA2231	54	92	94-106	52x10.5x65	1	100	3.5/5.2	775	1902
CA2233	51	53	53	54x53x10.5	1	50	2.25	915	2246
CA2312	42		30	39x28x18.5 56x30x19	1 2		2.1/2.5	1361 1723	3341 4229
CA221	63	46	47-63	64x9x61	1	75	2.64	783	1921
CA230	53	48	91.5	51x51x52	1			481	1180

SPECS(cm) MODEL	Width	Length	Height	Packaging DIM	Pcs/ctn	Maximum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA224			120-200	upper frame: 110x15x33 base: 52x52x32	20 5	15	14/15.6 8.5/9.7		
CA222			134-230	upper frame: 17x9x110 base: 46x46x59	10 10	15	17.8/19		
CA211L-2"			6	65x8.5x60	1	300		830	2036
CA211LF-2"			6	65x11x40	1	300		962	2360
CA211L-3"	73	91	6	95x8.5x60	1	300	6.6	588	1393
CA211LF-3"	74	91	6	95x11x40	1	300	8	658	1615
CA211LF-4"	74	122	6	125x11x40	1	300	11	500	1227
CA211L-5"	74	154	6	155x11x40	1	300	13.8	403	990
CA211L-6"	74	185	6	187x11x40	1	300	16.8	334	820
CA202	38	89	76	89x14x42 89x22x42	1 2	15	9	525 689	1290 1642
CA203	44	60	53-83	43x13x80	1	15	6.44	820	2013
CA201	44	60	53-83	89x14x42 89x22x42	1 2	15	6.4	525 689	1290 1642



◦ **CA2081**
Over Bed Table

- Powder coated frame
- ABS desk



◦ **CA2082**
Over Bed Table

- Powder coated frame
- ABS desk



◦ **CA206**
Over Bed Table

- Powder coated frame
- Desk color: white or brown



◦ **CA705**
Oxygen Concentrator

- 5 Litre



◦ **CA207**
Over Bed Table

- Powder coated frame



◦ **CA204**
Over Bed Table

- Powder coated frame
- Desk color: white or brown



◦ **CA209**
Over Bed Table

- Powder coated frame



◦ **CA706**
Oxygen Concentrator

- 3 Litre



SPECS(cm) MODEL	Width	Length	Height	Packaging DIM	Pcs/ctn ?	Maximum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA2081	45	90	72-113	91x23x62	2	15	20.2/22.2	424	1040
CA2082									
CA206	45	90	78-105	84x14x44	1	100	20.2/22.2	531	1304
CA207	53	90	94-106	90x55x21	1	100	14.9	265	649
CA204	40	77	72-123	80x13x42 80x22x42	1 2	15	8.54	690 744	1545 1826
CA209	39	77	72-112	77x12x39	1		7.2/8.1	763	1873


SPECS(cm) MODEL	Width	Length	Height	Packaging DIM	Pcs/ctn ?	Maximum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA705									
CA706									

Hospital Bed Series



CA605E-W 5-Function Electric Hospital Bed

- Easy and fast assembly without tools, designed for 1 person delivery and assembly
- Mechanical height adjustment of footrest in 3 positions
- Backrest tilting from 0°-70°
- Footrest tilting from 0°-30°
- Full motorized bed adjustment 0-12°
- Electrically operated height adjustment 385-810mm, stroke 425mm
- 4 individually lockable castors
- Handset with single fault safety and locking device
- Protection class IPX4
- Max Patient weight: 185kg
- Safe working load: 220kg



CA-BT602M 2-Function Manual Hospital Bed

- Size: 2125x970x540mm
- Packing size: 205x97x26cm (main part/2pcs), 95x54x10cm (head & foot board/1pr)
- Max loading: 180KG(400lb) in movement
- Material: steel electrostatic spraying
- Backrest tilting From 0° to 75° ±5°
- Footrest tilting From 0° to 40° ±5°
- Accessories:
 - 4pcs 5" standard castor two with brake
 - 1 pair aluminum side rail
 - 2pcs ABS head and foot board
 - 4pcs urine hooks
 - 2pcs cranks system
- Option: I.V pole, mattress, over bed table, bedside locker



CA-BT603M 3-Function Manual Hospital Bed

- Size: 2125x970x430-790mm
- Packing size: 205x97x30cm/1pc
- Max Load: 180KG(400lb) in movement
- Material: steel electrostatic spraying
- Function:
 - Backrest tilting From 0° to 75° ±5°
 - Footrest tilting From 0° to 40° ±5°
 - Hi-lo function
- Accessories:
 - 4pcs 5" silent castor all with brake, 1 pair aluminum side rail,
 - 2pcs ABS head and foot board, 4pcs urine hooks, 3 sets crank system, 4pcs Dust cover
- Option: I.V pole, mattress, over bed table, bedside locker



CA-BT603E 3-Function Electric Hospital bed

- Size: 2125x970x430-830mm
- Packing size: 205x97x30cm (main part/1pc), 95x54x10cm (head & foot board/1pr)
- Max Load: 180KG(400lb) in movement
- Material: steel electrostatic spraying
- Backrest tilting From 0° to 75° ±5°
- Footrest tilting From 0° to 40° ±5°
- Sit Position function
- Hi-lo function
- Handset
- Accessories:
 - 4pcs 5" silent castor all with brake, 1 pair aluminum side rail,
 - 2pcs ABS head and foot board, 4pcs urine hooks, 1set MOTECK motor, 1pc Electric cable holder, 4pcs Dust cover
- Option: I.V pole, mattress, over bed table, back-up battery, bedside locker



Voltage:
> 110V
> 220V
> 240V


Frequency:
> Normal: 50Hz
> Special: 60Hz





CA-BT303(8CM)

- Size: 1950x840x80mm
- Material: waterproof Oxford fabric+High density foam+coconut fibre
- With Exhaust hole




CA-BC303(7CM)

Mattress

- Size: 1950x840x70mm
- Material: High density foam+Coconut fiber+Oxford fabric



- CPR Optional
- Cover Optional
- Flaps Optional



CA-88QD

Air Mattress

- Nylon Color: Jewelry Blue
- Accessories: repair kit, 1 Free spare cell
- Cell and base material: Nylon+PVC
- Test Duration: 24 Hours(Inflation)
- Pressure Ulcer Stage: I,II
- Mattress System: Overlay

18 cells

- Size: 200x90x11.5cm
- Packing size: 60x36x28cm/2pcs
- Cell height: 11.5cm/5"
- With CPR, flaps, PU cover
- Weight Support: 160Kg

20cells

- Size: 200x86x9.5cm
- Packing size: 49x38x34cm/2pcs
- Cell height: 9.5cm/4"
- Weight Support: 140Kg



1 Free Spare Cell

Pump

- Power supply: 110V/220V 50Hz/60Hz
- Pressure range: 50-120 mmHg
- Air output: 7-8L/min
- Cycle time: 12min.
- Power consumption: 7W
- Fuse: 1A
- Dimensions(LxWxH): 29x12x10 cm
- weight: 1.4kg



Adjustable hangers to suit any kind of hospital bed frame



CA-BT306L/X

Air Mattress

- Size: 200(L)x90(W)x7.0(H)cm
- Packing size: 52.5x29x38cm/6pcs
- 130 bubble with end flaps
- Accessories: repair kit, 1.5M hose
- Material: medical class Taiwan Nanya PVC K80
- PVC thickness: 0.3mm
- Color: beige, blue
- Mattress weight: 1.8-2.1kg
- Weight Capacity: 120-130kg

Normal:



Special:




Spare Parts



◦ Rear wheels for wheelchair



◦ Castors



◦ Commode



◦ Cane



◦ Castors with fork



W1 3" solid castor set without brake	W5 4" solid castor set(quiet)	W9 5" SS fork castor
W2 3" solid castor set	W6 5" solid castor set(good quality)	W10 3" ABS castor(good quality)
W3 4" solid castor set	W7 5" solid castor set(good quality)	W11 3" ABS castor(good quality)
W4 4" solid castor set	W8 5" solid castor set(good quality)	W12 2" castor for over bed table


R1 24" solid rubber wheel	R6 24" wheel	F2 6" PVC castor	F7 8" PU castor	F12 Soft rubber fashion: 6", 8", 10"
R2 24" PU wheel	R7 12" TPR wheel	F3 6" PU castor(grey)	F8 8" PVC castor(strong)	F13 8" big soft rubber castor
R3 24" pneumatic wheel	R8 12" PU mag wheel	F4 6" PU castor(black)	F9 8"x2" PVC castor	F14 10" big air castor
R4 24" mag wheel with PU tyre	R9 16" PU mag wheel	F5 8" PVC castor	F10 8"x2" TPR castor	
R5 24" Mag wheel	F1 5" PVC castor	F6 8" PVC castor(flat)	F11 8"x2" PU castor	

Accessories

Color option: Black, Grey, Coffee, Yellow



Wheelchair Upholstery Color



Frame Color



Wheelchair Function Picture



Sales network

