

## SELECTION OF MORE THAN 30 BIOPSY FORCEPS

The broad range includes forceps of various sizes, and with differing features. An extract from the portfolio can be found below, while page five (5) offers a complete overview.

### TECHBITE™



Jaw Ø 2.3 mm,  
180 cm length



Jaw Ø 2.3 mm,  
230 cm length

### TRUBITE



Jaw Ø 2.3 mm,  
180 cm length



Jaw Ø 2.3 mm,  
230 cm length

## SPECIAL FORCEPS

### TECHBITE™ PAEDIATRICS



Jaw Ø 1.8 mm,  
180 cm length

### MACRO



Jaw Ø 3.0 mm,  
230 cm length

### TRUBITE PAEDIATRICS



Jaw Ø 1.8 mm,  
180 cm length

### LARGE CAPACITY



Jaw Ø 2.4 mm,  
180 cm length




Jaw Ø 2.4 mm,  
180 cm length

## SPECIFICATIONS

REF	Working channel Ø mm	Length mm	Opening width mm	Jaw Ø mm	Spike	Covering	Jaw	Grip
<b>TECHBITE™</b>								
EBF33-11023180	2.8	1800	6.7	2.3	No	Orange	Smooth	1-ring
EBF33-11023230	2.8	2300	6.7	2.3	No	Blue	Smooth	1-ring
EBF33-11123180	2.8	1800	6.7	2.3	Yes	Orange	Smooth	1-ring
EBF33-11123230	2.8	2300	6.7	2.3	Yes	Blue	Smooth	1-ring
EBF43-11023180	2.8	1800	6.7	2.3	No	Orange	Serrated	1-ring
EBF43-11023230	2.8	2300	6.7	2.3	No	Blue	Serrated	1-ring
EBF43-11123180	2.8	1800	6.7	2.3	Yes	Orange	Serrated	1-ring
EBF43-11123230	2.8	2300	6.7	2.3	Yes	Blue	Serrated	1-ring
<b>TRUBITE</b>								
EBF53-11023180	2.8	1800	6.7	2.3	No	Orange	Smooth	1-ring
EBF53-11023230	2.8	2300	6.7	2.3	No	Blue	Smooth	1-ring
EBF53-11123180	2.8	1800	6.7	2.3	Yes	Orange	Smooth	1-ring
EBF53-11123230	2.8	2300	6.7	2.3	Yes	Blue	Smooth	1-ring
EBF63-11023180	2.8	1800	6.7	2.3	No	Orange	Serrated	1-ring
EBF63-11023230	2.8	2300	6.7	2.3	No	Blue	Serrated	1-ring
EBF63-11123180	2.8	1800	6.7	2.3	Yes	Orange	Serrated	1-ring
EBF63-11123230	2.8	2300	6.7	2.3	Yes	Blue	Serrated	1-ring
<b>SPECIAL FORCEPS</b>								
<b>TECHBITE™ – PAEDIATRICS</b>								
EBF33-11018180	2.0	1800	4.5	1.8	No	Yellow	Smooth	1-ring
EBF43-11018180	2.0	1800	4.5	1.8	No	Yellow	Serrated	1-ring
EBF43-11118180	2.0	1800	4.5	1.8	Yes	Yellow	Serrated	1-ring
<b>TRUBITE – PAEDIATRICS</b>								
EBF53-11018180	2.0	1800	4.5	1.8	No	Yellow	Smooth	1-ring
EBF53-11118180	2.0	1800	4.5	1.8	Yes	Yellow	Smooth	1-ring
EBF13-11018180	2.0	1800	4.5	1.8	No	Yellow	Serrated	1-ring
EBF13-11118180	2.0	1800	4.5	1.8	Yes	Yellow	Serrated	1-ring
<b>TRUBITE – ENTEROSCOPY</b>								
EBF03-11018260	2.0	2600	4.5	1.8	No	Yellow	Smooth	1-ring
EBF03-11023260	2.8	2600	6.7	2.3	No	Blue	Smooth	1-ring
<b>TRUBITE – MACRO</b>								
EBF03-01030230	3.2	2300	8.5	3.0	No	Blue	Smooth	1-ring
EBF03-01130230	3.2	2300	8.5	3.0	Yes	Blue	Smooth	1-ring
EBF13-01030230	3.2	2300	8.5	3.0	No	Blue	Serrated	1-ring
EBF13-01130230	3.2	2300	8.5	3.0	Yes	Blue	Serrated	1-ring
<b>LARGE CAPACITY</b>								
LCEBF63-10024180	2.8	1800	9.0	2.4	No	Orange	Serrated	1-ring
LCEBF63-10024230	2.8	2300	9.0	2.4	No	Blue	Serrated	1-ring
LCEBF63-10124180	2.8	1800	9.0	2.4	Yes	Orange	Serrated	1-ring
LCEBF63-10124230	2.8	2300	9.0	2.4	Yes	Blue	Serrated	1-ring

Packaging unit: 10 pieces



# INJECTION NEEDLE

## RELIABLE AND SAFE TO THE TIP

The disposable MICRO-TECH's disposable injection needle facilitates clinical practice due to its ergonomic handle and especially sharp needle. The anti-skid design guarantees convenient control with just one hand. For

even more precise punctures the handle can be locked in several stages. When the needle is released, it snaps back into the catheter to avoid damage to the working channel.

### SPECIFIC CHARACTERISTICS

- Ergonomic anti-slip handle
- Adjustable pressure pad
- Automatic needle-feed
- Soft, atraumatic silicone head
- Needle with extremely sharp, precision cut
- Different needle diameters
- LL needle connector



Needle completely retracted




Compact ergonomical design

## SPECIFICATIONS

REF	Needle stroke mm	Needle Ø	Working length Ø mm	Length mm
<b>INJECTION NEEDLE – POLYPECTOMY/EMR</b>				
IN12-195232302	5	19 G = 0.9 mm	2.8	2300
IN12-225232302	5	22 G = 0.7 mm	2.8	2300
IN12-255232302	5	25 G = 0.5 mm	2.8	2300
<b>INJECTION NEEDLE – ESD</b>				
IN12-224232302	4	22 G = 0.7 mm	2.8	2300
IN12-254232302	4	25 G = 0.5 mm	2.8	2300

Packaging unit: 10 pieces

Also available in other versions



# SAFETY NEEDLE SN

## PRECISION WITH A UNIQUE SAFETY CONCEPT

With the injection needles from bauer medical, punctures are safe and precise. On one hand, it is the newly developed handle with a particularly ergonomic shape which ensures a tactile feeling and an audible locking. On the other hand, it is the special bevel-style grinding of the needle, allowing for precise punctures, even under difficult

conditions. Matching the specifications of the UVV for enhanced safety, this injection needle provides even more protection: Upon completion of the application, the proximal handle can be kinked at a defined breaking point. The forced retention of the needle in the tip of the catheter helps to avoid injuries.

## SPECIFIC CHARACTERISTICS

- Handle with tactile ergonomics
- Needle with special bevel-style grinding
- Distal protector head for needle tip
- CLICK noise when inserting and retracting the needle
- Unique safety concept for non-injurious disposal
- Needle diameter of 0.5 / 0.7 / 0.9 mm



Catchable needle with metal protector head



Ergonomical handle with defined breaking point

## SPECIFICATIONS

REF	Needle stroke mm	Needle Ø mm	Tube Ø mm	Length mm
<b>INJECTION NEEDLE SAFETY NEEDLE SN</b>				
SN1-I10-505-18-120	5	0.5	1.8	1200
SN1-I10-505-18-180	5	0.5	1.8	1800
SN1-I10-507-23-230	5	0.7	2.3	2300
SN1-I10-509-23-230	5	0.9	2.3	2300

Packaging unit: 10 pieces, relay prices on request



EC Certificate Full Quality Assurance System: CN13/20558

The management system of

# Micro-Tech (Nanjing) Co., Ltd.

No. 10 Gaoke Third Road, Nanjing National Hi-Tech, Industrial Development Zone,  
Nanjing, 210032, Jiangsu Province, P.R. China

has been assessed and certified as meeting the requirements of

## Directive 93/42/EEC on medical devices, Annex II (excluding Section 4)

For the following products

**The scope of registration appears on page 2 of this certificate.**

This certificate is valid from 26 September 2019 until 24 May 2024  
and remains valid subject to satisfactory surveillance audits.  
Re certification audit due before 04 September 2022  
Issue 12. Certified since 26 September 2013

Certification is based on reports numbered CN/SZH 8403MDD

This is a multi-site certification.  
Additional site details are listed on the subsequent page.

Authorised by

SGS United Kingdom Ltd, Notified Body 0120

202B Worle Parkway, Weston-super-Mare, BS22 6WA UK  
t +44 (0)1934 522917 f +44 (0)1934 522137 www.sgs.com

SGS CE 02 0315 M2

Page 1 of 2





## Micro-Tech (Nanjing) Co., Ltd.

### Directive 93/42/EEC

on medical devices, Annex II (excluding section 4)

Issue 12

Detailed scope

**Sterile Non Vascular Stent (Biliary Stent, Esophageal Stent, Intestinal Stent, Tracheal Stent)**  
**Sterile medical devices used for clinical endoscopic procedure including Sterile Dilation Balloon (Disposable Dilation Balloon , Disposable Multistage Dilation Balloon Catheter), Sterile Disposable Hot Biopsy Forceps, Sterile Injection Needle, Sterile Nasal Biliary Drainage Set, Sterile Hot Snare Sterile Stone Extraction Basket, Sterile Cold Snare, Non Vascular sterile Hydro Slide Guidewire, Sterile Biliary Drainage Catheter, Biliary Drainage Catheter Introducer System, Biliary Drainage Catheter with Introducer System, Sterile Biliary Stone Retrieval Balloon Catheter, Sterile Repositionable Hemostasis Clipping Device to be intended for short term use Sterile Pancreatic Pseudocyst Stent with Delivery System to be intended for short term use in the body within 30 days, Sterile Sphincterotome, Non sterile OXY CO<sub>2</sub> Bite Block used to protect the endoscope insertion tube and oesophageal dilators from being bitten by the patient. Sterile Biliary Nitinol Stent Set, short-wire compatible Class I (Sterility aspects only Restricted to the aspects of manufacture concerned with securing and maintaining sterile condition): Sterile Spray Catheter—used for lavage, spraying of a medical solution or contrast medium, Sterile Cytology Brush, Sterile Fixed Wire Balloon (ABC Dilatation Balloon Catheter, Rapide™ Multistage Dilatation Balloon Catheter) use in adult and adolescent populations to endoscopically dilate strictures of the esophagus for transient use**

Where the above scope includes class III medical device(s), a valid EC Design Examination Certificate according to Annex II (Section 4) is a mandatory requirement for each device in addition to this certificate to place that device on the market

Additional facilities

**No. 199 Medicine Valley Avenue, Nanjing National Hi-Tech, Industrial Development Zone, Nanjing, Jiangsu Province, 210032, P.R. China**



EC Certificate Full Quality Assurance System: Certificate CN19/41071

The management system of

# Micro-Tech (Nanjing) Co., Ltd.

No. 10 Gaoke Third Road, Nanjing National Hi-Tech, Industrial Development Zone,  
Nanjing, 210032, Jiangsu Province, P.R. China

has been assessed and certified as meeting the requirements of

## Directive 93/42/EEC on medical devices, Annex II (excluding Section 4)

For the following products

**The scope of registration appears on page 2 of this certificate.**

This certificate is valid from 16 December 2019 until 24 May 2024  
and remains valid subject to satisfactory surveillance audits.  
Issue 1. Certified since 26 September 2013  
and first certified by SGS Belgium NV since 16 December 2019

Certification is based on reports numbered CN/SZH 8403MDD

This is a multi-site certification.  
Additional site details are listed on subsequent pages


Authorised by

**SGS Belgium NV, Notified Body 1639**

SGS House Noordertaan 87 2030 Antwerp Belgium  
t +32 (0)3 545-48-48 f +32 (0)3 545-48-49 [www.sgs.com](http://www.sgs.com)

LPMD5007 - Certificate CE1639 Annex II-4, EN rev. 02

Page 1 of 2





# Micro-Tech (Nanjing) Co., Ltd.

## Directive 93/42/EEC

on medical devices, Annex II (excluding section 4)

Issue 1

Detailed scope

**Sterile Non Vascular Stent (Biliary Stent, Esophageal Stent, Intestinal Stent, Tracheal Stent)**  
**Sterile medical devices used for clinical endoscopic procedure including Sterile Dilation Balloon (Disposable Dilation Balloon , Disposable Multistage Dilation Balloon Catheter), Sterile Disposable Hot Biopsy Forceps, Sterile Injection Needle, Sterile Nasal Biliary Drainage Set, Sterile Hot Snare Sterile Stone Extraction Basket, Sterile Cold Snare, Non Vascular sterile Hydro Slide Guidewire, Sterile Biliary Drainage Catheter, Biliary Drainage Catheter Introducer System, Biliary Drainage Catheter with Introducer System, Sterile Biliary Stone Retrieval Balloon Catheter, Sterile Repositionable Hemostasis Clipping Device to be intended for short term use Sterile Pancreatic Pseudocyst Stent with Delivery System to be intended for short term use in the body within 30 days, Sterile Sphincterotome, Non sterile OXY CO<sub>2</sub> Bite Block used to protect the endoscope insertion tube and oesophageal dilators from being bitten by the patient. Sterile Biliary Nitinol Stent Set, short-wire compatible**  
**Class I (Sterility aspects only Restricted to the aspects of manufacture concerned with securing and maintaining sterile condition): Sterile Spray Catheter—used for lavage, spraying of a medical solution or contrast medium, Sterile Cytology Brush, Sterile Fixed Wire Balloon (ABC Dilatation Balloon Catheter, Rapide™ Multistage Dilatation Balloon Catheter) use in adult and adolescent populations to endoscopically dilate strictures of the esophagus for transient use**

Where the above scope includes class III medical device(s), a valid EC Design Examination Certificate according to Annex II (Section 4) is a mandatory requirement for each device in addition to this certificate to place that device on the market

Additional facilities

**No. 199 Medicine Valley Avenue, Nanjing National Hi-Tech, Industrial Development Zone, Nanjing, Jiangsu Province, 210032, P.R.China**



Certificate CN13/20559



The management system of

# Micro-Tech (Nanjing) Co., Ltd.

No. 10 Gaoke Third Road, Nanjing National Hi-Tech, Industrial Development Zone, Nanjing, 210032, Jiangsu Province, P.R. China

has been assessed and certified as meeting the requirements of

**ISO 13485:2016**

**EN ISO 13485:2016**

For the following activities

**The Scope of Registration appears on page 2 of this certificate**

This certificate is valid from 27 September 2022 until 26 September 2025 and remains valid subject to satisfactory surveillance audits.

Issue 13. Certified since 26 September 2013

Certified activities performed by additional sites are listed on subsequent pages.

Authorised by  
Jonathan Hall  
Global Head - Certification Services

SGS United Kingdom Ltd  
Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN, UK  
t +44 (0)151 350-6666 - www.sgs.com



This document is an authentic electronic certificate for Client' business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy. This document is issued by the Company subject to SGS General Conditions of certification services available on [Terms and Conditions](#) | SGS. Attention is drawn to the limitation of liability, indemnification and jurisdictional clauses contained therein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.



# Micro-Tech (Nanjing) Co., Ltd.

**ISO 13485:2016**

**EN ISO 13485:2016**

Design and Manufacture of Sterile Cytology Brush, Dilation Balloon (Disposable Dilation Balloon, Disposable Multistage Dilation Balloon Catheter), Disposable Hot Biopsy Forceps, Injection Needle, Non-Vascular Stent, Snare, Spray Catheter, Stone Extraction Basket, Single-Use Cleaning Brush, Single Use Bite Block, Endoscopy Working Channel Valves, Polyp Collection Kit, Cold Snare (used for clinical endoscopic procedure), Hydro Slide Guidewire (used for clinical endoscopic procedure), Biliary Drainage Catheter and Introducer Systems, Biliary Stone Retrieval Balloon Catheter, Repositionable Hemostasis Clipping Device, Pancreatic Pseudocyst Stent with Delivery System, Sphincterotome, Fixed Wire Balloon (ABC Dilatation Balloon Catheter, Rapide™ Multistage Dilatation Balloon Catheter), Sterile Biliary Nitinol Stent Set, short-wire compatible.  
Provision of Sterilization Service for Medical Devices using Ethylene Oxide Gas in accordance with EN ISO 11135:2014.



This document is an authentic electronic certificate for Client' business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy. This document is issued by the Company subject to SGS General Conditions of certification services available on [Terms and Conditions](#) | SGS. Attention is drawn to the limitation of liability, indemnification and jurisdictional clauses contained therein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.





Certificate CN13/20559, continued

# Micro-Tech (Nanjing) Co., Ltd.

# SGS

**ISO 13485:2016**  
**EN ISO 13485:2016**

Issue 13
<b>Sites</b>
Micro-Tech (Nanjing) Co., Ltd. No. 10 Gaoke Third Road, Nanjing National Hi-Tech, Industrial Development Zone, Nanjing, 210032, Jiangsu Province, P.R. China
Micro-Tech (Nanjing) Co., Ltd. No. 199. Medicine Valley Avenue, Nanjing National Hi-Tech, Industrial Development Zone, Nanjing 210032, Jiangsu Province, P.R.China



This document is an authentic electronic certificate for Client' business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy. This document is issued by the Company subject to SGS General Conditions of certification services available on [Terms and Conditions](#) | SGS. Attention is drawn to the limitation of liability, indemnification and jurisdictional clauses contained therein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.

