

DH-PFS3009-8ET-65

8-Port PoE Switch (Unmanaged)



Features

- Two-layer PoE Ethernet switch
- MAC auto study and aging, MAC address list capacity is 2K
- Support IEEE802.3af, IEEE802.3at standard
- Conform IEEE802.3, IEEE802.3u and IEEE802.3X standards

Product Overview

DH-PFS3009-8ET-65 is layer-2 PoE Ethernet switch. It can reach lightning protection level 3. The device can support up to 8 PoE ports (The total PoE power is 65W). In order to acquire smooth monitoring, it's recommended to connect max 8 IP cameras at a bit rate of less than 2Mbps respectively.

Technical Specification

Model	DH-PFS3009-8ET-65
Ethernet Port	1*10/100 Base-T 8*10/100 Base-T (PoE power supply)
PoE Power Consumption	Each power ≤30W, Totals≤65W
PoE Protocol	IEEE802.3af, IEEE802.3at
Switching Capacity	1.8Gbps
Packet Forwarding Rate	1.339Mpps
Packet Buffer Memory	1Mbit
MAC Table Size	2K
Flow Control	Enable by default
Application Humidity	10%~90%
Power	Input AC100~240V
Lightning Protection	Common Mode 2KV Differential Mode 1KV
Working Temperature	-10°C ~ +55°C
Weight	0.7Kg
Dimension(W×D×H)	205mm×115mm×35mm

Dimensions (mm)

