

Replanificarea salilor de operatie
in blocul chirurgical etajul doi al
cladirii al IMSP SCM "Sfinta
Treime", mun. Chisinau, str.A.
Russo 11

(denumirea obiectivului)

Formular Nr.7
WinCmeta

Digitally signed by Beț Dionisie
Date: 2024.09.12 10:15:26 EEST
Reason: MoldSign Signature
Location: Moldova

MOLDOVA EUROPEANĂ

Digitally signed by Zagorodnii Mihail
Date: 2024.09.12 12:57:25 EEST
Reason: MoldSign Signature
Location: Moldova

MOLDOVA EUROPEANĂ



DEVIZ LOCAL № 2-1-3
Incalzire, ventilare, conditionare

Valoarea de deviz 7 191 358,66 Lei

Intocmit in prețuri curente 10.09.2024

№ crt.	Simbol norme și Cod resurse	Lucrări și cheltuieli	U.M.	Cantitate conform datelor din proiect	Valoarea de deviz, lei	
					Pe unitate de măsură	Total
1	2	3	4	5	6	7
		1. Lucrari de constructie 1.1. Incalzire 1.1.1. Incalzirea aerului (cu radiatoare)				
1	IB06A	Radiatoare din otel, monobloc avind lungimea de pina la 1000 mm, inclusiv (PURMO Compact Ventil CV22 600x600)	buc	3,0000	2 185,981	6 557,942
	7136040011749	Instalator incalzire si gaze	h-om	1,5000	84,97	127,455
	2822115700000 CV22600x600	Radiator PURMO Compact Ventil CV22 600x600	buc	3,0000	2 124,70	6 374,100
	1714227322940	Cinepa fuior	kg	0,0090	437,50	3,937
	2430126100338	Solutie de etansare	kg	0,0180	525,00	9,450
	2811236832352	Burghiu cu cap widia cu D=8	buc	0,1500	41,67	6,250
	2875276313344	Diblu cu expandare cu D= 8	buc	9,0000	2,75	24,750
	2952270007609	Masina de gaurit electrica	h-ut	0,6000	20,00	12,000
2	IB06A	Radiatoare din otel, monobloc avind lungimea de pina la 1000 mm, inclusiv (PURMO Compact Ventil CV22 600x900)	buc	1,0000	2 722,960	2 722,960
	7136040011749	Instalator incalzire si gaze	h-om	0,5000	84,97	42,485
	2822115700000 CV22600x900	Radiator PURMO Compact Ventil CV22 600x900	buc	1,0000	2 661,68	2 661,680
	1714227322940	Cinepa fuior	kg	0,0030	437,50	1,312
	2430126100338	Solutie de etansare	kg	0,0060	525,00	3,150
	2811236832352	Burghiu cu cap widia cu D=8	buc	0,0500	41,67	2,083
	2875276313344	Diblu cu expandare cu D= 8	buc	3,0000	2,75	8,250
	2952270007609	Masina de gaurit electrica	h-ut	0,2000	20,00	4,000
3	IB06A	Radiatoare din otel, monobloc avind lungimea de pina la 1000	buc	21,0000	2 718,281	57 083,901

1	2	3	4	5	6	7
		mm, inclusiv (PURMO Compact Ventil CV22 500x1000)				
	7136040011749	Instalator incalzire si gaze	h-om	10,5000	84,97	892,185
	2822115700000 CV22500x1000	Radiator PURMO Compact Ventil CV22 500x1000	buc	21,0000	2 657,00	55 797,000
	1714227322940	Cinepa fuior	kg	0,0630	437,50	27,562
	2430126100338	Solutie de etansare	kg	0,1260	525,00	66,150
	2811236832352	Burghiu cu cap widia cu D=8	buc	1,0500	41,67	43,754
	2875276313344	Diblu cu expandare cu D= 8	buc	63,0000	2,75	173,250
	2952270007609	Masina de gaurit electrica	h-ut	4,2000	20,00	84,000
4	Pretul firmei	Console de fixare radiator Monclac - set (2buc), H=500/600mm	set	3,0000	170,480	511,440
	Monclac	Console de fixare radiator Monclac - set (2buc), H=500/600mm	set	3,0000	170,48	511,440
5	ID01A	Robinet cu ventil cu dublu reglaj (tur sau retur) pentru instalatii de incalzire central, avind diametrul nominal de 3/8" -1/2" (Ventil termostatic presetat d15mm)	buc	3,0000	295,645	886,934
	7136040011749	Instalator incalzire si gaze	h-om	0,5400	84,97	45,884
	2875274202700 VTPD15	Ventil termostatic presetat d15mm	buc	3,0000	262,50	787,500
	1714227322940	Cinepa fuior	kg	0,0360	437,50	15,750
	2430126100338	Solutie de etansare	kg	0,0720	525,00	37,800
6	ID06A	Robinet de aerisire cu cheie mobila pentru instalatii de incalzire centrala, avind diametrul nominal de 1/4" (Dop si ventil de aerisire d15mm)	buc	3,0000	37,990	113,970
	7136040011749	Instalator incalzire si gaze	h-om	0,3000	84,97	25,491
	2913134500000 VAD15	Dop si ventil de aerisire d15mm	buc	3,0000	29,16	87,480
	2524907304522	Banda teflon nesisterizat	buc	0,3000	3,33	0,999
7	ID01A	Robinet cu ventil cu dublu reglaj (tur sau retur) pentru instalatii de incalzire central, avind diametrul nominal de 3/8" -1/2" (Nod de racordare bitubular tip H, cu robinete de inchidere incorporate, MTB 127 PURMO, cu 2 iesiri drepte in partea interioara la 1/2" x 3/4" din pardosea, in set)	buc	3,0000	222,345	667,034
	7136040011749	Instalator incalzire si gaze	h-om	0,5400	84,97	45,884
	2875274202700	Robinet cu dublu reglaj	buc	3,0000	189,20	567,600
	1714227322940	Cinepa fuior	kg	0,0360	437,50	15,750
	2430126100338	Solutie de etansare	kg	0,0720	525,00	37,800
8	IB06A	Radiatoare din otel, monobloc avind lungimea de pina la 1000 mm, inclusiv (PURMO Hygiene HV20 500x600)	buc	1,0000	2 376,380	2 376,380

1	2	3	4	5	6	7
	7136040011749	Instalator incalzire si gaze	h-om	0,5000	84,97	42,485
	2822115700000 HV20500x600	Radiator in executie igienica PURMO Hygiene HV20 500x600	buc	1,0000	2 315,10	2 315,100
	1714227322940	Cinepa fuior	kg	0,0030	437,50	1,312
	2430126100338	Solutie de etansare	kg	0,0060	525,00	3,150
	2811236832352	Burghiu cu cap widia cu D=8	buc	0,0500	41,67	2,083
	2875276313344	Diblu cu expandare cu D= 8	buc	3,0000	2,75	8,250
	2952270007609	Masina de gaurit electrica	h-ut	0,2000	20,00	4,000
9	IB06C	Radiatoare din otel, monobloc avind lungimea de 1501 - 2000 mm (PURMO Hygiene HV20 500x1800)	buc	6,0000	4 569,517	27 417,102
	7136040011749	Instalator incalzire si gaze	h-om	4,8000	84,97	407,856
	2822115700000 HV20500x1800	Radiator in executie igienica PURMO Hygiene HV20 500x1800	buc	6,0000	4 469,52	26 817,120
	1714227322940	Cinepa fuior	kg	0,0300	437,50	13,125
	2430126100338	Solutie de etansare	kg	0,0600	525,00	31,500
	2811236832352	Burghiu cu cap widia cu D=8	buc	0,3000	41,67	12,501
	2875276313344	Diblu cu expandare cu D= 8	buc	36,0000	2,75	99,000
	2952270007609	Masina de gaurit electrica	h-ut	1,8000	20,00	36,000
10	IB06C	Radiatoare din otel, monobloc avind lungimea de 1501 - 2000 mm (PURMO Hygiene HV20 500x2000)	buc	16,0000	5 913,997	94 623,952
	7136040011749	Instalator incalzire si gaze	h-om	12,8000	84,97	1 087,616
	2822115700000 HV20500x2000	Radiator in executie igienica PURMO Hygiene HV20 500x2000	buc	16,0000	5 814,00	93 024,000
	1714227322940	Cinepa fuior	kg	0,0800	437,50	35,000
	2430126100338	Solutie de etansare	kg	0,1600	525,00	84,000
	2811236832352	Burghiu cu cap widia cu D=8	buc	0,8000	41,67	33,336
	2875276313344	Diblu cu expandare cu D= 8	buc	96,0000	2,75	264,000
	2952270007609	Masina de gaurit electrica	h-ut	4,8000	20,00	96,000
11	Pretul firmei	Console de fixare radiator Monclac MCK-108 - set (3buc), H=500mm	set	1,0000	345,600	345,600
	Monclac MCK- 108	Console de fixare radiator Monclac MCK-108 - set (3 buc.), H=500mm	set	1,0000	345,60	345,600
12	ID01A	Robinet cu ventil cu dublu reglaj (tur sau retur) pentru instalatii de incalzire central, avind diametrul nominal de 3/8" -1/2" (Ventil termostatic presetat d15mm)	buc	1,0000	295,645	295,645
	7136040011749	Instalator incalzire si gaze	h-om	0,1800	84,97	15,295
	2875274202700 VTPD15	Ventil termostatic presetat d15mm	buc	1,0000	262,50	262,500
	1714227322940	Cinepa fuior	kg	0,0120	437,50	5,250
	2430126100338	Solutie de etansare	kg	0,0240	525,00	12,600
13	ID06A	Robinet de aerisire cu cheie mobila pentru instalatii de incalzire centrala, avind diametrul nominal de 1/4" (Dop si ventil de	buc	1,0000	37,990	37,990

1	2	3	4	5	6	7
		aerisire d15mm)				
	7136040011749	Instalator incalzire si gaze	h-om	0,1000	84,97	8,497
	2913134500000 VAD15	Dop si ventil de aerisire d15mm	buc	1,0000	29,16	29,160
	2524907304522	Banda teflon nesisterizat	buc	0,1000	3,33	0,333
14	ID01A	Robinet cu ventil cu dublu reglaj (tur sau retur) pentru instalatii de incalzire central, avind diametrul nominal de 3/8" -1/2" (Nod de racordare bitubular tip H, cu robinete de inchidere incorporate, MTB 127 PURMO, cu 2 iesiri drepte in partea interioara la 1/2" x 3/4" din pardosea, in set)	buc	1,0000	222,345	222,345
	7136040011749	Instalator incalzire si gaze	h-om	0,1800	84,97	15,295
	2875274202700	Robinet cu dublu reglaj	buc	1,0000	189,20	189,200
	1714227322940	Cinepa fuior	kg	0,0120	437,50	5,250
	2430126100338	Solutie de etansare	kg	0,0240	525,00	12,600
15	IC11B	Teava din otel neagra sudata longitudinal pentru instalatii, nefiletata, montata prin sudura in coloane, in instalatii de incalzire centrala pentru cladiri de locuit si social-culturale, teava avind diametrul de 3/4" (d20x2,0mm)	m	494,2000	75,812	37 466,454
	7136040011749	Instalator incalzire si gaze	h-om	197,6800	84,97	16 796,870
	2521216701000 D20x2	Teava din otel d20x2,0mm	m	501,6130	35,83	17 972,794
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	31,6288	64,17	2 029,620
	2734125900487	Sirma pt. sudura, obisnuita dn=2,5 mm	kg	8,4014	30,00	252,042
	2734113803910	Sirma din otel moale, neagra D=1,25 mm	kg	1,4826	30,00	44,478
	2411115904512	Oxigen tehnic gazos S2031	m3	14,8260	25,00	370,650
16	IE03A	Efectuarea probei de etanseitate la presiune a conductelor de alimentare a aparatelor de incalzire (aeroterme, termoconvectoare, covectoare de plinta, etc.) avind diametrul de 3/8" ... 1"	m	353,0000	9,247	3 264,297
	7136040011749	Instalator incalzire si gaze	h-om	31,7700	84,97	2 699,497
	2952270003304	Electropompa de apa monoetajata de joasa presiune 15,0 - 30,0 kw	h-ut	14,1200	40,00	564,800
17	ID06A	Robinet de aerisire cu cheie mobila pentru instalatii de incalzire centrala, avind diametrul nominal de 1/4" (Robinet coloana automata d3/8")	buc	4,0000	118,550	474,200
	7136040011749	Instalator incalzire si gaze	h-om	0,4000	84,97	33,988

1	2	3	4	5	6	7
	2913134500000 RCA3/8	Robinet coloana automata d3/8"	buc	4,0000	109,72	438,880
	2524907304522	Banda teflon nesisterizat	buc	0,4000	3,33	1,332
18	ID01B	Robinet cu ventil cu dublu reglaj (tur sau retur) pentru instalatii de incalzire central, avind diametrul nominal de 3/4" -1" (Robinet cu sfera pentru sudura din otel DN25mm)	buc	4,0000	299,293	1 197,172
	7136040011749	Instalator incalzire si gaze	h-om	0,9200	84,97	78,172
	2875274202700 RIDN25	Robinet cu sfera pentru sudura din otel DN25mm	buc	4,0000	250,00	1 000,000
	1714227322940	Cinepa fuior	kg	0,0800	437,50	35,000
	2430126100338	Solutie de etansare	kg	0,1600	525,00	84,000
		<i>Total</i>	Lei			236 265,318
		Total Incalzirea aerului (cu radiatoare) Inclusiv salariu				236 265,318 22 364,955
		1.1.2. Incalzirea aerului (cu aer cald de la CTA)				
19	IC11D	Teava din otel neagra sudata longitudinal pentru instalatii, nefiletata, montata prin sudura in coloane, in instalatii de incalzire centrala pentru cladiri de locuit si social-culturale, teava avind diametrul de 1 1/4" (d32x2,2mm)	m	49,0000	144,517	7 081,322
	7136040011749	Instalator incalzire si gaze	h-om	27,4400	84,97	2 331,577
	2521216701000 D32x2,2	Teava din otel d32x2,2mm	m	49,7350	88,33	4 393,093
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	4,2140	64,17	270,412
	2734125900487	Sirma pt. sudura, obisnuita dn=2,5 mm	kg	1,1760	30,00	35,280
	2734113803910	Sirma din otel moale, neagra D=1,25 mm	kg	0,1470	30,00	4,410
	2411115904512	Oxigen tehnic gazos S2031	m3	1,8620	25,00	46,550
20	IC11E	Teava din otel neagra sudata longitudinal pentru instalatii, nefiletata, montata prin sudura in coloane, in instalatii de incalzire centrala pentru cladiri de locuit si social-culturale, teava avind diametrul de 1 1/2" (d38x2,4mm)	m	65,8000	205,099	13 495,518
	7136040011749	Instalator incalzire si gaze	h-om	40,7960	84,97	3 466,436
	2521216701000 D38x2,4	Teava din otel d38x2,4mm	m	66,7870	141,32	9 438,339
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	6,9090	64,17	443,351
	2734125900487	Sirma pt. sudura, obisnuita dn=2,5 mm	kg	1,9740	30,00	59,220

1	2	3	4	5	6	7
	2734113803910	Sirma din otel moale, neagra D=1,25 mm	kg	0,1974	30,00	5,922
	2411115904512	Oxigen tehnic gazos S2031	m3	3,2900	25,00	82,250
21	IC12A	Teava din otel fara sudura sau sudata longitudinal pentru constructii, montata prin sudura in conducte de distributie, in instalatii de incalzire centrala pentru cladiri de locuit si social-culturale, teava avind diametrul exterior si grosimea peretelui de 51 x 3,5 mm ... 57 x 3,5 mm (d57x3,5mm)	m	74,2000	364,309	27 031,703
	7136040011749	Instalator incalzire si gaze	h-om	60,8440	84,97	5 169,915
	2521216701000 D57x3,5	Teava din otel d57x3,5mm	m	75,3130	248,88	18 743,899
	2411115904512	Oxigen tehnic gazos S2031	m3	3,5616	25,00	89,040
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	8,9782	64,17	576,131
	2734125900487	Sirma pt. sudura, obisnuita dn=2,5 mm	kg	1,9292	30,00	57,876
	2734113803910	Sirma din otel moale, neagra D=1,25 mm	kg	0,3710	30,00	11,130
	2875274021000	Curba pentru sudura	buc	11,1300	214,17	2 383,712
22	IC12D	Teava din otel fara sudura sau sudata longitudinal pentru constructii, montata prin sudura in conducte de distributie, in instalatii de incalzire centrala pentru cladiri de locuit si social-culturale, teava avind diametrul exterior si grosimea peretelui de 83 x 3,5 mm ... 89 x 3,5 mm (d89x3,5mm)	m	315,0000	535,968	168 829,847
	7136040011749	Instalator incalzire si gaze	h-om	346,5000	84,97	29 442,105
	2521216701000 D89x3,5	Teava din otel d89x3,5mm	m	319,7250	387,36	123 848,676
	2411115904512	Oxigen tehnic gazos S2031	m3	26,1450	25,00	653,625
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	66,4650	64,17	4 265,059
	2734125900487	Sirma pt. sudura, obisnuita dn=2,5 mm	kg	15,1200	30,00	453,600
	2734113803910	Sirma din otel moale, neagra D=1,25 mm	kg	1,5750	30,00	47,250
	2875274021000	Curba pentru sudura	buc	47,2500	214,17	10 119,532
23	IE03B	Efectuarea probei de etanseitate la presiune a conductelor de alimentare a aparatelor de incalzire (aeroterme, termoconvectoare, covectoare de plinta, etc.) avind diametrul de 1 1/4" ... 2"	m	82,0000	11,347	930,429
	7136040011749	Instalator incalzire si gaze	h-om	9,0200	84,97	766,429

1	2	3	4	5	6	7
	2952270003304	Electropompa de apa monoetajata de joasa presiune 15,0 - 30,0 kw	h-ut	4,1000	40,00	164,000
24	IE03C	Efectuarea probei de etanseitate la presiune a conductelor de alimentare a aparatelor de incalzire (aeroterme, termoconvectoare, covectoare de plinta, etc.) avind diametrul de 54 x 3,5 ... 83 x 3,5 mm	m	278,0000	13,446	3 738,016
	7136040011749	Instalator incalzire si gaze	h-om	36,1400	84,97	3 070,816
	2952270003304	Electropompa de apa monoetajata de joasa presiune 15,0 - 30,0 kw	h-ut	16,6800	40,00	667,200
25	IzJ09B	Vopsirea invelitorii de tabla la conducte si aparate cu vopsea de ulei in 2 straturi, inclusiv grunduirea	m2	204,0000	63,413	12 936,171
	7112020030100	Specialist	h-om	63,2400	84,97	5 373,503
	7141020013400	Vopsitor industrial	h-om	32,6400	84,97	2 773,421
	2430116103000	Vopsea pe baza de ulei	kg	41,2080	40,00	1 648,320
	2430226100034	Grund miniu anticoroziv g.351-4 S 3097-80	kg	31,0080	55,00	1 705,440
	2430226109301	Diluant decapant pentru suprafete feroase	kg	6,1200	108,33	662,980
	2320166200676	White spirit	kg	8,1600	32,17	262,507
	1711317306661	Bumbac de sters	kg	10,2000	50,00	510,000
26	RpIF09D	Izolarea conductelor cu mansoane de izolatia speciala, introduse pe conducte, avind diametrul si grosimea de la D=15x20 la D=54x20 mm (D=32x25mm) Materiale marunte=1,0500	m	39,0000	306,420	11 950,395
	7136040011800	Instalator incalzire	h-om	19,8900	84,97	1 690,053
	332051735223 D32	Termoizolatia conducte Arma-Chek S+ DN32x25 mm	m	42,1785	243,26	10 260,342
27	RpIF09D	Izolarea conductelor cu mansoane de izolatia speciala, introduse pe conducte, avind diametrul si grosimea de la D=15x20 la D=54x20 mm (D=38x25mm) Materiale marunte=1,0500	m	52,0000	317,755	16 523,234
	7136040011800	Instalator incalzire	h-om	26,5200	84,97	2 253,404
	332051735223 D38	Termoizolatia conducte Arma-Chek S+ DN38x25 mm	m	56,2380	253,74	14 269,830
28	RpIF09D	Izolarea conductelor cu mansoane de izolatia speciala, introduse pe conducte, avind diametrul si grosimea de la D=15x20 la D=54x20 mm (D=57x25mm) Materiale marunte=1,0500	m	58,0000	382,082	22 160,764
	7136040011800	Instalator incalzire	h-om	29,5800	84,97	2 513,413
	332051735223	Termoizolatia conducte Arma-Chek	m	62,7270	313,22	19 647,351

1	2	3	4	5	6	7
	D57	S+ DN57x25 mm				
29	RpIF09D	Izolarea conductelor cu mansoane de izolatie speciala, introduse pe conducte, avind diametrul si grosimea de la D=15x20 la D=54x20 mm (D=89x25mm) Materiale marunte=1,0500	m	248,0000	424,780	105 345,378
	7136040011800	Instalator incalzire	h-om	126,4800	84,97	10 747,006
	332051735223 D89	Termoizolatie conducte Arma-Chek S+ DN89x25 mm	m	268,2120	352,70	94 598,372
30	ID06A	Robinet de aerisire cu cheie mobila pentru instalatii de incalzire centrala, avind diametrul nominal de 1/4" (Robinet coloana automata d1/2")	buc	12,0000	140,500	1 686,000
	7136040011749	Instalator incalzire si gaze	h-om	1,2000	84,97	101,964
	2913134500000 RCA1/2	Robinet coloana automata d1/2"	buc	12,0000	131,67	1 580,040
	2524907304522	Banda teflon nesisterizat	buc	1,2000	3,33	3,996
31	ID01C	Robinet cu ventil cu dublu reglaj (tur sau retur) pentru instalatii de incalzire central, avind diametrul nominal de 1 1/4" (Robinet cu sfera si maneta din alama DN32mm)	buc	4,0000	416,637	1 666,546
	7136040011749	Instalator incalzire si gaze	h-om	1,1200	84,97	95,166
	2875274202700 RIDN32	Robinet cu sfera si maneta din alama DN32mm	buc	4,0000	354,17	1 416,680
	1714227322940	Cinepa fuior	kg	0,1040	437,50	45,500
	2430126100338	Solutie de etansare	kg	0,2080	525,00	109,200
32	ID04B	Robinet de trecere sau de retinere cu mufe pentru instalatii de incalzire central, avind diametrul nominal de 1 1/4" -1 1/2" (Robinet cu sfera si maneta din alama DN40mm)	buc	4,0000	509,197	2 036,790
	7136040011749	Instalator incalzire si gaze	h-om	1,0000	84,97	84,970
	2875274205100 RIDN40	Robinet cu sfera si maneta din alama DN40mm	buc	4,0000	443,33	1 773,320
	1714227322940	Cinepa fuior	kg	0,1200	437,50	52,500
	2430126100338	Solutie de etansare	kg	0,2400	525,00	126,000
33	ID04C	Robinet de trecere sau de retinere cu mufe pentru instalatii de incalzire central, avind diametrul nominal de 2" (Robinet cu sfera si maneta din alama DN50mm)	buc	4,0000	771,422	3 085,686
	7136040011749	Instalator incalzire si gaze	h-om	1,8000	84,97	152,946
	2875274205100 RIDN50	Robinet cu sfera si maneta din alama DN50mm	buc	4,0000	676,66	2 706,640
	1714227322940	Cinepa fuior	kg	0,1520	437,50	66,500
	2430126100338	Solutie de etansare	kg	0,3040	525,00	159,600

1	2	3	4	5	6	7
34	ID04A	Robinet de trecere sau de retinere cu mufe pentru instalatii de incalzire central, avind diametrul nominal de 1/2" -1" (Robinet cu bila de golire cu capac din alama DN1/2")	buc	12,0000	111,938	1 343,256
	7136040011749	Instalator incalzire si gaze	h-om	1,8000	84,97	152,946
	2875274205100 RGDN15	Robinet cu bila de golire cu capac din alama DN1/2"	buc	12,0000	75,83	909,960
	1714227322940	Cinepa fuior	kg	0,1800	437,50	78,750
	2430126100338	Solutie de etansare	kg	0,3840	525,00	201,600
35	ID05C	Robinet cu sertar sau cu ventil si de retinere, cu flansa, pentru instalatiile de incalzire centrala, avind diametrul nominal de 80...100 mm (Vana fluture cu flanse DN80mm)	buc	2,0000	2 591,990	5 183,980
	7136040011749	Instalator incalzire si gaze	h-om	2,0000	84,97	169,940
	2875274205000 RIDN80	Vana fluture cu flanse DN80mm	buc	2,0000	1 798,33	3 596,660
	2875274428200	Flansa rotunda libera	buc	4,0000	219,58	878,320
	1450336200468	Grafit concentrat tip G, praf	kg	0,0400	1 100,00	44,000
	2874115818410	Surub cu cap hexagonal precis M 16 x 50	buc	16,0000	15,93	254,880
	2874115840558	Piulita hexag. M16	buc	16,0000	2,08	33,280
	2874125881344	Saiba plata M 18	buc	16,0000	0,80	12,800
	2513206622020	Placa marsit de 3,0 mm, 25 at.	kg	0,2600	141,80	36,868
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6000	25,00	15,000
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,8000	64,17	115,506
	2735725903465	Sirma sudata obisnuita S 10 D=4,00	kg	0,6000	30,00	18,000
	1542126108945	Ulei de in sicativat	kg	0,0700	124,66	8,726
36	ID05C	Robinet cu sertar sau cu ventil si de retinere, cu flansa, pentru instalatiile de incalzire centrala, avind diametrul nominal de 80...100 mm (Compensator axial de dilatare liniara cu flanse fixe si ghidaj DN80mm)	buc	10,0000	3 126,840	31 268,401
	7136040011749	Instalator incalzire si gaze	h-om	10,0000	84,97	849,700
	2875274205000 CADN80	Compensator axial de dilatare liniara cu flanse fixe si ghidaj DN80mm	buc	10,0000	2 333,18	23 331,800
	2875274428200	Flansa rotunda libera	buc	20,0000	219,58	4 391,600
	1450336200468	Grafit concentrat tip G, praf	kg	0,2000	1 100,00	220,000
	2874115818410	Surub cu cap hexagonal precis M 16 x 50	buc	80,0000	15,93	1 274,400
	2874115840558	Piulita hexag. M16	buc	80,0000	2,08	166,400
	2874125881344	Saiba plata M 18	buc	80,0000	0,80	64,000
	2513206622020	Placa marsit de 3,0 mm, 25 at.	kg	1,3000	141,80	184,340
	2411115904512	Oxigen tehnic gazos S2031	m3	3,0000	25,00	75,000
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	9,0000	64,17	577,530
	2735725903465	Sirma sudata obisnuita S 10 D=4,00	kg	3,0000	30,00	90,000

1	2	3	4	5	6	7
	1542126108945	Ulei de in sicativat	kg	0,3500	124,66	43,631
37	AcA31A	Montarea prin sudura electrica a flanselor sau pieselor de legatura, din otel, la capatul tevilor, avind diametrul de 50-100 mm (DN80) Materiale marunte (oxigen, carbid, electrozi etc.)=1,0500	buc	24,0000	322,182	7 732,375
	7136050012000	Instalator alimentari apa	h-om	21,3600	84,97	1 814,959
	2875274400100 DN80	Flansa din otel pentru sudura DN80	buc	25,2000	219,58	5 533,416
	3110320003006	Grup termic de sudura de 1-14 kw	h-ut	9,6000	40,00	384,000
38	IC42A	Suporti si dispozitive de fixare pentru sustinerea conductelor, boilere, aparate si recipienti, avind greutatea de pina la 2 kg / bucata	kg	852,0000	49,543	42 210,721
	7136040011749	Instalator incalzire si gaze	h-om	195,9600	84,97	16 650,721
	2710700000000	Suporti sau dispozitive	kg	852,0000	30,00	25 560,000
		<i>Total</i>	Lei			486 236,532
		Total Incalzirea aerului (cu aer cald de la CTA) Inclusiv salariu				486 236,532 89 671,390
		<i>Total</i>	Lei			722 501,850
		Total Incalzire Inclusiv salariu				722 501,850 112 036,345
		1.2. Ventilarea si conditionarea aerului 1.2.1. Sistem R1				
39	VA02D	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Canal 1400x850, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0030	m2	22,5000	797,753	17 949,436
	7136060011900	Instalator ventilare si conditionare aer	h-om	79,4250	84,97	6 748,742
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,4513	64,17	28,960
	2430226100814	Grund miniu G 355-6	kg	2,3470	55,00	129,085
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2257	5,00	1,129
	2112517330399	Mucava tip I de 3,3 mm	kg	3,3851	18,33	62,049
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,4513	30,00	13,539
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1805	30,00	5,415

1	2	3	4	5	6	7
	2710703504502	Otel cornier 40x40x3 mm	kg	45,1350	30,00	1 354,050
	2710703504760	Otel cornier 40x40x4 mm	kg	57,5471	30,00	1 726,413
	2411115904512	Oxigen tehnic gazos S2031	m3	1,3540	25,00	33,850
	2320146200767	Petrol distilat tip 18/200	l	0,3611	16,44	5,936
	2874135840405	Piulite uzuale hexagonale M 6	buc	1 263,7800	0,23	290,669
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,1284	30,00	33,852
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	159,1009	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	198,5940	23,03	4 573,620
	2874125881198	Saiba plata pentru metal M 6	buc	1 263,7800	0,15	189,567
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1 263,7800	2,00	2 527,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	3,3750	40,00	135,000
	2922140006702	Macara de fereastră	h-ut	2,2500	40,00	90,000
40	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Cot 90*, 850x1400, tabla zincata δ=1,0 mm)	m2	7,6200	661,469	5 040,393
	7136060011900	Instalator ventilare si conditionare aer	h-om	22,7076	84,97	1 929,465
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1524	64,17	9,780
	2710703504760	Otel cornier 40x40x4 mm	kg	11,4300	30,00	342,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,7239	65,37	47,321
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,5240	5,00	7,620
	2412126100010	Miniu de plumb	kg	0,1372	27,50	3,773
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3810	18,33	6,984
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,7925	30,00	23,775
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0305	30,00	0,915
	2411115904512	Oxigen tehnic gazos S2031	m3	0,4572	25,00	11,430
	2320146200767	Petrol distilat tip 18/200	l	0,0305	16,44	0,501
	2874135840405	Piulite uzuale hexagonale M 6	buc	426,7200	0,23	98,146
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3810	30,00	11,430
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	54,1020	0,00	0,000
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	102,1080	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	67,8180	23,03	1 561,849
	2874125881198	Saiba plata pentru metal M 6	buc	426,7200	0,15	64,008
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	426,7200	2,00	853,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,1430	40,00	45,720
	2922140006702	Macara de fereastră	h-ut	0,5334	40,00	21,336
41	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm	m2	3,8100	661,467	2 520,188

1	2	3	4	5	6	7
		grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Cot 90*, 1400x850, tabla zincata $\delta=1,0$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,3538	84,97	964,732
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0762	64,17	4,890
	2710703504760	Otel cornier 40x40x4 mm	kg	5,7150	30,00	171,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,3619	65,37	23,657
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,7620	5,00	3,810
	2412126100010	Miniu de plumb	kg	0,0686	27,50	1,886
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1905	18,33	3,492
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,3962	30,00	11,886
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0152	30,00	0,456
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2286	25,00	5,715
	2320146200767	Petrol distilat tip 18/200	l	0,0152	16,44	0,250
	2874135840405	Piulite uzuale hexagonale M 6	buc	213,3600	0,23	49,073
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1905	30,00	5,715
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	27,0510	0,00	0,000
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	51,0540	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	33,9090	23,03	780,924
	2874125881198	Saiba plata pentru metal M 6	buc	213,3600	0,15	32,004
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	213,3600	2,00	426,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,5715	40,00	22,860
	2922140006702	Macara de fereastră	h-ut	0,2667	40,00	10,668
42	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 581x279, INOX (AISI 304) $\delta=0,6$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	10,3200	712,473	7 352,722
	7136060011900	Instalator ventilare si conditionare aer	h-om	33,8496	84,97	2 876,201
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1037	64,17	6,654
	2430226100814	Grund miniu G 355-6	kg	0,5393	55,00	29,662
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1037	5,00	0,518
	2112517330399	Mucava tip I de 3,3 mm	kg	0,7779	18,33	14,259
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0519	30,00	1,557

1	2	3	4	5	6	7
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0830	30,00	2,490
	2710703503596	Otel cornier 32x32x3 mm	kg	17,6317	30,00	528,951
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3111	25,00	7,777
	2320146200767	Petrol distilat tip 18/200	l	0,0933	16,44	1,534
	2874135840405	Piulite uzuale hexagonale M 6	buc	248,9184	0,23	57,251
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4149	30,00	12,447
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	46,6722	69,09	3 224,582
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	74,6755	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	93,3444	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	248,9184	0,15	37,338
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	248,9184	2,00	497,837
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,5160	40,00	20,640
	2922140006702	Macara de fereastră	h-ut	0,8256	40,00	33,024
43	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x300, INOX (AISI 304) δ=0,6 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	6,3900	712,473	4 552,702
	7136060011900	Instalator ventilare si conditionare aer	h-om	20,9592	84,97	1 780,903
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0642	64,17	4,120
	2430226100814	Grund miniu G 355-6	kg	0,3339	55,00	18,364
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0642	5,00	0,321
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4816	18,33	8,828
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0321	30,00	0,963
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0514	30,00	1,542
	2710703503596	Otel cornier 32x32x3 mm	kg	10,9173	30,00	327,519
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1927	25,00	4,817
	2320146200767	Petrol distilat tip 18/200	l	0,0578	16,44	0,950
	2874135840405	Piulite uzuale hexagonale M 6	buc	154,1268	0,23	35,449
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2569	30,00	7,707
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	28,8988	69,09	1 996,618
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	46,2380	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304	kg	57,7975	0,00	0,000

1	2	3	4	5	6	7
		0,6 mm)				
	2874125881198	Saiba plata pentru metal M 6	buc	154,1268	0,15	23,119
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	154,1268	2,00	308,254
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3195	40,00	12,780
	2922140006702	Macara de fereastră	h-ut	0,5112	40,00	20,448
44	VA02D	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Canal 1400x850, INOX (AISI 304) δ=1,0 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0030	m2	13,5000	1 204,297	16 258,007
	7136060011900	Instalator ventilare si conditionare aer	h-om	47,6550	84,97	4 049,245
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2708	64,17	17,377
	2430226100814	Grund miniu G 355-6	kg	1,4082	55,00	77,451
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1354	5,00	0,677
	2112517330399	Mucava tip I de 3,3 mm	kg	2,0311	18,33	37,230
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2708	30,00	8,124
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1083	30,00	3,249
	2710703504502	Otel cornier 40x40x3 mm	kg	27,0810	30,00	812,430
	2710703504760	Otel cornier 40x40x4 mm	kg	34,5283	30,00	1 035,849
	2411115904512	Oxigen tehnic gazos S2031	m3	0,8124	25,00	20,310
	2320146200767	Petrol distilat tip 18/200	l	0,2166	16,44	3,561
	2874135840405	Piulite uzuale hexagonale M 6	buc	758,2680	0,23	174,402
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6770	30,00	20,310
	2710403643000 I3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	95,4605	0,00	0,000
	2710403644000 AISI304	Tabla din INOX alimentar AISI 304 1 mm grosime	kg	119,1564	69,09	8 232,516
	2874125881198	Saiba plata pentru metal M 6	buc	758,2680	0,15	113,740
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	758,2680	2,00	1 516,536
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,0250	40,00	81,000
	2922140006702	Macara de fereastră	h-ut	1,3500	40,00	54,000
45	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90*, 600x300, INOX (AISI 304) δ=0,6 mm)	m2	0,6500	965,755	627,741
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,0150	84,97	171,215
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0065	64,17	0,417
	2710703503596	Otel cornier 32x32x3 mm	kg	1,7875	30,00	53,625
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0585	65,37	3,824
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25	buc	0,1300	5,00	0,650

1	2	3	4	5	6	7
		S 1581				
	2412126100010	Miniu de plumb	kg	0,0117	27,50	0,322
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0488	18,33	0,895
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0565	30,00	1,695
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0076	30,00	0,228
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0195	25,00	0,487
	2320146200767	Petrol distilat tip 18/200	l	0,0026	16,44	0,043
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,6000	0,23	3,588
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0260	30,00	0,780
	2710403642000 AISI30406	Tabla din INOX alimentar AISI 304 0,6 mm	kg	5,1025	69,09	352,532
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	6,4350	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	15,6000	0,15	2,340
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,6000	2,00	31,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0650	40,00	2,600
	2922140006702	Macara de fereastră	h-ut	0,0325	40,00	1,300
46	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Trecere 400x300/d400 L=167mm, INOX (AISI 304) δ=0,6 mm)	m2	2,0900	1 267,867	2 649,843
	7136060011900	Instalator ventilare si conditionare aer	h-om	17,0962	84,97	1 452,664
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0209	64,17	1,341
	2710703502671	Otel cornier 25x25x3 mm	kg	7,3150	30,00	219,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1672	65,37	10,930
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4180	5,00	2,090
	2412126100010	Miniu de plumb	kg	0,0376	27,50	1,034
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3344	18,33	6,130
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0100	30,00	0,300
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0380	30,00	1,140
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0627	25,00	1,568
	2320146200767	Petrol distilat tip 18/200	l	0,0084	16,44	0,138
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,0800	0,23	5,768
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0836	30,00	2,508
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	12,7490	69,09	880,828
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	20,3775	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304	kg	26,1250	0,00	0,000

1	2	3	4	5	6	7
		0,6 mm)				
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	38,2470	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,0800	0,15	3,762
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,0800	2,00	50,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1881	40,00	7,524
	2922140006702	Macara de fereastră	h-ut	0,0627	40,00	2,508
47	VA14I	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Trecere 600x300/d500 L=305mm, INOX (AISI 304) δ=0,6 mm)	m2	2,0100	1 282,497	2 577,819
	7136060011900	Instalator ventilare si conditionare aer	h-om	14,2107	84,97	1 207,483
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0201	64,17	1,290
	2710703503596	Otel cornier 32x32x3 mm	kg	5,5275	30,00	165,825
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1809	65,37	11,825
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4020	5,00	2,010
	2412126100010	Miniu de plumb	kg	0,0362	27,50	0,996
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1507	18,33	2,762
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0175	30,00	0,525
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0235	30,00	0,705
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0603	25,00	1,508
	2320146200767	Petrol distilat tip 18/200	l	0,0080	16,44	0,132
	2874135840405	Piulite uzuale hexagonale M 6	buc	32,1600	0,23	7,397
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0804	30,00	2,412
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	15,7785	69,09	1 090,137
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	19,8990	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	30,1500	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	32,1600	0,15	4,824
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	32,1600	2,00	64,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2412	40,00	9,648
	2922140006702	Macara de fereastră	h-ut	0,1005	40,00	4,020
48	VA16H	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Teu 400x300/600x300/400x300,	m2	1,2600	942,605	1 187,682

1	2	3	4	5	6	7
		INOX (AISI 304) $\delta=0,6$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,3424	84,97	453,944
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0126	64,17	0,809
	2710703502671	Otel cornier 25x25x3 mm	kg	4,4100	30,00	132,300
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1008	65,37	6,589
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2520	5,00	1,260
	2412126100010	Miniu de plumb	kg	0,0227	27,50	0,624
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2016	18,33	3,695
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0060	30,00	0,180
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0229	30,00	0,687
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0378	25,00	0,945
	2320146200767	Petrol distilat tip 18/200	l	0,0050	16,44	0,082
	2874135840405	Piulite uzuale hexagonale M 6	buc	20,1600	0,23	4,637
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0504	30,00	1,512
	2710403643000 11	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	12,2850	0,00	0,000
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	7,6860	69,09	531,026
	2874125881198	Saiba plata pentru metal M 6	buc	20,1600	0,15	3,024
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	20,1600	2,00	40,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1134	40,00	4,536
	2922140006702	Macara de fereastră	h-ut	0,0378	40,00	1,512
49	VA11J	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Conexiune 700x600, INOX (AISI 304) $\delta=0,8$ mm)	m2	0,5900	1 016,695	599,850
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2597	84,97	192,007
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0118	64,17	0,757
	2710703504760	Otel cornier 40x40x4 mm	kg	0,8850	30,00	26,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0560	65,37	3,661
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1180	5,00	0,590
	2412126100010	Miniu de plumb	kg	0,0106	27,50	0,291
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0295	18,33	0,541
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0109	30,00	0,327
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0024	30,00	0,072
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0354	25,00	0,885
	2320146200767	Petrol distilat tip 18/200	l	0,0024	16,44	0,039
	2874135840405	Piulite uzuale hexagonale M 6	buc	33,0400	0,23	7,599
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0295	30,00	0,885
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	4,1890	69,09	289,418

1	2	3	4	5	6	7
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	5,2510	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	7,9060	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	33,0400	0,15	4,956
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	33,0400	2,00	66,080
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0885	40,00	3,540
	2922140006702	Macara de fereastră	h-ut	0,0413	40,00	1,652
50	VA14I	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Trecere 700x600/d500 L=761mm, INOX (AISI 304) δ=0,8 mm)	m2	1,7900	1 282,497	2 295,670
	7136060011900	Instalator ventilare si conditionare aer	h-om	12,6553	84,97	1 075,321
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0179	64,17	1,149
	2710703503596	Otel cornier 32x32x3 mm	kg	4,9225	30,00	147,675
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1611	65,37	10,531
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3580	5,00	1,790
	2412126100010	Miniu de plumb	kg	0,0322	27,50	0,885
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1343	18,33	2,462
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0156	30,00	0,468
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0209	30,00	0,627
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0537	25,00	1,343
	2320146200767	Petrol distilat tip 18/200	l	0,0072	16,44	0,118
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,6400	0,23	6,587
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0716	30,00	2,148
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	14,0515	69,09	970,818
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	17,7210	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	26,8500	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	28,6400	0,15	4,296
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	28,6400	2,00	57,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2148	40,00	8,592
	2922140006702	Macara de fereastră	h-ut	0,0895	40,00	3,580
51	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul	m2	1,2800	1 071,400	1 371,392

1	2	3	4	5	6	7
		sectiunii rectangulare de 2500 - 4000 mm (Dop 1400x850, INOX (AISI 304) $\delta=1,0$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,8144	84,97	324,110
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0256	64,17	1,643
	2710703504760	Otel cornier 40x40x4 mm	kg	1,9200	30,00	57,600
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1216	65,37	7,949
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2560	5,00	1,280
	2412126100010	Miniu de plumb	kg	0,0230	27,50	0,632
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0640	18,33	1,173
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1331	30,00	3,993
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0051	30,00	0,153
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0768	25,00	1,920
	2320146200767	Petrol distilat tip 18/200	l	0,0051	16,44	0,084
	2874135840405	Piulite uzuale hexagonale M 6	buc	71,6800	0,23	16,486
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0640	30,00	1,920
	2710403643000 I3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	9,0880	0,00	0,000
	2710403645000 I3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	17,1520	0,00	0,000
	2710403644000 AISI304	Tabla din INOX alimentar AISI 304 1 mm grosime	kg	11,3920	69,09	787,073
	2874125881198	Saiba plata pentru metal M 6	buc	71,6800	0,15	10,752
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	71,6800	2,00	143,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1920	40,00	7,680
	2922140006702	Macara de fereastră	h-ut	0,0896	40,00	3,584
52	VA02F	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d400, INOX (AISI 304) $\delta=0,6$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	22,6800	634,096	14 381,300
	7136060011900	Instalator ventilare si conditionare aer	h-om	61,4628	84,97	5 222,494
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2291	64,17	14,701
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,9163	65,37	59,899
	2430226100814	Grund miniu G 355-6	kg	1,0308	55,00	56,694
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2291	5,00	1,145
	2112517330399	Mucava tip I de 3,3 mm	kg	1,0995	18,33	20,154
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1833	30,00	5,499

1	2	3	4	5	6	7
	2710703503596	Otel cornier 32x32x3 mm	kg	36,6509	30,00	1 099,527
	2411115904512	Oxigen tehnic gazos S2031	m3	1,3744	25,00	34,360
	2320146200767	Petrol distilat tip 18/200	l	1,3744	16,44	22,595
	2874135840405	Piulite uzuale hexagonale M 6	buc	274,8816	0,23	63,223
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4581	30,00	13,743
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	103,0806	69,09	7 121,839
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	164,9290	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	206,1612	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	309,2418	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	274,8816	0,15	41,232
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	274,8816	2,00	549,763
	2922140006702	Macara de fereastră	h-ut	1,3608	40,00	54,432
53	VA02F	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d500, INOX (AISI 304) δ=0,8 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	130,3100	822,504	107 180,545
	7136060011900	Instalator ventilare si conditionare aer	h-om	353,1401	84,97	30 006,314
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,3161	64,17	84,454
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	5,2645	65,37	344,140
	2430226100814	Grund miniu G 355-6	kg	5,9226	55,00	325,743
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,3161	5,00	6,581
	2112517330399	Mucava tip I de 3,3 mm	kg	6,3174	18,33	115,798
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	1,0529	30,00	31,587
	2710703503596	Otel cornier 32x32x3 mm	kg	210,5810	30,00	6 317,430
	2411115904512	Oxigen tehnic gazos S2031	m3	7,8968	25,00	197,420
	2320146200767	Petrol distilat tip 18/200	l	7,8968	16,44	129,823
	2874135840405	Piulite uzuale hexagonale M 6	buc	1 579,3572	0,23	363,252
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,6323	30,00	78,969
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	592,2590	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	947,6143	69,09	65 470,672
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304	kg	1 184,5179	0,00	0,000

1	2	3	4	5	6	7
		0,8 mm)				
	2710403645000 12	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	1 776,7768	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1 579,3572	0,15	236,904
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1 579,3572	2,00	3 158,714
	2922140006702	Macara de fereastră	h-ut	7,8186	40,00	312,744
54	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Dop d400, INOX (AISI 304) δ=0,6 mm)	m2	0,9100	1 204,589	1 096,176
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,7522	84,97	573,734
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0091	64,17	0,584
	2710703502671	Otel cornier 25x25x3 mm	kg	3,1850	30,00	95,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0728	65,37	4,759
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1820	5,00	0,910
	2412126100010	Miniu de plumb	kg	0,0164	27,50	0,451
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1456	18,33	2,669
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0437	30,00	1,311
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0166	30,00	0,498
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0273	25,00	0,682
	2320146200767	Petrol distilat tip 18/200	l	0,0036	16,44	0,059
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,9200	0,23	2,512
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0364	30,00	1,092
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	5,5510	69,09	383,519
	2710403643000 11	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	8,8725	0,00	0,000
	2710403644000 11	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	11,3750	0,00	0,000
	2710403645000 11	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	16,6530	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	10,9200	0,15	1,638
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,9200	2,00	21,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0819	40,00	3,276
	2922140006702	Macara de fereastră	h-ut	0,0273	40,00	1,092
55	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d400,	m2	5,4900	1 204,587	6 613,184

1	2	3	4	5	6	7
		INOX (AISI 304) $\delta=0,6$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	40,7358	84,97	3 461,321
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0549	64,17	3,523
	2710703502671	Otel cornier 25x25x3 mm	kg	19,2150	30,00	576,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4392	65,37	28,711
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,0980	5,00	5,490
	2412126100010	Miniu de plumb	kg	0,0988	27,50	2,717
	2112517330399	Mucava tip I de 3,3 mm	kg	0,8784	18,33	16,101
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2635	30,00	7,905
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0999	30,00	2,997
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1647	25,00	4,118
	2320146200767	Petrol distilat tip 18/200	l	0,0220	16,44	0,362
	2874135840405	Piulite uzuale hexagonale M 6	buc	65,8800	0,23	15,152
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2196	30,00	6,588
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	33,4890	69,09	2 313,755
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	53,5275	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	68,6250	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	100,4670	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	65,8800	0,15	9,882
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	65,8800	2,00	131,760
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4941	40,00	19,764
	2922140006702	Macara de fereastră	h-ut	0,1647	40,00	6,588
56	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Trecere d400/581x279, INOX (AISI 304) $\delta=0,6$ mm)	m2	5,3700	1 267,868	6 808,453
	7136060011900	Instalator ventilare si conditionare aer	h-om	43,9266	84,97	3 732,443
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0537	64,17	3,446
	2710703502671	Otel cornier 25x25x3 mm	kg	18,7950	30,00	563,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4296	65,37	28,083
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,0740	5,00	5,370
	2412126100010	Miniu de plumb	kg	0,0967	27,50	2,659
	2112517330399	Mucava tip I de 3,3 mm	kg	0,8592	18,33	15,749
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S	kg	0,0258	30,00	0,774

1	2	3	4	5	6	7
		1257				
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0977	30,00	2,931
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1611	25,00	4,027
	2320146200767	Petrol distilat tip 18/200	l	0,0215	16,44	0,353
	2874135840405	Piulite uzuale hexagonale M 6	buc	64,4400	0,23	14,821
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2148	30,00	6,444
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	32,7570	69,09	2 263,181
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	52,3575	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	67,1250	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	98,2710	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	64,4400	0,15	9,666
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	64,4400	2,00	128,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4833	40,00	19,332
	2922140006702	Macara de fereastră	h-ut	0,1611	40,00	6,444
57	VA17H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Conexiune d500, INOX (AISI 304) $\delta=0,6$ mm)	m2	0,6300	893,756	563,066
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2995	84,97	195,389
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0063	64,17	0,404
	2710703502671	Otel cornier 25x25x3 mm	kg	2,2050	30,00	66,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0504	65,37	3,295
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1260	5,00	0,630
	2412126100010	Miniu de plumb	kg	0,0113	27,50	0,311
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1008	18,33	1,848
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0030	30,00	0,090
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0115	30,00	0,345
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0189	25,00	0,473
	2320146200767	Petrol distilat tip 18/200	l	0,0025	16,44	0,041
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5600	0,23	1,739
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2520	30,00	7,560
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	3,8430	69,09	265,513
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	6,1425	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1	kg	7,8750	0,00	0,000

1	2	3	4	5	6	7
	II	mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)				
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	11,5290	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	7,5600	0,15	1,134
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5600	2,00	15,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0567	40,00	2,268
	2922140006702	Macara de fereastră	h-ut	0,0189	40,00	0,756
58	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 45* d500, INOX (AISI 304) δ=0,8 mm)	m2	0,7700	1 456,769	1 121,712
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,7134	84,97	485,468
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0077	64,17	0,494
	2710703502671	Otel cornier 25x25x3 mm	kg	2,6950	30,00	80,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0616	65,37	4,027
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1540	5,00	0,770
	2412126100010	Miniu de plumb	kg	0,0139	27,50	0,382
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1232	18,33	2,258
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0370	30,00	1,110
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0140	30,00	0,420
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0231	25,00	0,578
	2320146200767	Petrol distilat tip 18/200	l	0,0031	16,44	0,051
	2874135840405	Piulite uzuale hexagonale M 6	buc	9,2400	0,23	2,125
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0308	30,00	0,924
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	4,6970	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	7,5075	69,09	518,693
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	9,6250	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	14,0910	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	9,2400	0,15	1,386
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	9,2400	2,00	18,480
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0693	40,00	2,772
	2922140006702	Macara de fereastră	h-ut	0,0231	40,00	0,924
59	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind	m2	20,8600	1 456,766	30 388,136

1	2	3	4	5	6	7
		perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d500, INOX (AISI 304) $\delta=0,8$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	154,7812	84,97	13 151,759
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2086	64,17	13,386
	2710703502671	Otel cornier 25x25x3 mm	kg	73,0100	30,00	2 190,300
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	1,6688	65,37	109,089
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	4,1720	5,00	20,860
	2412126100010	Miniu de plumb	kg	0,3755	27,50	10,326
	2112517330399	Mucava tip I de 3,3 mm	kg	3,3376	18,33	61,178
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	1,0013	30,00	30,039
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,3797	30,00	11,391
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6258	25,00	15,645
	2320146200767	Petrol distilat tip 18/200	l	0,0834	16,44	1,371
	2874135840405	Piulite uzuale hexagonale M 6	buc	250,3200	0,23	57,574
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8344	30,00	25,032
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	127,2460	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	203,3850	69,09	14 051,870
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	260,7500	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	381,7380	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	250,3200	0,15	37,548
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	250,3200	2,00	500,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,8774	40,00	75,096
	2922140006702	Macara de fereastră	h-ut	0,6258	40,00	25,032
60	VA17H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii cerculare de 700 - 1600 mm (Piesa deviatie d500 H=700mm L=1266mm, INOX (AISI 304) $\delta=0,8$ mm)	m2	4,8600	696,848	3 386,682
	7136060011900	Instalator ventilare si conditionare aer	h-om	17,7390	84,97	1 507,283
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0486	64,17	3,119
	2710703502671	Otel cornier 25x25x3 mm	kg	17,0100	30,00	510,300
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,3888	65,37	25,416
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,9720	5,00	4,860
	2412126100010	Miniu de plumb	kg	0,0875	27,50	2,406

1	2	3	4	5	6	7
	2112517330399	Mucava tip I de 3,3 mm	kg	0,7776	18,33	14,253
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0233	30,00	0,699
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0885	30,00	2,655
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1458	25,00	3,645
	2320146200767	Petrol distilat tip 18/200	l	0,0194	16,44	0,319
	2874135840405	Piulite uzuale hexagonale M 6	buc	58,3200	0,23	13,414
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,9440	30,00	58,320
	2710403642000 12	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	29,6460	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	47,3850	23,03	1 091,277
	2710403644000 12	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	60,7500	0,00	0,000
	2710403645000 12	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	88,9380	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	58,3200	0,15	8,748
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	58,3200	2,00	116,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4374	40,00	17,496
	2922140006702	Macara de fereastră	h-ut	0,1458	40,00	5,832
61	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=10 mm)	m2	245,1000	191,831	47 017,700
	7134050013240	Izolator - termic	h-om	116,1774	84,97	9 871,594
	1111000100031 10	Izolatie termica K-FLEX ST DUCT, δ=10 mm	m2	252,4530	145,83	36 815,221
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	11,0295	30,00	330,885
62	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=25 mm)	m2	23,6300	267,886	6 330,143
	7134050013240	Izolator - termic	h-om	11,2006	84,97	951,715
	1111000100031 25	Izolatie termica K-FLEX ST DUCT, δ=25 mm	m2	24,3389	219,67	5 346,526
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	1,0634	30,00	31,902
63	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (ALU1 WIRED MAT 105 25 mm (EI60), δ=25 mm)	m2	73,4800	300,846	22 106,154
	7134050013240	Izolator - termic	h-om	34,8295	84,97	2 959,463
	1111000100031 25EI60	Izolatie ALU1 WIRED MAT 105 25	m2	75,6844	251,67	19 047,493

1	2	3	4	5	6	7
		mm (EI60), $\delta=25$ mm				
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	3,3066	30,00	99,198
64	Pretul firmei	EURO flansa PQ-C-20	m	108,3000	41,670	4 512,861
	PQ-C-20	EURO flansa PQ-C-20	m	108,3000	41,67	4 512,861
65	Pretul firmei	Cornier NQ-C-20	buc	256,0000	4,170	1 067,520
	NQ-C-20	Cornier NQ-C-20	buc	256,0000	4,17	1 067,520
66	Pretul firmei	EURO flansa PQ-C-30	m	94,5000	58,330	5 512,185
	PQ-C-30	EURO flansa PQ-C-30	m	94,5000	58,33	5 512,185
67	Pretul firmei	Cornier NQ-C-30	buc	84,0000	6,670	560,280
	NQ-C-30	Cornier NQ-C-30	buc	84,0000	6,67	560,280
68	Pretul firmei	Profil metalic LDBST-41-41-200-0600	m	4,5000	162,500	731,250
	LDBST-41-41-200-0600	Profil metalic LDBST-41-41-200-0600	m	4,5000	162,50	731,250
69	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	750,0000	66,214	49 660,423
	7136060011900	Instalator ventilare si conditionare aer	h-om	225,0000	84,97	19 118,250
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	30,0600	64,17	1 928,950
	2651122100024	Ciment portland P 40 saci S388	kg	45,0900	2,20	99,198
	2710703504760	Otel cornier 40x40x4 mm	kg	781,5600	30,00	23 446,800
	2412126100010	Minu de plumb	kg	15,0300	27,50	413,325
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	1,5030	750,00	1 127,250
	2411115904512	Oxigen tehnic gazos S2031	m3	15,0300	25,00	375,750
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	15,0300	30,00	450,900
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	60,0000	40,00	2 400,000
	2922140006702	Macara de fereastră	h-ut	7,5000	40,00	300,000
70	VB15B	Rama cu jaluzele reglabile simultan, gata confectionate cu perimetrul 800 - 2500 mm, montata pe canal (Clapeta de reglaj cu maner actionata manual d500)	buc	3,0000	761,161	2 283,482
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,9400	84,97	249,812
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,5100	64,17	32,727
	2412126100010	Minu de plumb	kg	0,1350	27,50	3,713
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1200	18,33	2,200
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1800	25,00	4,500
	2874135840405	Piulite uzuale hexagonale M 6	buc	84,0000	0,23	19,320

1	2	3	4	5	6	7
	2874115765700 CRMC500	CRMC Clapeta de reglaj cu maner D500 (actionata manual)	buc	3,0000	566,67	1 700,010
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,8000	30,00	54,000
	2874115883938	Saiba grower M 6	buc	84,0000	0,15	12,600
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	84,0000	2,15	180,600
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,5400	40,00	21,600
	2922140006702	Macara de fereastră	h-ut	0,0600	40,00	2,400
		<i>Total</i>	Lei			376 304,697
		Total Sistem R1 Inclusiv salariu				376 304,697 114 713,071
		1.2.2. Sistem C1				
71	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d15,9mm preizolata)	m	20,9000	164,069	3 429,041
	7136040011749	Instalator incalzire si gaze	h-om	4,8070	84,97	408,451
	2746163334000 15,9	Teava din cupru Cu, preizolata ISO- SPLIT 5/8"x0.8-25 (15,88x0,8 mm) in colaci pentru traseu frigorific	m	21,1090	135,00	2 849,715
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0209	500,00	10,450
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0209	781,25	16,328
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,3135	459,64	144,097
72	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d19,05mm preizolata)	m	15,7000	229,719	3 606,588
	7136040011749	Instalator incalzire si gaze	h-om	3,6110	84,97	306,827
	2746163334000 19,05	Teava din cupru Cu, preizolata ISO- SPLIT 3/4"x0.8-25 (19,05x0,8 mm) in colaci pentru traseu frigorific	m	15,8570	200,00	3 171,400
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0157	500,00	7,850
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0157	781,25	12,266
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,2355	459,64	108,245
73	IC33B	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 22,0 mm (d22,2mm preizolata)	m	8,5000	290,710	2 471,031
	7136040011749	Instalator incalzire si gaze	h-om	2,3800	84,97	202,229
	2746163334000 22	Teava din cupru Cu M ACR H in bare fara izolatie 7/8" (22x1,0 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x22 (22 mm, grosimea 19 mm) pentru	m	8,6275	252,50	2 178,444

1	2	3	4	5	6	7
		traseu frigorific				
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0085	500,00	4,250
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0102	781,25	7,969
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,1700	459,64	78,139
74	IC33C	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 28,0 mm (d28,6mm preizolata)	m	21,0000	530,513	11 140,766
	7136040011749	Instalator incalzire si gaze	h-om	6,7200	84,97	570,998
	2746163334000 28	Teava din cupru Cu M ACR H in bare fara izolatie 1 1/8" (28x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x28 (28 mm, grosimea 19 mm) pentru traseu frigorific	m	21,3150	482,50	10 284,488
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0420	500,00	21,000
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0294	781,25	22,969
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,5250	459,64	241,311
75	IC33D	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 35,0 mm (d38,1mm preizolata)	m	15,6000	653,586	10 195,936
	7136040011749	Instalator incalzire si gaze	h-om	5,4600	84,97	463,936
	2746163334000 38	Teava din cupru Cu M ACR H in bare fara izolatie 1 3/8" (35x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x35 (35 mm, grosimea 19 mm) pentru traseu frigorific	m	15,8340	598,33	9 473,957
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0468	500,00	23,400
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0250	781,25	19,531
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,4680	459,64	215,112
76	IC33E	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 42,0 mm (d44,5mm preizolata)	m	8,5000	824,882	7 011,494
	7136040011749	Instalator incalzire si gaze	h-om	3,4000	84,97	288,898
	2746163334000 44	Teava din cupru Cu M ACR H in bare fara izolatie 1 5/8" (42x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x42 (42 mm, grosimea 19 mm) pentru traseu frigorific	m	8,6275	760,00	6 556,900
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0340	500,00	17,000
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0153	781,25	11,953
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,2975	459,64	136,743

1	2	3	4	5	6	7
		<i>Total</i>	Lei			37 854,856
		Total Sistem C1 Inclusiv salariu				37 854,856 2 241,339
		1.2.3. Sistem A1.1				
77	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x200)	buc	2,0000	2 875,650	5 751,300
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x200	Grila de aspiratie din INOX cu separator de puf PCF 400x200	buc	2,0000	2 827,94	5 655,880
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
78	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x300)	buc	2,0000	3 304,710	6 609,420
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x300	Grila de aspiratie din INOX cu separator de puf PCF 400x300	buc	2,0000	3 257,00	6 514,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
79	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
80	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata	m2	3,1400	512,892	1 610,481

1	2	3	4	5	6	7
		6=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,8692	84,97	1 008,526
	2710703700340	Banda de otel de 25x3 mm	kg	2,5371	30,00	76,113
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0317	64,17	2,034
	2430226100814	Grund miniu G 355-6	kg	0,0381	55,00	2,095
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0317	5,00	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0539	18,33	0,988
	2710703502671	Otel cornier 25x25x3 mm	kg	3,9643	30,00	118,929
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0951	25,00	2,377
	2320146200767	Petrol distilat tip 18/200	l	0,0951	16,44	1,563
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,0284	0,23	4,377
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0951	30,00	2,853
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	14,9056	23,03	343,276
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	29,9063	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	24,1026	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	19,0284	0,15	2,854
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,0284	2,00	38,057
	2922140006702	Macara de fereastră	h-ut	0,1570	40,00	6,280
81	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata 6=0,5 mm)	m2	0,0140	994,929	13,929
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1134	84,97	9,636
	2710703700340	Banda de otel de 25x3 mm	kg	0,0588	30,00	1,764
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0010	65,37	0,065
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0028	5,00	0,014
	2412126100010	Miniu de plumb	kg	0,0003	27,50	0,008
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0034	18,33	0,062
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0004	25,00	0,010
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1120	0,23	0,026
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0004	30,00	0,012
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0882	23,03	2,031
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din	kg	0,1470	0,00	0,000

1	2	3	4	5	6	7
		aluminiu cal. I 0,5 mm)				
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1764	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,1120	0,15	0,017
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1120	2,00	0,224
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0010	40,00	0,040
	2922140006702	Macara de fereastră	h-ut	0,0003	40,00	0,012
82	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata δ=0,5 mm)	m2	0,3200	994,812	318,340
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,5920	84,97	220,242
	2710703700340	Banda de otel de 25x3 mm	kg	1,3440	30,00	40,320
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0224	65,37	1,464
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0768	18,33	1,408
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,5600	0,23	0,589
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0096	30,00	0,288
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,0160	23,03	46,428
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,3600	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,0320	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,5600	0,15	0,384
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,5600	2,00	5,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0224	40,00	0,896
	2922140006702	Macara de fereastră	h-ut	0,0064	40,00	0,256
83	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata δ=0,5 mm)	m2	0,2400	1 499,100	359,784
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154

1	2	3	4	5	6	7
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,8800	23,03	66,326
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,6000	23,03	82,908
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
84	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 300x300, tabla zincata δ=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	6,0000	465,065	2 790,389
	7136060011900	Instalator ventilare si conditionare aer	h-om	14,7600	84,97	1 254,157
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0606	64,17	3,889
	2430226100814	Grund miniu G 355-6	kg	0,2727	55,00	14,998
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0606	5,00	0,303
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2909	18,33	5,332
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0485	30,00	1,455
	2710703502671	Otel cornier 25x25x3 mm	kg	8,1810	30,00	245,430
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1818	25,00	4,545
	2320146200767	Petrol distilat tip 18/200	l	0,0364	16,44	0,598
	2874135840405	Piulite uzuale hexagonale M 6	buc	96,9600	0,23	22,301
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2424	30,00	7,272
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	17,2710	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	27,2700	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	43,6320	23,03	1 004,845
	2874125881198	Saiba plata pentru metal M 6	buc	96,9600	0,15	14,544
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	96,9600	2,00	193,920
	2922140006702	Macara de fereastră	h-ut	0,4200	40,00	16,800

1	2	3	4	5	6	7
85	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 500x200, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	7,0000	465,064	3 255,451
	7136060011900	Instalator ventilare si conditionare aer	h-om	17,2200	84,97	1 463,183
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0707	64,17	4,537
	2430226100814	Grund miniu G 355-6	kg	0,3181	55,00	17,495
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0707	5,00	0,353
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3394	18,33	6,221
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0566	30,00	1,698
	2710703502671	Otel cornier 25x25x3 mm	kg	9,5445	30,00	286,335
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2121	25,00	5,303
	2320146200767	Petrol distilat tip 18/200	l	0,0424	16,44	0,697
	2874135840405	Piulite uzuale hexagonale M 6	buc	113,1200	0,23	26,018
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2828	30,00	8,484
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	20,1495	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	31,8150	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	50,9040	23,03	1 172,319
	2874125881198	Saiba plata pentru metal M 6	buc	113,1200	0,15	16,968
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	113,1200	2,00	226,240
	2922140006702	Macara de fereastră	h-ut	0,4900	40,00	19,600
86	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x300, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	35,6800	566,659	20 218,385
	7136060011900	Instalator ventilare si conditionare aer	h-om	117,0304	84,97	9 944,073
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3586	64,17	23,011
	2430226100814	Grund miniu G 355-6	kg	1,8646	55,00	102,553
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3586	5,00	1,793
	2112517330399	Mucava tip I de 3,3 mm	kg	2,6894	18,33	49,297
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S	kg	0,1793	30,00	5,379

1	2	3	4	5	6	7
		1257				
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,2869	30,00	8,607
	2710703503596	Otel cornier 32x32x3 mm	kg	60,9593	30,00	1 828,779
	2411115904512	Oxigen tehnic gazos S2031	m3	1,0758	25,00	26,895
	2320146200767	Petrol distilat tip 18/200	l	0,3227	16,44	5,305
	2874135840405	Piulite uzuale hexagonale M 6	buc	860,6016	0,23	197,938
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,4343	30,00	43,029
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	161,3628	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	258,1805	23,03	5 945,897
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	322,7256	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	860,6016	0,15	129,090
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	860,6016	2,00	1 721,203
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,7840	40,00	71,360
	2922140006702	Macara de fereastră	h-ut	2,8544	40,00	114,176
87	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata δ=0,7 mm)	m2	0,2000	696,310	139,262
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7340	84,97	62,368
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0020	64,17	0,128
	2710703502671	Otel cornier 25x25x3 mm	kg	0,7000	30,00	21,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0140	65,37	0,915
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0400	5,00	0,200
	2412126100010	Minu de plumb	kg	0,0036	27,50	0,099
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0320	18,33	0,587
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0010	30,00	0,030
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0036	30,00	0,108
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0060	25,00	0,150
	2320146200767	Petrol distilat tip 18/200	l	0,0008	16,44	0,013
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,2000	0,23	0,736
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0060	30,00	0,180
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,2200	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9500	23,03	44,908
	2874125881198	Saiba plata pentru metal M 6	buc	3,2000	0,15	0,480
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,2000	2,00	6,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0060	40,00	0,240

1	2	3	4	5	6	7
88	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata $\delta=0,7$ mm)	m2	0,3800	696,305	264,596
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,3946	84,97	118,499
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2710703502671	Otel cornier 25x25x3 mm	kg	1,3300	30,00	39,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0266	65,37	1,739
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0760	5,00	0,380
	2412126100010	Miniu de plumb	kg	0,0068	27,50	0,187
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0608	18,33	1,114
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0018	30,00	0,054
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0069	30,00	0,207
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0114	25,00	0,285
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0800	0,23	1,398
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0114	30,00	0,342
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,3180	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,7050	23,03	85,326
	2874125881198	Saiba plata pentru metal M 6	buc	6,0800	0,15	0,912
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0800	2,00	12,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0342	40,00	1,368
	2922140006702	Macara de fereastră	h-ut	0,0114	40,00	0,456
89	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x300, tabla zincata $\delta=0,7$ mm)	m2	0,4700	696,323	327,272
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7249	84,97	146,565
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0047	64,17	0,302
	2710703502671	Otel cornier 25x25x3 mm	kg	1,6450	30,00	49,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0329	65,37	2,151
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0940	5,00	0,470
	2412126100010	Miniu de plumb	kg	0,0085	27,50	0,234
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0752	18,33	1,378
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0023	30,00	0,069
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0086	30,00	0,258

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0141	25,00	0,352
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5200	0,23	1,730
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0141	30,00	0,423
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,8670	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,5825	23,03	105,535
	2874125881198	Saiba plata pentru metal M 6	buc	7,5200	0,15	1,128
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5200	2,00	15,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0423	40,00	1,692
	2922140006702	Macara de fereastră	h-ut	0,0141	40,00	0,564
90	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x200, tabla zincata δ=0,7 mm)	m2	0,4500	696,320	313,344
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,6515	84,97	140,328
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0045	64,17	0,289
	2710703502671	Otel cornier 25x25x3 mm	kg	1,5750	30,00	47,250
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0315	65,37	2,059
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0900	5,00	0,450
	2412126100010	Miniu de plumb	kg	0,0081	27,50	0,223
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0720	18,33	1,320
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0022	30,00	0,066
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0082	30,00	0,246
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0135	25,00	0,338
	2320146200767	Petrol distilat tip 18/200	l	0,0018	16,44	0,030
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,2000	0,23	1,656
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0135	30,00	0,405
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,7450	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,3875	23,03	101,044
	2874125881198	Saiba plata pentru metal M 6	buc	7,2000	0,15	1,080
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,2000	2,00	14,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0405	40,00	1,620
	2922140006702	Macara de fereastră	h-ut	0,0135	40,00	0,540
91	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 500x200, tabla zincata δ=0,7 mm)	m2	0,2600	714,112	185,669

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,0010	84,97	85,055
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0026	64,17	0,167
	2710703502671	Otel cornier 25x25x3 mm	kg	0,9100	30,00	27,300
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0234	65,37	1,530
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0520	5,00	0,260
	2412126100010	Miniu de plumb	kg	0,0047	27,50	0,129
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0416	18,33	0,763
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0125	30,00	0,375
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0047	30,00	0,141
	2411115904512	Oxigen tehnic gaze S2031	m3	0,0078	25,00	0,195
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,1600	0,23	0,957
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0104	30,00	0,312
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,5860	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,5350	23,03	58,381
	2874125881198	Saiba plata pentru metal M 6	buc	4,1600	0,15	0,624
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,1600	2,00	8,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0208	40,00	0,832
	2922140006702	Macara de fereastră	h-ut	0,0078	40,00	0,312
92	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x300, tabla zincata δ=0,7 mm)	m2	0,2200	604,186	132,921
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,6820	84,97	57,950
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0022	64,17	0,141
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6050	30,00	18,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0198	65,37	1,294
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0440	5,00	0,220
	2412126100010	Miniu de plumb	kg	0,0040	27,50	0,110
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0165	18,33	0,302
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0191	30,00	0,573
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0026	30,00	0,078
	2411115904512	Oxigen tehnic gaze S2031	m3	0,0066	25,00	0,165
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,2800	0,23	1,214
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0088	30,00	0,264
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,7270	23,03	39,773
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia:	kg	2,1780	0,00	0,000

1	2	3	4	5	6	7
		Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)				
	2874125881198	Saiba plata pentru metal M 6	buc	5,2800	0,15	0,792
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,2800	2,00	10,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0220	40,00	0,880
	2922140006702	Macara de fereastră	h-ut	0,0110	40,00	0,440
93	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 300x300, tabla zincata δ=0,7 mm)	m2	1,9900	714,112	1 421,082
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,6615	84,97	650,998
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0199	64,17	1,277
	2710703502671	Otel cornier 25x25x3 mm	kg	6,9650	30,00	208,950
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1791	65,37	11,708
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3980	5,00	1,990
	2412126100010	Miniu de plumb	kg	0,0358	27,50	0,984
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3184	18,33	5,836
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0955	30,00	2,865
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0362	30,00	1,086
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0597	25,00	1,493
	2320146200767	Petrol distilat tip 18/200	l	0,0080	16,44	0,132
	2874135840405	Piulite uzuale hexagonale M 6	buc	31,8400	0,23	7,323
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0796	30,00	2,388
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	12,1390	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	19,4025	23,03	446,840
	2874125881198	Saiba plata pentru metal M 6	buc	31,8400	0,15	4,776
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	31,8400	2,00	63,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1592	40,00	6,368
	2922140006702	Macara de fereastră	h-ut	0,0597	40,00	2,388
94	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x600, tabla zincata δ=0,7 mm)	m2	2,2400	604,184	1 353,373
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,9440	84,97	590,032
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0224	64,17	1,437
	2710703503596	Otel cornier 32x32x3 mm	kg	6,1600	30,00	184,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2016	65,37	13,179
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4480	5,00	2,240

1	2	3	4	5	6	7
	2412126100010	Minu de plumb	kg	0,0403	27,50	1,108
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1680	18,33	3,079
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1949	30,00	5,847
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0262	30,00	0,786
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0672	25,00	1,680
	2320146200767	Petrol distilat tip 18/200	l	0,0090	16,44	0,148
	2874135840405	Piulite uzuale hexagonale M 6	buc	53,7600	0,23	12,365
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0896	30,00	2,688
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	17,5840	23,03	404,960
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	22,1760	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	53,7600	0,15	8,064
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	53,7600	2,00	107,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2240	40,00	8,960
	2922140006702	Macara de fereastr	h-ut	0,1120	40,00	4,480
95	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 600x300, tabla zincata $\delta=0,7$ mm)	m2	2,9800	604,185	1 800,470
	7136060011900	Instalator ventilare si conditionare aer	h-om	9,2380	84,97	784,953
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0298	64,17	1,912
	2710703503596	Otel cornier 32x32x3 mm	kg	8,1950	30,00	245,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2682	65,37	17,532
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,5960	5,00	2,980
	2412126100010	Minu de plumb	kg	0,0536	27,50	1,474
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2235	18,33	4,097
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2593	30,00	7,779
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0349	30,00	1,047
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0894	25,00	2,235
	2320146200767	Petrol distilat tip 18/200	l	0,0119	16,44	0,196
	2874135840405	Piulite uzuale hexagonale M 6	buc	71,5200	0,23	16,450
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1192	30,00	3,576
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	23,3930	23,03	538,741
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	29,5020	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	71,5200	0,15	10,728
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	71,5200	2,00	143,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2980	40,00	11,920
	2922140006702	Macara de fereastr	h-ut	0,1490	40,00	5,960
96	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5	m2	1,2200	696,317	849,507

1	2	3	4	5	6	7
		mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 3 500x200/300x300 L=360mm, tabla zincata δ=0,7 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,4774	84,97	380,445
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0122	64,17	0,783
	2710703502671	Otel cornier 25x25x3 mm	kg	4,2700	30,00	128,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0854	65,37	5,583
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2440	5,00	1,220
	2412126100010	Miniu de plumb	kg	0,0220	27,50	0,605
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1952	18,33	3,578
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0059	30,00	0,177
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0222	30,00	0,666
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0366	25,00	0,915
	2320146200767	Petrol distilat tip 18/200	l	0,0049	16,44	0,081
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,5200	0,23	4,490
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0366	30,00	1,098
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,4420	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,8950	23,03	273,942
	2874125881198	Saiba plata pentru metal M 6	buc	19,5200	0,15	2,928
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,5200	2,00	39,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1098	40,00	4,392
	2922140006702	Macara de fereastră	h-ut	0,0366	40,00	1,464
97	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 4 500x200/300x300 L=360mm, tabla zincata δ=0,7 mm)	m2	1,2200	696,317	849,507
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,4774	84,97	380,445
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0122	64,17	0,783
	2710703502671	Otel cornier 25x25x3 mm	kg	4,2700	30,00	128,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0854	65,37	5,583
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2440	5,00	1,220
	2412126100010	Miniu de plumb	kg	0,0220	27,50	0,605
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1952	18,33	3,578
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0059	30,00	0,177
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0222	30,00	0,666

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0366	25,00	0,915
	2320146200767	Petrol distilat tip 18/200	l	0,0049	16,44	0,081
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,5200	0,23	4,490
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0366	30,00	1,098
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,4420	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,8950	23,03	273,942
	2874125881198	Saiba plata pentru metal M 6	buc	19,5200	0,15	2,928
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,5200	2,00	39,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1098	40,00	4,392
	2922140006702	Macara de fereastră	h-ut	0,0366	40,00	1,464
98	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Trecere, tip 4 300x200/d100 L=481mm, tabla zincata δ=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,3800	911,150	346,237
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4179	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
99	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 -	m2	1,0800	631,523	682,045

1	2	3	4	5	6	7
		2500 mm (Ramificatie 600x300/600x300/600x300, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,7152	84,97	315,681
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0108	64,17	0,693
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9700	30,00	89,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0972	65,37	6,354
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2160	5,00	1,080
	2412126100010	Miniu de plumb	kg	0,0194	27,50	0,533
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0810	18,33	1,485
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0094	30,00	0,282
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0126	30,00	0,378
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0324	25,00	0,810
	2320146200767	Petrol distilat tip 18/200	l	0,0043	16,44	0,071
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,9200	0,23	5,962
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0432	30,00	1,296
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,4780	23,03	195,248
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,6920	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,9200	0,15	3,888
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,9200	2,00	51,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1296	40,00	5,184
	2922140006702	Macara de fereastră	h-ut	0,0540	40,00	2,160
100	Pretul firmei	EURO flansa PQ-C-20	m	157,0000	41,670	6 542,190
	PQ-C-20	EURO flansa PQ-C-20	m	157,0000	41,67	6 542,190
101	Pretul firmei	Cornier NQ-C-20	buc	388,0000	4,170	1 617,960
	NQ-C-20	Cornier NQ-C-20	buc	388,0000	4,17	1 617,960
102	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d100) Material marunt=1,0050	buc	1,0000	380,258	380,258
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383

1	2	3	4	5	6	7
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC100	CRMC Clapeta de reglaj cu maner D100 (actionata manual)	buc	1,0050	141,67	142,378
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
103	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	160,0000	66,214	10 594,193
	7136060011900	Instalator ventilare si conditionare aer	h-om	48,0000	84,97	4 078,560
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	6,4128	64,17	411,509
	2651122100024	Ciment portland P 40 saci S388	kg	9,6192	2,20	21,162
	2710703504760	Otel cornier 40x40x4 mm	kg	166,7328	30,00	5 001,984
	2412126100010	Miniu de plumb	kg	3,2064	27,50	88,176
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,3206	750,00	240,450
	2411115904512	Oxigen tehnic gazos S2031	m3	3,2064	25,00	80,160
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	3,2064	30,00	96,192
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	12,8000	40,00	512,000
	2922140006702	Macara de fereastră	h-ut	1,6000	40,00	64,000
		<i>Total</i>	Lei			68 956,125
		Total Sistem A1.1 Inclusiv salariu				68 956,125 22 363,349
		1.2.4. Sistem A1.2				
104	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x200)	buc	2,0000	2 875,650	5 751,300
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x200	Grila de aspiratie din INOX cu separator de puf PCF 400x200	buc	2,0000	2 827,94	5 655,880
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
105	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator	buc	2,0000	3 304,710	6 609,420

1	2	3	4	5	6	7
		de puf PCF 400x300)				
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x300	Grila de aspiratie din INOX cu separator de puf PCF 400x300	buc	2,0000	3 257,00	6 514,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
106	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
107	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	3,1400	512,892	1 610,481
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,8692	84,97	1 008,526
	2710703700340	Banda de otel de 25x3 mm	kg	2,5371	30,00	76,113
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0317	64,17	2,034
	2430226100814	Grund miniu G 355-6	kg	0,0381	55,00	2,095
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0317	5,00	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0539	18,33	0,988
	2710703502671	Otel cornier 25x25x3 mm	kg	3,9643	30,00	118,929
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0951	25,00	2,377
	2320146200767	Petrol distilat tip 18/200	l	0,0951	16,44	1,563
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,0284	0,23	4,377
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0951	30,00	2,853
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	14,9056	23,03	343,276
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	29,9063	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	24,1026	0,00	0,000

1	2	3	4	5	6	7
	2874125881198	Saiba plata pentru metal M 6	buc	19,0284	0,15	2,854
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,0284	2,00	38,057
	2922140006702	Macara de fereastră	h-ut	0,1570	40,00	6,280
108	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)	m2	0,0140	994,929	13,929
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1134	84,97	9,636
	2710703700340	Banda de otel de 25x3 mm	kg	0,0588	30,00	1,764
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0010	65,37	0,065
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0028	5,00	0,014
	2412126100010	Miniu de plumb	kg	0,0003	27,50	0,008
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0034	18,33	0,062
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0004	25,00	0,010
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1120	0,23	0,026
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0004	30,00	0,012
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0882	23,03	2,031
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1470	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1764	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,1120	0,15	0,017
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1120	2,00	0,224
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0010	40,00	0,040
	2922140006702	Macara de fereastră	h-ut	0,0003	40,00	0,012
109	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata $\delta=0,5$ mm)	m2	0,3200	994,812	318,340
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,5920	84,97	220,242
	2710703700340	Banda de otel de 25x3 mm	kg	1,3440	30,00	40,320
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0224	65,37	1,464
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0768	18,33	1,408
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240

1	2	3	4	5	6	7
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,5600	0,23	0,589
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0096	30,00	0,288
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,0160	23,03	46,428
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,3600	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,0320	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,5600	0,15	0,384
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,5600	2,00	5,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0224	40,00	0,896
	2922140006702	Macara de fereastră	h-ut	0,0064	40,00	0,256
110	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata δ=0,5 mm)	m2	0,2400	1 499,100	359,784
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Minu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,8800	23,03	66,326
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,6000	23,03	82,908
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
111	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 300x300, tabla zincata δ=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	6,7200	465,064	3 125,233

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	16,5312	84,97	1 404,656
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0679	64,17	4,357
	2430226100814	Grund miniu G 355-6	kg	0,3054	55,00	16,797
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0679	5,00	0,340
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3258	18,33	5,972
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0543	30,00	1,629
	2710703502671	Otel cornier 25x25x3 mm	kg	9,1627	30,00	274,881
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2036	25,00	5,090
	2320146200767	Petrol distilat tip 18/200	l	0,0407	16,44	0,669
	2874135840405	Piulite uzuale hexagonale M 6	buc	108,5952	0,23	24,977
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2715	30,00	8,145
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	19,3435	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	30,5424	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	48,8678	23,03	1 125,425
	2874125881198	Saiba plata pentru metal M 6	buc	108,5952	0,15	16,289
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	108,5952	2,00	217,190
	2922140006702	Macara de fereastră	h-ut	0,4704	40,00	18,816
112	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 500x200, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	7,0000	465,064	3 255,451
	7136060011900	Instalator ventilare si conditionare aer	h-om	17,2200	84,97	1 463,183
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0707	64,17	4,537
	2430226100814	Grund miniu G 355-6	kg	0,3181	55,00	17,495
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0707	5,00	0,353
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3394	18,33	6,221
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0566	30,00	1,698
	2710703502671	Otel cornier 25x25x3 mm	kg	9,5445	30,00	286,335
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2121	25,00	5,303
	2320146200767	Petrol distilat tip 18/200	l	0,0424	16,44	0,697
	2874135840405	Piulite uzuale hexagonale M 6	buc	113,1200	0,23	26,018
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2828	30,00	8,484
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu	kg	20,1495	0,00	0,000

1	2	3	4	5	6	7
		de 0,8 mm grosime, cal.I)				
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	31,8150	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	50,9040	23,03	1 172,319
	2874125881198	Saiba plata pentru metal M 6	buc	113,1200	0,15	16,968
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	113,1200	2,00	226,240
	2922140006702	Macara de fereastră	h-ut	0,4900	40,00	19,600
113	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x300, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	20,2900	566,659	11 497,510
	7136060011900	Instalator ventilare si conditionare aer	h-om	66,5512	84,97	5 654,855
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2039	64,17	13,084
	2430226100814	Grund miniu G 355-6	kg	1,0604	55,00	58,322
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2039	5,00	1,020
	2112517330399	Mucava tip I de 3,3 mm	kg	1,5294	18,33	28,034
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1020	30,00	3,060
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1631	30,00	4,893
	2710703503596	Otel cornier 32x32x3 mm	kg	34,6655	30,00	1 039,965
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6117	25,00	15,293
	2320146200767	Petrol distilat tip 18/200	l	0,1835	16,44	3,017
	2874135840405	Piulite uzuale hexagonale M 6	buc	489,3948	0,23	112,561
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8157	30,00	24,471
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	91,7615	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	146,8184	23,03	3 381,228
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	183,5230	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	489,3948	0,15	73,409
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	489,3948	2,00	978,790
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,0145	40,00	40,580
	2922140006702	Macara de fereastră	h-ut	1,6232	40,00	64,928
114	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata $\delta=0,7$ mm)	m2	0,2000	696,310	139,262

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7340	84,97	62,368
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0020	64,17	0,128
	2710703502671	Otel cornier 25x25x3 mm	kg	0,7000	30,00	21,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0140	65,37	0,915
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0400	5,00	0,200
	2412126100010	Miniu de plumb	kg	0,0036	27,50	0,099
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0320	18,33	0,587
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0010	30,00	0,030
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0036	30,00	0,108
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0060	25,00	0,150
	2320146200767	Petrol distilat tip 18/200	l	0,0008	16,44	0,013
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,2000	0,23	0,736
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0060	30,00	0,180
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,2200	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9500	23,03	44,908
	2874125881198	Saiba plata pentru metal M 6	buc	3,2000	0,15	0,480
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,2000	2,00	6,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0060	40,00	0,240
115	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata δ=0,7 mm)	m2	0,3800	696,305	264,596
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,3946	84,97	118,499
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2710703502671	Otel cornier 25x25x3 mm	kg	1,3300	30,00	39,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0266	65,37	1,739
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0760	5,00	0,380
	2412126100010	Miniu de plumb	kg	0,0068	27,50	0,187
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0608	18,33	1,114
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0018	30,00	0,054
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0069	30,00	0,207
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0114	25,00	0,285
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0800	0,23	1,398
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0114	30,00	0,342
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm	kg	2,3180	0,00	0,000

1	2	3	4	5	6	7
		grosime, cal.I)				
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,7050	23,03	85,326
	2874125881198	Saiba plata pentru metal M 6	buc	6,0800	0,15	0,912
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0800	2,00	12,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0342	40,00	1,368
	2922140006702	Macara de fereastră	h-ut	0,0114	40,00	0,456
116	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x300, tabla zincata δ=0,7 mm)	m2	0,4700	696,323	327,272
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7249	84,97	146,565
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0047	64,17	0,302
	2710703502671	Otel cornier 25x25x3 mm	kg	1,6450	30,00	49,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0329	65,37	2,151
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0940	5,00	0,470
	2412126100010	Miniu de plumb	kg	0,0085	27,50	0,234
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0752	18,33	1,378
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0023	30,00	0,069
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0086	30,00	0,258
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0141	25,00	0,352
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5200	0,23	1,730
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0141	30,00	0,423
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,8670	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,5825	23,03	105,535
	2874125881198	Saiba plata pentru metal M 6	buc	7,5200	0,15	1,128
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5200	2,00	15,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0423	40,00	1,692
	2922140006702	Macara de fereastră	h-ut	0,0141	40,00	0,564
117	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x200, tabla zincata δ=0,7 mm)	m2	0,4500	696,320	313,344
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,6515	84,97	140,328
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0045	64,17	0,289
	2710703502671	Otel cornier 25x25x3 mm	kg	1,5750	30,00	47,250
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0315	65,37	2,059
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25	buc	0,0900	5,00	0,450

1	2	3	4	5	6	7
		S 1581				
	2412126100010	Minu de plumb	kg	0,0081	27,50	0,223
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0720	18,33	1,320
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0022	30,00	0,066
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0082	30,00	0,246
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0135	25,00	0,338
	2320146200767	Petrol distilat tip 18/200	l	0,0018	16,44	0,030
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,2000	0,23	1,656
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0135	30,00	0,405
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,7450	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,3875	23,03	101,044
	2874125881198	Saiba plata pentru metal M 6	buc	7,2000	0,15	1,080
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,2000	2,00	14,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0405	40,00	1,620
	2922140006702	Macara de fereastră	h-ut	0,0135	40,00	0,540
118	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 500x200, tabla zincata $\delta=0,7$ mm)	m2	0,2600	714,112	185,669
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,0010	84,97	85,055
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0026	64,17	0,167
	2710703502671	Otel cornier 25x25x3 mm	kg	0,9100	30,00	27,300
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0234	65,37	1,530
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0520	5,00	0,260
	2412126100010	Minu de plumb	kg	0,0047	27,50	0,129
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0416	18,33	0,763
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0125	30,00	0,375
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0047	30,00	0,141
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0078	25,00	0,195
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,1600	0,23	0,957
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0104	30,00	0,312
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,5860	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,5350	23,03	58,381
	2874125881198	Saiba plata pentru metal M 6	buc	4,1600	0,15	0,624
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,1600	2,00	8,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0208	40,00	0,832
	2922140006702	Macara de fereastră	h-ut	0,0078	40,00	0,312
119	VA10I	Piesa speciala, din tabla zincata	m2	0,2200	604,186	132,921

1	2	3	4	5	6	7
		sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x300, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,6820	84,97	57,950
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0022	64,17	0,141
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6050	30,00	18,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0198	65,37	1,294
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0440	5,00	0,220
	2412126100010	Miniu de plumb	kg	0,0040	27,50	0,110
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0165	18,33	0,302
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0191	30,00	0,573
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0026	30,00	0,078
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0066	25,00	0,165
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,2800	0,23	1,214
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0088	30,00	0,264
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,7270	23,03	39,773
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,1780	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	5,2800	0,15	0,792
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,2800	2,00	10,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0220	40,00	0,880
	2922140006702	Macara de fereastră	h-ut	0,0110	40,00	0,440
120	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 300x300, tabla zincata $\delta=0,7$ mm)	m2	1,9900	714,112	1 421,082
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,6615	84,97	650,998
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0199	64,17	1,277
	2710703502671	Otel cornier 25x25x3 mm	kg	6,9650	30,00	208,950
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1791	65,37	11,708
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3980	5,00	1,990
	2412126100010	Miniu de plumb	kg	0,0358	27,50	0,984
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3184	18,33	5,836
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0955	30,00	2,865
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0362	30,00	1,086
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0597	25,00	1,493

1	2	3	4	5	6	7
	2320146200767	Petrol distilat tip 18/200	l	0,0080	16,44	0,132
	2874135840405	Piulite uzuale hexagonale M 6	buc	31,8400	0,23	7,323
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0796	30,00	2,388
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	12,1390	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	19,4025	23,03	446,840
	2874125881198	Saiba plata pentru metal M 6	buc	31,8400	0,15	4,776
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	31,8400	2,00	63,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1592	40,00	6,368
	2922140006702	Macara de fereastră	h-ut	0,0597	40,00	2,388
121	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x600, tabla zincata δ=0,7 mm)	m2	0,7500	604,183	453,137
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,3250	84,97	197,555
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0075	64,17	0,481
	2710703503596	Otel cornier 32x32x3 mm	kg	2,0625	30,00	61,875
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0675	65,37	4,412
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1500	5,00	0,750
	2412126100010	Miniu de plumb	kg	0,0135	27,50	0,371
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0562	18,33	1,030
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0653	30,00	1,959
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0088	30,00	0,264
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0225	25,00	0,562
	2320146200767	Petrol distilat tip 18/200	l	0,0030	16,44	0,049
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,0000	0,23	4,140
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0300	30,00	0,900
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,8875	23,03	135,589
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,4250	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	18,0000	0,15	2,700
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,0000	2,00	36,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0750	40,00	3,000
	2922140006702	Macara de fereastră	h-ut	0,0375	40,00	1,500
122	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 600x300, tabla zincata δ=0,7 mm)	m2	1,4900	604,183	900,232
	7136060011900	Instalator ventilare si conditionare	h-om	4,6190	84,97	392,476

1	2	3	4	5	6	7
		aer				
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0149	64,17	0,956
	2710703503596	Otel cornier 32x32x3 mm	kg	4,0975	30,00	122,925
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1341	65,37	8,766
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2980	5,00	1,490
	2412126100010	Minu de plumb	kg	0,0268	27,50	0,737
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1118	18,33	2,049
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1296	30,00	3,888
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0174	30,00	0,522
	2411115904512	Oxigen tehnic gaze S2031	m3	0,0447	25,00	1,117
	2320146200767	Petrol distilat tip 18/200	l	0,0060	16,44	0,099
	2874135840405	Piulite uzuale hexagonale M 6	buc	35,7600	0,23	8,225
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0596	30,00	1,788
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,6965	23,03	269,370
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	14,7510	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	35,7600	0,15	5,364
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	35,7600	2,00	71,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1490	40,00	5,960
	2922140006702	Macara de fereastră	h-ut	0,0745	40,00	2,980
123	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 3 500x200/300x300 L=360mm, tabla zincata δ=0,7 mm)	m2	1,2200	696,317	849,507
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,4774	84,97	380,445
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0122	64,17	0,783
	2710703502671	Otel cornier 25x25x3 mm	kg	4,2700	30,00	128,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0854	65,37	5,583
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2440	5,00	1,220
	2412126100010	Minu de plumb	kg	0,0220	27,50	0,605
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1952	18,33	3,578
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0059	30,00	0,177
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0222	30,00	0,666
	2411115904512	Oxigen tehnic gaze S2031	m3	0,0366	25,00	0,915
	2320146200767	Petrol distilat tip 18/200	l	0,0049	16,44	0,081
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,5200	0,23	4,490
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0366	30,00	1,098
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,4420	0,00	0,000

1	2	3	4	5	6	7
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,8950	23,03	273,942
	2874125881198	Saiba plata pentru metal M 6	buc	19,5200	0,15	2,928
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,5200	2,00	39,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1098	40,00	4,392
	2922140006702	Macara de fereastră	h-ut	0,0366	40,00	1,464
124	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 4 500x200/300x300 L=360mm, tabla zincata δ=0,7 mm)	m2	1,2200	696,317	849,507
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,4774	84,97	380,445
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0122	64,17	0,783
	2710703502671	Otel cornier 25x25x3 mm	kg	4,2700	30,00	128,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0854	65,37	5,583
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2440	5,00	1,220
	2412126100010	Miniu de plumb	kg	0,0220	27,50	0,605
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1952	18,33	3,578
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0059	30,00	0,177
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0222	30,00	0,666
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0366	25,00	0,915
	2320146200767	Petrol distilat tip 18/200	l	0,0049	16,44	0,081
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,5200	0,23	4,490
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0366	30,00	1,098
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,4420	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,8950	23,03	273,942
	2874125881198	Saiba plata pentru metal M 6	buc	19,5200	0,15	2,928
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,5200	2,00	39,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1098	40,00	4,392
	2922140006702	Macara de fereastră	h-ut	0,0366	40,00	1,464
125	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii cerculare de 400 - 700 mm (Trecere, tip 4 300x200/d100 L=481mm, tabla zincata δ=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,3800	911,150	346,237
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid)	kg	0,0038	64,17	0,244

1	2	3	4	5	6	7
		S102				
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4179	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
126	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x300/600x300/600x300, tabla zincata δ=0,7 mm)	m2	1,0800	631,523	682,045
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,7152	84,97	315,681
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0108	64,17	0,693
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9700	30,00	89,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0972	65,37	6,354
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2160	5,00	1,080
	2412126100010	Miniu de plumb	kg	0,0194	27,50	0,533
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0810	18,33	1,485
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0094	30,00	0,282
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0126	30,00	0,378
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0324	25,00	0,810
	2320146200767	Petrol distilat tip 18/200	l	0,0043	16,44	0,071
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,9200	0,23	5,962
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0432	30,00	1,296
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,4780	23,03	195,248
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,6920	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,9200	0,15	3,888

1	2	3	4	5	6	7
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,9200	2,00	51,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1296	40,00	5,184
	2922140006702	Macara de fereastră	h-ut	0,0540	40,00	2,160
127	Pretul firmei	EURO flansa PQ-C-20	m	110,2000	41,670	4 592,034
	PQ-C-20	EURO flansa PQ-C-20	m	110,2000	41,67	4 592,034
128	Pretul firmei	Cornier NQ-C-20	buc	284,0000	4,170	1 184,280
	NQ-C-20	Cornier NQ-C-20	buc	284,0000	4,17	1 184,280
129	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d100) Material marunt=1,0050	buc	1,0000	380,258	380,258
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC100	CRMC Clapeta de reglaj cu maner D100 (actionata manual)	buc	1,0050	141,67	142,378
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
130	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	112,5000	66,214	7 449,103
	7136060011900	Instalator ventilare si conditionare aer	h-om	33,7500	84,97	2 867,738
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	4,5090	64,17	289,343
	2651122100024	Ciment portland P 40 saci S388	kg	6,7635	2,20	14,880
	2710703504760	Otel cornier 40x40x4 mm	kg	117,2340	30,00	3 517,020
	2412126100010	Miniu de plumb	kg	2,2545	27,50	61,999
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,2255	750,00	169,125
	2411115904512	Oxigen tehnic gazos S2031	m3	2,2545	25,00	56,363
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,2545	30,00	67,635
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	9,0000	40,00	360,000

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	1,1250	40,00	45,000
		<i>Total</i>	Lei			53 240,694
		Total Sistem A1.2 Inclusiv salariu				53 240,694 16 228,854
		1.2.5. Sistem A1.3				
131	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x200)	buc	2,0000	2 875,650	5 751,300
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x200	Grila de aspiratie din INOX cu separator de puf PCF 400x200	buc	2,0000	2 827,94	5 655,880
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
132	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x300)	buc	2,0000	3 304,710	6 609,420
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x300	Grila de aspiratie din INOX cu separator de puf PCF 400x300	buc	2,0000	3 257,00	6 514,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
133	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 125)	buc	2,0000	147,710	295,420
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B125	Valva metalica de aspiratie cu posibilitate de reglare MV-B 125	buc	2,0000	100,00	200,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
134	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700	m2	4,3200	512,892	2 215,695

1	2	3	4	5	6	7
		mm (Canal d125, tabla zincata δ=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	16,3296	84,97	1 387,526
	2710703700340	Banda de otel de 25x3 mm	kg	3,4906	30,00	104,718
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0436	64,17	2,798
	2430226100814	Grund miniu G 355-6	kg	0,0524	55,00	2,882
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0436	5,00	0,218
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0742	18,33	1,360
	2710703502671	Otel cornier 25x25x3 mm	kg	5,4540	30,00	163,620
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1309	25,00	3,272
	2320146200767	Petrol distilat tip 18/200	l	0,1309	16,44	2,152
	2874135840405	Piulite uzuale hexagonale M 6	buc	26,1792	0,23	6,021
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1309	30,00	3,927
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	20,5070	23,03	472,276
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	41,1450	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	33,1603	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	26,1792	0,15	3,927
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	26,1792	2,00	52,358
	2922140006702	Macara de fereastră	h-ut	0,2160	40,00	8,640
135	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d125, tabla zincata δ=0,5 mm)	m2	0,0200	994,950	19,899
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1620	84,97	13,765
	2710703700340	Banda de otel de 25x3 mm	kg	0,0840	30,00	2,520
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0002	64,17	0,013
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0014	65,37	0,092
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0040	5,00	0,020
	2412126100010	Miniu de plumb	kg	0,0004	27,50	0,011
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0048	18,33	0,088
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0006	25,00	0,015
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1600	0,23	0,037
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0006	30,00	0,018
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,1260	23,03	2,902
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste	kg	0,2100	0,00	0,000

1	2	3	4	5	6	7
		pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)				
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,2520	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,1600	0,15	0,024
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1600	2,00	0,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0014	40,00	0,056
	2922140006702	Macara de fereastră	h-ut	0,0004	40,00	0,016
136	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d125, tabla zincata δ=0,5 mm)	m2	0,5800	994,812	576,991
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,6980	84,97	399,189
	2710703700340	Banda de otel de 25x3 mm	kg	2,4360	30,00	73,080
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0058	64,17	0,372
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0406	65,37	2,654
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1160	5,00	0,580
	2412126100010	Miniu de plumb	kg	0,0104	27,50	0,286
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1392	18,33	2,552
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0174	25,00	0,435
	2320146200767	Petrol distilat tip 18/200	l	0,0023	16,44	0,038
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,6400	0,23	1,067
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0174	30,00	0,522
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	3,6540	23,03	84,152
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	6,0900	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	7,3080	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	4,6400	0,15	0,696
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,6400	2,00	9,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0406	40,00	1,624
	2922140006702	Macara de fereastră	h-ut	0,0116	40,00	0,464
137	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d125x125x125, tabla zincata δ=0,5 mm)	m2	0,3000	1 499,113	449,734
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9140	84,97	162,633
	2710703700340	Banda de otel de 25x3 mm	kg	1,3500	30,00	40,500
	2413547308164	Carbura de calciu tehnica (carbid)	kg	0,0030	64,17	0,193

1	2	3	4	5	6	7
		S102				
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0180	65,37	1,177
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0600	5,00	0,300
	2412126100010	Miniu de plumb	kg	0,0054	27,50	0,149
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1140	18,33	2,090
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0090	25,00	0,225
	2320146200767	Petrol distilat tip 18/200	l	0,0012	16,44	0,020
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,2000	0,23	0,276
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0090	30,00	0,270
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,2500	23,03	51,818
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,6000	23,03	82,908
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	4,5000	23,03	103,635
	2874125881198	Saiba plata pentru metal M 6	buc	1,2000	0,15	0,180
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,2000	2,00	2,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0060	40,00	0,240
138	VA17G	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Piesa deviatie d125, h=470mm, L=804mm, tabla zincata δ=0,5 mm)	m2	0,6900	733,557	506,154
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,4017	84,97	289,042
	2710703700340	Banda de otel de 25x3 mm	kg	2,8980	30,00	86,940
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0069	64,17	0,443
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0483	65,37	3,157
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1380	5,00	0,690
	2412126100010	Miniu de plumb	kg	0,0124	27,50	0,341
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1656	18,33	3,035
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0207	25,00	0,517
	2320146200767	Petrol distilat tip 18/200	l	0,0028	16,44	0,046
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,5200	0,23	1,270
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2070	30,00	6,210
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	4,3470	23,03	100,111
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	7,2450	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	8,6940	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	5,5200	0,15	0,828
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,5200	2,00	11,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0483	40,00	1,932
	2922140006702	Macara de fereastră	h-ut	0,0138	40,00	0,552
139	VA02B	Confectionarea si montarea	m2	10,4400	465,065	4 855,276

1	2	3	4	5	6	7
		canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 300x300, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	25,6824	84,97	2 182,234
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1054	64,17	6,764
	2430226100814	Grund miniu G 355-6	kg	0,4745	55,00	26,098
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1054	5,00	0,527
	2112517330399	Mucava tip I de 3,3 mm	kg	0,5061	18,33	9,277
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0844	30,00	2,532
	2710703502671	Otel cornier 25x25x3 mm	kg	14,2349	30,00	427,047
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3163	25,00	7,908
	2320146200767	Petrol distilat tip 18/200	l	0,0633	16,44	1,041
	2874135840405	Piulite uzuale hexagonale M 6	buc	168,7104	0,23	38,803
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4218	30,00	12,654
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	30,0515	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	47,4498	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	75,9197	23,03	1 748,431
	2874125881198	Saiba plata pentru metal M 6	buc	168,7104	0,15	25,307
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	168,7104	2,00	337,421
	2922140006702	Macara de fereastră	h-ut	0,7308	40,00	29,232
140	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 500x200, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	7,0000	465,064	3 255,451
	7136060011900	Instalator ventilare si conditionare aer	h-om	17,2200	84,97	1 463,183
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0707	64,17	4,537
	2430226100814	Grund miniu G 355-6	kg	0,3181	55,00	17,495
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0707	5,00	0,353
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3394	18,33	6,221
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0566	30,00	1,698

1	2	3	4	5	6	7
	2710703502671	Otel cornier 25x25x3 mm	kg	9,5445	30,00	286,335
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2121	25,00	5,303
	2320146200767	Petrol distilat tip 18/200	l	0,0424	16,44	0,697
	2874135840405	Piulite uzuale hexagonale M 6	buc	113,1200	0,23	26,018
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2828	30,00	8,484
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	20,1495	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	31,8150	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	50,9040	23,03	1 172,319
	2874125881198	Saiba plata pentru metal M 6	buc	113,1200	0,15	16,968
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	113,1200	2,00	226,240
	2922140006702	Macara de fereastră	h-ut	0,4900	40,00	19,600
141	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x300, tabla zincata δ=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	13,4500	566,659	7 621,563
	7136060011900	Instalator ventilare si conditionare aer	h-om	44,1160	84,97	3 748,537
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1352	64,17	8,676
	2430226100814	Grund miniu G 355-6	kg	0,7029	55,00	38,660
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1352	5,00	0,676
	2112517330399	Mucava tip I de 3,3 mm	kg	1,0138	18,33	18,583
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0676	30,00	2,028
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1081	30,00	3,243
	2710703503596	Otel cornier 32x32x3 mm	kg	22,9793	30,00	689,379
	2411115904512	Oxigen tehnic gazos S2031	m3	0,4055	25,00	10,138
	2320146200767	Petrol distilat tip 18/200	l	0,1217	16,44	2,001
	2874135840405	Piulite uzuale hexagonale M 6	buc	324,4140	0,23	74,615
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5407	30,00	16,221
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	60,8276	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	97,3242	23,03	2 241,376
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	121,6552	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	324,4140	0,15	48,662
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	324,4140	2,00	648,828

1	2	3	4	5	6	7
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,6725	40,00	26,900
	2922140006702	Macara de fereastră	h-ut	1,0760	40,00	43,040
142	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata $\delta=0,7$ mm)	m2	0,2000	696,310	139,262
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7340	84,97	62,368
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0020	64,17	0,128
	2710703502671	Otel cornier 25x25x3 mm	kg	0,7000	30,00	21,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0140	65,37	0,915
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0400	5,00	0,200
	2412126100010	Miniu de plumb	kg	0,0036	27,50	0,099
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0320	18,33	0,587
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0010	30,00	0,030
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0036	30,00	0,108
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0060	25,00	0,150
	2320146200767	Petrol distilat tip 18/200	l	0,0008	16,44	0,013
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,2000	0,23	0,736
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0060	30,00	0,180
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,2200	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9500	23,03	44,908
	2874125881198	Saiba plata pentru metal M 6	buc	3,2000	0,15	0,480
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,2000	2,00	6,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0060	40,00	0,240
143	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata $\delta=0,7$ mm)	m2	0,3800	696,305	264,596
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,3946	84,97	118,499
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2710703502671	Otel cornier 25x25x3 mm	kg	1,3300	30,00	39,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0266	65,37	1,739
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0760	5,00	0,380
	2412126100010	Miniu de plumb	kg	0,0068	27,50	0,187
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0608	18,33	1,114
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0018	30,00	0,054

1	2	3	4	5	6	7
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0069	30,00	0,207
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0114	25,00	0,285
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0800	0,23	1,398
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0114	30,00	0,342
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,3180	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,7050	23,03	85,326
	2874125881198	Saiba plata pentru metal M 6	buc	6,0800	0,15	0,912
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0800	2,00	12,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0342	40,00	1,368
	2922140006702	Macara de fereastră	h-ut	0,0114	40,00	0,456
144	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x300, tabla zincata δ=0,7 mm)	m2	0,4700	696,323	327,272
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7249	84,97	146,565
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0047	64,17	0,302
	2710703502671	Otel cornier 25x25x3 mm	kg	1,6450	30,00	49,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0329	65,37	2,151
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0940	5,00	0,470
	2412126100010	Miniu de plumb	kg	0,0085	27,50	0,234
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0752	18,33	1,378
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0023	30,00	0,069
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0086	30,00	0,258
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0141	25,00	0,352
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5200	0,23	1,730
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0141	30,00	0,423
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,8670	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,5825	23,03	105,535
	2874125881198	Saiba plata pentru metal M 6	buc	7,5200	0,15	1,128
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5200	2,00	15,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0423	40,00	1,692
	2922140006702	Macara de fereastră	h-ut	0,0141	40,00	0,564
145	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x200,	m2	0,4500	696,320	313,344

1	2	3	4	5	6	7
		tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,6515	84,97	140,328
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0045	64,17	0,289
	2710703502671	Otel cornier 25x25x3 mm	kg	1,5750	30,00	47,250
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0315	65,37	2,059
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0900	5,00	0,450
	2412126100010	Miniu de plumb	kg	0,0081	27,50	0,223
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0720	18,33	1,320
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0022	30,00	0,066
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0082	30,00	0,246
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0135	25,00	0,338
	2320146200767	Petrol distilat tip 18/200	l	0,0018	16,44	0,030
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,2000	0,23	1,656
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0135	30,00	0,405
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,7450	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,3875	23,03	101,044
	2874125881198	Saiba plata pentru metal M 6	buc	7,2000	0,15	1,080
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,2000	2,00	14,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0405	40,00	1,620
	2922140006702	Macara de fereastră	h-ut	0,0135	40,00	0,540
146	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 500x200, tabla zincata $\delta=0,7$ mm)	m2	0,2600	714,112	185,669
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,0010	84,97	85,055
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0026	64,17	0,167
	2710703502671	Otel cornier 25x25x3 mm	kg	0,9100	30,00	27,300
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0234	65,37	1,530
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0520	5,00	0,260
	2412126100010	Miniu de plumb	kg	0,0047	27,50	0,129
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0416	18,33	0,763
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0125	30,00	0,375
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0047	30,00	0,141
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0078	25,00	0,195
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,1600	0,23	0,957
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0104	30,00	0,312
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla	kg	1,5860	0,00	0,000

1	2	3	4	5	6	7
		zincata sau aluminiu de 0,8 mm grosime, cal.I)				
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,5350	23,03	58,381
	2874125881198	Saiba plata pentru metal M 6	buc	4,1600	0,15	0,624
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,1600	2,00	8,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0208	40,00	0,832
	2922140006702	Macara de fereastră	h-ut	0,0078	40,00	0,312
147	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x300, tabla zincata $\delta=0,7$ mm)	m2	0,2200	604,186	132,921
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,6820	84,97	57,950
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0022	64,17	0,141
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6050	30,00	18,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0198	65,37	1,294
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0440	5,00	0,220
	2412126100010	Miniu de plumb	kg	0,0040	27,50	0,110
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0165	18,33	0,302
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0191	30,00	0,573
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0026	30,00	0,078
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0066	25,00	0,165
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,2800	0,23	1,214
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0088	30,00	0,264
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,7270	23,03	39,773
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,1780	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	5,2800	0,15	0,792
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,2800	2,00	10,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0220	40,00	0,880
	2922140006702	Macara de fereastră	h-ut	0,0110	40,00	0,440
148	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 300x300, tabla zincata $\delta=0,7$ mm)	m2	1,9900	714,112	1 421,082
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,6615	84,97	650,998
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0199	64,17	1,277
	2710703502671	Otel cornier 25x25x3 mm	kg	6,9650	30,00	208,950
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1791	65,37	11,708

1	2	3	4	5	6	7
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3980	5,00	1,990
	2412126100010	Minu de plumb	kg	0,0358	27,50	0,984
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3184	18,33	5,836
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0955	30,00	2,865
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0362	30,00	1,086
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0597	25,00	1,493
	2320146200767	Petrol distilat tip 18/200	l	0,0080	16,44	0,132
	2874135840405	Piulite uzuale hexagonale M 6	buc	31,8400	0,23	7,323
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0796	30,00	2,388
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	12,1390	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	19,4025	23,03	446,840
	2874125881198	Saiba plata pentru metal M 6	buc	31,8400	0,15	4,776
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	31,8400	2,00	63,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1592	40,00	6,368
	2922140006702	Macara de fereastră	h-ut	0,0597	40,00	2,388
149	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x600, tabla zincata δ=0,7 mm)	m2	0,7500	604,183	453,137
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,3250	84,97	197,555
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0075	64,17	0,481
	2710703503596	Otel cornier 32x32x3 mm	kg	2,0625	30,00	61,875
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0675	65,37	4,412
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1500	5,00	0,750
	2412126100010	Minu de plumb	kg	0,0135	27,50	0,371
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0562	18,33	1,030
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0653	30,00	1,959
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0088	30,00	0,264
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0225	25,00	0,562
	2320146200767	Petrol distilat tip 18/200	l	0,0030	16,44	0,049
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,0000	0,23	4,140
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0300	30,00	0,900
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,8875	23,03	135,589
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,4250	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	18,0000	0,15	2,700
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,0000	2,00	36,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0750	40,00	3,000
	2922140006702	Macara de fereastră	h-ut	0,0375	40,00	1,500

1	2	3	4	5	6	7
150	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 3 500x200/300x300 L=360mm, tabla zincata $\delta=0,7$ mm)	m2	1,2200	696,317	849,507
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,4774	84,97	380,445
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0122	64,17	0,783
	2710703502671	Otel cornier 25x25x3 mm	kg	4,2700	30,00	128,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0854	65,37	5,583
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2440	5,00	1,220
	2412126100010	Miniu de plumb	kg	0,0220	27,50	0,605
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1952	18,33	3,578
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0059	30,00	0,177
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0222	30,00	0,666
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0366	25,00	0,915
	2320146200767	Petrol distilat tip 18/200	l	0,0049	16,44	0,081
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,5200	0,23	4,490
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0366	30,00	1,098
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,4420	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,8950	23,03	273,942
	2874125881198	Saiba plata pentru metal M 6	buc	19,5200	0,15	2,928
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,5200	2,00	39,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1098	40,00	4,392
	2922140006702	Macara de fereastră	h-ut	0,0366	40,00	1,464
151	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 3 500x200/300x300 L=360mm, tabla zincata $\delta=0,7$ mm)	m2	1,2200	696,317	849,507
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,4774	84,97	380,445
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0122	64,17	0,783
	2710703502671	Otel cornier 25x25x3 mm	kg	4,2700	30,00	128,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0854	65,37	5,583
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2440	5,00	1,220
	2412126100010	Miniu de plumb	kg	0,0220	27,50	0,605
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1952	18,33	3,578
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0059	30,00	0,177

1	2	3	4	5	6	7
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0222	30,00	0,666
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0366	25,00	0,915
	2320146200767	Petrol distilat tip 18/200	l	0,0049	16,44	0,081
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,5200	0,23	4,490
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0366	30,00	1,098
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,4420	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,8950	23,03	273,942
	2874125881198	Saiba plata pentru metal M 6	buc	19,5200	0,15	2,928
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,5200	2,00	39,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1098	40,00	4,392
	2922140006702	Macara de fereastră	h-ut	0,0366	40,00	1,464
152	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Trecere, tip 4 300x200/d125 L=438mm, tabla zincata 6=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,3800	911,150	346,237
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Minu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4179	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
153	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 -	m2	1,0800	631,523	682,045

1	2	3	4	5	6	7
		1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x300/600x300/600x300, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,7152	84,97	315,681
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0108	64,17	0,693
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9700	30,00	89,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0972	65,37	6,354
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2160	5,00	1,080
	2412126100010	Miniu de plumb	kg	0,0194	27,50	0,533
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0810	18,33	1,485
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0094	30,00	0,282
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0126	30,00	0,378
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0324	25,00	0,810
	2320146200767	Petrol distilat tip 18/200	l	0,0043	16,44	0,071
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,9200	0,23	5,962
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0432	30,00	1,296
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,4780	23,03	195,248
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,6920	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,9200	0,15	3,888
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,9200	2,00	51,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1296	40,00	5,184
	2922140006702	Macara de fereastră	h-ut	0,0540	40,00	2,160
154	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Piesa deviatie 300x600, H=1100mm, L=1050mm, tabla zincata $\delta=0,7$ mm)	m2	5,8500	649,368	3 798,803
	7136060011900	Instalator ventilare si conditionare aer	h-om	21,3525	84,97	1 814,322
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0585	64,17	3,754
	2710703503596	Otel cornier 32x32x3 mm	kg	16,0875	30,00	482,625
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,5265	65,37	34,417
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,1700	5,00	5,850
	2412126100010	Miniu de plumb	kg	0,1053	27,50	2,896
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4387	18,33	8,041
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0509	30,00	1,527
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S	kg	0,0684	30,00	2,052

1	2	3	4	5	6	7
		1257				
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1755	25,00	4,387
	2320146200767	Petrol distilat tip 18/200	l	0,0234	16,44	0,385
	2874135840405	Piulite uzuale hexagonale M 6	buc	140,4000	0,23	32,292
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2340	30,00	7,020
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	45,9225	23,03	1 057,595
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	57,9150	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	140,4000	0,15	21,060
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	140,4000	2,00	280,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,7020	40,00	28,080
	2922140006702	Macara de fereastră	h-ut	0,2925	40,00	11,700
155	Pretul firmei	EURO flansa PQ-C-20	m	105,4000	41,670	4 392,018
	PQ-C-20	EURO flansa PQ-C-20	m	105,4000	41,67	4 392,018
156	Pretul firmei	Cornier NQ-C-20	buc	284,0000	4,170	1 184,280
	NQ-C-20	Cornier NQ-C-20	buc	284,0000	4,17	1 184,280
157	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d125) Material marunt=1,0050	buc	1,0000	388,630	388,630
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC125	CRMC Clapeta de reglaj cu maner D125 (actionata manual)	buc	1,0050	150,00	150,750
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
158	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	106,5000	66,214	7 051,762

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	31,9500	84,97	2 714,791
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	4,2685	64,17	273,910
	2651122100024	Ciment portland P 40 saci S388	kg	6,4028	2,20	14,086
	2710703504760	Otel cornier 40x40x4 mm	kg	110,9815	30,00	3 329,445
	2412126100010	Miniu de plumb	kg	2,1343	27,50	58,693
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,2134	750,00	160,050
	2411115904512	Oxigen tehnic gazos S2031	m3	2,1343	25,00	53,358
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,1343	30,00	64,029
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	8,5200	40,00	340,800
	2922140006702	Macara de fereastră	h-ut	1,0650	40,00	42,600
		<i>Total</i>	Lei			54 936,975
		Total Sistem A1.3 Inclusiv salariu				54 936,975 17 252,658
		1.2.6. Sistem R2				
159	VA02D	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Canal 1400x850, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0030	m2	32,8500	797,753	26 206,187
	7136060011900	Instalator ventilare si conditionare aer	h-om	115,9605	84,97	9 853,164
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,6590	64,17	42,288
	2430226100814	Grund miniu G 355-6	kg	3,4266	55,00	188,463
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3295	5,00	1,647
	2112517330399	Mucava tip I de 3,3 mm	kg	4,9423	18,33	90,592
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,6590	30,00	19,770
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,2636	30,00	7,908
	2710703504502	Otel cornier 40x40x3 mm	kg	65,8971	30,00	1 976,913
	2710703504760	Otel cornier 40x40x4 mm	kg	84,0188	30,00	2 520,564
	2411115904512	Oxigen tehnic gazos S2031	m3	1,9769	25,00	49,422
	2320146200767	Petrol distilat tip 18/200	l	0,5272	16,44	8,667
	2874135840405	Piulite uzuale hexagonale M 6	buc	1 845,1188	0,23	424,377
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,6474	30,00	49,422
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	232,2873	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	289,9472	23,03	6 677,484
	2874125881198	Saiba plata pentru metal M 6	buc	1 845,1188	0,15	276,768
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1 845,1188	2,00	3 690,238
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	4,9275	40,00	197,100

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	3,2850	40,00	131,400
160	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Cot 90*, 850x1400, tabla zincata δ=1,0 mm)	m2	7,6200	661,469	5 040,393
	7136060011900	Instalator ventilare si conditionare aer	h-om	22,7076	84,97	1 929,465
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1524	64,17	9,780
	2710703504760	Otel cornier 40x40x4 mm	kg	11,4300	30,00	342,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,7239	65,37	47,321
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,5240	5,00	7,620
	2412126100010	Miniu de plumb	kg	0,1372	27,50	3,773
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3810	18,33	6,984
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,7925	30,00	23,775
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0305	30,00	0,915
	2411115904512	Oxigen tehnic gazos S2031	m3	0,4572	25,00	11,430
	2320146200767	Petrol distilat tip 18/200	l	0,0305	16,44	0,501
	2874135840405	Piulite uzuale hexagonale M 6	buc	426,7200	0,23	98,146
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3810	30,00	11,430
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	54,1020	0,00	0,000
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	102,1080	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	67,8180	23,03	1 561,849
	2874125881198	Saiba plata pentru metal M 6	buc	426,7200	0,15	64,008
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	426,7200	2,00	853,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,1430	40,00	45,720
	2922140006702	Macara de fereastră	h-ut	0,5334	40,00	21,336
161	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Cot 90*, 1400x850, tabla zincata δ=1,0 mm)	m2	3,8100	661,467	2 520,188
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,3538	84,97	964,732
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0762	64,17	4,890
	2710703504760	Otel cornier 40x40x4 mm	kg	5,7150	30,00	171,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,3619	65,37	23,657
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,7620	5,00	3,810
	2412126100010	Miniu de plumb	kg	0,0686	27,50	1,886

1	2	3	4	5	6	7
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1905	18,33	3,492
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,3962	30,00	11,886
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0152	30,00	0,456
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2286	25,00	5,715
	2320146200767	Petrol distilat tip 18/200	l	0,0152	16,44	0,250
	2874135840405	Piulite uzuale hexagonale M 6	buc	213,3600	0,23	49,073
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1905	30,00	5,715
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	27,0510	0,00	0,000
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	51,0540	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	33,9090	23,03	780,924
	2874125881198	Saiba plata pentru metal M 6	buc	213,3600	0,15	32,004
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	213,3600	2,00	426,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,5715	40,00	22,860
	2922140006702	Macara de fereastră	h-ut	0,2667	40,00	10,668
162	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 500x250, INOX (AISI 304) δ=0,6 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	4,5000	611,606	2 752,226
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,0700	84,97	940,618
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0455	64,17	2,920
	2430226100814	Grund miniu G 355-6	kg	0,2045	55,00	11,247
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0455	5,00	0,227
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2182	18,33	4,000
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0364	30,00	1,092
	2710703502671	Otel cornier 25x25x3 mm	kg	6,1358	30,00	184,074
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1363	25,00	3,408
	2320146200767	Petrol distilat tip 18/200	l	0,0273	16,44	0,449
	2874135840405	Piulite uzuale hexagonale M 6	buc	72,7200	0,23	16,726
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1818	30,00	5,454
	2710403641000 II	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	12,9533	0,00	0,000
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	20,4525	69,09	1 413,063
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar	kg	32,7240	0,00	0,000

1	2	3	4	5	6	7
		AISI 304 0,6 mm)				
	2874125881198	Saiba plata pentru metal M 6	buc	72,7200	0,15	10,908
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	72,7200	2,00	145,440
	2922140006702	Macara de fereastră	h-ut	0,3150	40,00	12,600
163	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 581x279, INOX (AISI 304) δ=0,6 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	6,8800	712,473	4 901,811
	7136060011900	Instalator ventilare si conditionare aer	h-om	22,5664	84,97	1 917,467
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0691	64,17	4,434
	2430226100814	Grund miniu G 355-6	kg	0,3595	55,00	19,773
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0691	5,00	0,345
	2112517330399	Mucava tip I de 3,3 mm	kg	0,5186	18,33	9,506
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0346	30,00	1,038
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0553	30,00	1,659
	2710703503596	Otel cornier 32x32x3 mm	kg	11,7545	30,00	352,635
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2074	25,00	5,185
	2320146200767	Petrol distilat tip 18/200	l	0,0622	16,44	1,023
	2874135840405	Piulite uzuale hexagonale M 6	buc	165,9456	0,23	38,167
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2766	30,00	8,298
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	31,1148	69,09	2 149,722
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	49,7837	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	62,2296	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	165,9456	0,15	24,892
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	165,9456	2,00	331,891
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3440	40,00	13,760
	2922140006702	Macara de fereastră	h-ut	0,5504	40,00	22,016
164	VA02D	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Canal 1400x850, INOX (AISI 304) δ=1,0 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0030	m2	16,8800	1 204,297	20 328,529
	7136060011900	Instalator ventilare si conditionare aer	h-om	59,5864	84,97	5 063,056

1	2	3	4	5	6	7
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3386	64,17	21,728
	2430226100814	Grund miniu G 355-6	kg	1,7608	55,00	96,844
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1693	5,00	0,847
	2112517330399	Mucava tip I de 3,3 mm	kg	2,5396	18,33	46,551
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,3386	30,00	10,158
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1354	30,00	4,062
	2710703504502	Otel cornier 40x40x3 mm	kg	33,8613	30,00	1 015,839
	2710703504760	Otel cornier 40x40x4 mm	kg	43,1731	30,00	1 295,193
	2411115904512	Oxigen tehnic gazos S2031	m3	1,0158	25,00	25,395
	2320146200767	Petrol distilat tip 18/200	l	0,2709	16,44	4,454
	2874135840405	Piulite uzuale hexagonale M 6	buc	948,1158	0,23	218,067
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8465	30,00	25,395
	2710403643000 I3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	119,3610	0,00	0,000
	2710403644000 AISI304	Tabla din INOX alimentar AISI 304 1 mm grosime	kg	148,9896	69,09	10 293,691
	2874125881198	Saiba plata pentru metal M 6	buc	948,1158	0,15	142,217
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	948,1158	2,00	1 896,232
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,5320	40,00	101,280
	2922140006702	Macara de fereastră	h-ut	1,6880	40,00	67,520
165	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectionii rectangulare de 700 - 1600 mm (Dop 500x250, INOX (AISI 304) δ=0,6 mm)	m2	0,3100	911,016	282,415
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1935	84,97	101,412
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0031	64,17	0,199
	2710703502671	Otel cornier 25x25x3 mm	kg	1,0850	30,00	32,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0279	65,37	1,824
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0620	5,00	0,310
	2412126100010	Miniu de plumb	kg	0,0056	27,50	0,154
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0496	18,33	0,909
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0149	30,00	0,447
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0056	30,00	0,168
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0093	25,00	0,232
	2320146200767	Petrol distilat tip 18/200	l	0,0012	16,44	0,020
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,9600	0,23	1,141
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0124	30,00	0,372
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	1,8910	69,09	130,649
	2710403643000 I1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	3,0225	0,00	0,000

1	2	3	4	5	6	7
	2874125881198	Saiba plata pentru metal M 6	buc	4,9600	0,15	0,744
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,9600	2,00	9,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0248	40,00	0,992
	2922140006702	Macara de fereastră	h-ut	0,0093	40,00	0,372
166	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Trecere 250x250/d250 L=150mm, INOX (AISI 304) $\delta=0,6$ mm)	m2	0,8800	1 267,867	1 115,723
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,1984	84,97	611,648
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0088	64,17	0,565
	2710703502671	Otel cornier 25x25x3 mm	kg	3,0800	30,00	92,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0704	65,37	4,602
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1760	5,00	0,880
	2412126100010	Miniu de plumb	kg	0,0158	27,50	0,435
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1408	18,33	2,581
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0042	30,00	0,126
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0160	30,00	0,480
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0264	25,00	0,660
	2320146200767	Petrol distilat tip 18/200	l	0,0035	16,44	0,058
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,5600	0,23	2,429
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0352	30,00	1,056
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	5,3680	69,09	370,875
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	8,5800	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	11,0000	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	16,1040	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	10,5600	0,15	1,584
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,5600	2,00	21,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0792	40,00	3,168
	2922140006702	Macara de fereastră	h-ut	0,0264	40,00	1,056
167	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Trecere 500x250/d400 L=236mm, INOX (AISI 304)	m2	0,9100	1 267,871	1 153,763

1	2	3	4	5	6	7
		δ=0,6 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,4438	84,97	632,500
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0091	64,17	0,584
	2710703502671	Otel cornier 25x25x3 mm	kg	3,1850	30,00	95,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0728	65,37	4,759
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1820	5,00	0,910
	2412126100010	Miniu de plumb	kg	0,0164	27,50	0,451
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1456	18,33	2,669
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0044	30,00	0,132
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0166	30,00	0,498
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0273	25,00	0,682
	2320146200767	Petrol distilat tip 18/200	l	0,0036	16,44	0,059
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,9200	0,23	2,512
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0364	30,00	1,092
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	5,5510	69,09	383,519
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	8,8725	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	11,3750	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	16,6530	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	10,9200	0,15	1,638
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,9200	2,00	21,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0819	40,00	3,276
	2922140006702	Macara de fereastră	h-ut	0,0273	40,00	1,092
168	VA16H	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Teu 500x250/500x250/500x250, INOX (AISI 304) δ=0,6 mm)	m2	1,0200	942,609	961,461
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,3248	84,97	367,478
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0102	64,17	0,655
	2710703502671	Otel cornier 25x25x3 mm	kg	3,5700	30,00	107,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0816	65,37	5,334
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2040	5,00	1,020
	2412126100010	Miniu de plumb	kg	0,0184	27,50	0,506
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1632	18,33	2,991
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S	kg	0,0049	30,00	0,147

1	2	3	4	5	6	7
		1257				
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0186	30,00	0,558
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0306	25,00	0,765
	2320146200767	Petrol distilat tip 18/200	l	0,0041	16,44	0,067
	2874135840405	Piulite uzuale hexagonale M 6	buc	16,3200	0,23	3,754
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0408	30,00	1,224
	2710403643000 11	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	9,9450	0,00	0,000
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	6,2220	69,09	429,878
	2874125881198	Saiba plata pentru metal M 6	buc	16,3200	0,15	2,448
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	16,3200	2,00	32,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0918	40,00	3,672
	2922140006702	Macara de fereastră	h-ut	0,0306	40,00	1,224
169	VA11J	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Conexiune 700x600, INOX (AISI 304) δ=0,8 mm)	m2	0,5900	689,669	406,905
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2597	84,97	192,007
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0118	64,17	0,757
	2710703504760	Otel cornier 40x40x4 mm	kg	0,8850	30,00	26,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0560	65,37	3,661
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1180	5,00	0,590
	2412126100010	Miniu de plumb	kg	0,0106	27,50	0,291
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0295	18,33	0,541
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0109	30,00	0,327
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0024	30,00	0,072
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0354	25,00	0,885
	2320146200767	Petrol distilat tip 18/200	l	0,0024	16,44	0,039
	2874135840405	Piulite uzuale hexagonale M 6	buc	33,0400	0,23	7,599
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0295	30,00	0,885
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,1890	23,03	96,473
	2710403644000 12	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	5,2510	0,00	0,000
	2710403645000 12	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	7,9060	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	33,0400	0,15	4,956
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	33,0400	2,00	66,080
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0885	40,00	3,540
	2922140006702	Macara de fereastră	h-ut	0,0413	40,00	1,652
170	VA14I	Piesa speciala (schimbare de	m2	1,7900	920,926	1 648,458

1	2	3	4	5	6	7
		sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Trecere 700x600/d500 L=761mm, INOX (AISI 304) $\delta=0,8$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	12,6553	84,97	1 075,321
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0179	64,17	1,149
	2710703503596	Otel cornier 32x32x3 mm	kg	4,9225	30,00	147,675
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1611	65,37	10,531
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3580	5,00	1,790
	2412126100010	Miniu de plumb	kg	0,0322	27,50	0,885
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1343	18,33	2,462
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0156	30,00	0,468
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0209	30,00	0,627
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0537	25,00	1,343
	2320146200767	Petrol distilat tip 18/200	l	0,0072	16,44	0,118
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,6400	0,23	6,587
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0716	30,00	2,148
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	14,0515	23,03	323,606
	2710403644000 12	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	17,7210	0,00	0,000
	2710403645000 12	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	26,8500	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	28,6400	0,15	4,296
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	28,6400	2,00	57,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2148	40,00	8,592
	2922140006702	Macara de fereastră	h-ut	0,0895	40,00	3,580
171	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Dop 1400x850, INOX (AISI 304) $\delta=1,0$ mm)	m2	1,2800	1 071,400	1 371,392
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,8144	84,97	324,110
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0256	64,17	1,643
	2710703504760	Otel cornier 40x40x4 mm	kg	1,9200	30,00	57,600
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1216	65,37	7,949
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2560	5,00	1,280
	2412126100010	Miniu de plumb	kg	0,0230	27,50	0,632

1	2	3	4	5	6	7
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0640	18,33	1,173
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1331	30,00	3,993
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0051	30,00	0,153
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0768	25,00	1,920
	2320146200767	Petrol distilat tip 18/200	l	0,0051	16,44	0,084
	2874135840405	Piulite uzuale hexagonale M 6	buc	71,6800	0,23	16,486
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0640	30,00	1,920
	2710403643000 I3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	9,0880	0,00	0,000
	2710403645000 I3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	17,1520	0,00	0,000
	2710403644000 AISI304	Tabla din INOX alimentar AISI 304 1 mm grosime	kg	11,3920	69,09	787,073
	2874125881198	Saiba plata pentru metal M 6	buc	71,6800	0,15	10,752
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	71,6800	2,00	143,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1920	40,00	7,680
	2922140006702	Macara de fereastră	h-ut	0,0896	40,00	3,584
172	VA02F	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d400, INOX (AISI 304) $\delta=0,6$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	32,7600	634,096	20 772,988
	7136060011900	Instalator ventilare si conditionare aer	h-om	88,7796	84,97	7 543,603
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3309	64,17	21,234
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	1,3235	65,37	86,517
	2430226100814	Grund miniu G 355-6	kg	1,4889	55,00	81,889
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3309	5,00	1,655
	2112517330399	Mucava tip I de 3,3 mm	kg	1,5882	18,33	29,112
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,2647	30,00	7,941
	2710703503596	Otel cornier 32x32x3 mm	kg	52,9402	30,00	1 588,206
	2411115904512	Oxigen tehnic gazos S2031	m3	1,9853	25,00	49,633
	2320146200767	Petrol distilat tip 18/200	l	1,9853	16,44	32,638
	2874135840405	Piulite uzuale hexagonale M 6	buc	397,0512	0,23	91,322
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6618	30,00	19,854
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	148,8942	69,09	10 287,100
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	238,2307	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia:	kg	297,7884	0,00	0,000

1	2	3	4	5	6	7
		Tabla din INOX alimentar AISI 304 0,6 mm)				
	2710403645000 I1	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	446,6826	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	397,0512	0,15	59,558
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	397,0512	2,00	794,102
	2922140006702	Macara de fereastră	h-ut	1,9656	40,00	78,624
173	VA02F	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d500, INOX (AISI 304) δ=0,8 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	120,8900	822,504	99 432,564
	7136060011900	Instalator ventilare si conditionare aer	h-om	327,6119	84,97	27 837,183
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,2210	64,17	78,352
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	4,8840	65,37	319,267
	2430226100814	Grund miniu G 355-6	kg	5,4945	55,00	302,198
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,2210	5,00	6,105
	2112517330399	Mucava tip I de 3,3 mm	kg	5,8607	18,33	107,427
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,9768	30,00	29,304
	2710703503596	Otel cornier 32x32x3 mm	kg	195,3582	30,00	5 860,746
	2411115904512	Oxigen tehnic gazos S2031	m3	7,3259	25,00	183,148
	2320146200767	Petrol distilat tip 18/200	l	7,3259	16,44	120,438
	2874135840405	Piulite uzuale hexagonale M 6	buc	1 465,1868	0,23	336,993
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,4420	30,00	73,260
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	549,4451	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	879,1121	69,09	60 737,855
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	1 098,8901	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	1 648,3352	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1 465,1868	0,15	219,778
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1 465,1868	2,00	2 930,374
	2922140006702	Macara de fereastră	h-ut	7,2534	40,00	290,136
174	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Dop d400, INOX	m2	0,6000	1 204,585	722,751

1	2	3	4	5	6	7
		(AISI 304) $\delta=0,6$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,4520	84,97	378,286
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0060	64,17	0,385
	2710703502671	Otel cornier 25x25x3 mm	kg	2,1000	30,00	63,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0480	65,37	3,138
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1200	5,00	0,600
	2412126100010	Miniu de plumb	kg	0,0108	27,50	0,297
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0960	18,33	1,760
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0288	30,00	0,864
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0109	30,00	0,327
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0180	25,00	0,450
	2320146200767	Petrol distilat tip 18/200	l	0,0024	16,44	0,039
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,2000	0,23	1,656
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0240	30,00	0,720
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	3,6600	69,09	252,869
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	5,8500	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	7,5000	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	10,9800	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	7,2000	0,15	1,080
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,2000	2,00	14,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0540	40,00	2,160
	2922140006702	Macara de fereastră	h-ut	0,0180	40,00	0,720
175	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d250, INOX (AISI 304) $\delta=0,6$ mm)	m2	1,5500	1 204,588	1 867,111
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,5010	84,97	977,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0155	64,17	0,995
	2710703502671	Otel cornier 25x25x3 mm	kg	5,4250	30,00	162,750
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1240	65,37	8,106
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3100	5,00	1,550
	2412126100010	Miniu de plumb	kg	0,0279	27,50	0,767
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2480	18,33	4,546
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0744	30,00	2,232

1	2	3	4	5	6	7
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0282	30,00	0,846
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0465	25,00	1,163
	2320146200767	Petrol distilat tip 18/200	l	0,0062	16,44	0,102
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,6000	0,23	4,278
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0620	30,00	1,860
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	9,4550	69,09	653,246
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	15,1125	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	19,3750	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	28,3650	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	18,6000	0,15	2,790
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,6000	2,00	37,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1395	40,00	5,580
	2922140006702	Macara de fereastră	h-ut	0,0465	40,00	1,860
176	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d400, INOX (AISI 304) δ=0,6 mm)	m2	4,5800	1 204,587	5 517,008
	7136060011900	Instalator ventilare si conditionare aer	h-om	33,9836	84,97	2 887,586
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0458	64,17	2,939
	2710703502671	Otel cornier 25x25x3 mm	kg	16,0300	30,00	480,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,3664	65,37	23,952
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,9160	5,00	4,580
	2412126100010	Minu de plumb	kg	0,0824	27,50	2,266
	2112517330399	Mucava tip I de 3,3 mm	kg	0,7328	18,33	13,432
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2198	30,00	6,594
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0834	30,00	2,502
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1374	25,00	3,435
	2320146200767	Petrol distilat tip 18/200	l	0,0183	16,44	0,301
	2874135840405	Piulite uzuale hexagonale M 6	buc	54,9600	0,23	12,641
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1832	30,00	5,496
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	27,9380	69,09	1 930,236
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	44,6550	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia:	kg	57,2500	0,00	0,000

1	2	3	4	5	6	7
		Tabla din INOX alimentar AISI 304 0,6 mm)				
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	83,8140	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	54,9600	0,15	8,244
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	54,9600	2,00	109,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4122	40,00	16,488
	2922140006702	Macara de fereastră	h-ut	0,1374	40,00	5,496
177	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d400/581x279, INOX (AISI 304) δ=0,6 mm)	m2	3,6000	1 267,869	4 564,327
	7136060011900	Instalator ventilare si conditionare aer	h-om	29,4480	84,97	2 502,197
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0360	64,17	2,310
	2710703502671	Otel cornier 25x25x3 mm	kg	12,6000	30,00	378,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2880	65,37	18,827
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,7200	5,00	3,600
	2412126100010	Miniu de plumb	kg	0,0648	27,50	1,782
	2112517330399	Mucava tip I de 3,3 mm	kg	0,5760	18,33	10,558
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0173	30,00	0,519
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0655	30,00	1,965
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1080	25,00	2,700
	2320146200767	Petrol distilat tip 18/200	l	0,0144	16,44	0,237
	2874135840405	Piulite uzuale hexagonale M 6	buc	43,2000	0,23	9,936
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1440	30,00	4,320
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	21,9600	69,09	1 517,216
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	35,1000	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	45,0000	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	65,8800	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	43,2000	0,15	6,480
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	43,2000	2,00	86,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3240	40,00	12,960
	2922140006702	Macara de fereastră	h-ut	0,1080	40,00	4,320
178	VA17H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul	m2	0,6300	1 145,933	721,938

1	2	3	4	5	6	7
		sectiunii circulare de 700 - 1600 mm (Conexiune d500, INOX (AISI 304) $\delta=0,8$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2995	84,97	195,389
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0063	64,17	0,404
	2710703502671	Otel cornier 25x25x3 mm	kg	2,2050	30,00	66,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0504	65,37	3,295
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1260	5,00	0,630
	2412126100010	Miniu de plumb	kg	0,0113	27,50	0,311
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1008	18,33	1,848
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0030	30,00	0,090
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0115	30,00	0,345
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0189	25,00	0,473
	2320146200767	Petrol distilat tip 18/200	l	0,0025	16,44	0,041
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5600	0,23	1,739
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2520	30,00	7,560
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	3,8430	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	6,1425	69,09	424,385
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	7,8750	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	11,5290	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	7,5600	0,15	1,134
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5600	2,00	15,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0567	40,00	2,268
	2922140006702	Macara de fereastră	h-ut	0,0189	40,00	0,756
179	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d500, INOX (AISI 304) $\delta=0,8$ mm)	m2	16,6800	1 456,766	24 298,853
	7136060011900	Instalator ventilare si conditionare aer	h-om	123,7656	84,97	10 516,363
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1668	64,17	10,704
	2710703502671	Otel cornier 25x25x3 mm	kg	58,3800	30,00	1 751,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	1,3344	65,37	87,230
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	3,3360	5,00	16,680
	2412126100010	Miniu de plumb	kg	0,3002	27,50	8,256
	2112517330399	Mucava tip I de 3,3 mm	kg	2,6688	18,33	48,919

1	2	3	4	5	6	7
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,8006	30,00	24,018
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,3036	30,00	9,108
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5004	25,00	12,510
	2320146200767	Petrol distilat tip 18/200	l	0,0667	16,44	1,097
	2874135840405	Piulite uzuale hexagonale M 6	buc	200,1600	0,23	46,037
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6672	30,00	20,016
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	101,7480	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	162,6300	69,09	11 236,107
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	208,5000	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	305,2440	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	200,1600	0,15	30,024
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	200,1600	2,00	400,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,5012	40,00	60,048
	2922140006702	Macara de fereastră	h-ut	0,5004	40,00	20,016
180	VA17H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Trecere d500/d400 L=177mm, INOX (AISI 304) b=0,8 mm)	m2	2,0000	1 145,933	2 291,866
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,3000	84,97	620,281
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0200	64,17	1,283
	2710703502671	Otel cornier 25x25x3 mm	kg	7,0000	30,00	210,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1600	65,37	10,459
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4000	5,00	2,000
	2412126100010	Miniu de plumb	kg	0,0360	27,50	0,990
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3200	18,33	5,866
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0096	30,00	0,288
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0364	30,00	1,092
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0600	25,00	1,500
	2320146200767	Petrol distilat tip 18/200	l	0,0080	16,44	0,132
	2874135840405	Piulite uzuale hexagonale M 6	buc	24,0000	0,23	5,520
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8000	30,00	24,000
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	12,2000	0,00	0,000
	2710403643000	Tabla din INOX alimentar AISI 304	kg	19,5000	69,09	1 347,255

1	2	3	4	5	6	7
	AISI304	0,8 mm				
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	25,0000	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	36,6000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	24,0000	0,15	3,600
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	24,0000	2,00	48,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1800	40,00	7,200
	2922140006702	Macara de fereastră	h-ut	0,0600	40,00	2,400
181	VA15H	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d500/d400/d500, INOX (AISI 304) δ=0,8 mm)	m2	0,5100	1 460,569	744,890
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,8148	84,97	324,144
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0051	64,17	0,327
	2710703502671	Otel cornier 25x25x3 mm	kg	1,7850	30,00	53,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0408	65,37	2,667
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1020	5,00	0,510
	2412126100010	Miniu de plumb	kg	0,0092	27,50	0,253
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0816	18,33	1,496
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0024	30,00	0,072
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0093	30,00	0,279
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0153	25,00	0,383
	2320146200767	Petrol distilat tip 18/200	l	0,0020	16,44	0,033
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,1200	0,23	1,408
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0204	30,00	0,612
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	3,1110	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	4,9725	69,09	343,550
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	6,3750	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	9,3330	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	6,1200	0,15	0,918
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,1200	2,00	12,240
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0459	40,00	1,836
	2922140006702	Macara de fereastră	h-ut	0,0153	40,00	0,612
182	VA15H	Piesa speciala (ramificatie), din	m2	1,0300	1 460,563	1 504,380

1	2	3	4	5	6	7
		tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d500/d500/d500, INOX (AISI 304) $\delta=0,8$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,7044	84,97	654,643
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0103	64,17	0,661
	2710703502671	Otel cornier 25x25x3 mm	kg	3,6050	30,00	108,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0824	65,37	5,386
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2060	5,00	1,030
	2412126100010	Miniu de plumb	kg	0,0185	27,50	0,509
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1648	18,33	3,021
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0049	30,00	0,147
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0187	30,00	0,561
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0309	25,00	0,772
	2320146200767	Petrol distilat tip 18/200	l	0,0041	16,44	0,067
	2874135840405	Piulite uzuale hexagonale M 6	buc	12,3600	0,23	2,843
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0412	30,00	1,236
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	6,2830	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	10,0425	69,09	693,836
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	12,8750	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	18,8490	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	12,3600	0,15	1,854
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	12,3600	2,00	24,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0927	40,00	3,708
	2922140006702	Macara de fereastră	h-ut	0,0309	40,00	1,236
183	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, $\delta=10$ mm)	m2	259,2000	191,831	49 722,512
	7134050013240	Izolator - termic	h-om	122,8608	84,97	10 439,482
	1111000100031 10	Izolatie termica K-FLEX ST DUCT, $\delta=10$ mm	m2	266,9760	145,83	38 933,110
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	11,6640	30,00	349,920
184	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-	m2	2,7000	267,886	723,292

1	2	3	4	5	6	7
		FLEX ST DUCT, $\delta=25$ mm)				
	7134050013240	Izolator - termic	h-om	1,2798	84,97	108,745
	1111000100031 25	Izolatie termica K-FLEX ST DUCT, $\delta=25$ mm	m2	2,7810	219,67	610,902
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,1215	30,00	3,645
185	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (ALU1 WIRED MAT 105 25 mm (EI60), $\delta=25$ mm)	m2	73,5000	300,846	22 112,172
	7134050013240	Izolator - termic	h-om	34,8390	84,97	2 960,270
	1111000100031 25EI60	Izolatie ALU1 WIRED MAT 105 25 mm (EI60), $\delta=25$ mm	m2	75,7050	251,67	19 052,677
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	3,3075	30,00	99,225
186	Pretul firmei	EURO flansa PQ-C-20	m	66,8800	41,670	2 786,890
	PQ-C-20	EURO flansa PQ-C-20	m	66,8800	41,67	2 786,890
187	Pretul firmei	Cornier NQ-C-20	buc	172,0000	4,170	717,240
	NQ-C-20	Cornier NQ-C-20	buc	172,0000	4,17	717,240
188	Pretul firmei	EURO flansa PQ-C-30	m	112,5000	58,330	6 562,125
	PQ-C-30	EURO flansa PQ-C-30	m	112,5000	58,33	6 562,125
189	Pretul firmei	Cornier NQ-C-30	buc	100,0000	6,670	667,000
	NQ-C-30	Cornier NQ-C-30	buc	100,0000	6,67	667,000
190	Pretul firmei	Profil metalic LDBST-41-41-200- 0600	m	12,0000	162,500	1 950,000
	LDBST-41-41- 200-0600	Profil metalic LDBST-41-41-200- 0600	m	12,0000	162,50	1 950,000
191	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	665,0000	66,214	44 032,272
	7136060011900	Instalator ventilare si conditionare aer	h-om	199,5000	84,97	16 951,515
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	26,6532	64,17	1 710,336
	2651122100024	Ciment portland P 40 saci S388	kg	39,9798	2,20	87,956
	2710703504760	Otel cornier 40x40x4 mm	kg	692,9832	30,00	20 789,496
	2412126100010	Miniu de plumb	kg	13,3266	27,50	366,481
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0- 3,0 mm	m3	1,3327	750,00	999,525
	2411115904512	Oxigen tehnic gazos S2031	m3	13,3266	25,00	333,165
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	13,3266	30,00	399,798
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	53,2000	40,00	2 128,000
	2922140006702	Macara de fereastră	h-ut	6,6500	40,00	266,000

1	2	3	4	5	6	7
192	VB15B	Rama cu jaluzele reglabile simultan, gata confectionate cu perimetrul 800 - 2500 mm, montata pe canal (Clapeta de reglaj cu maner actionata manual d400)	buc	2,0000	652,820	1 305,640
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9600	84,97	166,541
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3400	64,17	21,818
	2412126100010	Miniu de plumb	kg	0,0900	27,50	2,475
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0800	18,33	1,466
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1200	25,00	3,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	56,0000	0,23	12,880
	2874115765700 CRMC400	CRMC Clapeta de reglaj cu maner D400 (actionata manual)	buc	2,0000	458,33	916,660
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,2000	30,00	36,000
	2874115883938	Saiba grower M 6	buc	56,0000	0,15	8,400
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	56,0000	2,15	120,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3600	40,00	14,400
	2922140006702	Macara de fereastră	h-ut	0,0400	40,00	1,600
193	VB15B	Rama cu jaluzele reglabile simultan, gata confectionate cu perimetrul 800 - 2500 mm, montata pe canal (Clapeta de reglaj cu maner actionata manual d500)	buc	2,0000	761,160	1 522,320
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9600	84,97	166,541
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3400	64,17	21,818
	2412126100010	Miniu de plumb	kg	0,0900	27,50	2,475
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0800	18,33	1,466
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1200	25,00	3,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	56,0000	0,23	12,880
	2874115765700 CRMC500	CRMC Clapeta de reglaj cu maner D500 (actionata manual)	buc	2,0000	566,67	1 133,340
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,2000	30,00	36,000
	2874115883938	Saiba grower M 6	buc	56,0000	0,15	8,400
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	56,0000	2,15	120,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3600	40,00	14,400
	2922140006702	Macara de fereastră	h-ut	0,0400	40,00	1,600
		<i>Total</i>	Lei			363 229,590
		Total Sistem R2 Inclusiv salariu				363 229,590 109 202,987
		1.2.7. Sistem C2				
194	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d15,9mm	m	12,5000	164,069	2 050,863

1	2	3	4	5	6	7
		preizolata)				
	7136040011749	Instalator incalzire si gaze	h-om	2,8750	84,97	244,289
	2746163334000 15,9	Teava din cupru Cu, preizolata ISO-SPLIT 5/8"x0.8-25 (15,88x0,8 mm) in colaci pentru traseu frigorific	m	12,6250	135,00	1 704,375
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0125	500,00	6,250
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0125	781,25	9,766
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,1875	459,64	86,183
195	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d19,05mm preizolata)	m	10,0000	229,719	2 297,189
	7136040011749	Instalator incalzire si gaze	h-om	2,3000	84,97	195,431
	2746163334000 19,05	Teava din cupru Cu, preizolata ISO-SPLIT 3/4"x0.8-25 (19,05x0,8 mm) in colaci pentru traseu frigorific	m	10,1000	200,00	2 020,000
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0100	500,00	5,000
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0100	781,25	7,812
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,1500	459,64	68,946
196	IC33B	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 22,0 mm (d22,2mm preizolata)	m	21,6000	290,709	6 279,307
	7136040011749	Instalator incalzire si gaze	h-om	6,0480	84,97	513,899
	2746163334000 22	Teava din cupru Cu M ACR H in bare fara izolatie 7/8" (22x1,0 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x22 (22 mm, grosimea 19 mm) pentru traseu frigorific	m	21,9240	252,50	5 535,810
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0216	500,00	10,800
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0259	781,25	20,234
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,4320	459,64	198,564
197	IC33C	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 28,0 mm (d28,6mm preizolata)	m	11,9000	530,515	6 313,132
	7136040011749	Instalator incalzire si gaze	h-om	3,8080	84,97	323,566
	2746163334000 28	Teava din cupru Cu M ACR H in bare fara izolatie 1 1/8" (28x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x28 (28 mm, grosimea 19 mm) pentru traseu frigorific	m	12,0785	482,50	5 827,876
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0238	500,00	11,900

1	2	3	4	5	6	7
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0167	781,25	13,047
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,2975	459,64	136,743
198	IC33D	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 35,0 mm (d38,1mm preizolata)	m	7,0000	653,584	4 575,086
	7136040011749	Instalator incalzire si gaze	h-om	2,4500	84,97	208,177
	2746163334000 38	Teava din cupru Cu M ACR H in bare fara izolatie 1 3/8" (35x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x35 (35 mm, grosimea 19 mm) pentru traseu frigorific	m	7,1050	598,33	4 251,135
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0210	500,00	10,500
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0112	781,25	8,750
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,2100	459,64	96,524
199	IC33E	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 42,0 mm (d44,5mm preizolata)	m	21,4000	824,881	17 652,451
	7136040011749	Instalator incalzire si gaze	h-om	8,5600	84,97	727,343
	2746163334000 44	Teava din cupru Cu M ACR H in bare fara izolatie 1 5/8" (42x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x42 (42 mm, grosimea 19 mm) pentru traseu frigorific	m	21,7210	760,00	16 507,960
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0856	500,00	42,800
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0385	781,25	30,078
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,7490	459,64	344,270
		<i>Total</i>	Lei			39 168,028
		Total Sistem C2 Inclusiv salariu				39 168,028 2 212,705
		1.2.8. Sistem A2.1				
200	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x200)	buc	2,0000	2 875,650	5 751,300
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x200	Grila de aspiratie din INOX cu separator de puf PCF 400x200	buc	2,0000	2 827,94	5 655,880

1	2	3	4	5	6	7
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
201	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x300)	buc	2,0000	3 304,710	6 609,420
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x300	Grila de aspiratie din INOX cu separator de puf PCF 400x300	buc	2,0000	3 257,00	6 514,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
202	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
203	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	2,8200	512,891	1 446,354
	7136060011900	Instalator ventilare si conditionare aer	h-om	10,6596	84,97	905,746
	2710703700340	Banda de otel de 25x3 mm	kg	2,2786	30,00	68,358
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0285	64,17	1,829
	2430226100814	Grund miniu G 355-6	kg	0,0342	55,00	1,881
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0285	5,00	0,143
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0484	18,33	0,887
	2710703502671	Otel cornier 25x25x3 mm	kg	3,5602	30,00	106,806
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0854	25,00	2,135
	2320146200767	Petrol distilat tip 18/200	l	0,0854	16,44	1,404
	2874135840405	Piulite uzuale hexagonale M 6	buc	17,0892	0,23	3,931
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0854	30,00	2,562
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	13,3865	23,03	308,291

1	2	3	4	5	6	7
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	26,8585	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	21,6463	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	17,0892	0,15	2,563
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	17,0892	2,00	34,178
	2922140006702	Macara de fereastră	h-ut	0,1410	40,00	5,640
204	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)	m2	0,0140	994,929	13,929
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1134	84,97	9,636
	2710703700340	Banda de otel de 25x3 mm	kg	0,0588	30,00	1,764
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0010	65,37	0,065
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0028	5,00	0,014
	2412126100010	Miniu de plumb	kg	0,0003	27,50	0,008
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0034	18,33	0,062
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0004	25,00	0,010
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1120	0,23	0,026
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0004	30,00	0,012
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0882	23,03	2,031
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1470	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1764	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,1120	0,15	0,017
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1120	2,00	0,224
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0010	40,00	0,040
	2922140006702	Macara de fereastră	h-ut	0,0003	40,00	0,012
205	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata $\delta=0,5$ mm)	m2	0,2400	994,812	238,755
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9440	84,97	165,182
	2710703700340	Banda de otel de 25x3 mm	kg	1,0080	30,00	30,240

1	2	3	4	5	6	7
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0168	65,37	1,098
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0576	18,33	1,056
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,9200	0,23	0,442
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,5120	23,03	34,821
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,5200	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,0240	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,9200	0,15	0,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,9200	2,00	3,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0168	40,00	0,672
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
206	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata $\delta=0,5$ mm)	m2	0,2400	1 499,100	359,784
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,8800	23,03	66,326
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,6000	23,03	82,908
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
207	VA02B	Confectionarea si montarea	m2	20,5500	465,065	9 557,081

1	2	3	4	5	6	7
		canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 500x250, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	50,5530	84,97	4 295,488
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2076	64,17	13,322
	2430226100814	Grund miniu G 355-6	kg	0,9340	55,00	51,370
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2076	5,00	1,038
	2112517330399	Mucava tip I de 3,3 mm	kg	0,9963	18,33	18,262
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1660	30,00	4,980
	2710703502671	Otel cornier 25x25x3 mm	kg	28,0199	30,00	840,597
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6227	25,00	15,568
	2320146200767	Petrol distilat tip 18/200	l	0,1245	16,44	2,047
	2874135840405	Piulite uzuale hexagonale M 6	buc	332,0880	0,23	76,380
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8302	30,00	24,906
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	59,1532	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	93,3997	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	149,4396	23,03	3 441,594
	2874125881198	Saiba plata pentru metal M 6	buc	332,0880	0,15	49,813
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	332,0880	2,00	664,176
	2922140006702	Macara de fereastră	h-ut	1,4385	40,00	57,540
208	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x350, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	25,2300	566,659	14 296,802
	7136060011900	Instalator ventilare si conditionare aer	h-om	82,7544	84,97	7 031,641
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2536	64,17	16,274
	2430226100814	Grund miniu G 355-6	kg	1,3185	55,00	72,517
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2536	5,00	1,268
	2112517330399	Mucava tip I de 3,3 mm	kg	1,9017	18,33	34,858
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1268	30,00	3,804

1	2	3	4	5	6	7
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,2028	30,00	6,084
	2710703503596	Otel cornier 32x32x3 mm	kg	43,1055	30,00	1 293,165
	2411115904512	Oxigen tehnic gazos S2031	m3	0,7607	25,00	19,018
	2320146200767	Petrol distilat tip 18/200	l	0,2282	16,44	3,752
	2874135840405	Piulite uzuale hexagonale M 6	buc	608,5476	0,23	139,966
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,0142	30,00	30,426
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	114,1027	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	182,5643	23,03	4 204,456
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	228,2053	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	608,5476	0,15	91,282
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	608,5476	2,00	1 217,095
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,2615	40,00	50,460
	2922140006702	Macara de fereastră	h-ut	2,0184	40,00	80,736
209	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata δ=0,7 mm)	m2	0,2000	696,310	139,262
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7340	84,97	62,368
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0020	64,17	0,128
	2710703502671	Otel cornier 25x25x3 mm	kg	0,7000	30,00	21,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0140	65,37	0,915
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0400	5,00	0,200
	2412126100010	Miniu de plumb	kg	0,0036	27,50	0,099
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0320	18,33	0,587
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0010	30,00	0,030
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0036	30,00	0,108
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0060	25,00	0,150
	2320146200767	Petrol distilat tip 18/200	l	0,0008	16,44	0,013
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,2000	0,23	0,736
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0060	30,00	0,180
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,2200	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9500	23,03	44,908
	2874125881198	Saiba plata pentru metal M 6	buc	3,2000	0,15	0,480
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,2000	2,00	6,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0060	40,00	0,240
210	VA11H	Piesa speciala (reductie), din tabla	m2	0,3800	696,305	264,596

1	2	3	4	5	6	7
		zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,3946	84,97	118,499
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2710703502671	Otel cornier 25x25x3 mm	kg	1,3300	30,00	39,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0266	65,37	1,739
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0760	5,00	0,380
	2412126100010	Miniu de plumb	kg	0,0068	27,50	0,187
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0608	18,33	1,114
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0018	30,00	0,054
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0069	30,00	0,207
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0114	25,00	0,285
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0800	0,23	1,398
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0114	30,00	0,342
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,3180	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,7050	23,03	85,326
	2874125881198	Saiba plata pentru metal M 6	buc	6,0800	0,15	0,912
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0800	2,00	12,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0342	40,00	1,368
	2922140006702	Macara de fereastră	h-ut	0,0114	40,00	0,456
211	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x300, tabla zincata $\delta=0,7$ mm)	m2	0,4700	696,323	327,272
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7249	84,97	146,565
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0047	64,17	0,302
	2710703502671	Otel cornier 25x25x3 mm	kg	1,6450	30,00	49,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0329	65,37	2,151
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0940	5,00	0,470
	2412126100010	Miniu de plumb	kg	0,0085	27,50	0,234
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0752	18,33	1,378
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0023	30,00	0,069
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0086	30,00	0,258
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0141	25,00	0,352

1	2	3	4	5	6	7
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5200	0,23	1,730
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0141	30,00	0,423
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,8670	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,5825	23,03	105,535
	2874125881198	Saiba plata pentru metal M 6	buc	7,5200	0,15	1,128
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5200	2,00	15,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0423	40,00	1,692
	2922140006702	Macara de fereastră	h-ut	0,0141	40,00	0,564
212	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x250, tabla zincata δ=0,7 mm)	m2	0,6000	696,313	417,788
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2020	84,97	187,104
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0060	64,17	0,385
	2710703502671	Otel cornier 25x25x3 mm	kg	2,1000	30,00	63,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0420	65,37	2,746
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1200	5,00	0,600
	2412126100010	Miniu de plumb	kg	0,0108	27,50	0,297
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0960	18,33	1,760
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0029	30,00	0,087
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0109	30,00	0,327
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0180	25,00	0,450
	2320146200767	Petrol distilat tip 18/200	l	0,0024	16,44	0,039
	2874135840405	Piulite uzuale hexagonale M 6	buc	9,6000	0,23	2,208
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0180	30,00	0,540
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,6600	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,8500	23,03	134,725
	2874125881198	Saiba plata pentru metal M 6	buc	9,6000	0,15	1,440
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	9,6000	2,00	19,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0540	40,00	2,160
	2922140006702	Macara de fereastră	h-ut	0,0180	40,00	0,720
213	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 500x250, tabla zincata δ=0,7 mm)	m2	0,3100	714,110	221,374
	7136060011900	Instalator ventilare si conditionare	h-om	1,1935	84,97	101,412

1	2	3	4	5	6	7
		aer				
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0031	64,17	0,199
	2710703502671	Otel cornier 25x25x3 mm	kg	1,0850	30,00	32,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0279	65,37	1,824
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0620	5,00	0,310
	2412126100010	Miniu de plumb	kg	0,0056	27,50	0,154
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0496	18,33	0,909
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0149	30,00	0,447
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0056	30,00	0,168
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0093	25,00	0,232
	2320146200767	Petrol distilat tip 18/200	l	0,0012	16,44	0,020
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,9600	0,23	1,141
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0124	30,00	0,372
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,8910	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,0225	23,03	69,608
	2874125881198	Saiba plata pentru metal M 6	buc	4,9600	0,15	0,744
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,9600	2,00	9,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0248	40,00	0,992
	2922140006702	Macara de fereastră	h-ut	0,0093	40,00	0,372
214	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x350, tabla zincata δ=0,7 mm)	m2	0,2500	604,172	151,043
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7750	84,97	65,852
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0025	64,17	0,160
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6875	30,00	20,625
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0225	65,37	1,471
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0500	5,00	0,250
	2412126100010	Miniu de plumb	kg	0,0045	27,50	0,124
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0187	18,33	0,343
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0217	30,00	0,651
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0029	30,00	0,087
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0075	25,00	0,188
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0000	0,23	1,380
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0100	30,00	0,300
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9625	23,03	45,196
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8	kg	2,4750	0,00	0,000

1	2	3	4	5	6	7
		mm grosime, cal.I)				
	2874125881198	Saiba plata pentru metal M 6	buc	6,0000	0,15	0,900
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0000	2,00	12,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0250	40,00	1,000
	2922140006702	Macara de fereastră	h-ut	0,0125	40,00	0,500
215	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 250x500, tabla zincata $\delta=0,7$ mm)	m2	1,1300	714,110	806,944
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,3505	84,97	369,662
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0113	64,17	0,725
	2710703502671	Otel cornier 25x25x3 mm	kg	3,9550	30,00	118,650
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1017	65,37	6,648
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2260	5,00	1,130
	2412126100010	Miniu de plumb	kg	0,0203	27,50	0,558
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1808	18,33	3,314
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0542	30,00	1,626
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0206	30,00	0,618
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0339	25,00	0,848
	2320146200767	Petrol distilat tip 18/200	l	0,0045	16,44	0,074
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,0800	0,23	4,158
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0452	30,00	1,356
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	6,8930	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,0175	23,03	253,733
	2874125881198	Saiba plata pentru metal M 6	buc	18,0800	0,15	2,712
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,0800	2,00	36,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0904	40,00	3,616
	2922140006702	Macara de fereastră	h-ut	0,0339	40,00	1,356
216	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 350x600, tabla zincata $\delta=0,7$ mm)	m2	2,5800	604,184	1 558,796
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,9980	84,97	679,590
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0258	64,17	1,656
	2710703503596	Otel cornier 32x32x3 mm	kg	7,0950	30,00	212,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2322	65,37	15,179
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,5160	5,00	2,580
	2412126100010	Miniu de plumb	kg	0,0464	27,50	1,276

1	2	3	4	5	6	7
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1935	18,33	3,547
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2245	30,00	6,735
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0302	30,00	0,906
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0774	25,00	1,935
	2320146200767	Petrol distilat tip 18/200	l	0,0103	16,44	0,169
	2874135840405	Piulite uzuale hexagonale M 6	buc	61,9200	0,23	14,242
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1032	30,00	3,096
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	20,2530	23,03	466,427
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	25,5420	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	61,9200	0,15	9,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	61,9200	2,00	123,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2580	40,00	10,320
	2922140006702	Macara de fereastră	h-ut	0,1290	40,00	5,160
217	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 600x350, tabla zincata δ=0,7 mm)	m2	1,7200	604,184	1 039,196
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,3320	84,97	453,060
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0172	64,17	1,104
	2710703503596	Otel cornier 32x32x3 mm	kg	4,7300	30,00	141,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1548	65,37	10,119
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3440	5,00	1,720
	2412126100010	Miniu de plumb	kg	0,0310	27,50	0,853
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1290	18,33	2,365
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1496	30,00	4,488
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0201	30,00	0,603
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0516	25,00	1,290
	2320146200767	Petrol distilat tip 18/200	l	0,0069	16,44	0,113
	2874135840405	Piulite uzuale hexagonale M 6	buc	41,2800	0,23	9,494
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0688	30,00	2,064
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	13,5020	23,03	310,951
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	17,0280	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	41,2800	0,15	6,192
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	41,2800	2,00	82,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1720	40,00	6,880
	2922140006702	Macara de fereastră	h-ut	0,0860	40,00	3,440
218	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime,	m2	0,3800	911,150	346,237

1	2	3	4	5	6	7
		avind perimetrul sectiunii cerculare de 400 - 700 mm (Trecere, tip 4 300x200/d100 L=481mm, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4179	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
219	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x350/600x350/600x350, tabla zincata $\delta=0,7$ mm)	m2	1,0600	631,524	669,415
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,6464	84,97	309,835
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0106	64,17	0,680
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9150	30,00	87,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0954	65,37	6,236
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2120	5,00	1,060
	2412126100010	Miniu de plumb	kg	0,0191	27,50	0,525
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0795	18,33	1,457
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0092	30,00	0,276
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S	kg	0,0124	30,00	0,372

1	2	3	4	5	6	7
		1257				
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0318	25,00	0,795
	2320146200767	Petrol distilat tip 18/200	l	0,0042	16,44	0,069
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,4400	0,23	5,851
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0424	30,00	1,272
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,3210	23,03	191,633
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,4940	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,4400	0,15	3,816
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,4400	2,00	50,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1272	40,00	5,088
	2922140006702	Macara de fereastră	h-ut	0,0530	40,00	2,120
220	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Piesa deviatie 350x600, H=580mm, L=698mm, tabla zincata δ=0,7 mm)	m2	1,4900	649,368	967,559
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,4385	84,97	462,109
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0149	64,17	0,956
	2710703503596	Otel cornier 32x32x3 mm	kg	4,0975	30,00	122,925
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1341	65,37	8,766
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2980	5,00	1,490
	2412126100010	Miniu de plumb	kg	0,0268	27,50	0,737
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1118	18,33	2,049
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0130	30,00	0,390
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0174	30,00	0,522
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0447	25,00	1,117
	2320146200767	Petrol distilat tip 18/200	l	0,0060	16,44	0,099
	2874135840405	Piulite uzuale hexagonale M 6	buc	35,7600	0,23	8,225
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0596	30,00	1,788
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,6965	23,03	269,370
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	14,7510	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	35,7600	0,15	5,364
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	35,7600	2,00	71,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1788	40,00	7,152
	2922140006702	Macara de fereastră	h-ut	0,0745	40,00	2,980
221	Pretul firmei	EURO flansa PQ-C-20	m	132,1000	41,670	5 504,607
	PQ-C-20	EURO flansa PQ-C-20	m	132,1000	41,67	5 504,607
222	Pretul firmei	Cornier NQ-C-20	buc	300,0000	4,170	1 251,000

1	2	3	4	5	6	7
	NQ-C-20	Cornier NQ-C-20	buc	300,0000	4,17	1 251,000
223	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d100) Material marunt=1,0050	buc	1,0000	380,258	380,258
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxygen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC100	CRMC Clapeta de reglaj cu maner D100 (actionata manual)	buc	1,0050	141,67	142,378
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
224	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	142,9000	66,214	9 461,983
	7136060011900	Instalator ventilare si conditionare aer	h-om	42,8700	84,97	3 642,664
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	5,7274	64,17	367,527
	2651122100024	Ciment portland P 40 saci S388	kg	8,5911	2,20	18,900
	2710703504760	Otel cornier 40x40x4 mm	kg	148,9132	30,00	4 467,396
	2412126100010	Miniu de plumb	kg	2,8637	27,50	78,752
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,2864	750,00	214,800
	2411115904512	Oxygen tehnic gazos S2031	m3	2,8637	25,00	71,593
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,8637	30,00	85,911
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	11,4320	40,00	457,280
	2922140006702	Macara de fereastră	h-ut	1,4290	40,00	57,160
		<i>Total</i>	Lei			62 009,515
		Total Sistem A2.1 Inclusiv salariu				62 009,515 19 678,066
		1.2.9. Sistem A2.2				

1	2	3	4	5	6	7
225	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x200)	buc	2,0000	2 875,650	5 751,300
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x200	Grila de aspiratie din INOX cu separator de puf PCF 400x200	buc	2,0000	2 827,94	5 655,880
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
226	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x300)	buc	2,0000	3 304,710	6 609,420
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x300	Grila de aspiratie din INOX cu separator de puf PCF 400x300	buc	2,0000	3 257,00	6 514,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
227	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
228	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 125)	buc	2,0000	147,710	295,420
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B125	Valva metalica de aspiratie cu posibilitate de reglare MV-B 125	buc	2,0000	100,00	200,000
	2651122100402	Ciment metalurgic cu adaosuri M 30	kg	1,0000	2,20	2,200

1	2	3	4	5	6	7
		saci S1500				
229	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	2,5100	512,895	1 287,367
	7136060011900	Instalator ventilare si conditionare aer	h-om	9,4878	84,97	806,178
	2710703700340	Banda de otel de 25x3 mm	kg	2,0281	30,00	60,843
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0254	64,17	1,630
	2430226100814	Grund miniu G 355-6	kg	0,0304	55,00	1,672
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0254	5,00	0,127
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0431	18,33	0,790
	2710703502671	Otel cornier 25x25x3 mm	kg	3,1689	30,00	95,067
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0761	25,00	1,903
	2320146200767	Petrol distilat tip 18/200	l	0,0761	16,44	1,251
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,2106	0,23	3,498
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0761	30,00	2,283
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	11,9150	23,03	274,402
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	23,9060	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	19,2668	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	15,2106	0,15	2,282
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,2106	2,00	30,421
	2922140006702	Macara de fereastră	h-ut	0,1255	40,00	5,020
230	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d125, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	5,0700	512,892	2 600,364
	7136060011900	Instalator ventilare si conditionare aer	h-om	19,1646	84,97	1 628,416
	2710703700340	Banda de otel de 25x3 mm	kg	4,0966	30,00	122,898
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0512	64,17	3,286
	2430226100814	Grund miniu G 355-6	kg	0,0614	55,00	3,377
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0512	5,00	0,256
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0871	18,33	1,597

1	2	3	4	5	6	7
	2710703502671	Otel cornier 25x25x3 mm	kg	6,4009	30,00	192,027
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1536	25,00	3,840
	2320146200767	Petrol distilat tip 18/200	l	0,1536	16,44	2,525
	2874135840405	Piulite uzuale hexagonale M 6	buc	30,7242	0,23	7,067
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1536	30,00	4,608
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	24,0673	23,03	554,270
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	48,2882	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	38,9173	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	30,7242	0,15	4,609
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	30,7242	2,00	61,448
	2922140006702	Macara de fereastră	h-ut	0,2535	40,00	10,140
231	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)	m2	0,0140	994,929	13,929
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1134	84,97	9,636
	2710703700340	Banda de otel de 25x3 mm	kg	0,0588	30,00	1,764
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0010	65,37	0,065
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0028	5,00	0,014
	2412126100010	Miniu de plumb	kg	0,0003	27,50	0,008
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0034	18,33	0,062
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0004	25,00	0,010
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1120	0,23	0,026
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0004	30,00	0,012
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0882	23,03	2,031
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1470	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1764	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,1120	0,15	0,017
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1120	2,00	0,224
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0010	40,00	0,040
	2922140006702	Macara de fereastră	h-ut	0,0003	40,00	0,012
232	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de	m2	0,0200	994,950	19,899

1	2	3	4	5	6	7
		400 - 700 mm (Dop d125, tabla zincata $\delta=0,5$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1620	84,97	13,765
	2710703700340	Banda de otel de 25x3 mm	kg	0,0840	30,00	2,520
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0002	64,17	0,013
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0014	65,37	0,092
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0040	5,00	0,020
	2412126100010	Miniu de plumb	kg	0,0004	27,50	0,011
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0048	18,33	0,088
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0006	25,00	0,015
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1600	0,23	0,037
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0006	30,00	0,018
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,1260	23,03	2,902
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,2100	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,2520	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,1600	0,15	0,024
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1600	2,00	0,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0014	40,00	0,056
	2922140006702	Macara de fereastră	h-ut	0,0004	40,00	0,016
233	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata $\delta=0,5$ mm)	m2	0,2400	994,812	238,755
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9440	84,97	165,182
	2710703700340	Banda de otel de 25x3 mm	kg	1,0080	30,00	30,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0168	65,37	1,098
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0576	18,33	1,056
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,9200	0,23	0,442
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,5120	23,03	34,821
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din	kg	2,5200	0,00	0,000

1	2	3	4	5	6	7
		aluminiu cal. I 0,5 mm)				
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,0240	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,9200	0,15	0,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,9200	2,00	3,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0168	40,00	0,672
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
234	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d125, tabla zincata δ=0,5 mm)	m2	0,4600	994,813	457,614
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,7260	84,97	316,598
	2710703700340	Banda de otel de 25x3 mm	kg	1,9320	30,00	57,960
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0046	64,17	0,295
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0322	65,37	2,105
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0920	5,00	0,460
	2412126100010	Miniu de plumb	kg	0,0083	27,50	0,228
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1104	18,33	2,024
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0138	25,00	0,345
	2320146200767	Petrol distilat tip 18/200	l	0,0018	16,44	0,030
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,6800	0,23	0,846
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0138	30,00	0,414
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,8980	23,03	66,741
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,8300	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	5,7960	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,6800	0,15	0,552
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,6800	2,00	7,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0322	40,00	1,288
	2922140006702	Macara de fereastră	h-ut	0,0092	40,00	0,368
235	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata δ=0,5 mm)	m2	0,2400	1 499,100	359,784
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154

1	2	3	4	5	6	7
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,8800	23,03	66,326
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,6000	23,03	82,908
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
236	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d125x125x125, tabla zincata δ=0,5 mm)	m2	0,3000	1 499,113	449,734
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9140	84,97	162,633
	2710703700340	Banda de otel de 25x3 mm	kg	1,3500	30,00	40,500
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0030	64,17	0,193
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0180	65,37	1,177
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0600	5,00	0,300
	2412126100010	Miniu de plumb	kg	0,0054	27,50	0,149
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1140	18,33	2,090
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0090	25,00	0,225
	2320146200767	Petrol distilat tip 18/200	l	0,0012	16,44	0,020
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,2000	0,23	0,276
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0090	30,00	0,270
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,2500	23,03	51,818
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,6000	23,03	82,908
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	4,5000	23,03	103,635
	2874125881198	Saiba plata pentru metal M 6	buc	1,2000	0,15	0,180
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,2000	2,00	2,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0060	40,00	0,240
237	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 500x250, tabla	m2	20,5500	465,065	9 557,081

1	2	3	4	5	6	7
		zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	50,5530	84,97	4 295,488
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2076	64,17	13,322
	2430226100814	Grund miniu G 355-6	kg	0,9340	55,00	51,370
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2076	5,00	1,038
	2112517330399	Mucava tip I de 3,3 mm	kg	0,9963	18,33	18,262
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1660	30,00	4,980
	2710703502671	Otel cornier 25x25x3 mm	kg	28,0199	30,00	840,597
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6227	25,00	15,568
	2320146200767	Petrol distilat tip 18/200	l	0,1245	16,44	2,047
	2874135840405	Piulite uzuale hexagonale M 6	buc	332,0880	0,23	76,380
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8302	30,00	24,906
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	59,1532	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	93,3997	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	149,4396	23,03	3 441,594
	2874125881198	Saiba plata pentru metal M 6	buc	332,0880	0,15	49,813
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	332,0880	2,00	664,176
	2922140006702	Macara de fereastră	h-ut	1,4385	40,00	57,540
238	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x350, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	20,5200	566,659	11 627,838
	7136060011900	Instalator ventilare si conditionare aer	h-om	67,3056	84,97	5 718,957
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2062	64,17	13,232
	2430226100814	Grund miniu G 355-6	kg	1,0724	55,00	58,982
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2062	5,00	1,031
	2112517330399	Mucava tip I de 3,3 mm	kg	1,5467	18,33	28,351
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1031	30,00	3,093
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1650	30,00	4,950
	2710703503596	Otel cornier 32x32x3 mm	kg	35,0584	30,00	1 051,752
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6187	25,00	15,468
	2320146200767	Petrol distilat tip 18/200	l	0,1856	16,44	3,051
	2874135840405	Piulite uzuale hexagonale M 6	buc	494,9424	0,23	113,837

1	2	3	4	5	6	7
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8249	30,00	24,747
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	92,8017	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	148,4827	23,03	3 419,557
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	185,6034	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	494,9424	0,15	74,241
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	494,9424	2,00	989,885
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,0260	40,00	41,040
	2922140006702	Macara de fereastră	h-ut	1,6416	40,00	65,664
239	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata δ=0,7 mm)	m2	0,4000	696,312	278,525
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,4680	84,97	124,736
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0040	64,17	0,257
	2710703502671	Otel cornier 25x25x3 mm	kg	1,4000	30,00	42,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0280	65,37	1,830
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0800	5,00	0,400
	2412126100010	Miniu de plumb	kg	0,0072	27,50	0,198
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0640	18,33	1,173
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0019	30,00	0,057
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0073	30,00	0,219
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0120	25,00	0,300
	2320146200767	Petrol distilat tip 18/200	l	0,0016	16,44	0,026
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,4000	0,23	1,472
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0120	30,00	0,360
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4400	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,9000	23,03	89,817
	2874125881198	Saiba plata pentru metal M 6	buc	6,4000	0,15	0,960
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,4000	2,00	12,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0360	40,00	1,440
	2922140006702	Macara de fereastră	h-ut	0,0120	40,00	0,480
240	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata δ=0,7 mm)	m2	0,3800	696,305	264,596

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,3946	84,97	118,499
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2710703502671	Otel cornier 25x25x3 mm	kg	1,3300	30,00	39,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0266	65,37	1,739
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0760	5,00	0,380
	2412126100010	Miniu de plumb	kg	0,0068	27,50	0,187
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0608	18,33	1,114
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0018	30,00	0,054
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0069	30,00	0,207
	2411115904512	Oxigen tehnic gaze S2031	m3	0,0114	25,00	0,285
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0800	0,23	1,398
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0114	30,00	0,342
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,3180	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,7050	23,03	85,326
	2874125881198	Saiba plata pentru metal M 6	buc	6,0800	0,15	0,912
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0800	2,00	12,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0342	40,00	1,368
	2922140006702	Macara de fereastră	h-ut	0,0114	40,00	0,456
241	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x300, tabla zincata δ=0,7 mm)	m2	0,4700	696,323	327,272
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7249	84,97	146,565
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0047	64,17	0,302
	2710703502671	Otel cornier 25x25x3 mm	kg	1,6450	30,00	49,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0329	65,37	2,151
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0940	5,00	0,470
	2412126100010	Miniu de plumb	kg	0,0085	27,50	0,234
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0752	18,33	1,378
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0023	30,00	0,069
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0086	30,00	0,258
	2411115904512	Oxigen tehnic gaze S2031	m3	0,0141	25,00	0,352
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5200	0,23	1,730
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0141	30,00	0,423
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm	kg	2,8670	0,00	0,000

1	2	3	4	5	6	7
		grosime, cal.I)				
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,5825	23,03	105,535
	2874125881198	Saiba plata pentru metal M 6	buc	7,5200	0,15	1,128
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5200	2,00	15,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0423	40,00	1,692
	2922140006702	Macara de fereastră	h-ut	0,0141	40,00	0,564
242	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x250, tabla zincata δ=0,7 mm)	m2	0,6000	696,313	417,788
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2020	84,97	187,104
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0060	64,17	0,385
	2710703502671	Otel cornier 25x25x3 mm	kg	2,1000	30,00	63,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0420	65,37	2,746
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1200	5,00	0,600
	2412126100010	Miniu de plumb	kg	0,0108	27,50	0,297
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0960	18,33	1,760
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0029	30,00	0,087
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0109	30,00	0,327
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0180	25,00	0,450
	2320146200767	Petrol distilat tip 18/200	l	0,0024	16,44	0,039
	2874135840405	Piulite uzuale hexagonale M 6	buc	9,6000	0,23	2,208
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0180	30,00	0,540
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,6600	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,8500	23,03	134,725
	2874125881198	Saiba plata pentru metal M 6	buc	9,6000	0,15	1,440
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	9,6000	2,00	19,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0540	40,00	2,160
	2922140006702	Macara de fereastră	h-ut	0,0180	40,00	0,720
243	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 500x250, tabla zincata δ=0,7 mm)	m2	0,3100	714,110	221,374
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1935	84,97	101,412
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0031	64,17	0,199
	2710703502671	Otel cornier 25x25x3 mm	kg	1,0850	30,00	32,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0279	65,37	1,824
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25	buc	0,0620	5,00	0,310

1	2	3	4	5	6	7
		S 1581				
	2412126100010	Minu de plumb	kg	0,0056	27,50	0,154
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0496	18,33	0,909
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0149	30,00	0,447
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0056	30,00	0,168
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0093	25,00	0,232
	2320146200767	Petrol distilat tip 18/200	l	0,0012	16,44	0,020
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,9600	0,23	1,141
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0124	30,00	0,372
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,8910	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,0225	23,03	69,608
	2874125881198	Saiba plata pentru metal M 6	buc	4,9600	0,15	0,744
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,9600	2,00	9,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0248	40,00	0,992
	2922140006702	Macara de fereastră	h-ut	0,0093	40,00	0,372
244	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x350, tabla zincata $\delta=0,7$ mm)	m2	0,2500	604,172	151,043
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7750	84,97	65,852
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0025	64,17	0,160
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6875	30,00	20,625
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0225	65,37	1,471
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0500	5,00	0,250
	2412126100010	Minu de plumb	kg	0,0045	27,50	0,124
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0187	18,33	0,343
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0217	30,00	0,651
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0029	30,00	0,087
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0075	25,00	0,188
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0000	0,23	1,380
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0100	30,00	0,300
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9625	23,03	45,196
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4750	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	6,0000	0,15	0,900
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0000	2,00	12,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0250	40,00	1,000
	2922140006702	Macara de fereastră	h-ut	0,0125	40,00	0,500
245	VA10H	Piesa speciala, din tabla zincata	m2	1,1300	714,110	806,944

1	2	3	4	5	6	7
		sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 250x500, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,3505	84,97	369,662
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0113	64,17	0,725
	2710703502671	Otel cornier 25x25x3 mm	kg	3,9550	30,00	118,650
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1017	65,37	6,648
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2260	5,00	1,130
	2412126100010	Miniu de plumb	kg	0,0203	27,50	0,558
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1808	18,33	3,314
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0542	30,00	1,626
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0206	30,00	0,618
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0339	25,00	0,848
	2320146200767	Petrol distilat tip 18/200	l	0,0045	16,44	0,074
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,0800	0,23	4,158
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0452	30,00	1,356
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	6,8930	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,0175	23,03	253,733
	2874125881198	Saiba plata pentru metal M 6	buc	18,0800	0,15	2,712
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,0800	2,00	36,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0904	40,00	3,616
	2922140006702	Macara de fereastră	h-ut	0,0339	40,00	1,356
246	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 350x600, tabla zincata $\delta=0,7$ mm)	m2	0,8600	604,185	519,599
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,6660	84,97	226,530
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0086	64,17	0,552
	2710703503596	Otel cornier 32x32x3 mm	kg	2,3650	30,00	70,950
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0774	65,37	5,060
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1720	5,00	0,860
	2412126100010	Miniu de plumb	kg	0,0155	27,50	0,426
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0645	18,33	1,182
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0748	30,00	2,244
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0101	30,00	0,303
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0258	25,00	0,645

1	2	3	4	5	6	7
	2320146200767	Petrol distilat tip 18/200	l	0,0034	16,44	0,056
	2874135840405	Piulite uzuale hexagonale M 6	buc	20,6400	0,23	4,747
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0344	30,00	1,032
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	6,7510	23,03	155,476
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	8,5140	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	20,6400	0,15	3,096
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	20,6400	2,00	41,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0860	40,00	3,440
	2922140006702	Macara de fereastră	h-ut	0,0430	40,00	1,720
247	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 600x350, tabla zincata δ=0,7 mm)	m2	0,8600	604,185	519,599
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,6660	84,97	226,530
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0086	64,17	0,552
	2710703503596	Otel cornier 32x32x3 mm	kg	2,3650	30,00	70,950
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0774	65,37	5,060
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1720	5,00	0,860
	2412126100010	Minu de plumb	kg	0,0155	27,50	0,426
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0645	18,33	1,182
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0748	30,00	2,244
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0101	30,00	0,303
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0258	25,00	0,645
	2320146200767	Petrol distilat tip 18/200	l	0,0034	16,44	0,056
	2874135840405	Piulite uzuale hexagonale M 6	buc	20,6400	0,23	4,747
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0344	30,00	1,032
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	6,7510	23,03	155,476
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	8,5140	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	20,6400	0,15	3,096
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	20,6400	2,00	41,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0860	40,00	3,440
	2922140006702	Macara de fereastră	h-ut	0,0430	40,00	1,720
248	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii cerculare de 400 - 700 mm (Trecere, tip 4 300x200/d100 L=481mm, tabla zincata δ=0,7 mm)	m2	0,3800	911,150	346,237

1	2	3	4	5	6	7
		Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4179	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
249	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Trecere, tip 4 300x200/d125 L=438mm, tabla zincata 6=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,3800	911,150	346,237
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla	kg	2,4179	0,00	0,000

1	2	3	4	5	6	7
		zincata sau aluminiu de 0,8 mm grosime, cal.I)				
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
250	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x350/600x350/600x350, tabla zincata δ=0,7 mm)	m2	1,0600	631,524	669,415
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,6464	84,97	309,835
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0106	64,17	0,680
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9150	30,00	87,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0954	65,37	6,236
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2120	5,00	1,060
	2412126100010	Miniu de plumb	kg	0,0191	27,50	0,525
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0795	18,33	1,457
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0092	30,00	0,276
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0124	30,00	0,372
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0318	25,00	0,795
	2320146200767	Petrol distilat tip 18/200	l	0,0042	16,44	0,069
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,4400	0,23	5,851
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0424	30,00	1,272
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,3210	23,03	191,633
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,4940	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,4400	0,15	3,816
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,4400	2,00	50,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1272	40,00	5,088
	2922140006702	Macara de fereastră	h-ut	0,0530	40,00	2,120
251	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Piesa deviatie 350x600, H=200mm, L=412mm, tabla zincata δ=0,7 mm)	m2	2,3600	649,368	1 532,509

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	8,6140	84,97	731,932
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0236	64,17	1,514
	2710703503596	Otel cornier 32x32x3 mm	kg	6,4900	30,00	194,700
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2124	65,37	13,885
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4720	5,00	2,360
	2412126100010	Minu de plumb	kg	0,0425	27,50	1,169
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1770	18,33	3,244
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0205	30,00	0,615
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0276	30,00	0,828
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0708	25,00	1,770
	2320146200767	Petrol distilat tip 18/200	l	0,0094	16,44	0,155
	2874135840405	Piulite uzuale hexagonale M 6	buc	56,6400	0,23	13,027
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0944	30,00	2,832
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	18,5260	23,03	426,654
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	23,3640	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	56,6400	0,15	8,496
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	56,6400	2,00	113,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2832	40,00	11,328
	2922140006702	Macara de fereastră	h-ut	0,1180	40,00	4,720
252	Pretul firmei	EURO flansa PQ-C-20	m	124,5000	41,670	5 187,915
	PQ-C-20	EURO flansa PQ-C-20	m	124,5000	41,67	5 187,915
253	Pretul firmei	Cornier NQ-C-20	buc	284,0000	4,170	1 184,280
	NQ-C-20	Cornier NQ-C-20	buc	284,0000	4,17	1 184,280
254	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d100) Material marunt=1,0050	buc	1,0000	380,258	380,258
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Minu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC100	CRMC Clapeta de reglaj cu maner D100 (actionata manual)	buc	1,0050	141,67	142,378
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075

1	2	3	4	5	6	7
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
255	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d125) Material marunt=1,0050	buc	1,0000	388,630	388,630
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC125	CRMC Clapeta de reglaj cu maner D125 (actionata manual)	buc	1,0050	150,00	150,750
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
256	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	127,4000	66,214	8 435,644
	7136060011900	Instalator ventilare si conditionare aer	h-om	38,2200	84,97	3 247,553
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	5,1062	64,17	327,665
	2651122100024	Ciment portland P 40 saci S388	kg	7,6593	2,20	16,850
	2710703504760	Otel cornier 40x40x4 mm	kg	132,7610	30,00	3 982,830
	2412126100010	Miniu de plumb	kg	2,5531	27,50	70,210
	1421102200575	Nisip sortat spalcat de riu si lacuri 0,0-3,0 mm	m3	0,2553	750,00	191,475
	2411115904512	Oxigen tehnic gazos S2031	m3	2,5531	25,00	63,828
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,5531	30,00	76,593
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	10,1920	40,00	407,680
	2922140006702	Macara de fereastră	h-ut	1,2740	40,00	50,960
		Total	Lei			61 475,130
		Total Sistem A2.2				61 475,130

1	2	3	4	5	6	7
		Inclusiv salariu				20 016,323
		1.2.10. Sistem A2.3				
257	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 300x200)	buc	2,0000	2 446,580	4 893,160
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF300x200	Grila de aspiratie din INOX cu separator de puf PCF 300x200	buc	2,0000	2 398,87	4 797,740
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
258	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 300x300)	buc	2,0000	2 875,650	5 751,300
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF300x300	Grila de aspiratie din INOX cu separator de puf PCF 300x300	buc	2,0000	2 827,94	5 655,880
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
259	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 400x200, tabla zincata δ=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	32,2200	465,065	14 984,382
	7136060011900	Instalator ventilare si conditionare aer	h-om	79,2612	84,97	6 734,824
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3254	64,17	20,881
	2430226100814	Grund miniu G 355-6	kg	1,4644	55,00	80,542
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3254	5,00	1,627
	2112517330399	Mucava tip I de 3,3 mm	kg	1,5620	18,33	28,631
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,2603	30,00	7,809
	2710703502671	Otel cornier 25x25x3 mm	kg	43,9320	30,00	1 317,960
	2411115904512	Oxigen tehnic gazos S2031	m3	0,9763	25,00	24,407
	2320146200767	Petrol distilat tip 18/200	l	0,1953	16,44	3,211
	2874135840405	Piulite uzuale hexagonale M 6	buc	520,6752	0,23	119,755
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,3017	30,00	39,051

1	2	3	4	5	6	7
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	92,7453	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	146,4399	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	234,3038	23,03	5 396,017
	2874125881198	Saiba plata pentru metal M 6	buc	520,6752	0,15	78,101
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	520,6752	2,00	1 041,350
	2922140006702	Macara de fereastră	h-ut	2,2554	40,00	90,216
260	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x300, tabla zincata δ=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	39,9100	566,659	22 615,352
	7136060011900	Instalator ventilare si conditionare aer	h-om	130,9048	84,97	11 122,981
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,4011	64,17	25,739
	2430226100814	Grund miniu G 355-6	kg	2,0857	55,00	114,714
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4011	5,00	2,006
	2112517330399	Mucava tip I de 3,3 mm	kg	3,0082	18,33	55,140
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2005	30,00	6,015
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,3209	30,00	9,627
	2710703503596	Otel cornier 32x32x3 mm	kg	68,1862	30,00	2 045,586
	2411115904512	Oxigen tehnic gazos S2031	m3	1,2033	25,00	30,082
	2320146200767	Petrol distilat tip 18/200	l	0,3610	16,44	5,935
	2874135840405	Piulite uzuale hexagonale M 6	buc	962,6292	0,23	221,405
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,6044	30,00	48,132
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	180,4930	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	288,7888	23,03	6 650,806
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	360,9859	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	962,6292	0,15	144,394
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	962,6292	2,00	1 925,258
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,9955	40,00	79,820
	2922140006702	Macara de fereastră	h-ut	3,1928	40,00	127,712
261	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul	m2	0,8000	696,314	557,051

1	2	3	4	5	6	7
		sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,9360	84,97	249,472
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0080	64,17	0,513
	2710703502671	Otel cornier 25x25x3 mm	kg	2,8000	30,00	84,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0560	65,37	3,661
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1600	5,00	0,800
	2412126100010	Miniu de plumb	kg	0,0144	27,50	0,396
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1280	18,33	2,346
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0038	30,00	0,114
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0146	30,00	0,438
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0240	25,00	0,600
	2320146200767	Petrol distilat tip 18/200	l	0,0032	16,44	0,053
	2874135840405	Piulite uzuale hexagonale M 6	buc	12,8000	0,23	2,944
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0240	30,00	0,720
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8800	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	7,8000	23,03	179,634
	2874125881198	Saiba plata pentru metal M 6	buc	12,8000	0,15	1,920
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	12,8000	2,00	25,600
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0720	40,00	2,880
	2922140006702	Macara de fereastră	h-ut	0,0240	40,00	0,960
262	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x300, tabla zincata $\delta=0,7$ mm)	m2	0,9600	696,314	668,461
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,5232	84,97	299,366
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0096	64,17	0,616
	2710703502671	Otel cornier 25x25x3 mm	kg	3,3600	30,00	100,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0672	65,37	4,393
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1920	5,00	0,960
	2412126100010	Miniu de plumb	kg	0,0173	27,50	0,476
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1536	18,33	2,815
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0046	30,00	0,138
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0175	30,00	0,525
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0288	25,00	0,720
	2320146200767	Petrol distilat tip 18/200	l	0,0038	16,44	0,062
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,3600	0,23	3,533
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0288	30,00	0,864

1	2	3	4	5	6	7
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	5,8560	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	9,3600	23,03	215,561
	2874125881198	Saiba plata pentru metal M 6	buc	15,3600	0,15	2,304
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,3600	2,00	30,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0864	40,00	3,456
	2922140006702	Macara de fereastră	h-ut	0,0288	40,00	1,152
263	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata δ=0,7 mm)	m2	0,9600	696,314	668,461
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,5232	84,97	299,366
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0096	64,17	0,616
	2710703502671	Otel cornier 25x25x3 mm	kg	3,3600	30,00	100,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0672	65,37	4,393
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1920	5,00	0,960
	2412126100010	Miniu de plumb	kg	0,0173	27,50	0,476
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1536	18,33	2,815
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0046	30,00	0,138
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0175	30,00	0,525
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0288	25,00	0,720
	2320146200767	Petrol distilat tip 18/200	l	0,0038	16,44	0,062
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,3600	0,23	3,533
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0288	30,00	0,864
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	5,8560	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	9,3600	23,03	215,561
	2874125881198	Saiba plata pentru metal M 6	buc	15,3600	0,15	2,304
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,3600	2,00	30,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0864	40,00	3,456
	2922140006702	Macara de fereastră	h-ut	0,0288	40,00	1,152
264	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 400x200, tabla zincata δ=0,7 mm)	m2	0,4000	714,112	285,645
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5400	84,97	130,854
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0040	64,17	0,257

1	2	3	4	5	6	7
	2710703502671	Otel cornier 25x25x3 mm	kg	1,4000	30,00	42,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0360	65,37	2,353
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0800	5,00	0,400
	2412126100010	Miniu de plumb	kg	0,0072	27,50	0,198
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0640	18,33	1,173
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0192	30,00	0,576
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0073	30,00	0,219
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0120	25,00	0,300
	2320146200767	Petrol distilat tip 18/200	l	0,0016	16,44	0,026
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,4000	0,23	1,472
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0160	30,00	0,480
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4400	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,9000	23,03	89,817
	2874125881198	Saiba plata pentru metal M 6	buc	6,4000	0,15	0,960
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,4000	2,00	12,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0320	40,00	1,280
	2922140006702	Macara de fereastră	h-ut	0,0120	40,00	0,480
265	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x300, tabla zincata b=0,7 mm)	m2	0,2200	604,186	132,921
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,6820	84,97	57,950
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0022	64,17	0,141
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6050	30,00	18,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0198	65,37	1,294
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0440	5,00	0,220
	2412126100010	Miniu de plumb	kg	0,0040	27,50	0,110
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0165	18,33	0,302
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0191	30,00	0,573
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0026	30,00	0,078
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0066	25,00	0,165
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,2800	0,23	1,214
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0088	30,00	0,264
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,7270	23,03	39,773
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,1780	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	5,2800	0,15	0,792
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,2800	2,00	10,560

1	2	3	4	5	6	7
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0220	40,00	0,880
	2922140006702	Macara de fereastră	h-ut	0,0110	40,00	0,440
266	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 200x400, tabla zincata $\delta=0,7$ mm)	m2	1,6100	714,112	1 149,720
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,1985	84,97	526,687
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0161	64,17	1,033
	2710703502671	Otel cornier 25x25x3 mm	kg	5,6350	30,00	169,050
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1449	65,37	9,472
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3220	5,00	1,610
	2412126100010	Miniu de plumb	kg	0,0290	27,50	0,797
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2576	18,33	4,722
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0773	30,00	2,319
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0293	30,00	0,879
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0483	25,00	1,208
	2320146200767	Petrol distilat tip 18/200	l	0,0064	16,44	0,105
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,7600	0,23	5,925
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0644	30,00	1,932
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	9,8210	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	15,6975	23,03	361,513
	2874125881198	Saiba plata pentru metal M 6	buc	25,7600	0,15	3,864
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,7600	2,00	51,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1288	40,00	5,152
	2922140006702	Macara de fereastră	h-ut	0,0483	40,00	1,932
267	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x600, tabla zincata $\delta=0,7$ mm)	m2	0,7500	604,183	453,137
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,3250	84,97	197,555
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0075	64,17	0,481
	2710703503596	Otel cornier 32x32x3 mm	kg	2,0625	30,00	61,875
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0675	65,37	4,412
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1500	5,00	0,750
	2412126100010	Miniu de plumb	kg	0,0135	27,50	0,371
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0562	18,33	1,030
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0653	30,00	1,959

1	2	3	4	5	6	7
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0088	30,00	0,264
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0225	25,00	0,562
	2320146200767	Petrol distilat tip 18/200	l	0,0030	16,44	0,049
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,0000	0,23	4,140
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0300	30,00	0,900
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,8875	23,03	135,589
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,4250	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	18,0000	0,15	2,700
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,0000	2,00	36,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0750	40,00	3,000
	2922140006702	Macara de fereastră	h-ut	0,0375	40,00	1,500
268	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 400x200, tabla zincata δ=0,7 mm)	m2	0,4000	714,112	285,645
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5400	84,97	130,854
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0040	64,17	0,257
	2710703502671	Otel cornier 25x25x3 mm	kg	1,4000	30,00	42,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0360	65,37	2,353
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0800	5,00	0,400
	2412126100010	Minu de plumb	kg	0,0072	27,50	0,198
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0640	18,33	1,173
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0192	30,00	0,576
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0073	30,00	0,219
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0120	25,00	0,300
	2320146200767	Petrol distilat tip 18/200	l	0,0016	16,44	0,026
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,4000	0,23	1,472
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0160	30,00	0,480
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4400	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,9000	23,03	89,817
	2874125881198	Saiba plata pentru metal M 6	buc	6,4000	0,15	0,960
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,4000	2,00	12,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0320	40,00	1,280
	2922140006702	Macara de fereastră	h-ut	0,0120	40,00	0,480
269	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 600x300, tabla	m2	2,2400	604,184	1 353,373

1	2	3	4	5	6	7
		zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,9440	84,97	590,032
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0224	64,17	1,437
	2710703503596	Otel cornier 32x32x3 mm	kg	6,1600	30,00	184,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2016	65,37	13,179
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4480	5,00	2,240
	2412126100010	Miniu de plumb	kg	0,0403	27,50	1,108
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1680	18,33	3,079
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1949	30,00	5,847
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0262	30,00	0,786
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0672	25,00	1,680
	2320146200767	Petrol distilat tip 18/200	l	0,0090	16,44	0,148
	2874135840405	Piulite uzuale hexagonale M 6	buc	53,7600	0,23	12,365
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0896	30,00	2,688
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	17,5840	23,03	404,960
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	22,1760	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	53,7600	0,15	8,064
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	53,7600	2,00	107,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2240	40,00	8,960
	2922140006702	Macara de fereastră	h-ut	0,1120	40,00	4,480
270	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x300/600x300/600x300, tabla zincata $\delta=0,7$ mm)	m2	1,0800	631,523	682,045
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,7152	84,97	315,681
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0108	64,17	0,693
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9700	30,00	89,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0972	65,37	6,354
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2160	5,00	1,080
	2412126100010	Miniu de plumb	kg	0,0194	27,50	0,533
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0810	18,33	1,485
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0094	30,00	0,282
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0126	30,00	0,378
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0324	25,00	0,810
	2320146200767	Petrol distilat tip 18/200	l	0,0043	16,44	0,071
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,9200	0,23	5,962
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0432	30,00	1,296
	2710403643000	Tabla zincata sau aluminiu de 0,8	kg	8,4780	23,03	195,248

1	2	3	4	5	6	7
		mm grosime, cal.I				
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,6920	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,9200	0,15	3,888
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,9200	2,00	51,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1296	40,00	5,184
	2922140006702	Macara de fereastră	h-ut	0,0540	40,00	2,160
271	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Piesa deviatie 300x600, H=200mm, L=375mm, tabla zincata δ=0,7 mm)	m2	2,0800	649,367	1 350,683
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,5920	84,97	645,092
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0208	64,17	1,335
	2710703503596	Otel cornier 32x32x3 mm	kg	5,7200	30,00	171,600
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1872	65,37	12,237
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4160	5,00	2,080
	2412126100010	Miniu de plumb	kg	0,0374	27,50	1,028
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1560	18,33	2,859
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0181	30,00	0,543
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0243	30,00	0,729
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0624	25,00	1,560
	2320146200767	Petrol distilat tip 18/200	l	0,0083	16,44	0,136
	2874135840405	Piulite uzuale hexagonale M 6	buc	49,9200	0,23	11,482
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0832	30,00	2,496
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	16,3280	23,03	376,034
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	20,5920	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	49,9200	0,15	7,488
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	49,9200	2,00	99,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2496	40,00	9,984
	2922140006702	Macara de fereastră	h-ut	0,1040	40,00	4,160
272	Pretul firmei	EURO flansa PQ-C-20	m	173,4000	41,670	7 225,578
	PQ-C-20	EURO flansa PQ-C-20	m	173,4000	41,67	7 225,578
273	Pretul firmei	Cornier NQ-C-20	buc	460,0000	4,170	1 918,200
	NQ-C-20	Cornier NQ-C-20	buc	460,0000	4,17	1 918,200
274	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata	kg	208,5000	66,214	13 805,570

1	2	3	4	5	6	7
		de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020				
	7136060011900	Instalator ventilare si conditionare aer	h-om	62,5500	84,97	5 314,873
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	8,3567	64,17	536,249
	2651122100024	Ciment portland P 40 saci S388	kg	12,5350	2,20	27,577
	2710703504760	Otel cornier 40x40x4 mm	kg	217,2737	30,00	6 518,211
	2412126100010	Miniu de plumb	kg	4,1783	27,50	114,903
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,4178	750,00	313,350
	2411115904512	Oxigen tehnic gazos S2031	m3	4,1783	25,00	104,458
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	4,1783	30,00	125,349
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	16,6800	40,00	667,200
	2922140006702	Macara de fereastră	h-ut	2,0850	40,00	83,400
		<i>Total</i>	Lei			78 780,684
		Total Sistem A2.3 Inclusiv salariu				78 780,684 26 785,527
		1.2.11. Sistem R3				
275	VA02D	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Canal 1550x950, tabla zincata 6=1,0 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0030	m2	43,7500	797,753	34 901,693
	7136060011900	Instalator ventilare si conditionare aer	h-om	154,4375	84,97	13 122,554
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,8776	64,17	56,316
	2430226100814	Grund miniu G 355-6	kg	4,5636	55,00	250,998
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4388	5,00	2,194
	2112517330399	Mucava tip I de 3,3 mm	kg	6,5822	18,33	120,652
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,8776	30,00	26,328
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,3510	30,00	10,530
	2710703504502	Otel cornier 40x40x3 mm	kg	87,7625	30,00	2 632,875
	2710703504760	Otel cornier 40x40x4 mm	kg	111,8972	30,00	3 356,916
	2411115904512	Oxigen tehnic gazos S2031	m3	2,6329	25,00	65,822
	2320146200767	Petrol distilat tip 18/200	l	0,7021	16,44	11,543
	2874135840405	Piulite uzuale hexagonale M 6	buc	2 457,3500	0,23	565,190
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,1941	30,00	65,823
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	309,3628	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	386,1550	23,03	8 893,150

1	2	3	4	5	6	7
	2874125881198	Saiba plata pentru metal M 6	buc	2 457,3500	0,15	368,602
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2 457,3500	2,00	4 914,700
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	6,5625	40,00	262,500
	2922140006702	Macara de fereastră	h-ut	4,3750	40,00	175,000
276	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Cot 90*, 950x1550, tabla zincata δ=1,0 mm)	m2	4,7200	661,469	3 122,135
	7136060011900	Instalator ventilare si conditionare aer	h-om	14,0656	84,97	1 195,154
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0944	64,17	6,058
	2710703504760	Otel cornier 40x40x4 mm	kg	7,0800	30,00	212,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4484	65,37	29,312
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,9440	5,00	4,720
	2412126100010	Miniu de plumb	kg	0,0850	27,50	2,338
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2360	18,33	4,326
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,4909	30,00	14,727
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0189	30,00	0,567
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2832	25,00	7,080
	2320146200767	Petrol distilat tip 18/200	l	0,0189	16,44	0,311
	2874135840405	Piulite uzuale hexagonale M 6	buc	264,3200	0,23	60,794
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2360	30,00	7,080
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	33,5120	0,00	0,000
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	63,2480	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	42,0080	23,03	967,444
	2874125881198	Saiba plata pentru metal M 6	buc	264,3200	0,15	39,648
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	264,3200	2,00	528,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,7080	40,00	28,320
	2922140006702	Macara de fereastră	h-ut	0,3304	40,00	13,216
277	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Cot 90*, 1550x950, tabla zincata δ=1,0 mm)	m2	4,7200	661,469	3 122,135
	7136060011900	Instalator ventilare si conditionare aer	h-om	14,0656	84,97	1 195,154
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0944	64,17	6,058
	2710703504760	Otel cornier 40x40x4 mm	kg	7,0800	30,00	212,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4484	65,37	29,312

1	2	3	4	5	6	7
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,9440	5,00	4,720
	2412126100010	Miniu de plumb	kg	0,0850	27,50	2,338
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2360	18,33	4,326
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,4909	30,00	14,727
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0189	30,00	0,567
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2832	25,00	7,080
	2320146200767	Petrol distilat tip 18/200	l	0,0189	16,44	0,311
	2874135840405	Piulite uzuale hexagonale M 6	buc	264,3200	0,23	60,794
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2360	30,00	7,080
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	33,5120	0,00	0,000
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	63,2480	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	42,0080	23,03	967,444
	2874125881198	Saiba plata pentru metal M 6	buc	264,3200	0,15	39,648
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	264,3200	2,00	528,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,7080	40,00	28,320
	2922140006702	Macara de fereastră	h-ut	0,3304	40,00	13,216
278	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 581x279, INOX (AISI 304) δ=0,6 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	10,3200	712,473	7 352,722
	7136060011900	Instalator ventilare si conditionare aer	h-om	33,8496	84,97	2 876,201
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1037	64,17	6,654
	2430226100814	Grund miniu G 355-6	kg	0,5393	55,00	29,662
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1037	5,00	0,518
	2112517330399	Mucava tip I de 3,3 mm	kg	0,7779	18,33	14,259
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0519	30,00	1,557
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0830	30,00	2,490
	2710703503596	Otel cornier 32x32x3 mm	kg	17,6317	30,00	528,951
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3111	25,00	7,777
	2320146200767	Petrol distilat tip 18/200	l	0,0933	16,44	1,534
	2874135840405	Piulite uzuale hexagonale M 6	buc	248,9184	0,23	57,251
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4149	30,00	12,447
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	46,6722	69,09	3 224,582
	2710403643000 11	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste	kg	74,6755	0,00	0,000

1	2	3	4	5	6	7
		pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)				
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	93,3444	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	248,9184	0,15	37,338
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	248,9184	2,00	497,837
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,5160	40,00	20,640
	2922140006702	Macara de fereastră	h-ut	0,8256	40,00	33,024
279	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x300, INOX (AISI 304) δ=0,6 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	5,4000	712,473	3 847,354
	7136060011900	Instalator ventilare si conditionare aer	h-om	17,7120	84,97	1 504,989
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0543	64,17	3,484
	2430226100814	Grund miniu G 355-6	kg	0,2822	55,00	15,521
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0543	5,00	0,272
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4070	18,33	7,460
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0271	30,00	0,813
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0434	30,00	1,302
	2710703503596	Otel cornier 32x32x3 mm	kg	9,2259	30,00	276,777
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1628	25,00	4,070
	2320146200767	Petrol distilat tip 18/200	l	0,0488	16,44	0,802
	2874135840405	Piulite uzuale hexagonale M 6	buc	130,2480	0,23	29,957
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2171	30,00	6,513
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	24,4215	69,09	1 687,281
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	39,0744	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	48,8430	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	130,2480	0,15	19,537
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	130,2480	2,00	260,496
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2700	40,00	10,800
	2922140006702	Macara de fereastră	h-ut	0,4320	40,00	17,280
280	VA02D	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Canal 1550x950,	m2	25,0000	1 204,297	30 107,421

1	2	3	4	5	6	7
		INOX (AISI 304) $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0030				
	7136060011900	Instalator ventilare si conditionare aer	h-om	88,2500	84,97	7 498,602
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,5015	64,17	32,181
	2430226100814	Grund miniu G 355-6	kg	2,6078	55,00	143,429
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2507	5,00	1,253
	2112517330399	Mucava tip I de 3,3 mm	kg	3,7612	18,33	68,943
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,5015	30,00	15,045
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,2006	30,00	6,018
	2710703504502	Otel cornier 40x40x3 mm	kg	50,1500	30,00	1 504,500
	2710703504760	Otel cornier 40x40x4 mm	kg	63,9412	30,00	1 918,236
	2411115904512	Oxigen tehnic gazos S2031	m3	1,5045	25,00	37,612
	2320146200767	Petrol distilat tip 18/200	l	0,4012	16,44	6,596
	2874135840405	Piulite uzuale hexagonale M 6	buc	1 404,2000	0,23	322,966
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,2537	30,00	37,611
	2710403643000 I3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	176,7787	0,00	0,000
	2710403644000 AISI304	Tabla din INOX alimentar AISI 304 1 mm grosime	kg	220,6600	69,09	15 245,399
	2874125881198	Saiba plata pentru metal M 6	buc	1 404,2000	0,15	210,630
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1 404,2000	2,00	2 808,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	3,7500	40,00	150,000
	2922140006702	Macara de fereastră	h-ut	2,5000	40,00	100,000
281	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectionii rectangulare de 1600 - 2500 mm (Dop 600x300, INOX (AISI 304) $\delta=0,6$ mm)	m2	0,2200	1 107,391	243,626
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,6820	84,97	57,950
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0022	64,17	0,141
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6050	30,00	18,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0198	65,37	1,294
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0440	5,00	0,220
	2412126100010	Miniu de plumb	kg	0,0040	27,50	0,110
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0165	18,33	0,302
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0191	30,00	0,573
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0026	30,00	0,078
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0066	25,00	0,165
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,2800	0,23	1,214
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0088	30,00	0,264

1	2	3	4	5	6	7
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	1,7270	0,00	0,000
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	2,1780	69,09	150,478
	2874125881198	Saiba plata pentru metal M 6	buc	5,2800	0,15	0,792
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,2800	2,00	10,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0220	40,00	0,880
	2922140006702	Macara de fereastră	h-ut	0,0110	40,00	0,440
282	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x600, INOX (AISI 304) δ=0,6 mm)	m2	0,2200	1 107,391	243,626
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,6820	84,97	57,950
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0022	64,17	0,141
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6050	30,00	18,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0198	65,37	1,294
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0440	5,00	0,220
	2412126100010	Miniu de plumb	kg	0,0040	27,50	0,110
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0165	18,33	0,302
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0191	30,00	0,573
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0026	30,00	0,078
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0066	25,00	0,165
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,2800	0,23	1,214
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0088	30,00	0,264
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	1,7270	0,00	0,000
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	2,1780	69,09	150,478
	2874125881198	Saiba plata pentru metal M 6	buc	5,2800	0,15	0,792
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,2800	2,00	10,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0220	40,00	0,880
	2922140006702	Macara de fereastră	h-ut	0,0110	40,00	0,440
283	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Trecere 400x300/d400 L=167mm, INOX (AISI 304) δ=0,6 mm)	m2	0,7000	1 267,869	887,508
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,7260	84,97	486,538

1	2	3	4	5	6	7
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0070	64,17	0,449
	2710703502671	Otel cornier 25x25x3 mm	kg	2,4500	30,00	73,500
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0560	65,37	3,661
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1400	5,00	0,700
	2412126100010	Minu de plumb	kg	0,0126	27,50	0,347
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1120	18,33	2,053
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0034	30,00	0,102
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0127	30,00	0,381
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0210	25,00	0,525
	2320146200767	Petrol distilat tip 18/200	l	0,0028	16,44	0,046
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,4000	0,23	1,932
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0280	30,00	0,840
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	4,2700	69,09	295,014
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	6,8250	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	8,7500	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	12,8100	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	8,4000	0,15	1,260
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,4000	2,00	16,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0630	40,00	2,520
	2922140006702	Macara de fereastr	h-ut	0,0210	40,00	0,840
284	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Trecere 500x250/d400 L=236mm, INOX (AISI 304) $\delta=0,6$ mm)	m2	0,9100	1 267,871	1 153,763
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,4438	84,97	632,500
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0091	64,17	0,584
	2710703502671	Otel cornier 25x25x3 mm	kg	3,1850	30,00	95,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0728	65,37	4,759
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1820	5,00	0,910
	2412126100010	Minu de plumb	kg	0,0164	27,50	0,451
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1456	18,33	2,669
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0044	30,00	0,132
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0166	30,00	0,498

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0273	25,00	0,682
	2320146200767	Petrol distilat tip 18/200	l	0,0036	16,44	0,059
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,9200	0,23	2,512
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0364	30,00	1,092
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	5,5510	69,09	383,519
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	8,8725	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	11,3750	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	16,6530	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	10,9200	0,15	1,638
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,9200	2,00	21,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0819	40,00	3,276
	2922140006702	Macara de fereastră	h-ut	0,0273	40,00	1,092
285	VA16H	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Teu 400x300/600x300/400x300, INOX (AISI 304) δ=0,6 mm)	m2	0,4200	942,610	395,896
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7808	84,97	151,315
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0042	64,17	0,270
	2710703502671	Otel cornier 25x25x3 mm	kg	1,4700	30,00	44,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0336	65,37	2,196
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0840	5,00	0,420
	2412126100010	Miniu de plumb	kg	0,0076	27,50	0,209
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0672	18,33	1,232
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0020	30,00	0,060
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0076	30,00	0,228
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0126	25,00	0,315
	2320146200767	Petrol distilat tip 18/200	l	0,0017	16,44	0,028
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,7200	0,23	1,546
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0168	30,00	0,504
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	4,0950	0,00	0,000
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	2,5620	69,09	177,009
	2874125881198	Saiba plata pentru metal M 6	buc	6,7200	0,15	1,008
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,7200	2,00	13,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0378	40,00	1,512

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	0,0126	40,00	0,504
286	VA11J	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Conexiune 700x600 L=100mm, INOX (AISI 304) δ=0,8 mm)	m2	1,1800	1 016,693	1 199,698
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,5194	84,97	384,013
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0236	64,17	1,514
	2710703504760	Otel cornier 40x40x4 mm	kg	1,7700	30,00	53,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1121	65,37	7,328
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2360	5,00	1,180
	2412126100010	Miniu de plumb	kg	0,0212	27,50	0,583
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0590	18,33	1,081
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0217	30,00	0,651
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0047	30,00	0,141
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0708	25,00	1,770
	2320146200767	Petrol distilat tip 18/200	l	0,0047	16,44	0,077
	2874135840405	Piulite uzuale hexagonale M 6	buc	66,0800	0,23	15,198
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0590	30,00	1,770
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	8,3780	69,09	578,836
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	10,5020	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	15,8120	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	66,0800	0,15	9,912
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	66,0800	2,00	132,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1770	40,00	7,080
	2922140006702	Macara de fereastră	h-ut	0,0826	40,00	3,304
287	VA14I	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Trecere 700x600/d500 L=761mm, INOX (AISI 304) δ=0,8 mm)	m2	3,5800	1 282,496	4 591,336
	7136060011900	Instalator ventilare si conditionare aer	h-om	25,3106	84,97	2 150,642
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0358	64,17	2,297
	2710703503596	Otel cornier 32x32x3 mm	kg	9,8450	30,00	295,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,3222	65,37	21,062

1	2	3	4	5	6	7
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,7160	5,00	3,580
	2412126100010	Miniu de plumb	kg	0,0644	27,50	1,771
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2685	18,33	4,922
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0311	30,00	0,933
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0419	30,00	1,257
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1074	25,00	2,685
	2320146200767	Petrol distilat tip 18/200	l	0,0143	16,44	0,235
	2874135840405	Piulite uzuale hexagonale M 6	buc	57,2800	0,23	13,174
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1432	30,00	4,296
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	28,1030	69,09	1 941,636
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	35,4420	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	53,7000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	57,2800	0,15	8,592
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	57,2800	2,00	114,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4296	40,00	17,184
	2922140006702	Macara de fereastră	h-ut	0,1790	40,00	7,160
288	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Dop 1550x950, INOX (AISI 304) δ=1,0 mm)	m2	1,6200	1 071,404	1 735,675
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,8276	84,97	410,201
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0324	64,17	2,079
	2710703504760	Otel cornier 40x40x4 mm	kg	2,4300	30,00	72,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1539	65,37	10,060
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3240	5,00	1,620
	2412126100010	Miniu de plumb	kg	0,0292	27,50	0,803
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0810	18,33	1,485
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1685	30,00	5,055
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0065	30,00	0,195
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0972	25,00	2,430
	2320146200767	Petrol distilat tip 18/200	l	0,0065	16,44	0,107
	2874135840405	Piulite uzuale hexagonale M 6	buc	90,7200	0,23	20,866
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0810	30,00	2,430
	2710403643000 I3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	11,5020	0,00	0,000
	2710403645000 I3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste	kg	21,7080	0,00	0,000

1	2	3	4	5	6	7
		pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)				
	2710403644000 AISI304	Tabla din INOX alimentar AISI 304 1 mm grosime	kg	14,4180	69,09	996,140
	2874125881198	Saiba plata pentru metal M 6	buc	90,7200	0,15	13,608
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	90,7200	2,00	181,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2430	40,00	9,720
	2922140006702	Macara de fereastră	h-ut	0,1134	40,00	4,536
289	VA02F	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d400, INOX (AISI 304) $\delta=0,6$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	22,6800	634,096	14 381,300
	7136060011900	Instalator ventilare si conditionare aer	h-om	61,4628	84,97	5 222,494
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2291	64,17	14,701
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,9163	65,37	59,899
	2430226100814	Grund miniu G 355-6	kg	1,0308	55,00	56,694
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2291	5,00	1,145
	2112517330399	Mucava tip I de 3,3 mm	kg	1,0995	18,33	20,154
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1833	30,00	5,499
	2710703503596	Otel cornier 32x32x3 mm	kg	36,6509	30,00	1 099,527
	2411115904512	Oxigen tehnic gazos S2031	m3	1,3744	25,00	34,360
	2320146200767	Petrol distilat tip 18/200	l	1,3744	16,44	22,595
	2874135840405	Piulite uzuale hexagonale M 6	buc	274,8816	0,23	63,223
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4581	30,00	13,743
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	103,0806	69,09	7 121,839
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	164,9290	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	206,1612	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	309,2418	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	274,8816	0,15	41,232
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	274,8816	2,00	549,763
	2922140006702	Macara de fereastră	h-ut	1,3608	40,00	54,432
290	VA02F	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d500, INOX (AISI	m2	100,4800	822,504	82 645,244

1	2	3	4	5	6	7
		304) $\delta=0,8$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	272,3008	84,97	23 137,399
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,0148	64,17	65,120
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	4,0594	65,37	265,363
	2430226100814	Grund miniu G 355-6	kg	4,5668	55,00	251,174
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,0148	5,00	5,074
	2112517330399	Mucava tip I de 3,3 mm	kg	4,8713	18,33	89,291
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,8119	30,00	24,357
	2710703503596	Otel cornier 32x32x3 mm	kg	162,3757	30,00	4 871,271
	2411115904512	Oxigen tehnic gazos S2031	m3	6,0891	25,00	152,227
	2320146200767	Petrol distilat tip 18/200	l	6,0891	16,44	100,105
	2874135840405	Piulite uzuale hexagonale M 6	buc	1 217,8176	0,23	280,098
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,0297	30,00	60,891
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	456,6816	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	730,6906	69,09	50 483,414
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	913,3632	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	1 370,0448	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1 217,8176	0,15	182,673
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1 217,8176	2,00	2 435,635
	2922140006702	Macara de fereastră	h-ut	6,0288	40,00	241,152
291	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Dop d400, INOX (AISI 304) $\delta=0,6$ mm)	m2	0,9100	1 204,589	1 096,176
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,7522	84,97	573,734
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0091	64,17	0,584
	2710703502671	Otel cornier 25x25x3 mm	kg	3,1850	30,00	95,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0728	65,37	4,759
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1820	5,00	0,910
	2412126100010	Miniu de plumb	kg	0,0164	27,50	0,451
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1456	18,33	2,669
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0437	30,00	1,311
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S	kg	0,0166	30,00	0,498

1	2	3	4	5	6	7
		1257				
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0273	25,00	0,682
	2320146200767	Petrol distilat tip 18/200	l	0,0036	16,44	0,059
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,9200	0,23	2,512
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0364	30,00	1,092
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	5,5510	69,09	383,519
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	8,8725	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	11,3750	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	16,6530	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	10,9200	0,15	1,638
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,9200	2,00	21,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0819	40,00	3,276
	2922140006702	Macara de fereastră	h-ut	0,0273	40,00	1,092
292	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d400, INOX (AISI 304) δ=0,6 mm)	m2	5,4900	1 204,587	6 613,184
	7136060011900	Instalator ventilare si conditionare aer	h-om	40,7358	84,97	3 461,321
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0549	64,17	3,523
	2710703502671	Otel cornier 25x25x3 mm	kg	19,2150	30,00	576,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4392	65,37	28,711
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,0980	5,00	5,490
	2412126100010	Minu de plumb	kg	0,0988	27,50	2,717
	2112517330399	Mucava tip I de 3,3 mm	kg	0,8784	18,33	16,101
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2635	30,00	7,905
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0999	30,00	2,997
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1647	25,00	4,118
	2320146200767	Petrol distilat tip 18/200	l	0,0220	16,44	0,362
	2874135840405	Piulite uzuale hexagonale M 6	buc	65,8800	0,23	15,152
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2196	30,00	6,588
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	33,4890	69,09	2 313,755
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	53,5275	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304	kg	68,6250	0,00	0,000

1	2	3	4	5	6	7
		0,6 mm)				
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	100,4670	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	65,8800	0,15	9,882
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	65,8800	2,00	131,760
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4941	40,00	19,764
	2922140006702	Macara de fereastră	h-ut	0,1647	40,00	6,588
293	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d400/581x279, INOX (AISI 304) b=0,6 mm)	m2	5,3700	1 267,868	6 808,453
	7136060011900	Instalator ventilare si conditionare aer	h-om	43,9266	84,97	3 732,443
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0537	64,17	3,446
	2710703502671	Otel cornier 25x25x3 mm	kg	18,7950	30,00	563,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4296	65,37	28,083
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,0740	5,00	5,370
	2412126100010	Miniu de plumb	kg	0,0967	27,50	2,659
	2112517330399	Mucava tip I de 3,3 mm	kg	0,8592	18,33	15,749
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0258	30,00	0,774
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0977	30,00	2,931
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1611	25,00	4,027
	2320146200767	Petrol distilat tip 18/200	l	0,0215	16,44	0,353
	2874135840405	Piulite uzuale hexagonale M 6	buc	64,4400	0,23	14,821
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2148	30,00	6,444
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	32,7570	69,09	2 263,181
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	52,3575	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	67,1250	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	98,2710	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	64,4400	0,15	9,666
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	64,4400	2,00	128,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4833	40,00	19,332
	2922140006702	Macara de fereastră	h-ut	0,1611	40,00	6,444
294	VA17H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul	m2	0,3100	1 145,932	355,239

1	2	3	4	5	6	7
		sectiunii circulare de 700 - 1600 mm (Conexiune d500, INOX (AISI 304) $\delta=0,8$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1315	84,97	96,144
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0031	64,17	0,199
	2710703502671	Otel cornier 25x25x3 mm	kg	1,0850	30,00	32,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0248	65,37	1,621
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0620	5,00	0,310
	2412126100010	Miniu de plumb	kg	0,0056	27,50	0,154
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0496	18,33	0,909
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0015	30,00	0,045
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0056	30,00	0,168
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0093	25,00	0,232
	2320146200767	Petrol distilat tip 18/200	l	0,0012	16,44	0,020
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,7200	0,23	0,856
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1240	30,00	3,720
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	1,8910	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	3,0225	69,09	208,825
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	3,8750	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	5,6730	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,7200	0,15	0,558
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,7200	2,00	7,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0279	40,00	1,116
	2922140006702	Macara de fereastră	h-ut	0,0093	40,00	0,372
295	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 45* d500, INOX (AISI 304) $\delta=0,8$ mm)	m2	2,3100	1 456,765	3 365,128
	7136060011900	Instalator ventilare si conditionare aer	h-om	17,1402	84,97	1 456,403
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0231	64,17	1,482
	2710703502671	Otel cornier 25x25x3 mm	kg	8,0850	30,00	242,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1848	65,37	12,080
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4620	5,00	2,310
	2412126100010	Miniu de plumb	kg	0,0416	27,50	1,144
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3696	18,33	6,775

1	2	3	4	5	6	7
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1109	30,00	3,327
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0420	30,00	1,260
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0693	25,00	1,732
	2320146200767	Petrol distilat tip 18/200	l	0,0092	16,44	0,151
	2874135840405	Piulite uzuale hexagonale M 6	buc	27,7200	0,23	6,376
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0924	30,00	2,772
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	14,0910	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	22,5225	69,09	1 556,080
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	28,8750	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	42,2730	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	27,7200	0,15	4,158
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	27,7200	2,00	55,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2079	40,00	8,316
	2922140006702	Macara de fereastră	h-ut	0,0693	40,00	2,772
296	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d500, INOX (AISI 304) δ=0,8 mm)	m2	15,2900	1 456,766	22 273,948
	7136060011900	Instalator ventilare si conditionare aer	h-om	113,4518	84,97	9 639,999
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1529	64,17	9,812
	2710703502671	Otel cornier 25x25x3 mm	kg	53,5150	30,00	1 605,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	1,2232	65,37	79,961
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	3,0580	5,00	15,290
	2412126100010	Miniu de plumb	kg	0,2752	27,50	7,568
	2112517330399	Mucava tip I de 3,3 mm	kg	2,4464	18,33	44,843
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,7339	30,00	22,017
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,2783	30,00	8,349
	2411115904512	Oxigen tehnic gazos S2031	m3	0,4587	25,00	11,467
	2320146200767	Petrol distilat tip 18/200	l	0,0612	16,44	1,006
	2874135840405	Piulite uzuale hexagonale M 6	buc	183,4800	0,23	42,200
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6116	30,00	18,348
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	93,2690	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	149,0775	69,09	10 299,764

1	2	3	4	5	6	7
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	191,1250	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	279,8070	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	183,4800	0,15	27,522
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	183,4800	2,00	366,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,3761	40,00	55,044
	2922140006702	Macara de fereastră	h-ut	0,4587	40,00	18,348
297	VA17H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectionii circulare de 700 - 1600 mm (Trecere d500/d400 L=177mm, INOX (AISI 304) δ=0,8 mm)	m2	1,6000	1 145,932	1 833,492
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,8400	84,97	496,225
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0160	64,17	1,027
	2710703502671	Otel cornier 25x25x3 mm	kg	5,6000	30,00	168,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1280	65,37	8,367
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3200	5,00	1,600
	2412126100010	Minu de plumb	kg	0,0288	27,50	0,792
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2560	18,33	4,692
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0077	30,00	0,231
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0291	30,00	0,873
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0480	25,00	1,200
	2320146200767	Petrol distilat tip 18/200	l	0,0064	16,44	0,105
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,2000	0,23	4,416
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6400	30,00	19,200
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	9,7600	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	15,6000	69,09	1 077,804
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	20,0000	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	29,2800	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	19,2000	0,15	2,880
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,2000	2,00	38,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1440	40,00	5,760
	2922140006702	Macara de fereastră	h-ut	0,0480	40,00	1,920
298	VA15H	Piesa speciala (ramificatie), din	m2	1,0300	1 460,563	1 504,380

1	2	3	4	5	6	7
		tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d500/d500/d500, INOX (AISI 304) $\delta=0,8$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,7044	84,97	654,643
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0103	64,17	0,661
	2710703502671	Otel cornier 25x25x3 mm	kg	3,6050	30,00	108,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0824	65,37	5,386
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2060	5,00	1,030
	2412126100010	Miniu de plumb	kg	0,0185	27,50	0,509
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1648	18,33	3,021
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0049	30,00	0,147
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0187	30,00	0,561
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0309	25,00	0,772
	2320146200767	Petrol distilat tip 18/200	l	0,0041	16,44	0,067
	2874135840405	Piulite uzuale hexagonale M 6	buc	12,3600	0,23	2,843
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0412	30,00	1,236
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	6,2830	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	10,0425	69,09	693,836
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	12,8750	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	18,8490	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	12,3600	0,15	1,854
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	12,3600	2,00	24,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0927	40,00	3,708
	2922140006702	Macara de fereastră	h-ut	0,0309	40,00	1,236
299	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, $\delta=10$ mm)	m2	266,2000	191,831	51 065,327
	7134050013240	Izolator - termic	h-om	126,1788	84,97	10 721,413
	1111000100031 10	Izolatie termica K-FLEX ST DUCT, $\delta=10$ mm	m2	274,1860	145,83	39 984,544
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	11,9790	30,00	359,370
300	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-	m2	3,0000	267,886	803,657

1	2	3	4	5	6	7
		FLEX ST DUCT, $\delta=25$ mm)				
	7134050013240	Izolator - termic	h-om	1,4220	84,97	120,827
	1111000100031 25	Izolatie termica K-FLEX ST DUCT, $\delta=25$ mm	m2	3,0900	219,67	678,780
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,1350	30,00	4,050
301	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (ALU1 WIRED MAT 105 25 mm (EI60), $\delta=25$ mm)	m2	65,9400	300,846	19 837,780
	7134050013240	Izolator - termic	h-om	31,2556	84,97	2 655,788
	1111000100031 25EI60	Izolatie ALU1 WIRED MAT 105 25 mm (EI60), $\delta=25$ mm	m2	67,9182	251,67	17 092,973
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	2,9673	30,00	89,019
302	Pretul firmei	EURO flansa PQ-C-20	m	90,7200	41,670	3 780,302
	PQ-C-20	EURO flansa PQ-C-20	m	90,7200	41,67	3 780,302
303	Pretul firmei	Cornier NQ-C-20	buc	208,0000	4,170	867,360
	NQ-C-20	Cornier NQ-C-20	buc	208,0000	4,17	867,360
304	Pretul firmei	EURO flansa PQ-C-30	m	135,0000	58,330	7 874,550
	PQ-C-30	EURO flansa PQ-C-30	m	135,0000	58,33	7 874,550
305	Pretul firmei	Cornier NQ-C-30	buc	108,0000	6,670	720,360
	NQ-C-30	Cornier NQ-C-30	buc	108,0000	6,67	720,360
306	Pretul firmei	Profil metalic LDBST-41-41-200- 0600	m	14,0000	162,500	2 275,000
	LDBST-41-41- 200-0600	Profil metalic LDBST-41-41-200- 0600	m	14,0000	162,50	2 275,000
307	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	665,0000	66,214	44 032,272
	7136060011900	Instalator ventilare si conditionare aer	h-om	199,5000	84,97	16 951,515
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	26,6532	64,17	1 710,336
	2651122100024	Ciment portland P 40 saci S388	kg	39,9798	2,20	87,956
	2710703504760	Otel cornier 40x40x4 mm	kg	692,9832	30,00	20 789,496
	2412126100010	Miniu de plumb	kg	13,3266	27,50	366,481
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0- 3,0 mm	m3	1,3327	750,00	999,525
	2411115904512	Oxigen tehnic gazos S2031	m3	13,3266	25,00	333,165
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	13,3266	30,00	399,798
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	53,2000	40,00	2 128,000
	2922140006702	Macara de fereastră	h-ut	6,6500	40,00	266,000

1	2	3	4	5	6	7
308	VB15B	Rama cu jaluzele reglabile simultan, gata confectionate cu perimetrul 800 - 2500 mm, montata pe canal (Clapeta de reglaj cu maner actionata manual d500)	buc	3,0000	761,161	2 283,482
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,9400	84,97	249,812
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,5100	64,17	32,727
	2412126100010	Miniu de plumb	kg	0,1350	27,50	3,713
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1200	18,33	2,200
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1800	25,00	4,500
	2874135840405	Piulite uzuale hexagonale M 6	buc	84,0000	0,23	19,320
	2874115765700 CRMC500	CRMC Clapeta de reglaj cu maner D500 (actionata manual)	buc	3,0000	566,67	1 700,010
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,8000	30,00	54,000
	2874115883938	Saiba grower M 6	buc	84,0000	0,15	12,600
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	84,0000	2,15	180,600
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,5400	40,00	21,600
	2922140006702	Macara de fereastră	h-ut	0,0600	40,00	2,400
		<i>Total</i>	Lei			367 321,222
		Total Sistem R3 Inclusiv salariu				367 321,222 110 893,923
		1.2.12. Sistem C3				
309	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d15,9mm preizolata)	m	12,5000	164,069	2 050,863
	7136040011749	Instalator incalzire si gaze	h-om	2,8750	84,97	244,289
	2746163334000 15,9	Teava din cupru Cu, preizolata ISO-SPLIT 5/8"x0.8-25 (15,88x0,8 mm) in colaci pentru traseu frigorific	m	12,6250	135,00	1 704,375
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0125	500,00	6,250
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0125	781,25	9,766
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,1875	459,64	86,183
310	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d19,05mm preizolata)	m	10,0000	229,719	2 297,189
	7136040011749	Instalator incalzire si gaze	h-om	2,3000	84,97	195,431
	2746163334000 19,05	Teava din cupru Cu, preizolata ISO-SPLIT 3/4"x0.8-25 (19,05x0,8 mm) in colaci pentru traseu frigorific	m	10,1000	200,00	2 020,000
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0100	500,00	5,000

1	2	3	4	5	6	7
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0100	781,25	7,812
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,1500	459,64	68,946
311	IC33B	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 22,0 mm (d22,2mm preizolata)	m	15,8000	290,711	4 593,239
	7136040011749	Instalator incalzire si gaze	h-om	4,4240	84,97	375,907
	2746163334000 22	Teava din cupru Cu M ACR H in bare fara izolatie 7/8" (22x1,0 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x22 (22 mm, grosimea 19 mm) pentru traseu frigorific	m	16,0370	252,50	4 049,342
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0158	500,00	7,900
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0190	781,25	14,844
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,3160	459,64	145,246
312	IC33C	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 28,0 mm (d28,6mm preizolata)	m	11,7000	530,514	6 207,015
	7136040011749	Instalator incalzire si gaze	h-om	3,7440	84,97	318,128
	2746163334000 28	Teava din cupru Cu M ACR H in bare fara izolatie 1 1/8" (28x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x28 (28 mm, grosimea 19 mm) pentru traseu frigorific	m	11,8755	482,50	5 729,929
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0234	500,00	11,700
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0164	781,25	12,813
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,2925	459,64	134,445
313	IC33D	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 35,0 mm (d38,1mm preizolata)	m	6,7000	653,581	4 378,995
	7136040011749	Instalator incalzire si gaze	h-om	2,3450	84,97	199,255
	2746163334000 38	Teava din cupru Cu M ACR H in bare fara izolatie 1 3/8" (35x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x35 (35 mm, grosimea 19 mm) pentru traseu frigorific	m	6,8005	598,33	4 068,943
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0201	500,00	10,050
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0107	781,25	8,359
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,2010	459,64	92,388
314	IC33E	Teava din cupru, montata prin sudura, in conducte de distributie,	m	15,7000	824,884	12 950,673

1	2	3	4	5	6	7
		in instalatii de incalzire centrala, avind diametrul exterior de 42,0 mm (d44,5mm preizolata)				
	7136040011749	Instalator incalzire si gaze	h-om	6,2800	84,97	533,612
	2746163334000 44	Teava din cupru Cu M ACR H in bare fara izolatie 1 5/8" (42x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x42 (42 mm, grosimea 19 mm) pentru traseu frigorific	m	15,9355	760,00	12 110,980
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0628	500,00	31,400
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0283	781,25	22,109
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,5495	459,64	252,572
		<i>Total</i>	Lei			32 477,974
		Total Sistem C3 Inclusiv salariu				32 477,974 1 866,622
		1.2.13. Sistem A3.1				
315	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 500x200)	buc	2,0000	3 304,710	6 609,420
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF500x200	Grila de aspiratie din INOX cu separator de puf PCF 500x200	buc	2,0000	3 257,00	6 514,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
316	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 500x300)	buc	2,0000	3 733,780	7 467,560
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF500x300	Grila de aspiratie din INOX cu separator de puf PCF 500x300	buc	2,0000	3 686,07	7 372,140
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
317	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu	buc	2,0000	114,380	228,760

1	2	3	4	5	6	7
		posibilitate de reglare MV-B 100)				
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
318	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata δ=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	2,8200	512,891	1 446,354
	7136060011900	Instalator ventilare si conditionare aer	h-om	10,6596	84,97	905,746
	2710703700340	Banda de otel de 25x3 mm	kg	2,2786	30,00	68,358
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0285	64,17	1,829
	2430226100814	Grund miniu G 355-6	kg	0,0342	55,00	1,881
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0285	5,00	0,143
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0484	18,33	0,887
	2710703502671	Otel cornier 25x25x3 mm	kg	3,5602	30,00	106,806
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0854	25,00	2,135
	2320146200767	Petrol distilat tip 18/200	l	0,0854	16,44	1,404
	2874135840405	Piulite uzuale hexagonale M 6	buc	17,0892	0,23	3,931
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0854	30,00	2,562
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	13,3865	23,03	308,291
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	26,8585	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	21,6463	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	17,0892	0,15	2,563
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	17,0892	2,00	34,178
	2922140006702	Macara de fereastră	h-ut	0,1410	40,00	5,640
319	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata δ=0,5 mm)	m2	0,0140	994,929	13,929
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1134	84,97	9,636
	2710703700340	Banda de otel de 25x3 mm	kg	0,0588	30,00	1,764
	2413547308164	Carbura de calciu tehnica (carbid)	kg	0,0001	64,17	0,006

1	2	3	4	5	6	7
		S102				
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0010	65,37	0,065
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0028	5,00	0,014
	2412126100010	Miniu de plumb	kg	0,0003	27,50	0,008
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0034	18,33	0,062
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0004	25,00	0,010
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1120	0,23	0,026
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0004	30,00	0,012
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0882	23,03	2,031
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1470	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1764	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,1120	0,15	0,017
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1120	2,00	0,224
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0010	40,00	0,040
	2922140006702	Macara de fereastră	h-ut	0,0003	40,00	0,012
320	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata δ=0,5 mm)	m2	0,3200	994,812	318,340
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,5920	84,97	220,242
	2710703700340	Banda de otel de 25x3 mm	kg	1,3440	30,00	40,320
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0224	65,37	1,464
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0768	18,33	1,408
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,5600	0,23	0,589
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0096	30,00	0,288
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,0160	23,03	46,428
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,3600	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,0320	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,5600	0,15	0,384
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,5600	2,00	5,120

1	2	3	4	5	6	7
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0224	40,00	0,896
	2922140006702	Macara de fereastră	h-ut	0,0064	40,00	0,256
321	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata $\delta=0,5$ mm)	m2	0,2400	1 499,100	359,784
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,8800	23,03	66,326
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,6000	23,03	82,908
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
322	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 450x300, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	9,1500	465,065	4 255,342
	7136060011900	Instalator ventilare si conditionare aer	h-om	22,5090	84,97	1 912,590
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0924	64,17	5,929
	2430226100814	Grund miniu G 355-6	kg	0,4159	55,00	22,875
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0924	5,00	0,462
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4436	18,33	8,131
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0739	30,00	2,217
	2710703502671	Otel cornier 25x25x3 mm	kg	12,4760	30,00	374,280
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2772	25,00	6,930
	2320146200767	Petrol distilat tip 18/200	l	0,0554	16,44	0,911
	2874135840405	Piulite uzuale hexagonale M 6	buc	147,8640	0,23	34,009

1	2	3	4	5	6	7
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3697	30,00	11,091
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	26,3383	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	41,5868	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	66,5388	23,03	1 532,389
	2874125881198	Saiba plata pentru metal M 6	buc	147,8640	0,15	22,180
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	147,8640	2,00	295,728
	2922140006702	Macara de fereastră	h-ut	0,6405	40,00	25,620
323	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x250, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	8,5000	566,658	4 816,595
	7136060011900	Instalator ventilare si conditionare aer	h-om	27,8800	84,97	2 368,964
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0854	64,17	5,480
	2430226100814	Grund miniu G 355-6	kg	0,4442	55,00	24,431
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0854	5,00	0,427
	2112517330399	Mucava tip I de 3,3 mm	kg	0,6407	18,33	11,744
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0427	30,00	1,281
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0683	30,00	2,049
	2710703503596	Otel cornier 32x32x3 mm	kg	14,5222	30,00	435,666
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2563	25,00	6,407
	2320146200767	Petrol distilat tip 18/200	l	0,0769	16,44	1,264
	2874135840405	Piulite uzuale hexagonale M 6	buc	205,0200	0,23	47,155
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3417	30,00	10,251
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	38,4412	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	61,5060	23,03	1 416,483
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	76,8825	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	205,0200	0,15	30,753
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	205,0200	2,00	410,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4250	40,00	17,000
	2922140006702	Macara de fereastră	h-ut	0,6800	40,00	27,200
324	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din	m2	20,5200	566,659	11 627,838

1	2	3	4	5	6	7
		tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x350, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050				
	7136060011900	Instalator ventilare si conditionare aer	h-om	67,3056	84,97	5 718,957
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2062	64,17	13,232
	2430226100814	Grund miniu G 355-6	kg	1,0724	55,00	58,982
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2062	5,00	1,031
	2112517330399	Mucava tip I de 3,3 mm	kg	1,5467	18,33	28,351
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1031	30,00	3,093
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1650	30,00	4,950
	2710703503596	Otel cornier 32x32x3 mm	kg	35,0584	30,00	1 051,752
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6187	25,00	15,468
	2320146200767	Petrol distilat tip 18/200	l	0,1856	16,44	3,051
	2874135840405	Piulite uzuale hexagonale M 6	buc	494,9424	0,23	113,837
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8249	30,00	24,747
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	92,8017	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	148,4827	23,03	3 419,557
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	185,6034	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	494,9424	0,15	74,241
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	494,9424	2,00	989,885
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,0260	40,00	41,040
	2922140006702	Macara de fereastră	h-ut	1,6416	40,00	65,664
325	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata $\delta=0,7$ mm)	m2	0,2000	696,310	139,262
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7340	84,97	62,368
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0020	64,17	0,128
	2710703502671	Otel cornier 25x25x3 mm	kg	0,7000	30,00	21,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0140	65,37	0,915
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0400	5,00	0,200
	2412126100010	Miniu de plumb	kg	0,0036	27,50	0,099
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0320	18,33	0,587
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S	kg	0,0010	30,00	0,030

1	2	3	4	5	6	7
		1257				
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0036	30,00	0,108
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0060	25,00	0,150
	2320146200767	Petrol distilat tip 18/200	l	0,0008	16,44	0,013
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,2000	0,23	0,736
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0060	30,00	0,180
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,2200	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9500	23,03	44,908
	2874125881198	Saiba plata pentru metal M 6	buc	3,2000	0,15	0,480
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,2000	2,00	6,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0060	40,00	0,240
326	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x200, tabla zincata δ=0,7 mm)	m2	0,5600	696,314	389,936
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,0552	84,97	174,630
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0056	64,17	0,359
	2710703502671	Otel cornier 25x25x3 mm	kg	1,9600	30,00	58,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0392	65,37	2,563
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1120	5,00	0,560
	2412126100010	Miniu de plumb	kg	0,0101	27,50	0,278
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0896	18,33	1,642
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0027	30,00	0,081
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0102	30,00	0,306
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0168	25,00	0,420
	2320146200767	Petrol distilat tip 18/200	l	0,0022	16,44	0,036
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,9600	0,23	2,061
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0168	30,00	0,504
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,4160	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,4600	23,03	125,744
	2874125881198	Saiba plata pentru metal M 6	buc	8,9600	0,15	1,344
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,9600	2,00	17,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0504	40,00	2,016
	2922140006702	Macara de fereastră	h-ut	0,0168	40,00	0,672
327	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 -	m2	0,6400	696,314	445,641

1	2	3	4	5	6	7
		1600 mm (Conexiune 500x300, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,3488	84,97	199,578
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0064	64,17	0,411
	2710703502671	Otel cornier 25x25x3 mm	kg	2,2400	30,00	67,200
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0448	65,37	2,929
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1280	5,00	0,640
	2412126100010	Miniu de plumb	kg	0,0115	27,50	0,316
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1024	18,33	1,877
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0031	30,00	0,093
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0116	30,00	0,348
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0192	25,00	0,480
	2320146200767	Petrol distilat tip 18/200	l	0,0026	16,44	0,043
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,2400	0,23	2,355
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0192	30,00	0,576
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,9040	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	6,2400	23,03	143,707
	2874125881198	Saiba plata pentru metal M 6	buc	10,2400	0,15	1,536
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,2400	2,00	20,480
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0576	40,00	2,304
	2922140006702	Macara de fereastră	h-ut	0,0192	40,00	0,768
328	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Conexiune 600x250, tabla zincata $\delta=0,7$ mm)	m2	0,6600	649,365	428,581
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,4090	84,97	204,693
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0066	64,17	0,424
	2710703503596	Otel cornier 32x32x3 mm	kg	1,8150	30,00	54,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0594	65,37	3,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1320	5,00	0,660
	2412126100010	Miniu de plumb	kg	0,0119	27,50	0,327
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0495	18,33	0,907
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0057	30,00	0,171
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0077	30,00	0,231
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0198	25,00	0,495
	2320146200767	Petrol distilat tip 18/200	l	0,0026	16,44	0,043
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,8400	0,23	3,643
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0264	30,00	0,792
	2710403643000	Tabla zincata sau aluminiu de 0,8	kg	5,1810	23,03	119,318

1	2	3	4	5	6	7
		mm grosime, cal.I				
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	6,5340	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	15,8400	0,15	2,376
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,8400	2,00	31,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0792	40,00	3,168
	2922140006702	Macara de fereastră	h-ut	0,0330	40,00	1,320
329	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x250, tabla zincata $\delta=0,7$ mm)	m2	0,3700	604,192	223,551
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1470	84,97	97,461
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0037	64,17	0,237
	2710703503596	Otel cornier 32x32x3 mm	kg	1,0175	30,00	30,525
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0333	65,37	2,177
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0740	5,00	0,370
	2412126100010	Miniu de plumb	kg	0,0067	27,50	0,184
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0278	18,33	0,510
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0322	30,00	0,966
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0043	30,00	0,129
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0111	25,00	0,278
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,8800	0,23	2,042
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0148	30,00	0,444
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,9045	23,03	66,891
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,6630	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	8,8800	0,15	1,332
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,8800	2,00	17,760
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0370	40,00	1,480
	2922140006702	Macara de fereastră	h-ut	0,0185	40,00	0,740
330	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x350, tabla zincata $\delta=0,7$ mm)	m2	0,2500	604,172	151,043
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7750	84,97	65,852
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0025	64,17	0,160
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6875	30,00	20,625

1	2	3	4	5	6	7
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0225	65,37	1,471
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0500	5,00	0,250
	2412126100010	Miniu de plumb	kg	0,0045	27,50	0,124
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0187	18,33	0,343
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0217	30,00	0,651
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0029	30,00	0,087
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0075	25,00	0,188
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0000	0,23	1,380
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0100	30,00	0,300
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9625	23,03	45,196
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4750	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	6,0000	0,15	0,900
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0000	2,00	12,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0250	40,00	1,000
	2922140006702	Macara de fereastră	h-ut	0,0125	40,00	0,500
331	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 300x400, tabla zincata $\delta=0,7$ mm)	m2	1,1600	714,112	828,370
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,4660	84,97	379,476
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0116	64,17	0,744
	2710703502671	Otel cornier 25x25x3 mm	kg	4,0600	30,00	121,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1044	65,37	6,825
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2320	5,00	1,160
	2412126100010	Miniu de plumb	kg	0,0209	27,50	0,575
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1856	18,33	3,402
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0557	30,00	1,671
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0211	30,00	0,633
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0348	25,00	0,870
	2320146200767	Petrol distilat tip 18/200	l	0,0046	16,44	0,076
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,5600	0,23	4,269
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0464	30,00	1,392
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,0760	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,3100	23,03	260,469
	2874125881198	Saiba plata pentru metal M 6	buc	18,5600	0,15	2,784
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,5600	2,00	37,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0928	40,00	3,712

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	0,0348	40,00	1,392
332	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 350x600, tabla zincata $\delta=0,7$ mm)	m2	2,5800	604,184	1 558,796
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,9980	84,97	679,590
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0258	64,17	1,656
	2710703503596	Otel cornier 32x32x3 mm	kg	7,0950	30,00	212,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2322	65,37	15,179
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,5160	5,00	2,580
	2412126100010	Miniu de plumb	kg	0,0464	27,50	1,276
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1935	18,33	3,547
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2245	30,00	6,735
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0302	30,00	0,906
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0774	25,00	1,935
	2320146200767	Petrol distilat tip 18/200	l	0,0103	16,44	0,169
	2874135840405	Piulite uzuale hexagonale M 6	buc	61,9200	0,23	14,242
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1032	30,00	3,096
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	20,2530	23,03	466,427
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	25,5420	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	61,9200	0,15	9,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	61,9200	2,00	123,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2580	40,00	10,320
	2922140006702	Macara de fereastră	h-ut	0,1290	40,00	5,160
333	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 450x300, tabla zincata $\delta=0,7$ mm)	m2	1,6000	714,111	1 142,577
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,1600	84,97	523,415
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0160	64,17	1,027
	2710703502671	Otel cornier 25x25x3 mm	kg	5,6000	30,00	168,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1440	65,37	9,413
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3200	5,00	1,600
	2412126100010	Miniu de plumb	kg	0,0288	27,50	0,792
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2560	18,33	4,692
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0768	30,00	2,304
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S	kg	0,0291	30,00	0,873

1	2	3	4	5	6	7
		1257				
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0480	25,00	1,200
	2320146200767	Petrol distilat tip 18/200	l	0,0064	16,44	0,105
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,6000	0,23	5,888
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0640	30,00	1,920
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	9,7600	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	15,6000	23,03	359,268
	2874125881198	Saiba plata pentru metal M 6	buc	25,6000	0,15	3,840
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,6000	2,00	51,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1280	40,00	5,120
	2922140006702	Macara de fereastră	h-ut	0,0480	40,00	1,920
334	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 3 600x250/450x300 L=285mm, tabla zincata δ=0,7 mm)	m2	1,2400	696,315	863,431
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,5508	84,97	386,681
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0124	64,17	0,796
	2710703502671	Otel cornier 25x25x3 mm	kg	4,3400	30,00	130,200
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0868	65,37	5,674
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2480	5,00	1,240
	2412126100010	Miniu de plumb	kg	0,0223	27,50	0,613
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1984	18,33	3,637
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0060	30,00	0,180
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0226	30,00	0,678
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0372	25,00	0,930
	2320146200767	Petrol distilat tip 18/200	l	0,0050	16,44	0,082
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,8400	0,23	4,563
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0372	30,00	1,116
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,5640	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	12,0900	23,03	278,433
	2874125881198	Saiba plata pentru metal M 6	buc	19,8400	0,15	2,976
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,8400	2,00	39,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1116	40,00	4,464
	2922140006702	Macara de fereastră	h-ut	0,0372	40,00	1,488
335	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm	m2	0,3800	911,150	346,237

1	2	3	4	5	6	7
		(Trecere, tip 4 300x200/d100 L=481mm, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4179	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
336	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 4 600x250/450x300 L=285mm, tabla zincata $\delta=0,7$ mm)	m2	1,2400	696,315	863,431
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,5508	84,97	386,681
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0124	64,17	0,796
	2710703502671	Otel cornier 25x25x3 mm	kg	4,3400	30,00	130,200
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0868	65,37	5,674
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2480	5,00	1,240
	2412126100010	Miniu de plumb	kg	0,0223	27,50	0,613
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1984	18,33	3,637
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0060	30,00	0,180
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0226	30,00	0,678
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0372	25,00	0,930

1	2	3	4	5	6	7
	2320146200767	Petrol distilat tip 18/200	l	0,0050	16,44	0,082
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,8400	0,23	4,563
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0372	30,00	1,116
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,5640	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	12,0900	23,03	278,433
	2874125881198	Saiba plata pentru metal M 6	buc	19,8400	0,15	2,976
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,8400	2,00	39,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1116	40,00	4,464
	2922140006702	Macara de fereastră	h-ut	0,0372	40,00	1,488
337	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x350/600x350/600x350, tabla zincata δ=0,7 mm)	m2	1,0600	631,524	669,415
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,6464	84,97	309,835
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0106	64,17	0,680
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9150	30,00	87,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0954	65,37	6,236
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2120	5,00	1,060
	2412126100010	Minu de plumb	kg	0,0191	27,50	0,525
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0795	18,33	1,457
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0092	30,00	0,276
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0124	30,00	0,372
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0318	25,00	0,795
	2320146200767	Petrol distilat tip 18/200	l	0,0042	16,44	0,069
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,4400	0,23	5,851
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0424	30,00	1,272
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,3210	23,03	191,633
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,4940	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,4400	0,15	3,816
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,4400	2,00	50,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1272	40,00	5,088
	2922140006702	Macara de fereastră	h-ut	0,0530	40,00	2,120
338	Pretul firmei	EURO flansa PQ-C-20	m	133,9000	41,670	5 579,613
	PQ-C-20	EURO flansa PQ-C-20	m	133,9000	41,67	5 579,613
339	Pretul firmei	Cornier NQ-C-20	buc	308,0000	4,170	1 284,360
	NQ-C-20	Cornier NQ-C-20	buc	308,0000	4,17	1 284,360
340	VB15A	Rama cu jaluzele reglabile	buc	1,0000	380,258	380,258

1	2	3	4	5	6	7
		simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d100) Material marunt=1,0050				
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC100	CRMC Clapeta de reglaj cu maner D100 (actionata manual)	buc	1,0050	141,67	142,378
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
341	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	125,0000	66,214	8 276,738
	7136060011900	Instalator ventilare si conditionare aer	h-om	37,5000	84,97	3 186,375
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	5,0100	64,17	321,492
	2651122100024	Ciment portland P 40 saci S388	kg	7,5150	2,20	16,533
	2710703504760	Otel cornier 40x40x4 mm	kg	130,2600	30,00	3 907,800
	2412126100010	Miniu de plumb	kg	2,5050	27,50	68,888
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0- 3,0 mm	m3	0,2505	750,00	187,875
	2411115904512	Oxigen tehnic gazos S2031	m3	2,5050	25,00	62,625
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,5050	30,00	75,150
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	10,0000	40,00	400,000
	2922140006702	Macara de fereastră	h-ut	1,2500	40,00	50,000
		<i>Total</i>	Lei			60 715,162
		Total Sistem A3.1 Inclusiv salariu				60 715,162 18 464,423
		1.2.14. Sistem A3.2				
342	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu	buc	2,0000	2 875,650	5 751,300

1	2	3	4	5	6	7
		jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x200)				
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x200	Grila de aspiratie din INOX cu separator de puf PCF 400x200	buc	2,0000	2 827,94	5 655,880
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
343	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x300)	buc	2,0000	3 304,710	6 609,420
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x300	Grila de aspiratie din INOX cu separator de puf PCF 400x300	buc	2,0000	3 257,00	6 514,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
344	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
345	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 125)	buc	2,0000	147,710	295,420
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B125	Valva metalica de aspiratie cu posibilitate de reglare MV-B 125	buc	2,0000	100,00	200,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
346	VA02E	Confectionarea si montarea	m2	1,8800	512,895	964,242

1	2	3	4	5	6	7
		canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,1064	84,97	603,831
	2710703700340	Banda de otel de 25x3 mm	kg	1,5190	30,00	45,570
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0190	64,17	1,219
	2430226100814	Grund miniu G 355-6	kg	0,0228	55,00	1,254
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0190	5,00	0,095
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0323	18,33	0,592
	2710703502671	Otel cornier 25x25x3 mm	kg	2,3735	30,00	71,205
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0570	25,00	1,425
	2320146200767	Petrol distilat tip 18/200	l	0,0570	16,44	0,937
	2874135840405	Piulite uzuale hexagonale M 6	buc	11,3928	0,23	2,620
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0570	30,00	1,710
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	8,9244	23,03	205,529
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	17,9057	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	14,4309	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	11,3928	0,15	1,709
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	11,3928	2,00	22,786
	2922140006702	Macara de fereastră	h-ut	0,0940	40,00	3,760
347	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d125, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	3,9200	512,893	2 010,539
	7136060011900	Instalator ventilare si conditionare aer	h-om	14,8176	84,97	1 259,051
	2710703700340	Banda de otel de 25x3 mm	kg	3,1674	30,00	95,022
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0396	64,17	2,541
	2430226100814	Grund miniu G 355-6	kg	0,0475	55,00	2,612
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0396	5,00	0,198
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0673	18,33	1,234
	2710703502671	Otel cornier 25x25x3 mm	kg	4,9490	30,00	148,470
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1188	25,00	2,970

1	2	3	4	5	6	7
	2320146200767	Petrol distilat tip 18/200	l	0,1188	16,44	1,953
	2874135840405	Piulite uzuale hexagonale M 6	buc	23,7552	0,23	5,464
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1188	30,00	3,564
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	18,6082	23,03	428,547
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	37,3353	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	30,0899	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	23,7552	0,15	3,563
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	23,7552	2,00	47,510
	2922140006702	Macara de fereastră	h-ut	0,1960	40,00	7,840
348	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)	m2	0,0140	994,929	13,929
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1134	84,97	9,636
	2710703700340	Banda de otel de 25x3 mm	kg	0,0588	30,00	1,764
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0010	65,37	0,065
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0028	5,00	0,014
	2412126100010	Miniu de plumb	kg	0,0003	27,50	0,008
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0034	18,33	0,062
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0004	25,00	0,010
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1120	0,23	0,026
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0004	30,00	0,012
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0882	23,03	2,031
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1470	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1764	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,1120	0,15	0,017
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1120	2,00	0,224
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0010	40,00	0,040
	2922140006702	Macara de fereastră	h-ut	0,0003	40,00	0,012
349	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d125, tabla	m2	0,0200	994,950	19,899

1	2	3	4	5	6	7
		zincata $\delta=0,5$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1620	84,97	13,765
	2710703700340	Banda de otel de 25x3 mm	kg	0,0840	30,00	2,520
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0002	64,17	0,013
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0014	65,37	0,092
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0040	5,00	0,020
	2412126100010	Miniu de plumb	kg	0,0004	27,50	0,011
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0048	18,33	0,088
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0006	25,00	0,015
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1600	0,23	0,037
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0006	30,00	0,018
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,1260	23,03	2,902
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,2100	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,2520	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,1600	0,15	0,024
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1600	2,00	0,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0014	40,00	0,056
	2922140006702	Macara de fereastră	h-ut	0,0004	40,00	0,016
350	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata $\delta=0,5$ mm)	m2	0,1600	994,812	159,170
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,2960	84,97	110,121
	2710703700340	Banda de otel de 25x3 mm	kg	0,6720	30,00	20,160
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0016	64,17	0,103
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0112	65,37	0,732
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0320	5,00	0,160
	2412126100010	Miniu de plumb	kg	0,0029	27,50	0,080
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0384	18,33	0,704
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0048	25,00	0,120
	2320146200767	Petrol distilat tip 18/200	l	0,0006	16,44	0,010
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,2800	0,23	0,294
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0048	30,00	0,144
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,0080	23,03	23,214
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,6800	0,00	0,000

1	2	3	4	5	6	7
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,0160	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,2800	0,15	0,192
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,2800	2,00	2,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0112	40,00	0,448
	2922140006702	Macara de fereastră	h-ut	0,0032	40,00	0,128
351	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d125, tabla zincata δ=0,5 mm)	m2	0,3300	994,809	328,287
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,6730	84,97	227,125
	2710703700340	Banda de otel de 25x3 mm	kg	1,3860	30,00	41,580
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0033	64,17	0,212
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0231	65,37	1,510
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0660	5,00	0,330
	2412126100010	Miniu de plumb	kg	0,0059	27,50	0,162
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0792	18,33	1,452
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0099	25,00	0,248
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,6400	0,23	0,607
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0099	30,00	0,297
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,0790	23,03	47,879
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,4650	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,1580	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,6400	0,15	0,396
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,6400	2,00	5,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0231	40,00	0,924
	2922140006702	Macara de fereastră	h-ut	0,0066	40,00	0,264
352	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata δ=0,5 mm)	m2	0,2400	1 499,100	359,784
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941

1	2	3	4	5	6	7
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,8800	23,03	66,326
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,6000	23,03	82,908
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
353	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d125x125x125, tabla zincata δ=0,5 mm)	m2	0,3000	1 499,113	449,734
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9140	84,97	162,633
	2710703700340	Banda de otel de 25x3 mm	kg	1,3500	30,00	40,500
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0030	64,17	0,193
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0180	65,37	1,177
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0600	5,00	0,300
	2412126100010	Miniu de plumb	kg	0,0054	27,50	0,149
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1140	18,33	2,090
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0090	25,00	0,225
	2320146200767	Petrol distilat tip 18/200	l	0,0012	16,44	0,020
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,2000	0,23	0,276
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0090	30,00	0,270
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,2500	23,03	51,818
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,6000	23,03	82,908
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	4,5000	23,03	103,635
	2874125881198	Saiba plata pentru metal M 6	buc	1,2000	0,15	0,180
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,2000	2,00	2,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0060	40,00	0,240
354	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 500x200, tabla zincata δ=0,7 mm)	m2	19,6000	465,065	9 115,271

1	2	3	4	5	6	7
		Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	48,2160	84,97	4 096,914
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1980	64,17	12,706
	2430226100814	Grund miniu G 355-6	kg	0,8908	55,00	48,994
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1980	5,00	0,990
	2112517330399	Mucava tip I de 3,3 mm	kg	0,9502	18,33	17,417
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1584	30,00	4,752
	2710703502671	Otel cornier 25x25x3 mm	kg	26,7246	30,00	801,738
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5939	25,00	14,848
	2320146200767	Petrol distilat tip 18/200	l	0,1188	16,44	1,953
	2874135840405	Piulite uzuale hexagonale M 6	buc	316,7360	0,23	72,849
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,7918	30,00	23,754
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	56,4186	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	89,0820	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	142,5312	23,03	3 282,494
	2874125881198	Saiba plata pentru metal M 6	buc	316,7360	0,15	47,510
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	316,7360	2,00	633,472
	2922140006702	Macara de fereastră	h-ut	1,3720	40,00	54,880
355	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x300, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	26,3200	566,659	14 914,460
	7136060011900	Instalator ventilare si conditionare aer	h-om	86,3296	84,97	7 335,426
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2645	64,17	16,973
	2430226100814	Grund miniu G 355-6	kg	1,3755	55,00	75,653
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2645	5,00	1,323
	2112517330399	Mucava tip I de 3,3 mm	kg	1,9839	18,33	36,365
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1323	30,00	3,969
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,2116	30,00	6,348
	2710703503596	Otel cornier 32x32x3 mm	kg	44,9677	30,00	1 349,031
	2411115904512	Oxigen tehnic gazos S2031	m3	0,7935	25,00	19,837
	2320146200767	Petrol distilat tip 18/200	l	0,2381	16,44	3,914
	2874135840405	Piulite uzuale hexagonale M 6	buc	634,8384	0,23	146,013
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,0581	30,00	31,743

1	2	3	4	5	6	7
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	119,0322	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	190,4515	23,03	4 386,098
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	238,0644	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	634,8384	0,15	95,226
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	634,8384	2,00	1 269,677
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,3160	40,00	52,640
	2922140006702	Macara de fereastră	h-ut	2,1056	40,00	84,224
356	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata δ=0,7 mm)	m2	0,4000	696,312	278,525
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,4680	84,97	124,736
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0040	64,17	0,257
	2710703502671	Otel cornier 25x25x3 mm	kg	1,4000	30,00	42,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0280	65,37	1,830
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0800	5,00	0,400
	2412126100010	Miniu de plumb	kg	0,0072	27,50	0,198
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0640	18,33	1,173
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0019	30,00	0,057
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0073	30,00	0,219
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0120	25,00	0,300
	2320146200767	Petrol distilat tip 18/200	l	0,0016	16,44	0,026
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,4000	0,23	1,472
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0120	30,00	0,360
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4400	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,9000	23,03	89,817
	2874125881198	Saiba plata pentru metal M 6	buc	6,4000	0,15	0,960
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,4000	2,00	12,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0360	40,00	1,440
	2922140006702	Macara de fereastră	h-ut	0,0120	40,00	0,480
357	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata δ=0,7 mm)	m2	0,3800	696,305	264,596

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,3946	84,97	118,499
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2710703502671	Otel cornier 25x25x3 mm	kg	1,3300	30,00	39,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0266	65,37	1,739
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0760	5,00	0,380
	2412126100010	Miniu de plumb	kg	0,0068	27,50	0,187
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0608	18,33	1,114
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0018	30,00	0,054
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0069	30,00	0,207
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0114	25,00	0,285
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0800	0,23	1,398
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0114	30,00	0,342
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,3180	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,7050	23,03	85,326
	2874125881198	Saiba plata pentru metal M 6	buc	6,0800	0,15	0,912
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0800	2,00	12,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0342	40,00	1,368
	2922140006702	Macara de fereastră	h-ut	0,0114	40,00	0,456
358	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x300, tabla zincata δ=0,7 mm)	m2	0,4700	696,323	327,272
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7249	84,97	146,565
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0047	64,17	0,302
	2710703502671	Otel cornier 25x25x3 mm	kg	1,6450	30,00	49,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0329	65,37	2,151
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0940	5,00	0,470
	2412126100010	Miniu de plumb	kg	0,0085	27,50	0,234
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0752	18,33	1,378
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0023	30,00	0,069
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0086	30,00	0,258
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0141	25,00	0,352
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5200	0,23	1,730
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0141	30,00	0,423
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,8670	0,00	0,000

1	2	3	4	5	6	7
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,5825	23,03	105,535
	2874125881198	Saiba plata pentru metal M 6	buc	7,5200	0,15	1,128
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5200	2,00	15,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0423	40,00	1,692
	2922140006702	Macara de fereastră	h-ut	0,0141	40,00	0,564
359	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x200, tabla zincata δ=0,7 mm)	m2	0,5600	696,314	389,936
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,0552	84,97	174,630
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0056	64,17	0,359
	2710703502671	Otel cornier 25x25x3 mm	kg	1,9600	30,00	58,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0392	65,37	2,563
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1120	5,00	0,560
	2412126100010	Miniu de plumb	kg	0,0101	27,50	0,278
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0896	18,33	1,642
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0027	30,00	0,081
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0102	30,00	0,306
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0168	25,00	0,420
	2320146200767	Petrol distilat tip 18/200	l	0,0022	16,44	0,036
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,9600	0,23	2,061
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0168	30,00	0,504
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,4160	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,4600	23,03	125,744
	2874125881198	Saiba plata pentru metal M 6	buc	8,9600	0,15	1,344
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,9600	2,00	17,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0504	40,00	2,016
	2922140006702	Macara de fereastră	h-ut	0,0168	40,00	0,672
360	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 500x200, tabla zincata δ=0,7 mm)	m2	0,2600	714,112	185,669
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,0010	84,97	85,055
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0026	64,17	0,167
	2710703502671	Otel cornier 25x25x3 mm	kg	0,9100	30,00	27,300
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0234	65,37	1,530
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0520	5,00	0,260

1	2	3	4	5	6	7
	2412126100010	Minu de plumb	kg	0,0047	27,50	0,129
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0416	18,33	0,763
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0125	30,00	0,375
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0047	30,00	0,141
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0078	25,00	0,195
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,1600	0,23	0,957
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0104	30,00	0,312
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,5860	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,5350	23,03	58,381
	2874125881198	Saiba plata pentru metal M 6	buc	4,1600	0,15	0,624
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,1600	2,00	8,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0208	40,00	0,832
	2922140006702	Macara de fereastr	h-ut	0,0078	40,00	0,312
361	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x300, tabla zincata $\delta=0,7$ mm)	m2	0,2200	604,186	132,921
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,6820	84,97	57,950
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0022	64,17	0,141
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6050	30,00	18,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0198	65,37	1,294
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0440	5,00	0,220
	2412126100010	Minu de plumb	kg	0,0040	27,50	0,110
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0165	18,33	0,302
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0191	30,00	0,573
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0026	30,00	0,078
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0066	25,00	0,165
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,2800	0,23	1,214
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0088	30,00	0,264
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,7270	23,03	39,773
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,1780	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	5,2800	0,15	0,792
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,2800	2,00	10,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0220	40,00	0,880
	2922140006702	Macara de fereastr	h-ut	0,0110	40,00	0,440
362	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm	m2	0,9400	714,110	671,263

1	2	3	4	5	6	7
		grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 200x500, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,6190	84,97	307,506
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0094	64,17	0,603
	2710703502671	Otel cornier 25x25x3 mm	kg	3,2900	30,00	98,700
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0846	65,37	5,530
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1880	5,00	0,940
	2412126100010	Miniu de plumb	kg	0,0169	27,50	0,465
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1504	18,33	2,757
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0451	30,00	1,353
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0171	30,00	0,513
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0282	25,00	0,705
	2320146200767	Petrol distilat tip 18/200	l	0,0038	16,44	0,062
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,0400	0,23	3,459
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0376	30,00	1,128
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	5,7340	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	9,1650	23,03	211,070
	2874125881198	Saiba plata pentru metal M 6	buc	15,0400	0,15	2,256
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,0400	2,00	30,080
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0752	40,00	3,008
	2922140006702	Macara de fereastră	h-ut	0,0282	40,00	1,128
363	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x600, tabla zincata $\delta=0,7$ mm)	m2	2,2400	604,184	1 353,373
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,9440	84,97	590,032
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0224	64,17	1,437
	2710703503596	Otel cornier 32x32x3 mm	kg	6,1600	30,00	184,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2016	65,37	13,179
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4480	5,00	2,240
	2412126100010	Miniu de plumb	kg	0,0403	27,50	1,108
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1680	18,33	3,079
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1949	30,00	5,847
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0262	30,00	0,786
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0672	25,00	1,680
	2320146200767	Petrol distilat tip 18/200	l	0,0090	16,44	0,148

1	2	3	4	5	6	7
	2874135840405	Piulite uzuale hexagonale M 6	buc	53,7600	0,23	12,365
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0896	30,00	2,688
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	17,5840	23,03	404,960
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	22,1760	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	53,7600	0,15	8,064
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	53,7600	2,00	107,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2240	40,00	8,960
	2922140006702	Macara de fereastră	h-ut	0,1120	40,00	4,480
364	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 600x300, tabla zincata δ=0,7 mm)	m2	1,5000	604,183	906,275
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,6500	84,97	395,111
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0150	64,17	0,963
	2710703503596	Otel cornier 32x32x3 mm	kg	4,1250	30,00	123,750
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1350	65,37	8,825
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3000	5,00	1,500
	2412126100010	Miniu de plumb	kg	0,0270	27,50	0,742
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1125	18,33	2,062
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1305	30,00	3,915
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0175	30,00	0,525
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0450	25,00	1,125
	2320146200767	Petrol distilat tip 18/200	l	0,0060	16,44	0,099
	2874135840405	Piulite uzuale hexagonale M 6	buc	36,0000	0,23	8,280
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0600	30,00	1,800
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,7750	23,03	271,178
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	14,8500	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	36,0000	0,15	5,400
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	36,0000	2,00	72,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0750	40,00	3,000
365	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii cerculare de 400 - 700 mm (Trecere, tip 4 300x200/d100 L=481mm, tabla zincata δ=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,3800	911,150	346,237

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4179	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
366	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Trecere, tip 4 300x200/d125 L=438mm, tabla zincata δ=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,3800	911,150	346,237
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm	kg	2,4179	0,00	0,000

1	2	3	4	5	6	7
		grosime, cal.I)				
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
367	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x300/600x300/600x300, tabla zincata $\delta=0,7$ mm)	m2	1,0800	631,523	682,045
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,7152	84,97	315,681
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0108	64,17	0,693
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9700	30,00	89,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0972	65,37	6,354
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2160	5,00	1,080
	2412126100010	Miniu de plumb	kg	0,0194	27,50	0,533
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0810	18,33	1,485
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0094	30,00	0,282
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0126	30,00	0,378
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0324	25,00	0,810
	2320146200767	Petrol distilat tip 18/200	l	0,0043	16,44	0,071
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,9200	0,23	5,962
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0432	30,00	1,296
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,4780	23,03	195,248
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,6920	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,9200	0,15	3,888
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,9200	2,00	51,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1296	40,00	5,184
	2922140006702	Macara de fereastră	h-ut	0,0540	40,00	2,160
368	Pretul firmei	EURO flansa PQ-C-20	m	124,6000	41,670	5 192,082
	PQ-C-20	EURO flansa PQ-C-20	m	124,6000	41,67	5 192,082
369	Pretul firmei	Cornier NQ-C-20	buc	300,0000	4,170	1 251,000
	NQ-C-20	Cornier NQ-C-20	buc	300,0000	4,17	1 251,000
370	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm,	buc	1,0000	380,258	380,258

1	2	3	4	5	6	7
		montata pe zidarie (Clapeta de reglaj cu maner actionata manual d100) Material marunt=1,0050				
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC100	CRMC Clapeta de reglaj cu maner D100 (actionata manual)	buc	1,0050	141,67	142,378
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
371	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d125) Material marunt=1,0050	buc	1,0000	388,630	388,630
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC125	CRMC Clapeta de reglaj cu maner D125 (actionata manual)	buc	1,0050	150,00	150,750
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
372	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg	kg	137,2000	66,214	9 084,513

1	2	3	4	5	6	7
		Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020				
	7136060011900	Instalator ventilare si conditionare aer	h-om	41,1600	84,97	3 497,365
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	5,4990	64,17	352,871
	2651122100024	Ciment portland P 40 saci S388	kg	8,2485	2,20	18,147
	2710703504760	Otel cornier 40x40x4 mm	kg	142,9734	30,00	4 289,202
	2412126100010	Miniu de plumb	kg	2,7495	27,50	75,611
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,2749	750,00	206,175
	2411115904512	Oxigen tehnic gazos S2031	m3	2,7495	25,00	68,737
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,7495	30,00	82,485
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	10,9760	40,00	439,040
	2922140006702	Macara de fereastră	h-ut	1,3720	40,00	54,880
		<i>Total</i>	Lei			63 401,047
		Total Sistem A3.2 Inclusiv salariu				63 401,047 20 674,892
		1.2.15. Sistem A3.3				
373	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x200)	buc	4,0000	2 875,650	11 502,600
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 PCF400x200	Grila de aspiratie din INOX cu separator de puf PCF 400x200	buc	4,0000	2 827,94	11 311,760
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
374	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x300)	buc	4,0000	3 304,710	13 218,840
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 PCF400x300	Grila de aspiratie din INOX cu separator de puf PCF 400x300	buc	4,0000	3 257,00	13 028,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
375	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu	buc	2,0000	114,380	228,760

1	2	3	4	5	6	7
		posibilitate de reglare MV-B 100)				
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
376	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata δ=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	2,5100	512,895	1 287,367
	7136060011900	Instalator ventilare si conditionare aer	h-om	9,4878	84,97	806,178
	2710703700340	Banda de otel de 25x3 mm	kg	2,0281	30,00	60,843
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0254	64,17	1,630
	2430226100814	Grund miniu G 355-6	kg	0,0304	55,00	1,672
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0254	5,00	0,127
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0431	18,33	0,790
	2710703502671	Otel cornier 25x25x3 mm	kg	3,1689	30,00	95,067
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0761	25,00	1,903
	2320146200767	Petrol distilat tip 18/200	l	0,0761	16,44	1,251
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,2106	0,23	3,498
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0761	30,00	2,283
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	11,9150	23,03	274,402
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	23,9060	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	19,2668	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	15,2106	0,15	2,282
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,2106	2,00	30,421
	2922140006702	Macara de fereastră	h-ut	0,1255	40,00	5,020
377	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata δ=0,5 mm)	m2	0,0140	994,929	13,929
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1134	84,97	9,636
	2710703700340	Banda de otel de 25x3 mm	kg	0,0588	30,00	1,764
	2413547308164	Carbura de calciu tehnica (carbid)	kg	0,0001	64,17	0,006

1	2	3	4	5	6	7
		S102				
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0010	65,37	0,065
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0028	5,00	0,014
	2412126100010	Miniu de plumb	kg	0,0003	27,50	0,008
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0034	18,33	0,062
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0004	25,00	0,010
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1120	0,23	0,026
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0004	30,00	0,012
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0882	23,03	2,031
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1470	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1764	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,1120	0,15	0,017
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1120	2,00	0,224
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0010	40,00	0,040
	2922140006702	Macara de fereastră	h-ut	0,0003	40,00	0,012
378	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata δ=0,5 mm)	m2	0,1600	994,812	159,170
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,2960	84,97	110,121
	2710703700340	Banda de otel de 25x3 mm	kg	0,6720	30,00	20,160
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0016	64,17	0,103
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0112	65,37	0,732
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0320	5,00	0,160
	2412126100010	Miniu de plumb	kg	0,0029	27,50	0,080
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0384	18,33	0,704
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0048	25,00	0,120
	2320146200767	Petrol distilat tip 18/200	l	0,0006	16,44	0,010
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,2800	0,23	0,294
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0048	30,00	0,144
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,0080	23,03	23,214
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,6800	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,0160	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,2800	0,15	0,192
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,2800	2,00	2,560

1	2	3	4	5	6	7
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0112	40,00	0,448
	2922140006702	Macara de fereastră	h-ut	0,0032	40,00	0,128
379	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata $\delta=0,5$ mm)	m2	0,2400	1 499,100	359,784
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,8800	23,03	66,326
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,6000	23,03	82,908
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
380	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 500x200, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	19,6000	465,065	9 115,271
	7136060011900	Instalator ventilare si conditionare aer	h-om	48,2160	84,97	4 096,914
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1980	64,17	12,706
	2430226100814	Grund miniu G 355-6	kg	0,8908	55,00	48,994
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1980	5,00	0,990
	2112517330399	Mucava tip I de 3,3 mm	kg	0,9502	18,33	17,417
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1584	30,00	4,752
	2710703502671	Otel cornier 25x25x3 mm	kg	26,7246	30,00	801,738
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5939	25,00	14,848
	2320146200767	Petrol distilat tip 18/200	l	0,1188	16,44	1,953
	2874135840405	Piulite uzuale hexagonale M 6	buc	316,7360	0,23	72,849

1	2	3	4	5	6	7
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,7918	30,00	23,754
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	56,4186	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	89,0820	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	142,5312	23,03	3 282,494
	2874125881198	Saiba plata pentru metal M 6	buc	316,7360	0,15	47,510
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	316,7360	2,00	633,472
	2922140006702	Macara de fereastră	h-ut	1,3720	40,00	54,880
381	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x300, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	22,5400	566,659	12 772,487
	7136060011900	Instalator ventilare si conditionare aer	h-om	73,9312	84,97	6 281,934
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2265	64,17	14,535
	2430226100814	Grund miniu G 355-6	kg	1,1779	55,00	64,784
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2265	5,00	1,133
	2112517330399	Mucava tip I de 3,3 mm	kg	1,6990	18,33	31,143
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1133	30,00	3,399
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1812	30,00	5,436
	2710703503596	Otel cornier 32x32x3 mm	kg	38,5096	30,00	1 155,288
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6796	25,00	16,990
	2320146200767	Petrol distilat tip 18/200	l	0,2039	16,44	3,352
	2874135840405	Piulite uzuale hexagonale M 6	buc	543,6648	0,23	125,043
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,9061	30,00	27,183
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	101,9371	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	163,0994	23,03	3 756,179
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	203,8743	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	543,6648	0,15	81,550
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	543,6648	2,00	1 087,330
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,1270	40,00	45,080
	2922140006702	Macara de fereastră	h-ut	1,8032	40,00	72,128
382	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5	m2	0,2000	696,310	139,262

1	2	3	4	5	6	7
		mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7340	84,97	62,368
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0020	64,17	0,128
	2710703502671	Otel cornier 25x25x3 mm	kg	0,7000	30,00	21,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0140	65,37	0,915
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0400	5,00	0,200
	2412126100010	Miniu de plumb	kg	0,0036	27,50	0,099
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0320	18,33	0,587
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0010	30,00	0,030
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0036	30,00	0,108
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0060	25,00	0,150
	2320146200767	Petrol distilat tip 18/200	l	0,0008	16,44	0,013
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,2000	0,23	0,736
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0060	30,00	0,180
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,2200	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9500	23,03	44,908
	2874125881198	Saiba plata pentru metal M 6	buc	3,2000	0,15	0,480
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,2000	2,00	6,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0060	40,00	0,240
383	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata $\delta=0,7$ mm)	m2	0,3800	696,305	264,596
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,3946	84,97	118,499
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2710703502671	Otel cornier 25x25x3 mm	kg	1,3300	30,00	39,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0266	65,37	1,739
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0760	5,00	0,380
	2412126100010	Miniu de plumb	kg	0,0068	27,50	0,187
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0608	18,33	1,114
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0018	30,00	0,054
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0069	30,00	0,207
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0114	25,00	0,285
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025

1	2	3	4	5	6	7
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0800	0,23	1,398
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0114	30,00	0,342
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,3180	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,7050	23,03	85,326
	2874125881198	Saiba plata pentru metal M 6	buc	6,0800	0,15	0,912
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0800	2,00	12,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0342	40,00	1,368
	2922140006702	Macara de fereastră	h-ut	0,0114	40,00	0,456
384	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x300, tabla zincata δ=0,7 mm)	m2	0,4700	696,323	327,272
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7249	84,97	146,565
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0047	64,17	0,302
	2710703502671	Otel cornier 25x25x3 mm	kg	1,6450	30,00	49,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0329	65,37	2,151
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0940	5,00	0,470
	2412126100010	Miniu de plumb	kg	0,0085	27,50	0,234
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0752	18,33	1,378
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0023	30,00	0,069
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0086	30,00	0,258
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0141	25,00	0,352
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5200	0,23	1,730
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0141	30,00	0,423
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,8670	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,5825	23,03	105,535
	2874125881198	Saiba plata pentru metal M 6	buc	7,5200	0,15	1,128
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5200	2,00	15,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0423	40,00	1,692
	2922140006702	Macara de fereastră	h-ut	0,0141	40,00	0,564
385	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x200, tabla zincata δ=0,7 mm)	m2	0,5600	696,314	389,936
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,0552	84,97	174,630

1	2	3	4	5	6	7
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0056	64,17	0,359
	2710703502671	Otel cornier 25x25x3 mm	kg	1,9600	30,00	58,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0392	65,37	2,563
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1120	5,00	0,560
	2412126100010	Minu de plumb	kg	0,0101	27,50	0,278
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0896	18,33	1,642
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0027	30,00	0,081
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0102	30,00	0,306
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0168	25,00	0,420
	2320146200767	Petrol distilat tip 18/200	l	0,0022	16,44	0,036
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,9600	0,23	2,061
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0168	30,00	0,504
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,4160	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,4600	23,03	125,744
	2874125881198	Saiba plata pentru metal M 6	buc	8,9600	0,15	1,344
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,9600	2,00	17,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0504	40,00	2,016
	2922140006702	Macara de fereastră	h-ut	0,0168	40,00	0,672
386	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 500x200, tabla zincata $\delta=0,7$ mm)	m2	0,2600	714,112	185,669
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,0010	84,97	85,055
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0026	64,17	0,167
	2710703502671	Otel cornier 25x25x3 mm	kg	0,9100	30,00	27,300
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0234	65,37	1,530
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0520	5,00	0,260
	2412126100010	Minu de plumb	kg	0,0047	27,50	0,129
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0416	18,33	0,763
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0125	30,00	0,375
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0047	30,00	0,141
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0078	25,00	0,195
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,1600	0,23	0,957
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0104	30,00	0,312
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,5860	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,5350	23,03	58,381

1	2	3	4	5	6	7
	2874125881198	Saiba plata pentru metal M 6	buc	4,1600	0,15	0,624
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,1600	2,00	8,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0208	40,00	0,832
	2922140006702	Macara de fereastră	h-ut	0,0078	40,00	0,312
387	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x300, tabla zincata δ=0,7 mm)	m2	0,2200	604,186	132,921
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,6820	84,97	57,950
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0022	64,17	0,141
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6050	30,00	18,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0198	65,37	1,294
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0440	5,00	0,220
	2412126100010	Miniu de plumb	kg	0,0040	27,50	0,110
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0165	18,33	0,302
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0191	30,00	0,573
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0026	30,00	0,078
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0066	25,00	0,165
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,2800	0,23	1,214
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0088	30,00	0,264
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,7270	23,03	39,773
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,1780	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	5,2800	0,15	0,792
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,2800	2,00	10,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0220	40,00	0,880
	2922140006702	Macara de fereastră	h-ut	0,0110	40,00	0,440
388	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 200x500, tabla zincata δ=0,7 mm)	m2	0,9400	714,110	671,263
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,6190	84,97	307,506
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0094	64,17	0,603
	2710703502671	Otel cornier 25x25x3 mm	kg	3,2900	30,00	98,700
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0846	65,37	5,530
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1880	5,00	0,940
	2412126100010	Miniu de plumb	kg	0,0169	27,50	0,465
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1504	18,33	2,757

1	2	3	4	5	6	7
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0451	30,00	1,353
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0171	30,00	0,513
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0282	25,00	0,705
	2320146200767	Petrol distilat tip 18/200	l	0,0038	16,44	0,062
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,0400	0,23	3,459
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0376	30,00	1,128
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	5,7340	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	9,1650	23,03	211,070
	2874125881198	Saiba plata pentru metal M 6	buc	15,0400	0,15	2,256
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,0400	2,00	30,080
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0752	40,00	3,008
	2922140006702	Macara de fereastră	h-ut	0,0282	40,00	1,128
389	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x600, tabla zincata δ=0,7 mm)	m2	0,7500	604,183	453,137
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,3250	84,97	197,555
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0075	64,17	0,481
	2710703503596	Otel cornier 32x32x3 mm	kg	2,0625	30,00	61,875
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0675	65,37	4,412
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1500	5,00	0,750
	2412126100010	Miniu de plumb	kg	0,0135	27,50	0,371
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0562	18,33	1,030
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0653	30,00	1,959
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0088	30,00	0,264
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0225	25,00	0,562
	2320146200767	Petrol distilat tip 18/200	l	0,0030	16,44	0,049
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,0000	0,23	4,140
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0300	30,00	0,900
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,8875	23,03	135,589
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,4250	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	18,0000	0,15	2,700
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,0000	2,00	36,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0750	40,00	3,000
	2922140006702	Macara de fereastră	h-ut	0,0375	40,00	1,500
390	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul	m2	1,5000	604,183	906,275

1	2	3	4	5	6	7
		sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 600x300, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,6500	84,97	395,111
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0150	64,17	0,963
	2710703503596	Otel cornier 32x32x3 mm	kg	4,1250	30,00	123,750
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1350	65,37	8,825
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3000	5,00	1,500
	2412126100010	Miniu de plumb	kg	0,0270	27,50	0,742
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1125	18,33	2,062
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1305	30,00	3,915
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0175	30,00	0,525
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0450	25,00	1,125
	2320146200767	Petrol distilat tip 18/200	l	0,0060	16,44	0,099
	2874135840405	Piulite uzuale hexagonale M 6	buc	36,0000	0,23	8,280
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0600	30,00	1,800
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,7750	23,03	271,178
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	14,8500	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	36,0000	0,15	5,400
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	36,0000	2,00	72,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0750	40,00	3,000
391	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Trecere, tip 4 300x200/d100 L=481mm, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,3800	911,150	346,237
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345

1	2	3	4	5	6	7
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4179	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
392	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x300/600x300/600x300, tabla zincata $\delta=0,7$ mm)	m2	1,0800	631,523	682,045
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,7152	84,97	315,681
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0108	64,17	0,693
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9700	30,00	89,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0972	65,37	6,354
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2160	5,00	1,080
	2412126100010	Miniu de plumb	kg	0,0194	27,50	0,533
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0810	18,33	1,485
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0094	30,00	0,282
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0126	30,00	0,378
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0324	25,00	0,810
	2320146200767	Petrol distilat tip 18/200	l	0,0043	16,44	0,071
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,9200	0,23	5,962
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0432	30,00	1,296
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,4780	23,03	195,248
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,6920	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,9200	0,15	3,888
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,9200	2,00	51,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1296	40,00	5,184
	2922140006702	Macara de fereastră	h-ut	0,0540	40,00	2,160
393	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Piesa deviatie 300x600, H=250mm, L=412mm,	m2	1,7500	649,369	1 136,396

1	2	3	4	5	6	7
		tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,3875	84,97	542,746
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0175	64,17	1,123
	2710703503596	Otel cornier 32x32x3 mm	kg	4,8125	30,00	144,375
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1575	65,37	10,296
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3500	5,00	1,750
	2412126100010	Miniu de plumb	kg	0,0315	27,50	0,866
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1313	18,33	2,407
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0152	30,00	0,456
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0205	30,00	0,615
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0525	25,00	1,312
	2320146200767	Petrol distilat tip 18/200	l	0,0070	16,44	0,115
	2874135840405	Piulite uzuale hexagonale M 6	buc	42,0000	0,23	9,660
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0700	30,00	2,100
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	13,7375	23,03	316,375
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	17,3250	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	42,0000	0,15	6,300
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	42,0000	2,00	84,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2100	40,00	8,400
	2922140006702	Macara de fereastră	h-ut	0,0875	40,00	3,500
394	Pretul firmei	EURO flansa PQ-C-20	m	117,4000	41,670	4 892,058
	PQ-C-20	EURO flansa PQ-C-20	m	117,4000	41,67	4 892,058
395	Pretul firmei	Cornier NQ-C-20	buc	284,0000	4,170	1 184,280
	NQ-C-20	Cornier NQ-C-20	buc	284,0000	4,17	1 184,280
396	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d100) Material marunt=1,0050	buc	1,0000	380,258	380,258
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700	CRMC Clapeta de reglaj cu maner	buc	1,0050	141,67	142,378

1	2	3	4	5	6	7
	CRMC100	D100 (actionata manual)				
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
397	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	128,5000	66,214	8 508,473
	7136060011900	Instalator ventilare si conditionare aer	h-om	38,5500	84,97	3 275,593
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	5,1503	64,17	330,495
	2651122100024	Ciment portland P 40 saci S388	kg	7,7254	2,20	16,996
	2710703504760	Otel cornier 40x40x4 mm	kg	133,9073	30,00	4 017,219
	2412126100010	Miniu de plumb	kg	2,5751	27,50	70,815
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,2575	750,00	193,125
	2411115904512	Oxigen tehnic gazos S2031	m3	2,5751	25,00	64,377
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,5751	30,00	77,253
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	10,2800	40,00	411,200
	2922140006702	Macara de fereastră	h-ut	1,2850	40,00	51,400
		<i>Total</i>	Lei			69 258,286
		Total Sistem A3.3 Inclusiv salariu				69 258,286 17 825,635
		1.2.16. Sistem R4				
398	VA02D	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Canal 1550x950, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0030	m2	40,0000	797,753	31 910,127
	7136060011900	Instalator ventilare si conditionare aer	h-om	141,2000	84,97	11 997,764
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,8024	64,17	51,490
	2430226100814	Grund miniu G 355-6	kg	4,1725	55,00	229,488
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4012	5,00	2,006
	2112517330399	Mucava tip I de 3,3 mm	kg	6,0180	18,33	110,310
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,8024	30,00	24,072
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,3210	30,00	9,630

1	2	3	4	5	6	7
	2710703504502	Otel cornier 40x40x3 mm	kg	80,2400	30,00	2 407,200
	2710703504760	Otel cornier 40x40x4 mm	kg	102,3060	30,00	3 069,180
	2411115904512	Oxigen tehnic gazos S2031	m3	2,4072	25,00	60,180
	2320146200767	Petrol distilat tip 18/200	l	0,6419	16,44	10,553
	2874135840405	Piulite uzuale hexagonale M 6	buc	2 246,7200	0,23	516,746
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,0060	30,00	60,180
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	282,8460	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	353,0560	23,03	8 130,880
	2874125881198	Saiba plata pentru metal M 6	buc	2 246,7200	0,15	337,008
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2 246,7200	2,00	4 493,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	6,0000	40,00	240,000
	2922140006702	Macara de fereastră	h-ut	4,0000	40,00	160,000
399	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Cot 90*, 950x1550, tabla zincata δ=1,0 mm)	m2	4,7200	661,469	3 122,135
	7136060011900	Instalator ventilare si conditionare aer	h-om	14,0656	84,97	1 195,154
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0944	64,17	6,058
	2710703504760	Otel cornier 40x40x4 mm	kg	7,0800	30,00	212,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4484	65,37	29,312
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,9440	5,00	4,720
	2412126100010	Miniu de plumb	kg	0,0850	27,50	2,338
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2360	18,33	4,326
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,4909	30,00	14,727
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0189	30,00	0,567
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2832	25,00	7,080
	2320146200767	Petrol distilat tip 18/200	l	0,0189	16,44	0,311
	2874135840405	Piulite uzuale hexagonale M 6	buc	264,3200	0,23	60,794
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2360	30,00	7,080
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	33,5120	0,00	0,000
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	63,2480	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	42,0080	23,03	967,444
	2874125881198	Saiba plata pentru metal M 6	buc	264,3200	0,15	39,648
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	264,3200	2,00	528,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,7080	40,00	28,320
	2922140006702	Macara de fereastră	h-ut	0,3304	40,00	13,216
400	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm	m2	4,7200	661,469	3 122,135

1	2	3	4	5	6	7
		grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Cot 90*, 1550x950, tabla zincata $\delta=1,0$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	14,0656	84,97	1 195,154
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0944	64,17	6,058
	2710703504760	Otel cornier 40x40x4 mm	kg	7,0800	30,00	212,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4484	65,37	29,312
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,9440	5,00	4,720
	2412126100010	Miniu de plumb	kg	0,0850	27,50	2,338
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2360	18,33	4,326
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,4909	30,00	14,727
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0189	30,00	0,567
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2832	25,00	7,080
	2320146200767	Petrol distilat tip 18/200	l	0,0189	16,44	0,311
	2874135840405	Piulite uzuale hexagonale M 6	buc	264,3200	0,23	60,794
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2360	30,00	7,080
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	33,5120	0,00	0,000
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	63,2480	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	42,0080	23,03	967,444
	2874125881198	Saiba plata pentru metal M 6	buc	264,3200	0,15	39,648
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	264,3200	2,00	528,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,7080	40,00	28,320
	2922140006702	Macara de fereastră	h-ut	0,3304	40,00	13,216
401	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 581x279, INOX (AISI 304) $\delta=0,6$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	10,3200	712,473	7 352,722
	7136060011900	Instalator ventilare si conditionare aer	h-om	33,8496	84,97	2 876,201
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1037	64,17	6,654
	2430226100814	Grund miniu G 355-6	kg	0,5393	55,00	29,662
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1037	5,00	0,518
	2112517330399	Mucava tip I de 3,3 mm	kg	0,7779	18,33	14,259
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0519	30,00	1,557

1	2	3	4	5	6	7
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0830	30,00	2,490
	2710703503596	Otel cornier 32x32x3 mm	kg	17,6317	30,00	528,951
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3111	25,00	7,777
	2320146200767	Petrol distilat tip 18/200	l	0,0933	16,44	1,534
	2874135840405	Piulite uzuale hexagonale M 6	buc	248,9184	0,23	57,251
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4149	30,00	12,447
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	46,6722	69,09	3 224,582
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	74,6755	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	93,3444	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	248,9184	0,15	37,338
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	248,9184	2,00	497,837
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,5160	40,00	20,640
	2922140006702	Macara de fereastră	h-ut	0,8256	40,00	33,024
402	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x300, INOX (AISI 304) δ=0,6 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	3,6000	712,472	2 564,899
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,8080	84,97	1 003,326
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0362	64,17	2,323
	2430226100814	Grund miniu G 355-6	kg	0,1881	55,00	10,345
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0362	5,00	0,181
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2713	18,33	4,973
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0181	30,00	0,543
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0289	30,00	0,867
	2710703503596	Otel cornier 32x32x3 mm	kg	6,1506	30,00	184,518
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1085	25,00	2,712
	2320146200767	Petrol distilat tip 18/200	l	0,0326	16,44	0,536
	2874135840405	Piulite uzuale hexagonale M 6	buc	86,8320	0,23	19,971
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1447	30,00	4,341
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	16,2810	69,09	1 124,854
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	26,0496	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304	kg	32,5620	0,00	0,000

1	2	3	4	5	6	7
		0,6 mm)				
	2874125881198	Saiba plata pentru metal M 6	buc	86,8320	0,15	13,025
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	86,8320	2,00	173,664
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1800	40,00	7,200
	2922140006702	Macara de fereastră	h-ut	0,2880	40,00	11,520
403	VA02D	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Canal 1550x950, INOX (AISI 304) δ=1,0 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0030	m2	18,7500	1 204,297	22 580,566
	7136060011900	Instalator ventilare si conditionare aer	h-om	66,1875	84,97	5 623,952
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3761	64,17	24,134
	2430226100814	Grund miniu G 355-6	kg	1,9558	55,00	107,569
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1881	5,00	0,940
	2112517330399	Mucava tip I de 3,3 mm	kg	2,8209	18,33	51,707
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,3761	30,00	11,283
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1505	30,00	4,515
	2710703504502	Otel cornier 40x40x3 mm	kg	37,6125	30,00	1 128,375
	2710703504760	Otel cornier 40x40x4 mm	kg	47,9559	30,00	1 438,677
	2411115904512	Oxigen tehnic gazos S2031	m3	1,1284	25,00	28,210
	2320146200767	Petrol distilat tip 18/200	l	0,3009	16,44	4,947
	2874135840405	Piulite uzuale hexagonale M 6	buc	1 053,1500	0,23	242,225
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,9403	30,00	28,209
	2710403643000 I3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	132,5841	0,00	0,000
	2710403644000 AISI304	Tabla din INOX alimentar AISI 304 1 mm grosime	kg	165,4950	69,09	11 434,050
	2874125881198	Saiba plata pentru metal M 6	buc	1 053,1500	0,15	157,973
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1 053,1500	2,00	2 106,300
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,8125	40,00	112,500
	2922140006702	Macara de fereastră	h-ut	1,8750	40,00	75,000
404	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x300, INOX (AISI 304) δ=0,6 mm)	m2	0,2200	1 107,391	243,626
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,6820	84,97	57,950
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0022	64,17	0,141
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6050	30,00	18,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0198	65,37	1,294
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25	buc	0,0440	5,00	0,220

1	2	3	4	5	6	7
		S 1581				
	2412126100010	Minu de plumb	kg	0,0040	27,50	0,110
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0165	18,33	0,302
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0191	30,00	0,573
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0026	30,00	0,078
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0066	25,00	0,165
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,2800	0,23	1,214
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0088	30,00	0,264
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	1,7270	0,00	0,000
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	2,1780	69,09	150,478
	2874125881198	Saiba plata pentru metal M 6	buc	5,2800	0,15	0,792
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,2800	2,00	10,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0220	40,00	0,880
	2922140006702	Macara de fereastr	h-ut	0,0110	40,00	0,440
405	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x600, INOX (AISI 304) $\delta=0,6$ mm)	m2	0,2200	1 107,391	243,626
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,6820	84,97	57,950
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0022	64,17	0,141
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6050	30,00	18,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0198	65,37	1,294
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0440	5,00	0,220
	2412126100010	Minu de plumb	kg	0,0040	27,50	0,110
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0165	18,33	0,302
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0191	30,00	0,573
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0026	30,00	0,078
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0066	25,00	0,165
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,2800	0,23	1,214
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0088	30,00	0,264
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	1,7270	0,00	0,000
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	2,1780	69,09	150,478
	2874125881198	Saiba plata pentru metal M 6	buc	5,2800	0,15	0,792
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,2800	2,00	10,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0220	40,00	0,880
	2922140006702	Macara de fereastr	h-ut	0,0110	40,00	0,440
406	VA14H	Piesa speciala (schimbare de	m2	0,7000	1 267,869	887,508

1	2	3	4	5	6	7
		sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Trecere 400x300/d400 L=167mm, INOX (AISI 304) $\delta=0,6$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,7260	84,97	486,538
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0070	64,17	0,449
	2710703502671	Otel cornier 25x25x3 mm	kg	2,4500	30,00	73,500
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0560	65,37	3,661
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1400	5,00	0,700
	2412126100010	Miniu de plumb	kg	0,0126	27,50	0,347
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1120	18,33	2,053
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0034	30,00	0,102
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0127	30,00	0,381
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0210	25,00	0,525
	2320146200767	Petrol distilat tip 18/200	l	0,0028	16,44	0,046
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,4000	0,23	1,932
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0280	30,00	0,840
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	4,2700	69,09	295,014
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	6,8250	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	8,7500	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	12,8100	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	8,4000	0,15	1,260
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,4000	2,00	16,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0630	40,00	2,520
	2922140006702	Macara de fereastră	h-ut	0,0210	40,00	0,840
407	VA14I	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Trecere 600x300/d500 L=305mm, INOX (AISI 304) $\delta=0,6$ mm)	m2	0,6700	1 776,491	1 190,249
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,7369	84,97	402,494
	2413547308164	Carbura de calciu tehnica (carbid)	kg	0,0067	64,17	0,430

1	2	3	4	5	6	7
		S102				
	2710703503596	Otel cornier 32x32x3 mm	kg	1,8425	30,00	55,275
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0603	65,37	3,942
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1340	5,00	0,670
	2412126100010	Miniu de plumb	kg	0,0121	27,50	0,333
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0503	18,33	0,922
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0058	30,00	0,174
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0078	30,00	0,234
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0201	25,00	0,502
	2320146200767	Petrol distilat tip 18/200	l	0,0027	16,44	0,044
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,7200	0,23	2,466
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0268	30,00	0,804
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	5,2595	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	6,6330	0,00	0,000
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	10,0500	69,09	694,355
	2874125881198	Saiba plata pentru metal M 6	buc	10,7200	0,15	1,608
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,7200	2,00	21,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0804	40,00	3,216
	2922140006702	Macara de fereastră	h-ut	0,0335	40,00	1,340
408	VA16H	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Teu 400x300/600x300/400x300, INOX (AISI 304) δ=0,6 mm)	m2	0,4200	942,610	395,896
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7808	84,97	151,315
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0042	64,17	0,270
	2710703502671	Otel cornier 25x25x3 mm	kg	1,4700	30,00	44,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0336	65,37	2,196
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0840	5,00	0,420
	2412126100010	Miniu de plumb	kg	0,0076	27,50	0,209
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0672	18,33	1,232
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0020	30,00	0,060
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0076	30,00	0,228
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0126	25,00	0,315
	2320146200767	Petrol distilat tip 18/200	l	0,0017	16,44	0,028
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,7200	0,23	1,546
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0168	30,00	0,504
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste	kg	4,0950	0,00	0,000

1	2	3	4	5	6	7
		pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)				
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	2,5620	69,09	177,009
	2874125881198	Saiba plata pentru metal M 6	buc	6,7200	0,15	1,008
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,7200	2,00	13,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0378	40,00	1,512
	2922140006702	Macara de fereastră	h-ut	0,0126	40,00	0,504
409	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Dop 1550x950, INOX (AISI 304) δ=1,0 mm)	m2	1,6200	1 071,404	1 735,675
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,8276	84,97	410,201
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0324	64,17	2,079
	2710703504760	Otel cornier 40x40x4 mm	kg	2,4300	30,00	72,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1539	65,37	10,060
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3240	5,00	1,620
	2412126100010	Miniu de plumb	kg	0,0292	27,50	0,803
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0810	18,33	1,485
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1685	30,00	5,055
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0065	30,00	0,195
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0972	25,00	2,430
	2320146200767	Petrol distilat tip 18/200	l	0,0065	16,44	0,107
	2874135840405	Piulite uzuale hexagonale M 6	buc	90,7200	0,23	20,866
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0810	30,00	2,430
	2710403643000 I3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	11,5020	0,00	0,000
	2710403645000 I3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	21,7080	0,00	0,000
	2710403644000 AISI304	Tabla din INOX alimentar AISI 304 1 mm grosime	kg	14,4180	69,09	996,140
	2874125881198	Saiba plata pentru metal M 6	buc	90,7200	0,15	13,608
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	90,7200	2,00	181,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2430	40,00	9,720
	2922140006702	Macara de fereastră	h-ut	0,1134	40,00	4,536
410	VA02F	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d400, INOX (AISI 304) δ=0,6 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	22,6800	634,096	14 381,300

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	61,4628	84,97	5 222,494
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2291	64,17	14,701
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,9163	65,37	59,899
	2430226100814	Grund miniu G 355-6	kg	1,0308	55,00	56,694
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2291	5,00	1,145
	2112517330399	Mucava tip I de 3,3 mm	kg	1,0995	18,33	20,154
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1833	30,00	5,499
	2710703503596	Otel cornier 32x32x3 mm	kg	36,6509	30,00	1 099,527
	2411115904512	Oxigen tehnic gazos S2031	m3	1,3744	25,00	34,360
	2320146200767	Petrol distilat tip 18/200	l	1,3744	16,44	22,595
	2874135840405	Piulite uzuale hexagonale M 6	buc	274,8816	0,23	63,223
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4581	30,00	13,743
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	103,0806	69,09	7 121,839
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	164,9290	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	206,1612	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	309,2418	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	274,8816	0,15	41,232
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	274,8816	2,00	549,763
	2922140006702	Macara de fereastră	h-ut	1,3608	40,00	54,432
411	VA02F	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d500, INOX (AISI 304) δ=0,8 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	175,8400	822,504	144 629,173
	7136060011900	Instalator ventilare si conditionare aer	h-om	476,5264	84,97	40 490,448
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,7760	64,17	113,966
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	7,1039	65,37	464,382
	2430226100814	Grund miniu G 355-6	kg	7,9919	55,00	439,555
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,7760	5,00	8,880
	2112517330399	Mucava tip I de 3,3 mm	kg	8,5247	18,33	156,258
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	1,4208	30,00	42,624
	2710703503596	Otel cornier 32x32x3 mm	kg	284,1574	30,00	8 524,722
	2411115904512	Oxigen tehnic gazos S2031	m3	10,6559	25,00	266,398
	2320146200767	Petrol distilat tip 18/200	l	10,6559	16,44	175,183

1	2	3	4	5	6	7
	2874135840405	Piulite uzuale hexagonale M 6	buc	2 131,1808	0,23	490,172
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	3,5520	30,00	106,560
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	799,1928	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	1 278,7085	69,09	88 345,970
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	1 598,3856	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	2 397,5784	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2 131,1808	0,15	319,677
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2 131,1808	2,00	4 262,362
	2922140006702	Macara de fereastră	h-ut	10,5504	40,00	422,016
412	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Dop d400, INOX (AISI 304) δ=0,6 mm)	m2	0,9100	1 204,589	1 096,176
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,7522	84,97	573,734
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0091	64,17	0,584
	2710703502671	Otel cornier 25x25x3 mm	kg	3,1850	30,00	95,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0728	65,37	4,759
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1820	5,00	0,910
	2412126100010	Miniu de plumb	kg	0,0164	27,50	0,451
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1456	18,33	2,669
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0437	30,00	1,311
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0166	30,00	0,498
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0273	25,00	0,682
	2320146200767	Petrol distilat tip 18/200	l	0,0036	16,44	0,059
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,9200	0,23	2,512
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0364	30,00	1,092
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	5,5510	69,09	383,519
	2710403643000 I1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	8,8725	0,00	0,000
	2710403644000 I1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	11,3750	0,00	0,000
	2710403645000 I1	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar	kg	16,6530	0,00	0,000

1	2	3	4	5	6	7
		AISI 304 0,6 mm)				
	2874125881198	Saiba plata pentru metal M 6	buc	10,9200	0,15	1,638
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,9200	2,00	21,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0819	40,00	3,276
	2922140006702	Macara de fereastră	h-ut	0,0273	40,00	1,092
413	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d400, INOX (AISI 304) δ=0,6 mm)	m2	5,4900	1 204,587	6 613,184
	7136060011900	Instalator ventilare si conditionare aer	h-om	40,7358	84,97	3 461,321
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0549	64,17	3,523
	2710703502671	Otel cornier 25x25x3 mm	kg	19,2150	30,00	576,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4392	65,37	28,711
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,0980	5,00	5,490
	2412126100010	Miniu de plumb	kg	0,0988	27,50	2,717
	2112517330399	Mucava tip I de 3,3 mm	kg	0,8784	18,33	16,101
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2635	30,00	7,905
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0999	30,00	2,997
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1647	25,00	4,118
	2320146200767	Petrol distilat tip 18/200	l	0,0220	16,44	0,362
	2874135840405	Piulite uzuale hexagonale M 6	buc	65,8800	0,23	15,152
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2196	30,00	6,588
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	33,4890	69,09	2 313,755
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	53,5275	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	68,6250	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	100,4670	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	65,8800	0,15	9,882
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	65,8800	2,00	131,760
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4941	40,00	19,764
	2922140006702	Macara de fereastră	h-ut	0,1647	40,00	6,588
414	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d400/581x279, INOX (AISI 304) δ=0,6 mm)	m2	5,3700	1 267,868	6 808,453

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	43,9266	84,97	3 732,443
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0537	64,17	3,446
	2710703502671	Otel cornier 25x25x3 mm	kg	18,7950	30,00	563,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4296	65,37	28,083
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,0740	5,00	5,370
	2412126100010	Miniu de plumb	kg	0,0967	27,50	2,659
	2112517330399	Mucava tip I de 3,3 mm	kg	0,8592	18,33	15,749
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0258	30,00	0,774
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0977	30,00	2,931
	2411115904512	Oxigen tehnic gaze S2031	m3	0,1611	25,00	4,027
	2320146200767	Petrol distilat tip 18/200	l	0,0215	16,44	0,353
	2874135840405	Piulite uzuale hexagonale M 6	buc	64,4400	0,23	14,821
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2148	30,00	6,444
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	32,7570	69,09	2 263,181
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	52,3575	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	67,1250	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	98,2710	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	64,4400	0,15	9,666
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	64,4400	2,00	128,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4833	40,00	19,332
	2922140006702	Macara de fereastră	h-ut	0,1611	40,00	6,444
415	VA17H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Conexiune d500, INOX (AISI 304) δ=0,8 mm)	m2	0,9300	1 145,934	1 065,719
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,3945	84,97	288,431
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0093	64,17	0,597
	2710703502671	Otel cornier 25x25x3 mm	kg	3,2550	30,00	97,650
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0744	65,37	4,864
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1860	5,00	0,930
	2412126100010	Miniu de plumb	kg	0,0167	27,50	0,459
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1488	18,33	2,728
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0045	30,00	0,135
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0169	30,00	0,507

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0279	25,00	0,698
	2320146200767	Petrol distilat tip 18/200	l	0,0037	16,44	0,061
	2874135840405	Piulite uzuale hexagonale M 6	buc	11,1600	0,23	2,567
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3720	30,00	11,160
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	5,6730	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	9,0675	69,09	626,474
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	11,6250	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	17,0190	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	11,1600	0,15	1,674
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	11,1600	2,00	22,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0837	40,00	3,348
	2922140006702	Macara de fereastră	h-ut	0,0279	40,00	1,116
416	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 45* d500, INOX (AISI 304) δ=0,8 mm)	m2	6,1600	1 456,766	8 973,677
	7136060011900	Instalator ventilare si conditionare aer	h-om	45,7072	84,97	3 883,741
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0616	64,17	3,953
	2710703502671	Otel cornier 25x25x3 mm	kg	21,5600	30,00	646,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4928	65,37	32,214
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,2320	5,00	6,160
	2412126100010	Minu de plumb	kg	0,1109	27,50	3,050
	2112517330399	Mucava tip I de 3,3 mm	kg	0,9856	18,33	18,066
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2957	30,00	8,871
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1121	30,00	3,363
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1848	25,00	4,620
	2320146200767	Petrol distilat tip 18/200	l	0,0246	16,44	0,404
	2874135840405	Piulite uzuale hexagonale M 6	buc	73,9200	0,23	17,002
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2464	30,00	7,392
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	37,5760	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	60,0600	69,09	4 149,545
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	77,0000	0,00	0,000

1	2	3	4	5	6	7
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	112,7280	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	73,9200	0,15	11,088
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	73,9200	2,00	147,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,5544	40,00	22,176
	2922140006702	Macara de fereastră	h-ut	0,1848	40,00	7,392
417	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d500, INOX (AISI 304) δ=0,8 mm)	m2	18,0700	1 456,766	26 323,763
	7136060011900	Instalator ventilare si conditionare aer	h-om	134,0794	84,97	11 392,727
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1807	64,17	11,596
	2710703502671	Otel cornier 25x25x3 mm	kg	63,2450	30,00	1 897,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	1,4456	65,37	94,499
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	3,6140	5,00	18,070
	2412126100010	Miniu de plumb	kg	0,3253	27,50	8,946
	2112517330399	Mucava tip I de 3,3 mm	kg	2,8912	18,33	52,996
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,8674	30,00	26,022
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,3289	30,00	9,867
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5421	25,00	13,553
	2320146200767	Petrol distilat tip 18/200	l	0,0723	16,44	1,189
	2874135840405	Piulite uzuale hexagonale M 6	buc	216,8400	0,23	49,873
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,7228	30,00	21,684
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	110,2270	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	176,1825	69,09	12 172,449
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	225,8750	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	330,6810	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	216,8400	0,15	32,526
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	216,8400	2,00	433,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,6263	40,00	65,052
	2922140006702	Macara de fereastră	h-ut	0,5421	40,00	21,684
418	VA17H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii cerculare de 700 - 1600 mm (Trecere d500/d400)	m2	1,6000	1 145,932	1 833,492

1	2	3	4	5	6	7
		L=177mm, INOX (AISI 304) δ=0,8 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,8400	84,97	496,225
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0160	64,17	1,027
	2710703502671	Otel cornier 25x25x3 mm	kg	5,6000	30,00	168,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1280	65,37	8,367
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3200	5,00	1,600
	2412126100010	Miniu de plumb	kg	0,0288	27,50	0,792
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2560	18,33	4,692
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0077	30,00	0,231
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0291	30,00	0,873
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0480	25,00	1,200
	2320146200767	Petrol distilat tip 18/200	l	0,0064	16,44	0,105
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,2000	0,23	4,416
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6400	30,00	19,200
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	9,7600	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	15,6000	69,09	1 077,804
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	20,0000	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	29,2800	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	19,2000	0,15	2,880
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,2000	2,00	38,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1440	40,00	5,760
	2922140006702	Macara de fereastră	h-ut	0,0480	40,00	1,920
419	VA15H	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d500/d500/d500, INOX (AISI 304) δ=0,8 mm)	m2	1,0300	1 460,563	1 504,380
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,7044	84,97	654,643
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0103	64,17	0,661
	2710703502671	Otel cornier 25x25x3 mm	kg	3,6050	30,00	108,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0824	65,37	5,386
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2060	5,00	1,030
	2412126100010	Miniu de plumb	kg	0,0185	27,50	0,509
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1648	18,33	3,021
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S	kg	0,0049	30,00	0,147

1	2	3	4	5	6	7
		1257				
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0187	30,00	0,561
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0309	25,00	0,772
	2320146200767	Petrol distilat tip 18/200	l	0,0041	16,44	0,067
	2874135840405	Piulite uzuale hexagonale M 6	buc	12,3600	0,23	2,843
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0412	30,00	1,236
	2710403642000 I2	Tabla zincata sau din aluminiu cal. I 0,5 mm (se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	6,2830	0,00	0,000
	2710403643000 AISI304	Tabla din INOX alimentar AISI 304 0,8 mm	kg	10,0425	69,09	693,836
	2710403644000 I2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	12,8750	0,00	0,000
	2710403645000 I2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,8 mm)	kg	18,8490	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	12,3600	0,15	1,854
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	12,3600	2,00	24,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0927	40,00	3,708
	2922140006702	Macara de fereastră	h-ut	0,0309	40,00	1,236
420	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=10 mm)	m2	350,5000	191,831	67 236,653
	7134050013240	Izolator - termic	h-om	166,1370	84,97	14 116,661
	1111000100031 10	Izolatie termica K-FLEX ST DUCT, δ=10 mm	m2	361,0150	145,83	52 646,817
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	15,7725	30,00	473,175
421	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=25 mm)	m2	3,0000	267,886	803,657
	7134050013240	Izolator - termic	h-om	1,4220	84,97	120,827
	1111000100031 25	Izolatie termica K-FLEX ST DUCT, δ=25 mm	m2	3,0900	219,67	678,780
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,1350	30,00	4,050
422	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (ALU1 WIRED MAT 105 25 mm (EI60), δ=25 mm)	m2	69,7100	300,846	20 971,961
	7134050013240	Izolator - termic	h-om	33,0425	84,97	2 807,621
	1111000100031 25EI60	Izolatie ALU1 WIRED MAT 105 25 mm (EI60), δ=25 mm	m2	71,8013	251,67	18 070,233
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	3,1369	30,00	94,107

1	2	3	4	5	6	7
423	Pretul firmei	EURO flansa PQ-C-20	m	83,7200	41,670	3 488,612
	PQ-C-20	EURO flansa PQ-C-20	m	83,7200	41,67	3 488,612
424	Pretul firmei	Cornier NQ-C-20	buc	196,0000	4,170	817,320
	NQ-C-20	Cornier NQ-C-20	buc	196,0000	4,17	817,320
425	Pretul firmei	EURO flansa PQ-C-30	m	135,0000	58,330	7 874,550
	PQ-C-30	EURO flansa PQ-C-30	m	135,0000	58,33	7 874,550
426	Pretul firmei	Cornier NQ-C-30	buc	108,0000	6,670	720,360
	NQ-C-30	Cornier NQ-C-30	buc	108,0000	6,67	720,360
427	Pretul firmei	Profil metalic LDBST-41-41-200-0600	m	36,0000	162,500	5 850,000
	LDBST-41-41-200-0600	Profil metalic LDBST-41-41-200-0600	m	36,0000	162,50	5 850,000
428	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	840,5000	66,214	55 652,804
	7136060011900	Instalator ventilare si conditionare aer	h-om	252,1500	84,97	21 425,185
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	33,6872	64,17	2 161,708
	2651122100024	Ciment portland P 40 saci S388	kg	50,5309	2,20	111,168
	2710703504760	Otel cornier 40x40x4 mm	kg	875,8682	30,00	26 276,046
	2412126100010	Miniu de plumb	kg	16,8436	27,50	463,199
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	1,6844	750,00	1 263,300
	2411115904512	Oxigen tehnic gazos S2031	m3	16,8436	25,00	421,090
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	16,8436	30,00	505,308
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	67,2400	40,00	2 689,600
	2922140006702	Macara de fereastră	h-ut	8,4050	40,00	336,200
429	VB15B	Rama cu jaluzele reglabile simultan, gata confectionate cu perimetrul 800 - 2500 mm, montata pe canal (Clapeta de reglaj cu maner actionata manual d500)	buc	3,0000	761,161	2 283,482
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,9400	84,97	249,812
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,5100	64,17	32,727
	2412126100010	Miniu de plumb	kg	0,1350	27,50	3,713
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1200	18,33	2,200
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1800	25,00	4,500
	2874135840405	Piulite uzuale hexagonale M 6	buc	84,0000	0,23	19,320
	2874115765700 CRMC500	CRMC Clapeta de reglaj cu maner D500 (actionata manual)	buc	3,0000	566,67	1 700,010

1	2	3	4	5	6	7
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,8000	30,00	54,000
	2874115883938	Saiba grower M 6	buc	84,0000	0,15	12,600
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	84,0000	2,15	180,600
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,5400	40,00	21,600
	2922140006702	Macara de fereastră	h-ut	0,0600	40,00	2,400
		<i>Total</i>	Lei			454 277,880
		Total Sistem R4 Inclusiv salariu				454 277,880 134 374,312
		1.2.17. Sistem C4				
430	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d15,9mm preizolata)	m	12,5000	164,069	2 050,863
	7136040011749	Instalator incalzire si gaze	h-om	2,8750	84,97	244,289
	2746163334000 15,9	Teava din cupru Cu, preizolata ISO-SPLIT 5/8"x0.8-25 (15,88x0,8 mm) in colaci pentru traseu frigorific	m	12,6250	135,00	1 704,375
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0125	500,00	6,250
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0125	781,25	9,766
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,1875	459,64	86,183
431	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d19,05mm preizolata)	m	10,0000	229,719	2 297,189
	7136040011749	Instalator incalzire si gaze	h-om	2,3000	84,97	195,431
	2746163334000 19,05	Teava din cupru Cu, preizolata ISO-SPLIT 3/4"x0.8-25 (19,05x0,8 mm) in colaci pentru traseu frigorific	m	10,1000	200,00	2 020,000
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0100	500,00	5,000
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0100	781,25	7,812
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,1500	459,64	68,946
432	IC33B	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 22,0 mm (d22,2mm preizolata)	m	18,0000	290,709	5 232,769
	7136040011749	Instalator incalzire si gaze	h-om	5,0400	84,97	428,249
	2746163334000 22	Teava din cupru Cu M ACR H in bare fara izolatia 7/8" (22x1,0 mm) pentru traseu frigorific + Izolatia termica Tuburi Armaflex AC 19x22 (22 mm, grosimea 19 mm) pentru traseu frigorific	m	18,2700	252,50	4 613,175
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0180	500,00	9,000

1	2	3	4	5	6	7
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0216	781,25	16,875
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,3600	459,64	165,470
433	IC33C	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 28,0 mm (d28,6mm preizolata)	m	11,7000	530,514	6 207,015
	7136040011749	Instalator incalzire si gaze	h-om	3,7440	84,97	318,128
	2746163334000 28	Teava din cupru Cu M ACR H in bare fara izolatie 1 1/8" (28x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x28 (28 mm, grosimea 19 mm) pentru traseu frigorific	m	11,8755	482,50	5 729,929
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0234	500,00	11,700
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0164	781,25	12,813
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,2925	459,64	134,445
434	IC33D	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 35,0 mm (d38,1mm preizolata)	m	6,7000	653,581	4 378,995
	7136040011749	Instalator incalzire si gaze	h-om	2,3450	84,97	199,255
	2746163334000 38	Teava din cupru Cu M ACR H in bare fara izolatie 1 3/8" (35x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x35 (35 mm, grosimea 19 mm) pentru traseu frigorific	m	6,8005	598,33	4 068,943
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0201	500,00	10,050
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0107	781,25	8,359
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,2010	459,64	92,388
435	IC33E	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 42,0 mm (d44,5mm preizolata)	m	17,8000	824,880	14 682,862
	7136040011749	Instalator incalzire si gaze	h-om	7,1200	84,97	604,986
	2746163334000 44	Teava din cupru Cu M ACR H in bare fara izolatie 1 5/8" (42x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x42 (42 mm, grosimea 19 mm) pentru traseu frigorific	m	18,0670	760,00	13 730,920
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0712	500,00	35,600
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0320	781,25	25,000
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,6230	459,64	286,356
		Total	Lei			34 849,693

1	2	3	4	5	6	7
		Total Sistem C4 Inclusiv salariu				34 849,693 1 990,338
		1.2.18. Sistem A4.1				
436	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x200)	buc	2,0000	2 875,650	5 751,300
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x200	Grila de aspiratie din INOX cu separator de puf PCF 400x200	buc	2,0000	2 827,94	5 655,880
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
437	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x300)	buc	2,0000	3 304,710	6 609,420
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x300	Grila de aspiratie din INOX cu separator de puf PCF 400x300	buc	2,0000	3 257,00	6 514,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
438	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
439	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	3,7700	512,892	1 933,604

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	14,2506	84,97	1 210,873
	2710703700340	Banda de otel de 25x3 mm	kg	3,0462	30,00	91,386
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0381	64,17	2,445
	2430226100814	Grund miniu G 355-6	kg	0,0457	55,00	2,514
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0381	5,00	0,191
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0647	18,33	1,186
	2710703502671	Otel cornier 25x25x3 mm	kg	4,7596	30,00	142,788
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1142	25,00	2,855
	2320146200767	Petrol distilat tip 18/200	l	0,1142	16,44	1,877
	2874135840405	Piulite uzuale hexagonale M 6	buc	22,8462	0,23	5,255
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1142	30,00	3,426
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	17,8962	23,03	412,149
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	35,9066	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	28,9385	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	22,8462	0,15	3,427
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	22,8462	2,00	45,692
	2922140006702	Macara de fereastră	h-ut	0,1885	40,00	7,540
440	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata δ=0,5 mm)	m2	0,0140	994,929	13,929
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1134	84,97	9,636
	2710703700340	Banda de otel de 25x3 mm	kg	0,0588	30,00	1,764
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0010	65,37	0,065
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0028	5,00	0,014
	2412126100010	Miniu de plumb	kg	0,0003	27,50	0,008
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0034	18,33	0,062
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0004	25,00	0,010
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1120	0,23	0,026
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0004	30,00	0,012
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0882	23,03	2,031
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1470	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia:	kg	0,1764	0,00	0,000

1	2	3	4	5	6	7
		Tabla zincata sau din aluminiu cal. I 0,5 mm)				
	2874125881198	Saiba plata pentru metal M 6	buc	0,1120	0,15	0,017
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1120	2,00	0,224
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0010	40,00	0,040
	2922140006702	Macara de fereastră	h-ut	0,0003	40,00	0,012
441	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata δ=0,5 mm)	m2	0,2400	994,812	238,755
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9440	84,97	165,182
	2710703700340	Banda de otel de 25x3 mm	kg	1,0080	30,00	30,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0168	65,37	1,098
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0576	18,33	1,056
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,9200	0,23	0,442
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,5120	23,03	34,821
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,5200	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,0240	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,9200	0,15	0,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,9200	2,00	3,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0168	40,00	0,672
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
442	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata δ=0,5 mm)	m2	0,2400	1 499,100	359,784
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240

1	2	3	4	5	6	7
	2412126100010	Minu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,8800	23,03	66,326
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,6000	23,03	82,908
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastr	h-ut	0,0048	40,00	0,192
443	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 400x300, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	11,7600	465,065	5 469,162
	7136060011900	Instalator ventilare si conditionare aer	h-om	28,9296	84,97	2 458,148
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1188	64,17	7,623
	2430226100814	Grund miniu G 355-6	kg	0,5345	55,00	29,397
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1188	5,00	0,594
	2112517330399	Mucava tip I de 3,3 mm	kg	0,5701	18,33	10,450
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0950	30,00	2,850
	2710703502671	Otel cornier 25x25x3 mm	kg	16,0348	30,00	481,044
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3563	25,00	8,908
	2320146200767	Petrol distilat tip 18/200	l	0,0713	16,44	1,172
	2874135840405	Piulite uzuale hexagonale M 6	buc	190,0416	0,23	43,710
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4751	30,00	14,253
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	33,8512	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	53,4492	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	85,5187	23,03	1 969,496
	2874125881198	Saiba plata pentru metal M 6	buc	190,0416	0,15	28,506
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	190,0416	2,00	380,083
	2922140006702	Macara de fereastr	h-ut	0,8232	40,00	32,928
444	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 -	m2	7,5000	465,065	3 487,985

1	2	3	4	5	6	7
		2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 500x250, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	18,4500	84,97	1 567,697
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0757	64,17	4,858
	2430226100814	Grund miniu G 355-6	kg	0,3409	55,00	18,749
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0757	5,00	0,379
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3636	18,33	6,665
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0606	30,00	1,818
	2710703502671	Otel cornier 25x25x3 mm	kg	10,2263	30,00	306,789
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2272	25,00	5,680
	2320146200767	Petrol distilat tip 18/200	l	0,0455	16,44	0,748
	2874135840405	Piulite uzuale hexagonale M 6	buc	121,2000	0,23	27,876
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3030	30,00	9,090
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	21,5888	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	34,0875	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	54,5400	23,03	1 256,056
	2874125881198	Saiba plata pentru metal M 6	buc	121,2000	0,15	18,180
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	121,2000	2,00	242,400
	2922140006702	Macara de fereastră	h-ut	0,5250	40,00	21,000
445	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x350, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	17,3000	566,659	9 803,198
	7136060011900	Instalator ventilare si conditionare aer	h-om	56,7440	84,97	4 821,538
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1739	64,17	11,159
	2430226100814	Grund miniu G 355-6	kg	0,9041	55,00	49,726
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1739	5,00	0,869
	2112517330399	Mucava tip I de 3,3 mm	kg	1,3040	18,33	23,902
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0869	30,00	2,607
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1391	30,00	4,173
	2710703503596	Otel cornier 32x32x3 mm	kg	29,5570	30,00	886,710

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5216	25,00	13,040
	2320146200767	Petrol distilat tip 18/200	l	0,1565	16,44	2,573
	2874135840405	Piulite uzuale hexagonale M 6	buc	417,2760	0,23	95,973
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6955	30,00	20,865
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	78,2392	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	125,1828	23,03	2 882,960
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	156,4785	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	417,2760	0,15	62,591
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	417,2760	2,00	834,552
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,8650	40,00	34,600
	2922140006702	Macara de fereastră	h-ut	1,3840	40,00	55,360
446	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata δ=0,7 mm)	m2	0,2000	696,310	139,262
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7340	84,97	62,368
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0020	64,17	0,128
	2710703502671	Otel cornier 25x25x3 mm	kg	0,7000	30,00	21,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0140	65,37	0,915
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0400	5,00	0,200
	2412126100010	Miniu de plumb	kg	0,0036	27,50	0,099
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0320	18,33	0,587
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0010	30,00	0,030
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0036	30,00	0,108
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0060	25,00	0,150
	2320146200767	Petrol distilat tip 18/200	l	0,0008	16,44	0,013
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,2000	0,23	0,736
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0060	30,00	0,180
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,2200	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9500	23,03	44,908
	2874125881198	Saiba plata pentru metal M 6	buc	3,2000	0,15	0,480
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,2000	2,00	6,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0060	40,00	0,240
447	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul	m2	0,3800	696,305	264,596

1	2	3	4	5	6	7
		sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,3946	84,97	118,499
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2710703502671	Otel cornier 25x25x3 mm	kg	1,3300	30,00	39,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0266	65,37	1,739
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0760	5,00	0,380
	2412126100010	Miniu de plumb	kg	0,0068	27,50	0,187
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0608	18,33	1,114
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0018	30,00	0,054
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0069	30,00	0,207
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0114	25,00	0,285
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0800	0,23	1,398
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0114	30,00	0,342
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,3180	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,7050	23,03	85,326
	2874125881198	Saiba plata pentru metal M 6	buc	6,0800	0,15	0,912
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0800	2,00	12,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0342	40,00	1,368
	2922140006702	Macara de fereastră	h-ut	0,0114	40,00	0,456
448	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x300, tabla zincata $\delta=0,7$ mm)	m2	0,4700	696,323	327,272
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7249	84,97	146,565
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0047	64,17	0,302
	2710703502671	Otel cornier 25x25x3 mm	kg	1,6450	30,00	49,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0329	65,37	2,151
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0940	5,00	0,470
	2412126100010	Miniu de plumb	kg	0,0085	27,50	0,234
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0752	18,33	1,378
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0023	30,00	0,069
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0086	30,00	0,258
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0141	25,00	0,352
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5200	0,23	1,730
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0141	30,00	0,423

1	2	3	4	5	6	7
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,8670	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,5825	23,03	105,535
	2874125881198	Saiba plata pentru metal M 6	buc	7,5200	0,15	1,128
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5200	2,00	15,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0423	40,00	1,692
	2922140006702	Macara de fereastră	h-ut	0,0141	40,00	0,564
449	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x250, tabla zincata δ=0,7 mm)	m2	0,6000	696,313	417,788
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2020	84,97	187,104
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0060	64,17	0,385
	2710703502671	Otel cornier 25x25x3 mm	kg	2,1000	30,00	63,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0420	65,37	2,746
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1200	5,00	0,600
	2412126100010	Miniu de plumb	kg	0,0108	27,50	0,297
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0960	18,33	1,760
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0029	30,00	0,087
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0109	30,00	0,327
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0180	25,00	0,450
	2320146200767	Petrol distilat tip 18/200	l	0,0024	16,44	0,039
	2874135840405	Piulite uzuale hexagonale M 6	buc	9,6000	0,23	2,208
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0180	30,00	0,540
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,6600	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,8500	23,03	134,725
	2874125881198	Saiba plata pentru metal M 6	buc	9,6000	0,15	1,440
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	9,6000	2,00	19,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0540	40,00	2,160
	2922140006702	Macara de fereastră	h-ut	0,0180	40,00	0,720
450	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 500x250, tabla zincata δ=0,7 mm)	m2	0,3200	714,116	228,517
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,2320	84,97	104,683
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205

1	2	3	4	5	6	7
	2710703502671	Otel cornier 25x25x3 mm	kg	1,1200	30,00	33,600
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0288	65,37	1,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0512	18,33	0,938
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0154	30,00	0,462
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0058	30,00	0,174
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,1200	0,23	1,178
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0128	30,00	0,384
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,9520	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,1200	23,03	71,854
	2874125881198	Saiba plata pentru metal M 6	buc	5,1200	0,15	0,768
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,1200	2,00	10,240
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0256	40,00	1,024
	2922140006702	Macara de fereastră	h-ut	0,0096	40,00	0,384
451	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x350, tabla zincata $\delta=0,7$ mm)	m2	0,2500	604,172	151,043
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7750	84,97	65,852
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0025	64,17	0,160
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6875	30,00	20,625
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0225	65,37	1,471
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0500	5,00	0,250
	2412126100010	Miniu de plumb	kg	0,0045	27,50	0,124
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0187	18,33	0,343
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0217	30,00	0,651
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0029	30,00	0,087
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0075	25,00	0,188
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0000	0,23	1,380
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0100	30,00	0,300
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9625	23,03	45,196
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4750	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	6,0000	0,15	0,900
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0000	2,00	12,000

1	2	3	4	5	6	7
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0250	40,00	1,000
	2922140006702	Macara de fereastră	h-ut	0,0125	40,00	0,500
452	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 300x400, tabla zincata $\delta=0,7$ mm)	m2	1,1600	714,112	828,370
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,4660	84,97	379,476
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0116	64,17	0,744
	2710703502671	Otel cornier 25x25x3 mm	kg	4,0600	30,00	121,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1044	65,37	6,825
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2320	5,00	1,160
	2412126100010	Miniu de plumb	kg	0,0209	27,50	0,575
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1856	18,33	3,402
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0557	30,00	1,671
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0211	30,00	0,633
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0348	25,00	0,870
	2320146200767	Petrol distilat tip 18/200	l	0,0046	16,44	0,076
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,5600	0,23	4,269
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0464	30,00	1,392
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,0760	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,3100	23,03	260,469
	2874125881198	Saiba plata pentru metal M 6	buc	18,5600	0,15	2,784
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,5600	2,00	37,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0928	40,00	3,712
	2922140006702	Macara de fereastră	h-ut	0,0348	40,00	1,392
453	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 350x600, tabla zincata $\delta=0,7$ mm)	m2	0,8600	604,185	519,599
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,6660	84,97	226,530
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0086	64,17	0,552
	2710703503596	Otel cornier 32x32x3 mm	kg	2,3650	30,00	70,950
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0774	65,37	5,060
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1720	5,00	0,860
	2412126100010	Miniu de plumb	kg	0,0155	27,50	0,426
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0645	18,33	1,182
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0748	30,00	2,244

1	2	3	4	5	6	7
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0101	30,00	0,303
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0258	25,00	0,645
	2320146200767	Petrol distilat tip 18/200	l	0,0034	16,44	0,056
	2874135840405	Piulite uzuale hexagonale M 6	buc	20,6400	0,23	4,747
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0344	30,00	1,032
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	6,7510	23,03	155,476
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	8,5140	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	20,6400	0,15	3,096
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	20,6400	2,00	41,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0860	40,00	3,440
	2922140006702	Macara de fereastră	h-ut	0,0430	40,00	1,720
454	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 400x300, tabla zincata δ=0,7 mm)	m2	1,3800	714,109	985,471
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,3130	84,97	451,446
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0138	64,17	0,886
	2710703502671	Otel cornier 25x25x3 mm	kg	4,8300	30,00	144,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1242	65,37	8,119
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2760	5,00	1,380
	2412126100010	Miniu de plumb	kg	0,0248	27,50	0,682
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2208	18,33	4,047
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0662	30,00	1,986
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0251	30,00	0,753
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0414	25,00	1,035
	2320146200767	Petrol distilat tip 18/200	l	0,0055	16,44	0,090
	2874135840405	Piulite uzuale hexagonale M 6	buc	22,0800	0,23	5,078
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0552	30,00	1,656
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	8,4180	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	13,4550	23,03	309,869
	2874125881198	Saiba plata pentru metal M 6	buc	22,0800	0,15	3,312
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	22,0800	2,00	44,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1104	40,00	4,416
	2922140006702	Macara de fereastră	h-ut	0,0414	40,00	1,656
455	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 3	m2	1,3600	696,315	946,988

1	2	3	4	5	6	7
		500x250/300x400 L=360mm, tabla zincata δ=0,7 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,9912	84,97	424,102
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0136	64,17	0,873
	2710703502671	Otel cornier 25x25x3 mm	kg	4,7600	30,00	142,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0952	65,37	6,223
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2720	5,00	1,360
	2412126100010	Minu de plumb	kg	0,0245	27,50	0,674
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2176	18,33	3,989
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0065	30,00	0,195
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0248	30,00	0,744
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0408	25,00	1,020
	2320146200767	Petrol distilat tip 18/200	l	0,0054	16,44	0,089
	2874135840405	Piulite uzuale hexagonale M 6	buc	21,7600	0,23	5,005
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0408	30,00	1,224
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	8,2960	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	13,2600	23,03	305,378
	2874125881198	Saiba plata pentru metal M 6	buc	21,7600	0,15	3,264
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	21,7600	2,00	43,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1224	40,00	4,896
	2922140006702	Macara de fereastră	h-ut	0,0408	40,00	1,632
456	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 4 500x250/300x400 L=360mm, tabla zincata δ=0,7 mm)	m2	1,3600	696,315	946,988
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,9912	84,97	424,102
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0136	64,17	0,873
	2710703502671	Otel cornier 25x25x3 mm	kg	4,7600	30,00	142,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0952	65,37	6,223
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2720	5,00	1,360
	2412126100010	Minu de plumb	kg	0,0245	27,50	0,674
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2176	18,33	3,989
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0065	30,00	0,195
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0248	30,00	0,744
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0408	25,00	1,020
	2320146200767	Petrol distilat tip 18/200	l	0,0054	16,44	0,089
	2874135840405	Piulite uzuale hexagonale M 6	buc	21,7600	0,23	5,005
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0408	30,00	1,224

1	2	3	4	5	6	7
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	8,2960	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	13,2600	23,03	305,378
	2874125881198	Saiba plata pentru metal M 6	buc	21,7600	0,15	3,264
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	21,7600	2,00	43,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1224	40,00	4,896
	2922140006702	Macara de fereastră	h-ut	0,0408	40,00	1,632
457	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Trecere, tip 4 300x200/d100 L=481mm, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,3800	911,150	346,237
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4179	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
458	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x350/600x350/600x350, tabla zincata $\delta=0,7$ mm)	m2	1,0600	631,524	669,415

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,6464	84,97	309,835
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0106	64,17	0,680
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9150	30,00	87,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0954	65,37	6,236
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2120	5,00	1,060
	2412126100010	Miniu de plumb	kg	0,0191	27,50	0,525
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0795	18,33	1,457
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0092	30,00	0,276
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0124	30,00	0,372
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0318	25,00	0,795
	2320146200767	Petrol distilat tip 18/200	l	0,0042	16,44	0,069
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,4400	0,23	5,851
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0424	30,00	1,272
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,3210	23,03	191,633
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,4940	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,4400	0,15	3,816
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,4400	2,00	50,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1272	40,00	5,088
	2922140006702	Macara de fereastră	h-ut	0,0530	40,00	2,120
459	Pretul firmei	EURO flansa PQ-C-20	m	119,1000	41,670	4 962,897
	PQ-C-20	EURO flansa PQ-C-20	m	119,1000	41,67	4 962,897
460	Pretul firmei	Cornier NQ-C-20	buc	292,0000	4,170	1 217,640
	NQ-C-20	Cornier NQ-C-20	buc	292,0000	4,17	1 217,640
461	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d100) Material marunt=1,0050	buc	1,0000	380,258	380,258
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC100	CRMC Clapeta de reglaj cu maner D100 (actionata manual)	buc	1,0050	141,67	142,378
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075

1	2	3	4	5	6	7
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
462	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	115,3000	66,214	7 634,487
	7136060011900	Instalator ventilare si conditionare aer	h-om	34,5900	84,97	2 939,112
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	4,6212	64,17	296,542
	2651122100024	Ciment portland P 40 saci S388	kg	6,9318	2,20	15,250
	2710703504760	Otel cornier 40x40x4 mm	kg	120,1518	30,00	3 604,554
	2412126100010	Miniu de plumb	kg	2,3106	27,50	63,541
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,2311	750,00	173,325
	2411115904512	Oxigen tehnic gazos S2031	m3	2,3106	25,00	57,765
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,3106	30,00	69,318
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	9,2240	40,00	368,960
	2922140006702	Macara de fereastră	h-ut	1,1530	40,00	46,120
		<i>Total</i>	Lei			54 862,725
		Total Sistem A4.1 Inclusiv salariu				54 862,725 16 744,401
		1.2.19. Sistem A4.2				
463	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x200)	buc	2,0000	2 875,650	5 751,300
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x200	Grila de aspiratie din INOX cu separator de puf PCF 400x200	buc	2,0000	2 827,94	5 655,880
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
464	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x300)	buc	2,0000	3 304,710	6 609,420
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098

1	2	3	4	5	6	7
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 PCF400x300	Grila de aspiratie din INOX cu separator de puf PCF 400x300	buc	2,0000	3 257,00	6 514,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
465	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
466	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 125)	buc	2,0000	147,710	295,420
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B125	Valva metalica de aspiratie cu posibilitate de reglare MV-B 125	buc	2,0000	100,00	200,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
467	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	2,8300	512,891	1 451,482
	7136060011900	Instalator ventilare si conditionare aer	h-om	10,6974	84,97	908,958
	2710703700340	Banda de otel de 25x3 mm	kg	2,2866	30,00	68,598
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0286	64,17	1,835
	2430226100814	Grund miniu G 355-6	kg	0,0343	55,00	1,886
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0286	5,00	0,143
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0486	18,33	0,891
	2710703502671	Otel cornier 25x25x3 mm	kg	3,5729	30,00	107,187
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0857	25,00	2,143
	2320146200767	Petrol distilat tip 18/200	l	0,0857	16,44	1,409
	2874135840405	Piulite uzuale hexagonale M 6	buc	17,1498	0,23	3,944

1	2	3	4	5	6	7
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0857	30,00	2,571
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	13,4340	23,03	309,385
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	26,9538	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	21,7231	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	17,1498	0,15	2,572
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	17,1498	2,00	34,300
	2922140006702	Macara de fereastră	h-ut	0,1415	40,00	5,660
468	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d125, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	4,3100	512,892	2 210,563
	7136060011900	Instalator ventilare si conditionare aer	h-om	16,2918	84,97	1 384,314
	2710703700340	Banda de otel de 25x3 mm	kg	3,4825	30,00	104,475
	2413547308164	Carbura de calciu tehnica (carbida) S102	kg	0,0435	64,17	2,791
	2430226100814	Grund miniu G 355-6	kg	0,0522	55,00	2,871
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0435	5,00	0,217
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0740	18,33	1,356
	2710703502671	Otel cornier 25x25x3 mm	kg	5,4414	30,00	163,242
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1306	25,00	3,265
	2320146200767	Petrol distilat tip 18/200	l	0,1306	16,44	2,147
	2874135840405	Piulite uzuale hexagonale M 6	buc	26,1186	0,23	6,007
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1306	30,00	3,918
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	20,4596	23,03	471,185
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	41,0497	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	33,0836	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	26,1186	0,15	3,918
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	26,1186	2,00	52,237
	2922140006702	Macara de fereastră	h-ut	0,2155	40,00	8,620
469	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)	m2	0,0140	994,929	13,929

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1134	84,97	9,636
	2710703700340	Banda de otel de 25x3 mm	kg	0,0588	30,00	1,764
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0010	65,37	0,065
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0028	5,00	0,014
	2412126100010	Miniu de plumb	kg	0,0003	27,50	0,008
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0034	18,33	0,062
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0004	25,00	0,010
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1120	0,23	0,026
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0004	30,00	0,012
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0882	23,03	2,031
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1470	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1764	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,1120	0,15	0,017
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1120	2,00	0,224
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0010	40,00	0,040
	2922140006702	Macara de fereastră	h-ut	0,0003	40,00	0,012
470	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d125, tabla zincata δ=0,5 mm)	m2	0,0200	994,950	19,899
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1620	84,97	13,765
	2710703700340	Banda de otel de 25x3 mm	kg	0,0840	30,00	2,520
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0002	64,17	0,013
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0014	65,37	0,092
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0040	5,00	0,020
	2412126100010	Miniu de plumb	kg	0,0004	27,50	0,011
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0048	18,33	0,088
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0006	25,00	0,015
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1600	0,23	0,037
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0006	30,00	0,018
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,1260	23,03	2,902
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,2100	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1	kg	0,2520	0,00	0,000

1	2	3	4	5	6	7
	1	mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)				
	2874125881198	Saiba plata pentru metal M 6	buc	0,1600	0,15	0,024
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1600	2,00	0,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0014	40,00	0,056
	2922140006702	Macara de fereastră	h-ut	0,0004	40,00	0,016
471	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata δ=0,5 mm)	m2	0,2400	994,812	238,755
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9440	84,97	165,182
	2710703700340	Banda de otel de 25x3 mm	kg	1,0080	30,00	30,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0168	65,37	1,098
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0576	18,33	1,056
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,9200	0,23	0,442
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,5120	23,03	34,821
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,5200	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,0240	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,9200	0,15	0,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,9200	2,00	3,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0168	40,00	0,672
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
472	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d125, tabla zincata δ=0,5 mm)	m2	0,3300	994,809	328,287
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,6730	84,97	227,125
	2710703700340	Banda de otel de 25x3 mm	kg	1,3860	30,00	41,580
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0033	64,17	0,212
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0231	65,37	1,510
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25	buc	0,0660	5,00	0,330

1	2	3	4	5	6	7
		S 1581				
	2412126100010	Minu de plumb	kg	0,0059	27,50	0,162
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0792	18,33	1,452
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0099	25,00	0,248
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,6400	0,23	0,607
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0099	30,00	0,297
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,0790	23,03	47,879
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,4650	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,1580	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,6400	0,15	0,396
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,6400	2,00	5,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0231	40,00	0,924
	2922140006702	Macara de fereastr	h-ut	0,0066	40,00	0,264
473	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata $\delta=0,5$ mm)	m2	0,2400	1 499,100	359,784
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Minu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,8800	23,03	66,326
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,6000	23,03	82,908
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastr	h-ut	0,0048	40,00	0,192
474	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400	m2	0,3000	1 499,113	449,734

1	2	3	4	5	6	7
		mm (Teu d125x125x125, tabla zincata $\delta=0,5$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9140	84,97	162,633
	2710703700340	Banda de otel de 25x3 mm	kg	1,3500	30,00	40,500
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0030	64,17	0,193
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0180	65,37	1,177
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0600	5,00	0,300
	2412126100010	Miniu de plumb	kg	0,0054	27,50	0,149
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1140	18,33	2,090
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0090	25,00	0,225
	2320146200767	Petrol distilat tip 18/200	l	0,0012	16,44	0,020
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,2000	0,23	0,276
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0090	30,00	0,270
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,2500	23,03	51,818
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,6000	23,03	82,908
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	4,5000	23,03	103,635
	2874125881198	Saiba plata pentru metal M 6	buc	1,2000	0,15	0,180
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,2000	2,00	2,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0060	40,00	0,240
475	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 500x250, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	20,5500	465,065	9 557,081
	7136060011900	Instalator ventilare si conditionare aer	h-om	50,5530	84,97	4 295,488
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2076	64,17	13,322
	2430226100814	Grund miniu G 355-6	kg	0,9340	55,00	51,370
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2076	5,00	1,038
	2112517330399	Mucava tip I de 3,3 mm	kg	0,9963	18,33	18,262
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1660	30,00	4,980
	2710703502671	Otel cornier 25x25x3 mm	kg	28,0199	30,00	840,597
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6227	25,00	15,568
	2320146200767	Petrol distilat tip 18/200	l	0,1245	16,44	2,047
	2874135840405	Piulite uzuale hexagonale M 6	buc	332,0880	0,23	76,380
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8302	30,00	24,906
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	59,1532	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I	kg	93,3997	0,00	0,000

1	2	3	4	5	6	7
		0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)				
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	149,4396	23,03	3 441,594
	2874125881198	Saiba plata pentru metal M 6	buc	332,0880	0,15	49,813
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	332,0880	2,00	664,176
	2922140006702	Macara de fereastră	h-ut	1,4385	40,00	57,540
476	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x350, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	18,7500	566,659	10 624,849
	7136060011900	Instalator ventilare si conditionare aer	h-om	61,5000	84,97	5 225,655
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1884	64,17	12,090
	2430226100814	Grund miniu G 355-6	kg	0,9799	55,00	53,895
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1884	5,00	0,942
	2112517330399	Mucava tip I de 3,3 mm	kg	1,4133	18,33	25,906
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0942	30,00	2,826
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1507	30,00	4,521
	2710703503596	Otel cornier 32x32x3 mm	kg	32,0344	30,00	961,032
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5653	25,00	14,133
	2320146200767	Petrol distilat tip 18/200	l	0,1696	16,44	2,788
	2874135840405	Piulite uzuale hexagonale M 6	buc	452,2500	0,23	104,017
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,7537	30,00	22,611
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	84,7969	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	135,6750	23,03	3 124,595
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	169,5937	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	452,2500	0,15	67,838
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	452,2500	2,00	904,500
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,9375	40,00	37,500
	2922140006702	Macara de fereastră	h-ut	1,5000	40,00	60,000
477	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata $\delta=0,7$ mm)	m2	0,4000	696,312	278,525
	7136060011900	Instalator ventilare si conditionare	h-om	1,4680	84,97	124,736

1	2	3	4	5	6	7
		aer				
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0040	64,17	0,257
	2710703502671	Otel cornier 25x25x3 mm	kg	1,4000	30,00	42,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0280	65,37	1,830
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0800	5,00	0,400
	2412126100010	Miniu de plumb	kg	0,0072	27,50	0,198
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0640	18,33	1,173
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0019	30,00	0,057
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0073	30,00	0,219
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0120	25,00	0,300
	2320146200767	Petrol distilat tip 18/200	l	0,0016	16,44	0,026
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,4000	0,23	1,472
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0120	30,00	0,360
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4400	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,9000	23,03	89,817
	2874125881198	Saiba plata pentru metal M 6	buc	6,4000	0,15	0,960
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,4000	2,00	12,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0360	40,00	1,440
	2922140006702	Macara de fereastră	h-ut	0,0120	40,00	0,480
478	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata δ=0,7 mm)	m2	0,3800	696,305	264,596
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,3946	84,97	118,499
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2710703502671	Otel cornier 25x25x3 mm	kg	1,3300	30,00	39,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0266	65,37	1,739
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0760	5,00	0,380
	2412126100010	Miniu de plumb	kg	0,0068	27,50	0,187
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0608	18,33	1,114
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0018	30,00	0,054
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0069	30,00	0,207
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0114	25,00	0,285
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0800	0,23	1,398
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0114	30,00	0,342
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,3180	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8	kg	3,7050	23,03	85,326

1	2	3	4	5	6	7
		mm grosime, cal.I				
	2874125881198	Saiba plata pentru metal M 6	buc	6,0800	0,15	0,912
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0800	2,00	12,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0342	40,00	1,368
	2922140006702	Macara de fereastră	h-ut	0,0114	40,00	0,456
479	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x300, tabla zincata δ=0,7 mm)	m2	0,4700	696,323	327,272
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7249	84,97	146,565
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0047	64,17	0,302
	2710703502671	Otel cornier 25x25x3 mm	kg	1,6450	30,00	49,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0329	65,37	2,151
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0940	5,00	0,470
	2412126100010	Miniu de plumb	kg	0,0085	27,50	0,234
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0752	18,33	1,378
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0023	30,00	0,069
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0086	30,00	0,258
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0141	25,00	0,352
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5200	0,23	1,730
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0141	30,00	0,423
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,8670	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,5825	23,03	105,535
	2874125881198	Saiba plata pentru metal M 6	buc	7,5200	0,15	1,128
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5200	2,00	15,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0423	40,00	1,692
	2922140006702	Macara de fereastră	h-ut	0,0141	40,00	0,564
480	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x250, tabla zincata δ=0,7 mm)	m2	0,6000	696,313	417,788
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2020	84,97	187,104
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0060	64,17	0,385
	2710703502671	Otel cornier 25x25x3 mm	kg	2,1000	30,00	63,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0420	65,37	2,746
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1200	5,00	0,600
	2412126100010	Miniu de plumb	kg	0,0108	27,50	0,297

1	2	3	4	5	6	7
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0960	18,33	1,760
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0029	30,00	0,087
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0109	30,00	0,327
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0180	25,00	0,450
	2320146200767	Petrol distilat tip 18/200	l	0,0024	16,44	0,039
	2874135840405	Piulite uzuale hexagonale M 6	buc	9,6000	0,23	2,208
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0180	30,00	0,540
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,6600	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,8500	23,03	134,725
	2874125881198	Saiba plata pentru metal M 6	buc	9,6000	0,15	1,440
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	9,6000	2,00	19,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0540	40,00	2,160
	2922140006702	Macara de fereastră	h-ut	0,0180	40,00	0,720
481	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 500x250, tabla zincata δ=0,7 mm)	m2	0,3200	714,116	228,517
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,2320	84,97	104,683
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2710703502671	Otel cornier 25x25x3 mm	kg	1,1200	30,00	33,600
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0288	65,37	1,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0512	18,33	0,938
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0154	30,00	0,462
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0058	30,00	0,174
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,1200	0,23	1,178
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0128	30,00	0,384
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,9520	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,1200	23,03	71,854
	2874125881198	Saiba plata pentru metal M 6	buc	5,1200	0,15	0,768
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,1200	2,00	10,240
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0256	40,00	1,024
	2922140006702	Macara de fereastră	h-ut	0,0096	40,00	0,384
482	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul	m2	0,2500	604,172	151,043

1	2	3	4	5	6	7
		sectiunii rectangulare de 1600 - 2500 mm (Dop 600x350, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7750	84,97	65,852
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0025	64,17	0,160
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6875	30,00	20,625
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0225	65,37	1,471
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0500	5,00	0,250
	2412126100010	Miniu de plumb	kg	0,0045	27,50	0,124
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0187	18,33	0,343
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0217	30,00	0,651
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0029	30,00	0,087
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0075	25,00	0,188
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0000	0,23	1,380
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0100	30,00	0,300
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9625	23,03	45,196
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4750	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	6,0000	0,15	0,900
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0000	2,00	12,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0250	40,00	1,000
	2922140006702	Macara de fereastră	h-ut	0,0125	40,00	0,500
483	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 250x500, tabla zincata $\delta=0,7$ mm)	m2	1,1300	714,110	806,944
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,3505	84,97	369,662
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0113	64,17	0,725
	2710703502671	Otel cornier 25x25x3 mm	kg	3,9550	30,00	118,650
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1017	65,37	6,648
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2260	5,00	1,130
	2412126100010	Miniu de plumb	kg	0,0203	27,50	0,558
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1808	18,33	3,314
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0542	30,00	1,626
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0206	30,00	0,618
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0339	25,00	0,848
	2320146200767	Petrol distilat tip 18/200	l	0,0045	16,44	0,074
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,0800	0,23	4,158
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0452	30,00	1,356

1	2	3	4	5	6	7
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	6,8930	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,0175	23,03	253,733
	2874125881198	Saiba plata pentru metal M 6	buc	18,0800	0,15	2,712
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,0800	2,00	36,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0904	40,00	3,616
	2922140006702	Macara de fereastră	h-ut	0,0339	40,00	1,356
484	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 350x600, tabla zincata $\delta=0,7$ mm)	m2	0,8600	604,185	519,599
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,6660	84,97	226,530
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0086	64,17	0,552
	2710703503596	Otel cornier 32x32x3 mm	kg	2,3650	30,00	70,950
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0774	65,37	5,060
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1720	5,00	0,860
	2412126100010	Miniu de plumb	kg	0,0155	27,50	0,426
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0645	18,33	1,182
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0748	30,00	2,244
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0101	30,00	0,303
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0258	25,00	0,645
	2320146200767	Petrol distilat tip 18/200	l	0,0034	16,44	0,056
	2874135840405	Piulite uzuale hexagonale M 6	buc	20,6400	0,23	4,747
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0344	30,00	1,032
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	6,7510	23,03	155,476
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	8,5140	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	20,6400	0,15	3,096
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	20,6400	2,00	41,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0860	40,00	3,440
	2922140006702	Macara de fereastră	h-ut	0,0430	40,00	1,720
485	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 600x350, tabla zincata $\delta=0,7$ mm)	m2	1,7200	604,184	1 039,196
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,3320	84,97	453,060
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0172	64,17	1,104

1	2	3	4	5	6	7
	2710703503596	Otel cornier 32x32x3 mm	kg	4,7300	30,00	141,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1548	65,37	10,119
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3440	5,00	1,720
	2412126100010	Miniu de plumb	kg	0,0310	27,50	0,853
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1290	18,33	2,365
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1496	30,00	4,488
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0201	30,00	0,603
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0516	25,00	1,290
	2320146200767	Petrol distilat tip 18/200	l	0,0069	16,44	0,113
	2874135840405	Piulite uzuale hexagonale M 6	buc	41,2800	0,23	9,494
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0688	30,00	2,064
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	13,5020	23,03	310,951
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	17,0280	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	41,2800	0,15	6,192
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	41,2800	2,00	82,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1720	40,00	6,880
	2922140006702	Macara de fereastră	h-ut	0,0860	40,00	3,440
486	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii cerclare de 400 - 700 mm (Trecere, tip 4 300x200/d100 L=481mm, tabla zincata 6=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,3800	911,150	346,237
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4179	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia:	kg	4,8359	0,00	0,000

1	2	3	4	5	6	7
		Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)				
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
487	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Trecere, tip 4 300x200/d125 L=438mm, tabla zincata δ=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,3800	911,150	346,237
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4179	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
488	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x350/600x350/600x350, tabla zincata δ=0,7 mm)	m2	1,0600	631,524	669,415
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,6464	84,97	309,835
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0106	64,17	0,680

1	2	3	4	5	6	7
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9150	30,00	87,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0954	65,37	6,236
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2120	5,00	1,060
	2412126100010	Miniu de plumb	kg	0,0191	27,50	0,525
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0795	18,33	1,457
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0092	30,00	0,276
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0124	30,00	0,372
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0318	25,00	0,795
	2320146200767	Petrol distilat tip 18/200	l	0,0042	16,44	0,069
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,4400	0,23	5,851
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0424	30,00	1,272
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,3210	23,03	191,633
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,4940	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,4400	0,15	3,816
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,4400	2,00	50,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1272	40,00	5,088
	2922140006702	Macara de fereastră	h-ut	0,0530	40,00	2,120
489	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Piesa deviatie 600x350, H=400mm, L=750mm, tabla zincata δ=0,7 mm)	m2	1,5400	649,368	1 000,027
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,6210	84,97	477,616
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0154	64,17	0,988
	2710703503596	Otel cornier 32x32x3 mm	kg	4,2350	30,00	127,050
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1386	65,37	9,060
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3080	5,00	1,540
	2412126100010	Miniu de plumb	kg	0,0277	27,50	0,762
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1155	18,33	2,117
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0134	30,00	0,402
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0180	30,00	0,540
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0462	25,00	1,155
	2320146200767	Petrol distilat tip 18/200	l	0,0062	16,44	0,102
	2874135840405	Piulite uzuale hexagonale M 6	buc	36,9600	0,23	8,501
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0616	30,00	1,848
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	12,0890	23,03	278,410
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	15,2460	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	36,9600	0,15	5,544

1	2	3	4	5	6	7
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	36,9600	2,00	73,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1848	40,00	7,392
	2922140006702	Macara de fereastră	h-ut	0,0770	40,00	3,080
490	Pretul firmei	EURO flansa PQ-C-20	m	109,3000	41,670	4 554,531
	PQ-C-20	EURO flansa PQ-C-20	m	109,3000	41,67	4 554,531
491	Pretul firmei	Cornier NQ-C-20	buc	252,0000	4,170	1 050,840
	NQ-C-20	Cornier NQ-C-20	buc	252,0000	4,17	1 050,840
492	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d100) Material marunt=1,0050	buc	1,0000	380,258	380,258
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxygen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC100	CRMC Clapeta de reglaj cu maner D100 (actionata manual)	buc	1,0050	141,67	142,378
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
493	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d125) Material marunt=1,0050	buc	1,0000	388,630	388,630
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxygen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700	CRMC Clapeta de reglaj cu maner	buc	1,0050	150,00	150,750

1	2	3	4	5	6	7
	CRMC125	D125 (actionata manual)				
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
494	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	122,7000	66,214	8 124,450
	7136060011900	Instalator ventilare si conditionare aer	h-om	36,8100	84,97	3 127,746
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	4,9178	64,17	315,575
	2651122100024	Ciment portland P 40 saci S388	kg	7,3767	2,20	16,229
	2710703504760	Otel cornier 40x40x4 mm	kg	127,8632	30,00	3 835,896
	2412126100010	Miniu de plumb	kg	2,4589	27,50	67,620
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,2459	750,00	184,425
	2411115904512	Oxigen tehnic gazos S2031	m3	2,4589	25,00	61,472
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,4589	30,00	73,767
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	9,8160	40,00	392,640
	2922140006702	Macara de fereastră	h-ut	1,2270	40,00	49,080
		<i>Total</i>	Lei			59 033,368
		Total Sistem A4.2 Inclusiv salariu				59 033,368 19 147,904
		1.2.20. Sistem A4.3				
495	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x200)	buc	4,0000	2 875,650	11 502,600
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 PCF400x200	Grila de aspiratie din INOX cu separator de puf PCF 400x200	buc	4,0000	2 827,94	11 311,760
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
496	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x300)	buc	4,0000	3 304,710	13 218,840

1	2	3	4	5	6	7
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 PCF400x300	Grila de aspiratie din INOX cu separator de puf PCF 400x300	buc	4,0000	3 257,00	13 028,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
497	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
498	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	4,0800	512,891	2 092,597
	7136060011900	Instalator ventilare si conditionare aer	h-om	15,4224	84,97	1 310,441
	2710703700340	Banda de otel de 25x3 mm	kg	3,2966	30,00	98,898
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0412	64,17	2,644
	2430226100814	Grund miniu G 355-6	kg	0,0494	55,00	2,717
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0412	5,00	0,206
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0701	18,33	1,285
	2710703502671	Otel cornier 25x25x3 mm	kg	5,1510	30,00	154,530
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1236	25,00	3,090
	2320146200767	Petrol distilat tip 18/200	l	0,1236	16,44	2,032
	2874135840405	Piulite uzuale hexagonale M 6	buc	24,7248	0,23	5,687
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1236	30,00	3,708
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	19,3678	23,03	446,040
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	38,8591	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	31,3181	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	24,7248	0,15	3,709
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	24,7248	2,00	49,450

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	0,2040	40,00	8,160
499	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)	m2	0,0140	994,929	13,929
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,1134	84,97	9,636
	2710703700340	Banda de otel de 25x3 mm	kg	0,0588	30,00	1,764
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0010	65,37	0,065
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0028	5,00	0,014
	2412126100010	Miniu de plumb	kg	0,0003	27,50	0,008
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0034	18,33	0,062
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0004	25,00	0,010
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,1120	0,23	0,026
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0004	30,00	0,012
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0882	23,03	2,031
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1470	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1764	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,1120	0,15	0,017
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,1120	2,00	0,224
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0010	40,00	0,040
	2922140006702	Macara de fereastră	h-ut	0,0003	40,00	0,012
500	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata $\delta=0,5$ mm)	m2	0,2400	994,812	238,755
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9440	84,97	165,182
	2710703700340	Banda de otel de 25x3 mm	kg	1,0080	30,00	30,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0168	65,37	1,098
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0576	18,33	1,056
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,9200	0,23	0,442

1	2	3	4	5	6	7
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,5120	23,03	34,821
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,5200	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,0240	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,9200	0,15	0,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,9200	2,00	3,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0168	40,00	0,672
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
501	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata δ=0,5 mm)	m2	0,2400	1 499,100	359,784
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,8800	23,03	66,326
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,6000	23,03	82,908
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
502	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 500x250, tabla zincata δ=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	19,9600	566,659	11 310,510
	7136060011900	Instalator ventilare si conditionare	h-om	65,4688	84,97	5 562,884

1	2	3	4	5	6	7
		aer				
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,2006	64,17	12,873
	2430226100814	Grund miniu G 355-6	kg	1,0431	55,00	57,370
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2006	5,00	1,003
	2112517330399	Mucava tip I de 3,3 mm	kg	1,5045	18,33	27,577
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1003	30,00	3,009
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1605	30,00	4,815
	2710703503596	Otel cornier 32x32x3 mm	kg	34,1017	30,00	1 023,051
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6018	25,00	15,045
	2320146200767	Petrol distilat tip 18/200	l	0,1805	16,44	2,967
	2874135840405	Piulite uzuale hexagonale M 6	buc	481,4352	0,23	110,730
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8024	30,00	24,072
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	90,2691	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	144,4306	23,03	3 326,237
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	180,5382	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	481,4352	0,15	72,215
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	481,4352	2,00	962,870
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,9980	40,00	39,920
	2922140006702	Macara de fereastră	h-ut	1,5968	40,00	63,872
503	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x350, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	17,2000	566,659	9 746,535
	7136060011900	Instalator ventilare si conditionare aer	h-om	56,4160	84,97	4 793,668
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,1729	64,17	11,095
	2430226100814	Grund miniu G 355-6	kg	0,8989	55,00	49,440
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1729	5,00	0,865
	2112517330399	Mucava tip I de 3,3 mm	kg	1,2964	18,33	23,763
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0864	30,00	2,592
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1383	30,00	4,149
	2710703503596	Otel cornier 32x32x3 mm	kg	29,3862	30,00	881,586
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5186	25,00	12,965
	2320146200767	Petrol distilat tip 18/200	l	0,1556	16,44	2,558
	2874135840405	Piulite uzuale hexagonale M 6	buc	414,8640	0,23	95,419
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6914	30,00	20,742

1	2	3	4	5	6	7
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	77,7870	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	124,4592	23,03	2 866,295
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	155,5740	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	414,8640	0,15	62,230
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	414,8640	2,00	829,728
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,8600	40,00	34,400
	2922140006702	Macara de fereastră	h-ut	1,3760	40,00	55,040
504	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata δ=0,7 mm)	m2	0,2000	696,310	139,262
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7340	84,97	62,368
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0020	64,17	0,128
	2710703502671	Otel cornier 25x25x3 mm	kg	0,7000	30,00	21,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0140	65,37	0,915
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0400	5,00	0,200
	2412126100010	Miniu de plumb	kg	0,0036	27,50	0,099
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0320	18,33	0,587
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0010	30,00	0,030
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0036	30,00	0,108
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0060	25,00	0,150
	2320146200767	Petrol distilat tip 18/200	l	0,0008	16,44	0,013
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,2000	0,23	0,736
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0060	30,00	0,180
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,2200	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9500	23,03	44,908
	2874125881198	Saiba plata pentru metal M 6	buc	3,2000	0,15	0,480
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,2000	2,00	6,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0060	40,00	0,240
505	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata δ=0,7 mm)	m2	0,3800	696,305	264,596

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,3946	84,97	118,499
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2710703502671	Otel cornier 25x25x3 mm	kg	1,3300	30,00	39,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0266	65,37	1,739
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0760	5,00	0,380
	2412126100010	Miniu de plumb	kg	0,0068	27,50	0,187
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0608	18,33	1,114
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0018	30,00	0,054
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0069	30,00	0,207
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0114	25,00	0,285
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0800	0,23	1,398
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0114	30,00	0,342
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,3180	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,7050	23,03	85,326
	2874125881198	Saiba plata pentru metal M 6	buc	6,0800	0,15	0,912
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0800	2,00	12,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0342	40,00	1,368
	2922140006702	Macara de fereastră	h-ut	0,0114	40,00	0,456
506	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x300, tabla zincata δ=0,7 mm)	m2	0,4700	696,323	327,272
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7249	84,97	146,565
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0047	64,17	0,302
	2710703502671	Otel cornier 25x25x3 mm	kg	1,6450	30,00	49,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0329	65,37	2,151
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0940	5,00	0,470
	2412126100010	Miniu de plumb	kg	0,0085	27,50	0,234
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0752	18,33	1,378
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0023	30,00	0,069
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0086	30,00	0,258
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0141	25,00	0,352
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5200	0,23	1,730
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0141	30,00	0,423
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,8670	0,00	0,000

1	2	3	4	5	6	7
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,5825	23,03	105,535
	2874125881198	Saiba plata pentru metal M 6	buc	7,5200	0,15	1,128
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5200	2,00	15,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0423	40,00	1,692
	2922140006702	Macara de fereastră	h-ut	0,0141	40,00	0,564
507	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x250, tabla zincata δ=0,7 mm)	m2	0,6000	696,313	417,788
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2020	84,97	187,104
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0060	64,17	0,385
	2710703502671	Otel cornier 25x25x3 mm	kg	2,1000	30,00	63,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0420	65,37	2,746
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1200	5,00	0,600
	2412126100010	Miniu de plumb	kg	0,0108	27,50	0,297
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0960	18,33	1,760
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0029	30,00	0,087
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0109	30,00	0,327
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0180	25,00	0,450
	2320146200767	Petrol distilat tip 18/200	l	0,0024	16,44	0,039
	2874135840405	Piulite uzuale hexagonale M 6	buc	9,6000	0,23	2,208
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0180	30,00	0,540
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,6600	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,8500	23,03	134,725
	2874125881198	Saiba plata pentru metal M 6	buc	9,6000	0,15	1,440
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	9,6000	2,00	19,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0540	40,00	2,160
	2922140006702	Macara de fereastră	h-ut	0,0180	40,00	0,720
508	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 500x250, tabla zincata δ=0,7 mm)	m2	0,3200	714,116	228,517
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,2320	84,97	104,683
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2710703502671	Otel cornier 25x25x3 mm	kg	1,1200	30,00	33,600
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0288	65,37	1,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320

1	2	3	4	5	6	7
	2412126100010	Minu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0512	18,33	0,938
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0154	30,00	0,462
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0058	30,00	0,174
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,1200	0,23	1,178
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0128	30,00	0,384
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,9520	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,1200	23,03	71,854
	2874125881198	Saiba plata pentru metal M 6	buc	5,1200	0,15	0,768
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,1200	2,00	10,240
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0256	40,00	1,024
	2922140006702	Macara de fereastr	h-ut	0,0096	40,00	0,384
509	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x350, tabla zincata $\delta=0,7$ mm)	m2	0,2500	604,172	151,043
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7750	84,97	65,852
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0025	64,17	0,160
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6875	30,00	20,625
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0225	65,37	1,471
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0500	5,00	0,250
	2412126100010	Minu de plumb	kg	0,0045	27,50	0,124
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0187	18,33	0,343
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0217	30,00	0,651
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0029	30,00	0,087
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0075	25,00	0,188
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0000	0,23	1,380
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0100	30,00	0,300
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,9625	23,03	45,196
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4750	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	6,0000	0,15	0,900
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0000	2,00	12,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0250	40,00	1,000
	2922140006702	Macara de fereastr	h-ut	0,0125	40,00	0,500
510	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm	m2	1,1300	714,110	806,944

1	2	3	4	5	6	7
		grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 250x500, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,3505	84,97	369,662
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0113	64,17	0,725
	2710703502671	Otel cornier 25x25x3 mm	kg	3,9550	30,00	118,650
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1017	65,37	6,648
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2260	5,00	1,130
	2412126100010	Miniu de plumb	kg	0,0203	27,50	0,558
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1808	18,33	3,314
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0542	30,00	1,626
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0206	30,00	0,618
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0339	25,00	0,848
	2320146200767	Petrol distilat tip 18/200	l	0,0045	16,44	0,074
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,0800	0,23	4,158
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0452	30,00	1,356
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	6,8930	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,0175	23,03	253,733
	2874125881198	Saiba plata pentru metal M 6	buc	18,0800	0,15	2,712
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,0800	2,00	36,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0904	40,00	3,616
	2922140006702	Macara de fereastră	h-ut	0,0339	40,00	1,356
511	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 350x600, tabla zincata $\delta=0,7$ mm)	m2	0,8600	604,185	519,599
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,6660	84,97	226,530
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0086	64,17	0,552
	2710703503596	Otel cornier 32x32x3 mm	kg	2,3650	30,00	70,950
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0774	65,37	5,060
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1720	5,00	0,860
	2412126100010	Miniu de plumb	kg	0,0155	27,50	0,426
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0645	18,33	1,182
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0748	30,00	2,244
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0101	30,00	0,303
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0258	25,00	0,645
	2320146200767	Petrol distilat tip 18/200	l	0,0034	16,44	0,056

1	2	3	4	5	6	7
	2874135840405	Piulite uzuale hexagonale M 6	buc	20,6400	0,23	4,747
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0344	30,00	1,032
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	6,7510	23,03	155,476
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	8,5140	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	20,6400	0,15	3,096
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	20,6400	2,00	41,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0860	40,00	3,440
	2922140006702	Macara de fereastră	h-ut	0,0430	40,00	1,720
512	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Trecere, tip 4 300x200/d100 L=481mm, tabla zincata δ=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,3800	911,150	346,237
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2534	84,97	191,471
	2710703700340	Banda de otel de 25x3 mm	kg	1,6120	30,00	48,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0038	64,17	0,244
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0269	65,37	1,758
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0768	5,00	0,384
	2412126100010	Miniu de plumb	kg	0,0069	27,50	0,190
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0921	18,33	1,688
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0115	25,00	0,287
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0704	0,23	0,706
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0115	30,00	0,345
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4179	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,0299	23,03	92,809
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0704	0,15	0,461
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0704	2,00	6,141
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0266	40,00	1,064
	2922140006702	Macara de fereastră	h-ut	0,0076	40,00	0,304
513	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x350/600x350/600x350, tabla	m2	1,0600	631,524	669,415

1	2	3	4	5	6	7
		zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,6464	84,97	309,835
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0106	64,17	0,680
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9150	30,00	87,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0954	65,37	6,236
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2120	5,00	1,060
	2412126100010	Miniu de plumb	kg	0,0191	27,50	0,525
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0795	18,33	1,457
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0092	30,00	0,276
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0124	30,00	0,372
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0318	25,00	0,795
	2320146200767	Petrol distilat tip 18/200	l	0,0042	16,44	0,069
	2874135840405	Piulite uzuale hexagonale M 6	buc	25,4400	0,23	5,851
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0424	30,00	1,272
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,3210	23,03	191,633
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,4940	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	25,4400	0,15	3,816
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	25,4400	2,00	50,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1272	40,00	5,088
	2922140006702	Macara de fereastră	h-ut	0,0530	40,00	2,120
514	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Piesa deviatie 600x350, H=465mm, L=750mm, tabla zincata $\delta=0,7$ mm)	m2	1,7000	649,369	1 103,927
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,2050	84,97	527,239
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0170	64,17	1,091
	2710703503596	Otel cornier 32x32x3 mm	kg	4,6750	30,00	140,250
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1530	65,37	10,002
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3400	5,00	1,700
	2412126100010	Miniu de plumb	kg	0,0306	27,50	0,841
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1275	18,33	2,337
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0148	30,00	0,444
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0199	30,00	0,597
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0510	25,00	1,275
	2320146200767	Petrol distilat tip 18/200	l	0,0068	16,44	0,112
	2874135840405	Piulite uzuale hexagonale M 6	buc	40,8000	0,23	9,384
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0680	30,00	2,040
	2710403643000	Tabla zincata sau aluminiu de 0,8	kg	13,3450	23,03	307,335

1	2	3	4	5	6	7
		mm grosime, cal.I				
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	16,8300	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	40,8000	0,15	6,120
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	40,8000	2,00	81,600
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2040	40,00	8,160
	2922140006702	Macara de fereastră	h-ut	0,0850	40,00	3,400
515	Pretul firmei	EURO flansa PQ-C-20	m	104,7000	41,670	4 362,849
	PQ-C-20	EURO flansa PQ-C-20	m	104,7000	41,67	4 362,849
516	Pretul firmei	Cornier NQ-C-20	buc	244,0000	4,170	1 017,480
	NQ-C-20	Cornier NQ-C-20	buc	244,0000	4,17	1 017,480
517	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d100) Material marunt=1,0050	buc	1,0000	380,258	380,258
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Minu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC100	CRMC Clapeta de reglaj cu maner D100 (actionata manual)	buc	1,0050	141,67	142,378
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
518	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	111,0000	66,214	7 349,708
	7136060011900	Instalator ventilare si conditionare aer	h-om	33,3000	84,97	2 829,501
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	4,4489	64,17	285,486
	2651122100024	Ciment portland P 40 saci S388	kg	6,6733	2,20	14,681
	2710703504760	Otel cornier 40x40x4 mm	kg	115,6709	30,00	3 470,127

1	2	3	4	5	6	7
	2412126100010	Miniu de plumb	kg	2,2244	27,50	61,171
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,2224	750,00	166,800
	2411115904512	Oxigen tehnic gazos S2031	m3	2,2244	25,00	55,610
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,2244	30,00	66,732
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	8,8800	40,00	355,200
	2922140006702	Macara de fereastră	h-ut	1,1100	40,00	44,400
		<i>Total</i>	Lei			66 797,205
		Total Sistem A4.3 Inclusiv salariu				66 797,205 17 631,242
		1.2.21. Sistem R5				
519	VA02D	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Canal 850x850, tabla zincata δ=1,0 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0030	m2	22,6100	797,753	18 037,204
	7136060011900	Instalator ventilare si conditionare aer	h-om	79,8133	84,97	6 781,736
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,4536	64,17	29,108
	2430226100814	Grund miniu G 355-6	kg	2,3585	55,00	129,718
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2268	5,00	1,134
	2112517330399	Mucava tip I de 3,3 mm	kg	3,4017	18,33	62,353
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,4536	30,00	13,608
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1814	30,00	5,442
	2710703504502	Otel cornier 40x40x3 mm	kg	45,3557	30,00	1 360,671
	2710703504760	Otel cornier 40x40x4 mm	kg	57,8285	30,00	1 734,855
	2411115904512	Oxigen tehnic gazos S2031	m3	1,3607	25,00	34,017
	2320146200767	Petrol distilat tip 18/200	l	0,3628	16,44	5,964
	2874135840405	Piulite uzuale hexagonale M 6	buc	1 269,9585	0,23	292,090
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,1339	30,00	34,017
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	159,8787	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	199,5649	23,03	4 595,980
	2874125881198	Saiba plata pentru metal M 6	buc	1 269,9585	0,15	190,494
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1 269,9585	2,00	2 539,917
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	3,3915	40,00	135,660
	2922140006702	Macara de fereastră	h-ut	2,2610	40,00	90,440
520	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Cot 90*, 850x850,	m2	5,7600	661,468	3 810,055

1	2	3	4	5	6	7
		tabla zincata $\delta=1,0$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	17,1648	84,97	1 458,493
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1152	64,17	7,392
	2710703504760	Otel cornier 40x40x4 mm	kg	8,6400	30,00	259,200
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,5472	65,37	35,770
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,1520	5,00	5,760
	2412126100010	Miniu de plumb	kg	0,1037	27,50	2,852
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2880	18,33	5,279
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,5990	30,00	17,970
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0230	30,00	0,690
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3456	25,00	8,640
	2320146200767	Petrol distilat tip 18/200	l	0,0230	16,44	0,378
	2874135840405	Piulite uzuale hexagonale M 6	buc	322,5600	0,23	74,189
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2880	30,00	8,640
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	40,8960	0,00	0,000
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	77,1840	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	51,2640	23,03	1 180,610
	2874125881198	Saiba plata pentru metal M 6	buc	322,5600	0,15	48,384
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	322,5600	2,00	645,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,8640	40,00	34,560
	2922140006702	Macara de fereastră	h-ut	0,4032	40,00	16,128
521	VA11J	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Trecere, tip 4 850x850/1100x850 L=440mm, tabla zincata $\delta=1,0$ mm)	m2	2,0000	731,125	1 462,250
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,6600	84,97	650,870
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0400	64,17	2,567
	2710703504760	Otel cornier 40x40x4 mm	kg	3,0000	30,00	90,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1900	65,37	12,420
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4000	5,00	2,000
	2412126100010	Miniu de plumb	kg	0,0360	27,50	0,990
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1000	18,33	1,833
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0368	30,00	1,104
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0080	30,00	0,240
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1200	25,00	3,000

1	2	3	4	5	6	7
	2320146200767	Petrol distilat tip 18/200	l	0,0080	16,44	0,132
	2874135840405	Piulite uzuale hexagonale M 6	buc	112,0000	0,23	25,760
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1000	30,00	3,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	14,2000	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	17,8000	23,03	409,934
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	26,8000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	112,0000	0,15	16,800
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	112,0000	2,00	224,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3000	40,00	12,000
	2922140006702	Macara de fereastră	h-ut	0,1400	40,00	5,600
522	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 400x200, INOX (AISI 304) δ=0,6 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	36,0000	611,605	22 017,766
	7136060011900	Instalator ventilare si conditionare aer	h-om	88,5600	84,97	7 524,943
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3636	64,17	23,332
	2430226100814	Grund miniu G 355-6	kg	1,6362	55,00	89,991
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3636	5,00	1,818
	2112517330399	Mucava tip I de 3,3 mm	kg	1,7453	18,33	31,991
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,2909	30,00	8,727
	2710703502671	Otel cornier 25x25x3 mm	kg	49,0860	30,00	1 472,580
	2411115904512	Oxigen tehnic gazos S2031	m3	1,0908	25,00	27,270
	2320146200767	Petrol distilat tip 18/200	l	0,2182	16,44	3,587
	2874135840405	Piulite uzuale hexagonale M 6	buc	581,7600	0,23	133,805
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,4544	30,00	43,632
	2710403641000 II	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	103,6260	0,00	0,000
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	163,6200	69,09	11 304,506
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	261,7920	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	581,7600	0,15	87,264
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	581,7600	2,00	1 163,520
	2922140006702	Macara de fereastră	h-ut	2,5200	40,00	100,800
523	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din	m2	2,4100	712,473	1 717,059

1	2	3	4	5	6	7
		tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 581x279, INOX (AISI 304) $\delta=0,6$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050				
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,9048	84,97	671,671
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0242	64,17	1,553
	2430226100814	Grund miniu G 355-6	kg	0,1259	55,00	6,925
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0242	5,00	0,121
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1817	18,33	3,331
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0121	30,00	0,363
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0194	30,00	0,582
	2710703503596	Otel cornier 32x32x3 mm	kg	4,1175	30,00	123,525
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0727	25,00	1,818
	2320146200767	Petrol distilat tip 18/200	l	0,0218	16,44	0,358
	2874135840405	Piulite uzuale hexagonale M 6	buc	58,1292	0,23	13,370
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0969	30,00	2,907
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	10,8992	69,09	753,026
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	17,4388	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	21,7984	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	58,1292	0,15	8,719
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	58,1292	2,00	116,258
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1205	40,00	4,820
	2922140006702	Macara de fereastră	h-ut	0,1928	40,00	7,712
524	VA02D	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Canal 1100x850, INOX (AISI 304) $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0030	m2	5,8500	1 204,298	7 045,141
	7136060011900	Instalator ventilare si conditionare aer	h-om	20,6505	84,97	1 754,673
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1174	64,17	7,534
	2430226100814	Grund miniu G 355-6	kg	0,6102	55,00	33,561
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0587	5,00	0,293
	2112517330399	Mucava tip I de 3,3 mm	kg	0,8801	18,33	16,132
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S	kg	0,1174	30,00	3,522

1	2	3	4	5	6	7
		1257				
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0469	30,00	1,407
	2710703504502	Otel cornier 40x40x3 mm	kg	11,7351	30,00	352,053
	2710703504760	Otel cornier 40x40x4 mm	kg	14,9623	30,00	448,869
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3521	25,00	8,803
	2320146200767	Petrol distilat tip 18/200	l	0,0939	16,44	1,544
	2874135840405	Piulite uzuale hexagonale M 6	buc	328,5828	0,23	75,574
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2934	30,00	8,802
	2710403643000 I3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	41,3662	0,00	0,000
	2710403644000 AISI304	Tabla din INOX alimentar AISI 304 1 mm grosime	kg	51,6344	69,09	3 567,421
	2874125881198	Saiba plata pentru metal M 6	buc	328,5828	0,15	49,287
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	328,5828	2,00	657,166
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,8775	40,00	35,100
	2922140006702	Macara de fereastră	h-ut	0,5850	40,00	23,400
525	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Trecere 400x200/d250 L=201mm, INOX (AISI 304) δ=0,6 mm)	m2	2,3400	1 267,869	2 966,813
	7136060011900	Instalator ventilare si conditionare aer	h-om	19,1412	84,97	1 626,428
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0234	64,17	1,502
	2710703502671	Otel cornier 25x25x3 mm	kg	8,1900	30,00	245,700
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1872	65,37	12,237
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4680	5,00	2,340
	2412126100010	Miniu de plumb	kg	0,0421	27,50	1,158
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3744	18,33	6,863
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0112	30,00	0,336
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0426	30,00	1,278
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0702	25,00	1,755
	2320146200767	Petrol distilat tip 18/200	l	0,0094	16,44	0,155
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,0800	0,23	6,458
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0936	30,00	2,808
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	14,2740	69,09	986,191
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	22,8150	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	29,2500	0,00	0,000
	2710403645000	Tabla zincata sau din aluminiu cal.I	kg	42,8220	0,00	0,000

1	2	3	4	5	6	7
	II	1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)				
	2874125881198	Saiba plata pentru metal M 6	buc	28,0800	0,15	4,212
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	28,0800	2,00	56,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2106	40,00	8,424
	2922140006702	Macara de fereastră	h-ut	0,0702	40,00	2,808
526	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Dop 1100x850, INOX (AISI 304) δ=1,0 mm)	m2	1,0100	1 071,405	1 082,119
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,0098	84,97	255,743
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0202	64,17	1,296
	2710703504760	Otel cornier 40x40x4 mm	kg	1,5150	30,00	45,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0960	65,37	6,276
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2020	5,00	1,010
	2412126100010	Minu de plumb	kg	0,0182	27,50	0,501
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0505	18,33	0,926
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1050	30,00	3,150
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0040	30,00	0,120
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0606	25,00	1,515
	2320146200767	Petrol distilat tip 18/200	l	0,0040	16,44	0,066
	2874135840405	Piulite uzuale hexagonale M 6	buc	56,5600	0,23	13,009
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0505	30,00	1,515
	2710403643000 I3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	7,1710	0,00	0,000
	2710403645000 I3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	13,5340	0,00	0,000
	2710403644000 AISI304	Tabla din INOX alimentar AISI 304 1 mm grosime	kg	8,9890	69,09	621,050
	2874125881198	Saiba plata pentru metal M 6	buc	56,5600	0,15	8,484
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	56,5600	2,00	113,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1515	40,00	6,060
	2922140006702	Macara de fereastră	h-ut	0,0707	40,00	2,828
527	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d250, INOX (AISI 304) δ=0,6 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	30,6200	731,539	22 399,732
	7136060011900	Instalator ventilare si conditionare	h-om	115,7436	84,97	9 834,734

1	2	3	4	5	6	7
		aer				
	2710703700340	Banda de otel de 25x3 mm	kg	24,7410	30,00	742,230
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3093	64,17	19,848
	2430226100814	Grund miniu G 355-6	kg	0,3711	55,00	20,410
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3093	5,00	1,546
	2112517330399	Mucava tip I de 3,3 mm	kg	0,5257	18,33	9,636
	2710703502671	Otel cornier 25x25x3 mm	kg	38,6578	30,00	1 159,734
	2411115904512	Oxigen tehnic gazos S2031	m3	0,9278	25,00	23,195
	2320146200767	Petrol distilat tip 18/200	l	0,9278	16,44	15,253
	2874135840405	Piulite uzuale hexagonale M 6	buc	185,5572	0,23	42,678
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,9278	30,00	27,834
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	145,3531	69,09	10 042,446
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	291,6341	0,00	0,000
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	235,0391	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	185,5572	0,15	27,834
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	185,5572	2,00	371,114
	2922140006702	Macara de fereastră	h-ut	1,5310	40,00	61,240
528	VA17F	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Conexiune d250, INOX (AISI 304) δ=0,6 mm)	m2	1,2400	1 150,973	1 427,206
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,7456	84,97	573,174
	2710703700340	Banda de otel de 25x3 mm	kg	5,5800	30,00	167,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0124	64,17	0,796
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0744	65,37	4,864
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2480	5,00	1,240
	2412126100010	Miniu de plumb	kg	0,0223	27,50	0,613
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4712	18,33	8,637
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0372	25,00	0,930
	2320146200767	Petrol distilat tip 18/200	l	0,0050	16,44	0,082
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,9600	0,23	1,141
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3720	30,00	11,160
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	9,3000	69,09	642,537
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	14,8800	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	18,6000	0,00	0,000

1	2	3	4	5	6	7
	2874125881198	Saiba plata pentru metal M 6	buc	4,9600	0,15	0,744
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,9600	2,00	9,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0744	40,00	2,976
	2922140006702	Macara de fereastră	h-ut	0,0248	40,00	0,992
529	VA13F	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 250 - 400 mm (Dop d250, INOX (AISI 304) δ=0,6 mm)	m2	0,2600	1 432,619	372,481
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,3010	84,97	195,516
	2710703700340	Banda de otel de 25x3 mm	kg	1,1700	30,00	35,100
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0026	64,17	0,167
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0156	65,37	1,020
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0520	5,00	0,260
	2412126100010	Miniu de plumb	kg	0,0047	27,50	0,129
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0988	18,33	1,811
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0078	25,00	0,195
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,0400	0,23	0,239
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0078	30,00	0,234
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	1,9500	69,09	134,726
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	3,1200	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	3,9000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,0400	0,15	0,156
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,0400	2,00	2,080
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0156	40,00	0,624
	2922140006702	Macara de fereastră	h-ut	0,0052	40,00	0,208
530	VA13F	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 250 - 400 mm (Cot 90* d250, INOX (AISI 304) δ=0,6 mm)	m2	6,1900	1 432,620	8 867,915
	7136060011900	Instalator ventilare si conditionare aer	h-om	54,7815	84,97	4 654,784
	2710703700340	Banda de otel de 25x3 mm	kg	27,8550	30,00	835,650
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0619	64,17	3,972
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,3714	65,37	24,278
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,2380	5,00	6,190
	2412126100010	Miniu de plumb	kg	0,1114	27,50	3,063
	2112517330399	Mucava tip I de 3,3 mm	kg	2,3522	18,33	43,116

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1857	25,00	4,643
	2320146200767	Petrol distilat tip 18/200	l	0,0248	16,44	0,408
	2874135840405	Piulite uzuale hexagonale M 6	buc	24,7600	0,23	5,695
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1857	30,00	5,571
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	46,4250	69,09	3 207,503
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	74,2800	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	92,8500	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	24,7600	0,15	3,714
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	24,7600	2,00	49,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3714	40,00	14,856
	2922140006702	Macara de fereastră	h-ut	0,1238	40,00	4,952
531	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d250/581x250, INOX (AISI 304) δ=0,6 mm)	m2	1,3200	1 267,868	1 673,586
	7136060011900	Instalator ventilare si conditionare aer	h-om	10,7976	84,97	917,472
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0132	64,17	0,847
	2710703502671	Otel cornier 25x25x3 mm	kg	4,6200	30,00	138,600
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1056	65,37	6,903
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2640	5,00	1,320
	2412126100010	Miniu de plumb	kg	0,0238	27,50	0,655
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2112	18,33	3,871
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0063	30,00	0,189
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0240	30,00	0,720
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0396	25,00	0,990
	2320146200767	Petrol distilat tip 18/200	l	0,0053	16,44	0,087
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,8400	0,23	3,643
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0528	30,00	1,584
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	8,0520	69,09	556,313
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	12,8700	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	16,5000	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar	kg	24,1560	0,00	0,000

1	2	3	4	5	6	7
		AISI 304 0,6 mm)				
	2874125881198	Saiba plata pentru metal M 6	buc	15,8400	0,15	2,376
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,8400	2,00	31,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1188	40,00	4,752
	2922140006702	Macara de fereastră	h-ut	0,0396	40,00	1,584
532	VA17F	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Piesa deviatie d250 H=150mm L=363mm, INOX (AISI 304) δ=0,6 mm)	m2	2,1200	1 427,332	3 025,944
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,5328	84,97	979,942
	2710703700340	Banda de otel de 25x3 mm	kg	9,5400	30,00	286,200
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0212	64,17	1,360
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1272	65,37	8,315
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4240	5,00	2,120
	2412126100010	Miniu de plumb	kg	0,0382	27,50	1,050
	2112517330399	Mucava tip I de 3,3 mm	kg	0,8056	18,33	14,767
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0636	25,00	1,590
	2320146200767	Petrol distilat tip 18/200	l	0,0085	16,44	0,140
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,4800	0,23	1,950
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6360	30,00	19,080
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	15,9000	23,03	366,177
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	25,4400	23,03	585,883
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	31,8000	23,03	732,354
	2874125881198	Saiba plata pentru metal M 6	buc	8,4800	0,15	1,272
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,4800	2,00	16,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1272	40,00	5,088
	2922140006702	Macara de fereastră	h-ut	0,0424	40,00	1,696
533	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=10 mm)	m2	123,8000	191,831	23 748,639
	7134050013240	Izolator - termic	h-om	58,6812	84,97	4 986,142
	1111000100031 10	Izolatie termica K-FLEX ST DUCT, δ=10 mm	m2	127,5140	145,83	18 595,367
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	5,5710	30,00	167,130
534	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=25 mm)	m2	2,0400	267,888	546,491
	7134050013240	Izolator - termic	h-om	0,9670	84,97	82,166
	1111000100031 25	Izolatie termica K-FLEX ST DUCT, δ=25 mm	m2	2,1012	219,67	461,571

1	2	3	4	5	6	7
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,0918	30,00	2,754
535	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (ALU1 WIRED MAT 105 25 mm (EI60), $\delta=25$ mm)	m2	21,6000	300,846	6 498,271
	7134050013240	Izolator - termic	h-om	10,2384	84,97	869,957
	1111000100031 25EI60	Izolatie ALU1 WIRED MAT 105 25 mm (EI60), $\delta=25$ mm	m2	22,2480	251,67	5 599,154
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,9720	30,00	29,160
536	Pretul firmei	EURO flansa PQ-C-20	m	87,6000	41,670	3 650,292
	PQ-C-20	EURO flansa PQ-C-20	m	87,6000	41,67	3 650,292
537	Pretul firmei	Cornier NQ-C-20	buc	272,0000	4,170	1 134,240
	NQ-C-20	Cornier NQ-C-20	buc	272,0000	4,17	1 134,240
538	Pretul firmei	EURO flansa PQ-C-30	m	66,6000	58,330	3 884,778
	PQ-C-30	EURO flansa PQ-C-30	m	66,6000	58,33	3 884,778
539	Pretul firmei	Cornier NQ-C-30	buc	76,0000	6,670	506,920
	NQ-C-30	Cornier NQ-C-30	buc	76,0000	6,67	506,920
540	Pretul firmei	Profil metalic LDBST-41-41-200-0600	m	16,0000	162,500	2 600,000
	LDBST-41-41-200-0600	Profil metalic LDBST-41-41-200-0600	m	16,0000	162,50	2 600,000
541	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	290,7000	66,214	19 248,410
	7136060011900	Instalator ventilare si conditionare aer	h-om	87,2100	84,97	7 410,234
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	11,6513	64,17	747,664
	2651122100024	Ciment portland P 40 saci S388	kg	17,4769	2,20	38,449
	2710703504760	Otel cornier 40x40x4 mm	kg	302,9327	30,00	9 087,981
	2412126100010	Miniu de plumb	kg	5,8256	27,50	160,204
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,5826	750,00	436,950
	2411115904512	Oxigen tehnic gazos S2031	m3	5,8256	25,00	145,640
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	5,8256	30,00	174,768
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	23,2560	40,00	930,240
	2922140006702	Macara de fereastră	h-ut	2,9070	40,00	116,280
542	VB15B	Rama cu jaluzele reglabile simultan, gata confectionate cu perimetrul 800 - 2500 mm, montata pe canal (Clapeta de reglaj cu maner actionata manual	buc	4,0000	469,490	1 877,961

1	2	3	4	5	6	7
		d250)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,9200	84,97	333,082
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,6800	64,17	43,636
	2412126100010	Miniu de plumb	kg	0,1800	27,50	4,950
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1600	18,33	2,933
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2400	25,00	6,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	112,0000	0,23	25,760
	2874115765700 CRMC250	CRMC Clapeta de reglaj cu maner D250 (actionata manual)	buc	4,0000	275,00	1 100,000
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,4000	30,00	72,000
	2874115883938	Saiba grower M 6	buc	112,0000	0,15	16,800
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	112,0000	2,15	240,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,7200	40,00	28,800
	2922140006702	Macara de fereastră	h-ut	0,0800	40,00	3,200
		<i>Total</i>	Lei			159 601,273
		Total Sistem R5 Inclusiv salariu				159 601,273 51 561,760
		1.2.22. Sistem C5				
543	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d9,52mm preizolata)	m	3,5000	99,257	347,400
	7136040011749	Instalator incalzire si gaze	h-om	0,8050	84,97	68,401
	2746163334000 9,52	Teava din cupru Cu, preizolata ISO-SPLIT 3/8"x0.8-50 (9,52x0,8 mm) in colaci pentru traseu frigorific	m	3,5350	70,83	250,384
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0035	500,00	1,750
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0035	781,25	2,734
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,0525	459,64	24,131
544	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d12,7mm preizolata)	m	2,5000	125,356	313,389
	7136040011749	Instalator incalzire si gaze	h-om	0,5750	84,97	48,858
	2746163334000 12,7	Teava din cupru Cu, preizolata ISO-SPLIT 1/2"x0.8-50 (12,70x0,8 mm) in colaci pentru traseu frigorific	m	2,5250	96,67	244,092
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0025	500,00	1,250
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0025	781,25	1,953
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,0375	459,64	17,236
545	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie,	m	1,0000	164,069	164,069

1	2	3	4	5	6	7
		in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d15,9mm preizolata)				
	7136040011749	Instalator incalzire si gaze	h-om	0,2300	84,97	19,543
	2746163334000 15,9	Teava din cupru Cu, preizolata ISO-SPLIT 5/8"x0.8-25 (15,88x0,8 mm) in colaci pentru traseu frigorific	m	1,0100	135,00	136,350
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0010	500,00	0,500
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0010	781,25	0,781
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,0150	459,64	6,895
546	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d19,05mm preizolata)	m	35,5000	229,719	8 155,022
	7136040011749	Instalator incalzire si gaze	h-om	8,1650	84,97	693,780
	2746163334000 19,05	Teava din cupru Cu, preizolata ISO-SPLIT 3/4"x0.8-25 (19,05x0,8 mm) in colaci pentru traseu frigorific	m	35,8550	200,00	7 171,000
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0355	500,00	17,750
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0355	781,25	27,734
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,5325	459,64	244,758
547	IC33B	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 22,0 mm (d25,4mm preizolata)	m	2,5000	524,160	1 310,399
	7136040011749	Instalator incalzire si gaze	h-om	0,7000	84,97	59,479
	2746163334000 25	Teava din cupru Cu M ACR H in bare fara izolatie 1" (25x1,0 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x25 (25 mm, grosimea 19 mm) pentru traseu frigorific	m	2,5375	482,50	1 224,344
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0025	500,00	1,250
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0030	781,25	2,344
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,0500	459,64	22,982
548	IC33C	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 28,0 mm (d28,6mm preizolata)	m	1,0000	530,512	530,512
	7136040011749	Instalator incalzire si gaze	h-om	0,3200	84,97	27,190
	2746163334000 28	Teava din cupru Cu M ACR H in bare fara izolatie 1 1/8" (28x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x28	m	1,0150	482,50	489,737

1	2	3	4	5	6	7
		(28 mm, grosimea 19 mm) pentru traseu frigorific				
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0020	500,00	1,000
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0014	781,25	1,094
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,0250	459,64	11,491
549	IC33D	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 35,0 mm (d38,1mm preizolata)	m	35,5000	653,584	23 202,220
	7136040011749	Instalator incalzire si gaze	h-om	12,4250	84,97	1 055,752
	2746163334000 38	Teava din cupru Cu M ACR H in bare fara izolatie 1 3/8" (35x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x35 (35 mm, grosimea 19 mm) pentru traseu frigorific	m	36,0325	598,33	21 559,326
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,1065	500,00	53,250
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0568	781,25	44,375
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	1,0650	459,64	489,517
		<i>Total</i>	Lei			34 023,011
		Total Sistem C5 Inclusiv salariu				34 023,011 1 973,003
		1.2.23. Sistem A5				
550	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x200)	buc	4,0000	2 875,650	11 502,600
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 PCF400x200	Grila de aspiratie din INOX cu separator de puf PCF 400x200	buc	4,0000	2 827,94	11 311,760
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
551	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x300)	buc	4,0000	3 304,710	13 218,840
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 PCF400x300	Grila de aspiratie din INOX cu separator de puf PCF 400x300	buc	4,0000	3 257,00	13 028,000

1	2	3	4	5	6	7
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
552	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	4,0000	114,380	457,520
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	4,0000	66,67	266,680
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
553	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 200)	buc	3,0000	210,210	630,630
	7122050013400	Zidar	h-om	1,4100	84,97	119,808
	9310060019920	Muncitor deservire CM	h-om	0,0900	84,97	7,647
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,4500	27,50	12,375
	2811236306200 MV-B200	Valva metalica de aspiratie cu posibilitate de reglare MV-B 200	buc	3,0000	162,50	487,500
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,5000	2,20	3,300
554	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	4,4000	512,891	2 256,721
	7136060011900	Instalator ventilare si conditionare aer	h-om	16,6320	84,97	1 413,221
	2710703700340	Banda de otel de 25x3 mm	kg	3,5552	30,00	106,656
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0444	64,17	2,849
	2430226100814	Grund miniu G 355-6	kg	0,0533	55,00	2,932
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0444	5,00	0,222
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0755	18,33	1,384
	2710703502671	Otel cornier 25x25x3 mm	kg	5,5550	30,00	166,650
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1333	25,00	3,333
	2320146200767	Petrol distilat tip 18/200	l	0,1333	16,44	2,191
	2874135840405	Piulite uzuale hexagonale M 6	buc	26,6640	0,23	6,133
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1333	30,00	3,999
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	20,8868	23,03	481,023

1	2	3	4	5	6	7
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	41,9069	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	33,7744	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	26,6640	0,15	4,000
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	26,6640	2,00	53,328
	2922140006702	Macara de fereastră	h-ut	0,2200	40,00	8,800
555	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)	m2	0,0280	995,000	27,860
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,2268	84,97	19,271
	2710703700340	Banda de otel de 25x3 mm	kg	0,1176	30,00	3,528
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0003	64,17	0,019
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0020	65,37	0,131
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0056	5,00	0,028
	2412126100010	Miniu de plumb	kg	0,0005	27,50	0,014
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0067	18,33	0,123
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0008	25,00	0,020
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,2240	0,23	0,052
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0008	30,00	0,024
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,1764	23,03	4,062
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,2940	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,3528	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,2240	0,15	0,034
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,2240	2,00	0,448
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0020	40,00	0,080
	2922140006702	Macara de fereastră	h-ut	0,0006	40,00	0,024
556	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata $\delta=0,5$ mm)	m2	0,4800	994,808	477,508
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,8880	84,97	330,363
	2710703700340	Banda de otel de 25x3 mm	kg	2,0160	30,00	60,480

1	2	3	4	5	6	7
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0048	64,17	0,308
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0336	65,37	2,196
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0960	5,00	0,480
	2412126100010	Miniu de plumb	kg	0,0086	27,50	0,236
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1152	18,33	2,112
	2411115904512	Oxigen tehnic gaze S2031	m3	0,0144	25,00	0,360
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,8400	0,23	0,883
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0144	30,00	0,432
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	3,0240	23,03	69,643
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	5,0400	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	6,0480	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,8400	0,15	0,576
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,8400	2,00	7,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0336	40,00	1,344
	2922140006702	Macara de fereastră	h-ut	0,0096	40,00	0,384
557	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata $\delta=0,5$ mm)	m2	0,4800	1 499,100	719,568
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,0624	84,97	260,212
	2710703700340	Banda de otel de 25x3 mm	kg	2,1600	30,00	64,800
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0048	64,17	0,308
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0288	65,37	1,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0960	5,00	0,480
	2412126100010	Miniu de plumb	kg	0,0086	27,50	0,236
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1824	18,33	3,343
	2411115904512	Oxigen tehnic gaze S2031	m3	0,0144	25,00	0,360
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,9200	0,23	0,442
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0144	30,00	0,432
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	3,6000	23,03	82,908
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,7600	23,03	132,653
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	7,2000	23,03	165,816
	2874125881198	Saiba plata pentru metal M 6	buc	1,9200	0,15	0,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,9200	2,00	3,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0288	40,00	1,152
	2922140006702	Macara de fereastră	h-ut	0,0096	40,00	0,384
558	VA02F	Confectionarea si montarea	m2	6,2800	487,556	3 061,850

1	2	3	4	5	6	7
		canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d250, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	17,0188	84,97	1 446,087
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0634	64,17	4,068
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2537	65,37	16,584
	2430226100814	Grund miniu G 355-6	kg	0,2854	55,00	15,697
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0634	5,00	0,317
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3045	18,33	5,581
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0507	30,00	1,521
	2710703503596	Otel cornier 32x32x3 mm	kg	10,1485	30,00	304,455
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3806	25,00	9,515
	2320146200767	Petrol distilat tip 18/200	l	0,3806	16,44	6,257
	2874135840405	Piulite uzuale hexagonale M 6	buc	76,1136	0,23	17,506
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1269	30,00	3,807
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	28,5426	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	45,6682	23,03	1 051,739
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	57,0852	0,00	0,000
	2710403645000 2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	85,6278	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	76,1136	0,15	11,417
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	76,1136	2,00	152,227
	2922140006702	Macara de fereastră	h-ut	0,3768	40,00	15,072
559	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Dop d250, tabla zincata $\delta=0,7$ mm)	m2	0,0650	1 007,754	65,504
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4823	84,97	40,981
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0007	64,17	0,045
	2710703502671	Otel cornier 25x25x3 mm	kg	0,2275	30,00	6,825
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0052	65,37	0,340
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0130	5,00	0,065

1	2	3	4	5	6	7
	2412126100010	Minu de plumb	kg	0,0012	27,50	0,033
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0104	18,33	0,191
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0031	30,00	0,093
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0012	30,00	0,036
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0019	25,00	0,048
	2320146200767	Petrol distilat tip 18/200	l	0,0003	16,44	0,005
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,7800	0,23	0,179
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0026	30,00	0,078
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	0,3965	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	0,6338	23,03	14,596
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	0,8125	0,00	0,000
	2710403645000 2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,1895	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,7800	0,15	0,117
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,7800	2,00	1,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0059	40,00	0,236
	2922140006702	Macara de fereastră	h-ut	0,0019	40,00	0,076
560	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d250, tabla zincata δ=0,7 mm)	m2	1,5500	1 007,681	1 561,906
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,5010	84,97	977,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0155	64,17	0,995
	2710703502671	Otel cornier 25x25x3 mm	kg	5,4250	30,00	162,750
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1240	65,37	8,106
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3100	5,00	1,550
	2412126100010	Minu de plumb	kg	0,0279	27,50	0,767
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2480	18,33	4,546
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0744	30,00	2,232
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0282	30,00	0,846
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0465	25,00	1,163
	2320146200767	Petrol distilat tip 18/200	l	0,0062	16,44	0,102
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,6000	0,23	4,278
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0620	30,00	1,860
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	9,4550	0,00	0,000

1	2	3	4	5	6	7
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	15,1125	23,03	348,041
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	19,3750	0,00	0,000
	2710403645000 2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	28,3650	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	18,6000	0,15	2,790
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,6000	2,00	37,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1395	40,00	5,580
	2922140006702	Macara de fereastră	h-ut	0,0465	40,00	1,860
561	VA15H	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d250x250x250, tabla zincata $\delta=0,7$ mm)	m2	0,8600	1 011,484	869,876
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,4328	84,97	546,595
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0086	64,17	0,552
	2710703502671	Otel cornier 25x25x3 mm	kg	3,0100	30,00	90,300
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0688	65,37	4,497
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1720	5,00	0,860
	2412126100010	Minu de plumb	kg	0,0155	27,50	0,426
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1376	18,33	2,522
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0041	30,00	0,123
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0157	30,00	0,471
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0258	25,00	0,645
	2320146200767	Petrol distilat tip 18/200	l	0,0034	16,44	0,056
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,3200	0,23	2,374
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0344	30,00	1,032
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	5,2460	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,3850	23,03	193,107
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,7500	0,00	0,000
	2710403645000 2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	15,7380	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	10,3200	0,15	1,548
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,3200	2,00	20,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0774	40,00	3,096
	2922140006702	Macara de fereastră	h-ut	0,0258	40,00	1,032

1	2	3	4	5	6	7
562	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 300x300, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	12,0000	465,065	5 580,777
	7136060011900	Instalator ventilare si conditionare aer	h-om	29,5200	84,97	2 508,314
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1212	64,17	7,777
	2430226100814	Grund miniu G 355-6	kg	0,5454	55,00	29,997
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1212	5,00	0,606
	2112517330399	Mucava tip I de 3,3 mm	kg	0,5818	18,33	10,664
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0970	30,00	2,910
	2710703502671	Otel cornier 25x25x3 mm	kg	16,3620	30,00	490,860
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3636	25,00	9,090
	2320146200767	Petrol distilat tip 18/200	l	0,0727	16,44	1,195
	2874135840405	Piulite uzuale hexagonale M 6	buc	193,9200	0,23	44,602
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4848	30,00	14,544
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	34,5420	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	54,5400	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	87,2640	23,03	2 009,690
	2874125881198	Saiba plata pentru metal M 6	buc	193,9200	0,15	29,088
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	193,9200	2,00	387,840
	2922140006702	Macara de fereastră	h-ut	0,8400	40,00	33,600
563	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 500x200, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	16,8000	465,065	7 813,088
	7136060011900	Instalator ventilare si conditionare aer	h-om	41,3280	84,97	3 511,640
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1697	64,17	10,890
	2430226100814	Grund miniu G 355-6	kg	0,7636	55,00	41,998
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1697	5,00	0,848
	2112517330399	Mucava tip I de 3,3 mm	kg	0,8145	18,33	14,930
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S	kg	0,1357	30,00	4,071

1	2	3	4	5	6	7
		1257				
	2710703502671	Otel cornier 25x25x3 mm	kg	22,9068	30,00	687,204
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5090	25,00	12,725
	2320146200767	Petrol distilat tip 18/200	l	0,1018	16,44	1,674
	2874135840405	Piulite uzuale hexagonale M 6	buc	271,4880	0,23	62,442
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6787	30,00	20,361
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	48,3588	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	76,3560	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	122,1696	23,03	2 813,566
	2874125881198	Saiba plata pentru metal M 6	buc	271,4880	0,15	40,723
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	271,4880	2,00	542,976
	2922140006702	Macara de fereastră	h-ut	1,1760	40,00	47,040
564	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 500x400, tabla zincata 6=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	21,6000	566,659	12 239,828
	7136060011900	Instalator ventilare si conditionare aer	h-om	70,8480	84,97	6 019,955
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2171	64,17	13,931
	2430226100814	Grund miniu G 355-6	kg	1,1288	55,00	62,084
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2171	5,00	1,085
	2112517330399	Mucava tip I de 3,3 mm	kg	1,6281	18,33	29,843
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1085	30,00	3,255
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1737	30,00	5,211
	2710703503596	Otel cornier 32x32x3 mm	kg	36,9036	30,00	1 107,108
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6512	25,00	16,280
	2320146200767	Petrol distilat tip 18/200	l	0,1954	16,44	3,212
	2874135840405	Piulite uzuale hexagonale M 6	buc	520,9920	0,23	119,828
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8683	30,00	26,049
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	97,6860	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	156,2976	23,03	3 599,534
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	195,3720	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	520,9920	0,15	78,149

1	2	3	4	5	6	7
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	520,9920	2,00	1 041,984
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,0800	40,00	43,200
	2922140006702	Macara de fereastră	h-ut	1,7280	40,00	69,120
565	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x300, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	56,7700	566,659	32 169,215
	7136060011900	Instalator ventilare si conditionare aer	h-om	186,2056	84,97	15 821,890
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,5705	64,17	36,609
	2430226100814	Grund miniu G 355-6	kg	2,9668	55,00	163,174
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,5705	5,00	2,853
	2112517330399	Mucava tip I de 3,3 mm	kg	4,2790	18,33	78,434
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2853	30,00	8,559
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,4564	30,00	13,692
	2710703503596	Otel cornier 32x32x3 mm	kg	96,9915	30,00	2 909,745
	2411115904512	Oxigen tehnic gazos S2031	m3	1,7116	25,00	42,790
	2320146200767	Petrol distilat tip 18/200	l	0,5135	16,44	8,442
	2874135840405	Piulite uzuale hexagonale M 6	buc	1 369,2924	0,23	314,937
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,2822	30,00	68,466
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	256,7423	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	410,7877	23,03	9 460,441
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	513,4846	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1 369,2924	0,15	205,394
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1 369,2924	2,00	2 738,585
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,8385	40,00	113,540
	2922140006702	Macara de fereastră	h-ut	4,5416	40,00	181,664
566	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata $\delta=0,7$ mm)	m2	0,4000	696,312	278,525
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,4680	84,97	124,736
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0040	64,17	0,257
	2710703502671	Otel cornier 25x25x3 mm	kg	1,4000	30,00	42,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0280	65,37	1,830

1	2	3	4	5	6	7
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0800	5,00	0,400
	2412126100010	Minu de plumb	kg	0,0072	27,50	0,198
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0640	18,33	1,173
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0019	30,00	0,057
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0073	30,00	0,219
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0120	25,00	0,300
	2320146200767	Petrol distilat tip 18/200	l	0,0016	16,44	0,026
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,4000	0,23	1,472
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0120	30,00	0,360
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4400	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,9000	23,03	89,817
	2874125881198	Saiba plata pentru metal M 6	buc	6,4000	0,15	0,960
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,4000	2,00	12,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0360	40,00	1,440
	2922140006702	Macara de fereastră	h-ut	0,0120	40,00	0,480
567	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata δ=0,7 mm)	m2	0,7600	696,311	529,196
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,7892	84,97	236,998
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0076	64,17	0,488
	2710703502671	Otel cornier 25x25x3 mm	kg	2,6600	30,00	79,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0532	65,37	3,478
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1520	5,00	0,760
	2412126100010	Minu de plumb	kg	0,0137	27,50	0,377
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1216	18,33	2,229
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0036	30,00	0,108
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0138	30,00	0,414
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0228	25,00	0,570
	2320146200767	Petrol distilat tip 18/200	l	0,0030	16,44	0,049
	2874135840405	Piulite uzuale hexagonale M 6	buc	12,1600	0,23	2,797
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0228	30,00	0,684
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,6360	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	7,4100	23,03	170,652
	2874125881198	Saiba plata pentru metal M 6	buc	12,1600	0,15	1,824
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	12,1600	2,00	24,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0684	40,00	2,736
	2922140006702	Macara de fereastră	h-ut	0,0228	40,00	0,912

1	2	3	4	5	6	7
568	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x300, tabla zincata $\delta=0,7$ mm)	m2	1,1500	696,313	800,760
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,2205	84,97	358,616
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0115	64,17	0,738
	2710703502671	Otel cornier 25x25x3 mm	kg	4,0250	30,00	120,750
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0805	65,37	5,262
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2300	5,00	1,150
	2412126100010	Miniu de plumb	kg	0,0207	27,50	0,569
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1840	18,33	3,373
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0055	30,00	0,165
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0209	30,00	0,627
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0345	25,00	0,863
	2320146200767	Petrol distilat tip 18/200	l	0,0046	16,44	0,076
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,4000	0,23	4,232
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0345	30,00	1,035
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,0150	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,2125	23,03	258,224
	2874125881198	Saiba plata pentru metal M 6	buc	18,4000	0,15	2,760
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,4000	2,00	36,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1035	40,00	4,140
	2922140006702	Macara de fereastră	h-ut	0,0345	40,00	1,380
569	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x200, tabla zincata $\delta=0,7$ mm)	m2	0,8400	696,314	584,904
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,0828	84,97	261,946
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0084	64,17	0,539
	2710703502671	Otel cornier 25x25x3 mm	kg	2,9400	30,00	88,200
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0588	65,37	3,844
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1680	5,00	0,840
	2412126100010	Miniu de plumb	kg	0,0151	27,50	0,415
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1344	18,33	2,464
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0040	30,00	0,120
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0153	30,00	0,459

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0252	25,00	0,630
	2320146200767	Petrol distilat tip 18/200	l	0,0034	16,44	0,056
	2874135840405	Piulite uzuale hexagonale M 6	buc	13,4400	0,23	3,091
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0252	30,00	0,756
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	5,1240	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,1900	23,03	188,616
	2874125881198	Saiba plata pentru metal M 6	buc	13,4400	0,15	2,016
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	13,4400	2,00	26,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0756	40,00	3,024
	2922140006702	Macara de fereastră	h-ut	0,0252	40,00	1,008
570	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 500x200, tabla zincata δ=0,7 mm)	m2	0,5200	714,121	371,343
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,0020	84,97	170,110
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0052	64,17	0,334
	2710703502671	Otel cornier 25x25x3 mm	kg	1,8200	30,00	54,600
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0468	65,37	3,059
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1040	5,00	0,520
	2412126100010	Miniu de plumb	kg	0,0094	27,50	0,259
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0832	18,33	1,525
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0250	30,00	0,750
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0095	30,00	0,285
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0156	25,00	0,390
	2320146200767	Petrol distilat tip 18/200	l	0,0021	16,44	0,035
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,3200	0,23	1,914
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0208	30,00	0,624
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,1720	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,0700	23,03	116,762
	2874125881198	Saiba plata pentru metal M 6	buc	8,3200	0,15	1,248
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,3200	2,00	16,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0416	40,00	1,664
	2922140006702	Macara de fereastră	h-ut	0,0156	40,00	0,624
571	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x300, tabla zincata δ=0,7 mm)	m2	0,2200	604,186	132,921

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,6820	84,97	57,950
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0022	64,17	0,141
	2710703503596	Otel cornier 32x32x3 mm	kg	0,6050	30,00	18,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0198	65,37	1,294
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0440	5,00	0,220
	2412126100010	Miniu de plumb	kg	0,0040	27,50	0,110
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0165	18,33	0,302
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0191	30,00	0,573
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0026	30,00	0,078
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0066	25,00	0,165
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,2800	0,23	1,214
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0088	30,00	0,264
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	1,7270	23,03	39,773
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,1780	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	5,2800	0,15	0,792
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,2800	2,00	10,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0220	40,00	0,880
	2922140006702	Macara de fereastră	h-ut	0,0110	40,00	0,440
572	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 300x300, tabla zincata δ=0,7 mm)	m2	2,0000	714,112	1 428,224
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,7000	84,97	654,269
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0200	64,17	1,283
	2710703502671	Otel cornier 25x25x3 mm	kg	7,0000	30,00	210,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1800	65,37	11,767
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4000	5,00	2,000
	2412126100010	Miniu de plumb	kg	0,0360	27,50	0,990
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3200	18,33	5,866
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0960	30,00	2,880
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0364	30,00	1,092
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0600	25,00	1,500
	2320146200767	Petrol distilat tip 18/200	l	0,0080	16,44	0,132
	2874135840405	Piulite uzuale hexagonale M 6	buc	32,0000	0,23	7,360
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0800	30,00	2,400
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	12,2000	0,00	0,000

1	2	3	4	5	6	7
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	19,5000	23,03	449,085
	2874125881198	Saiba plata pentru metal M 6	buc	32,0000	0,15	4,800
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	32,0000	2,00	64,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1600	40,00	6,400
	2922140006702	Macara de fereastră	h-ut	0,0600	40,00	2,400
573	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 400x500, tabla zincata δ=0,7 mm)	m2	1,7800	604,183	1 075,446
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,5180	84,97	468,864
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0178	64,17	1,142
	2710703503596	Otel cornier 32x32x3 mm	kg	4,8950	30,00	146,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1602	65,37	10,472
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3560	5,00	1,780
	2412126100010	Miniu de plumb	kg	0,0320	27,50	0,880
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1335	18,33	2,447
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1549	30,00	4,647
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0208	30,00	0,624
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0534	25,00	1,335
	2320146200767	Petrol distilat tip 18/200	l	0,0071	16,44	0,117
	2874135840405	Piulite uzuale hexagonale M 6	buc	42,7200	0,23	9,826
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0712	30,00	2,136
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	13,9730	23,03	321,798
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	17,6220	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	42,7200	0,15	6,408
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	42,7200	2,00	85,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1780	40,00	7,120
	2922140006702	Macara de fereastră	h-ut	0,0890	40,00	3,560
574	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 600x300, tabla zincata δ=0,7 mm)	m2	5,8500	604,183	3 534,472
	7136060011900	Instalator ventilare si conditionare aer	h-om	18,1350	84,97	1 540,931
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0585	64,17	3,754
	2710703503596	Otel cornier 32x32x3 mm	kg	16,0875	30,00	482,625
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,5265	65,37	34,417
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,1700	5,00	5,850

1	2	3	4	5	6	7
	2412126100010	Minu de plumb	kg	0,1053	27,50	2,896
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4387	18,33	8,041
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,5089	30,00	15,267
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0684	30,00	2,052
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1755	25,00	4,387
	2320146200767	Petrol distilat tip 18/200	l	0,0234	16,44	0,385
	2874135840405	Piulite uzuale hexagonale M 6	buc	140,4000	0,23	32,292
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2340	30,00	7,020
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	45,9225	23,03	1 057,595
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	57,9150	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	140,4000	0,15	21,060
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	140,4000	2,00	280,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,5850	40,00	23,400
	2922140006702	Macara de fereastr	h-ut	0,2925	40,00	11,700
575	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 4 500x200/300x300 L=360mm, tabla zincata $\delta=0,7$ mm)	m2	1,8300	696,313	1 274,252
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,7161	84,97	570,667
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0183	64,17	1,174
	2710703502671	Otel cornier 25x25x3 mm	kg	6,4050	30,00	192,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1281	65,37	8,374
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3660	5,00	1,830
	2412126100010	Minu de plumb	kg	0,0329	27,50	0,905
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2928	18,33	5,367
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0088	30,00	0,264
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0333	30,00	0,999
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0549	25,00	1,372
	2320146200767	Petrol distilat tip 18/200	l	0,0073	16,44	0,120
	2874135840405	Piulite uzuale hexagonale M 6	buc	29,2800	0,23	6,734
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0549	30,00	1,647
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	11,1630	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	17,8425	23,03	410,913
	2874125881198	Saiba plata pentru metal M 6	buc	29,2800	0,15	4,392
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	29,2800	2,00	58,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1647	40,00	6,588
	2922140006702	Macara de fereastr	h-ut	0,0549	40,00	2,196
576	VA11H	Piesa speciala (reductie), din tabla	m2	0,9300	696,314	647,572

1	2	3	4	5	6	7
		zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 4 600x300/300x300 L=510mm, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,4131	84,97	290,011
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0093	64,17	0,597
	2710703502671	Otel cornier 25x25x3 mm	kg	3,2550	30,00	97,650
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0651	65,37	4,256
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1860	5,00	0,930
	2412126100010	Miniu de plumb	kg	0,0167	27,50	0,459
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1488	18,33	2,728
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0045	30,00	0,135
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0169	30,00	0,507
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0279	25,00	0,698
	2320146200767	Petrol distilat tip 18/200	l	0,0037	16,44	0,061
	2874135840405	Piulite uzuale hexagonale M 6	buc	14,8800	0,23	3,422
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0279	30,00	0,837
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	5,6730	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	9,0675	23,03	208,825
	2874125881198	Saiba plata pentru metal M 6	buc	14,8800	0,15	2,232
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	14,8800	2,00	29,760
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0837	40,00	3,348
	2922140006702	Macara de fereastră	h-ut	0,0279	40,00	1,116
577	VA11II	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Trecere, tip 4 600x300/500x400 L=210mm, tabla zincata $\delta=0,7$ mm)	m2	1,1400	649,368	740,279
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,1610	84,97	353,560
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0114	64,17	0,732
	2710703503596	Otel cornier 32x32x3 mm	kg	3,1350	30,00	94,050
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1026	65,37	6,707
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2280	5,00	1,140
	2412126100010	Miniu de plumb	kg	0,0205	27,50	0,564
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0855	18,33	1,567
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0099	30,00	0,297
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S	kg	0,0133	30,00	0,399

1	2	3	4	5	6	7
		1257				
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0342	25,00	0,855
	2320146200767	Petrol distilat tip 18/200	l	0,0046	16,44	0,076
	2874135840405	Piulite uzuale hexagonale M 6	buc	27,3600	0,23	6,293
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0456	30,00	1,368
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,9490	23,03	206,095
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	11,2860	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	27,3600	0,15	4,104
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	27,3600	2,00	54,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1368	40,00	5,472
	2922140006702	Macara de fereastră	h-ut	0,0570	40,00	2,280
578	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii cercolare de 400 - 700 mm (Trecere, tip 4 300x200/d100 L=481mm, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,7600	911,146	692,471
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,5068	84,97	382,943
	2710703700340	Banda de otel de 25x3 mm	kg	3,2239	30,00	96,717
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0077	64,17	0,494
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0537	65,37	3,510
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1535	5,00	0,767
	2412126100010	Miniu de plumb	kg	0,0138	27,50	0,380
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1842	18,33	3,376
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0230	25,00	0,575
	2320146200767	Petrol distilat tip 18/200	l	0,0031	16,44	0,051
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,1408	0,23	1,412
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0230	30,00	0,690
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,0598	23,03	185,617
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	9,6718	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	6,1408	0,15	0,921
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,1408	2,00	12,282
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0532	40,00	2,128
	2922140006702	Macara de fereastră	h-ut	0,0152	40,00	0,608
579	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime,	m2	0,6200	1 070,965	663,998

1	2	3	4	5	6	7
		avind perimetrul sectiunii circulara de 700 - 1600 mm (Trecere, tip 4 400x300/d250 L=463mm, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,0716	84,97	430,934
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0062	64,17	0,398
	2710703502671	Otel cornier 25x25x3 mm	kg	2,1700	30,00	65,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0496	65,37	3,242
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1240	5,00	0,620
	2412126100010	Miniu de plumb	kg	0,0112	27,50	0,308
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0992	18,33	1,818
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0030	30,00	0,090
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0113	30,00	0,339
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0186	25,00	0,465
	2320146200767	Petrol distilat tip 18/200	l	0,0025	16,44	0,041
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,4400	0,23	1,711
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0248	30,00	0,744
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,7820	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	6,0450	23,03	139,216
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,7500	0,00	0,000
	2710403645000 2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	11,3460	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	7,4400	0,15	1,116
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,4400	2,00	14,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0558	40,00	2,232
	2922140006702	Macara de fereastră	h-ut	0,0186	40,00	0,744
580	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 5 500x200/300x300 L=260mm, tabla zincata $\delta=0,7$ mm)	m2	1,8300	696,313	1 274,252
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,7161	84,97	570,667
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0183	64,17	1,174
	2710703502671	Otel cornier 25x25x3 mm	kg	6,4050	30,00	192,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1281	65,37	8,374

1	2	3	4	5	6	7
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3660	5,00	1,830
	2412126100010	Minu de plumb	kg	0,0329	27,50	0,905
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2928	18,33	5,367
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0088	30,00	0,264
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0333	30,00	0,999
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0549	25,00	1,372
	2320146200767	Petrol distilat tip 18/200	l	0,0073	16,44	0,120
	2874135840405	Piulite uzuale hexagonale M 6	buc	29,2800	0,23	6,734
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0549	30,00	1,647
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	11,1630	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	17,8425	23,03	410,913
	2874125881198	Saiba plata pentru metal M 6	buc	29,2800	0,15	4,392
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	29,2800	2,00	58,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1647	40,00	6,588
	2922140006702	Macara de fereastră	h-ut	0,0549	40,00	2,196
581	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x300/600x300/600x300, tabla zincata $\delta=0,7$ mm)	m2	2,1600	631,525	1 364,094
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,4304	84,97	631,361
	2413547308164	Carbura de calciu tehnica (carbida) S102	kg	0,0216	64,17	1,386
	2710703503596	Otel cornier 32x32x3 mm	kg	5,9400	30,00	178,200
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1944	65,37	12,708
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4320	5,00	2,160
	2412126100010	Minu de plumb	kg	0,0389	27,50	1,070
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1620	18,33	2,969
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0188	30,00	0,564
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0253	30,00	0,759
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0648	25,00	1,620
	2320146200767	Petrol distilat tip 18/200	l	0,0086	16,44	0,141
	2874135840405	Piulite uzuale hexagonale M 6	buc	51,8400	0,23	11,923
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0864	30,00	2,592
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	16,9560	23,03	390,497
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	21,3840	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	51,8400	0,15	7,776
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	51,8400	2,00	103,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2592	40,00	10,368

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	0,1080	40,00	4,320
582	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Piesa deviatie 500x200 H=220mm L=750mm, tabla zincata $\delta=0,7$ mm)	m2	1,0700	696,315	745,057
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,9269	84,97	333,669
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0107	64,17	0,687
	2710703502671	Otel cornier 25x25x3 mm	kg	3,7450	30,00	112,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0749	65,37	4,896
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2140	5,00	1,070
	2412126100010	Miniu de plumb	kg	0,0193	27,50	0,531
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1712	18,33	3,138
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0051	30,00	0,153
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0195	30,00	0,585
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0321	25,00	0,802
	2320146200767	Petrol distilat tip 18/200	l	0,0043	16,44	0,071
	2874135840405	Piulite uzuale hexagonale M 6	buc	17,1200	0,23	3,938
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0321	30,00	0,963
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	6,5270	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	10,4325	23,03	240,260
	2874125881198	Saiba plata pentru metal M 6	buc	17,1200	0,15	2,568
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	17,1200	2,00	34,240
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0963	40,00	3,852
	2922140006702	Macara de fereastră	h-ut	0,0321	40,00	1,284
583	Pretul firmei	EURO flansa PQ-C-20	m	281,8000	41,670	11 742,606
	PQ-C-20	EURO flansa PQ-C-20	m	281,8000	41,67	11 742,606
584	Pretul firmei	Cornier NQ-C-20	buc	692,0000	4,170	2 885,640
	NQ-C-20	Cornier NQ-C-20	buc	692,0000	4,17	2 885,640
585	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d100) Material marunt=1,0050	buc	2,0000	380,298	760,596
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2400	84,97	190,333
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	1,6080	30,00	48,240
	2413547308164	Carbura de calciu tehnica (carbid)	kg	0,3317	64,17	21,285

1	2	3	4	5	6	7
		S102				
	2651122100024	Ciment portland P 40 saci S388	kg	7,2360	2,20	15,919
	2412126100010	Miniu de plumb	kg	0,0904	27,50	2,486
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0121	750,00	9,075
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1105	25,00	2,763
	2874135840405	Piulite uzuale hexagonale M 6	buc	56,2800	0,23	12,944
	2874115765700 CRMC100	CRMC Clapeta de reglaj cu maner D100 (actionata manual)	buc	2,0100	141,67	284,757
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,0050	30,00	30,150
	2874115883938	Saiba grower M 6	buc	56,2800	0,15	8,442
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	56,2800	2,15	121,002
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3000	40,00	12,000
	2922140006702	Macara de fereastră	h-ut	0,0300	40,00	1,200
586	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d250) Material marunt=1,0050	buc	1,0000	514,255	514,255
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC250	CRMC Clapeta de reglaj cu maner D250 (actionata manual)	buc	1,0050	275,00	276,375
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
587	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	318,5000	66,214	21 089,143
	7136060011900	Instalator ventilare si conditionare aer	h-om	95,5500	84,97	8 118,883
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	12,7655	64,17	819,162
	2651122100024	Ciment portland P 40 saci S388	kg	19,1482	2,20	42,126
	2710703504760	Otel cornier 40x40x4 mm	kg	331,9025	30,00	9 957,075
	2412126100010	Miniu de plumb	kg	6,3827	27,50	175,524

1	2	3	4	5	6	7
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,6383	750,00	478,725
	2411115904512	Oxigen tehnic gazos S2031	m3	6,3827	25,00	159,567
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	6,3827	30,00	191,481
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	25,4800	40,00	1 019,200
	2922140006702	Macara de fereastră	h-ut	3,1850	40,00	127,400
		<i>Total</i>	Lei			145 783,297
		Total Sistem A5 Inclusiv salariu				145 783,297 49 375,658
		1.2.24. Sistem R6				
588	VA02D	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Canal 850x850, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0030	m2	10,7100	797,753	8 543,931
	7136060011900	Instalator ventilare si conditionare aer	h-om	37,8063	84,97	3 212,401
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2148	64,17	13,784
	2430226100814	Grund miniu G 355-6	kg	1,1172	55,00	61,446
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1074	5,00	0,537
	2112517330399	Mucava tip I de 3,3 mm	kg	1,6113	18,33	29,535
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2148	30,00	6,444
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0859	30,00	2,577
	2710703504502	Otel cornier 40x40x3 mm	kg	21,4843	30,00	644,529
	2710703504760	Otel cornier 40x40x4 mm	kg	27,3924	30,00	821,772
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6445	25,00	16,113
	2320146200767	Petrol distilat tip 18/200	l	0,1719	16,44	2,826
	2874135840405	Piulite uzuale hexagonale M 6	buc	601,5593	0,23	138,359
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5371	30,00	16,113
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	75,7320	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	94,5307	23,03	2 177,042
	2874125881198	Saiba plata pentru metal M 6	buc	601,5593	0,15	90,234
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	601,5593	2,00	1 203,119
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,6065	40,00	64,260
	2922140006702	Macara de fereastră	h-ut	1,0710	40,00	42,840
589	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Cot 90*, 850x850, tabla zincata $\delta=1,0$ mm)	m2	8,6400	661,469	5 715,091

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	25,7472	84,97	2 187,740
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1728	64,17	11,089
	2710703504760	Otel cornier 40x40x4 mm	kg	12,9600	30,00	388,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,8208	65,37	53,656
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,7280	5,00	8,640
	2412126100010	Miniu de plumb	kg	0,1555	27,50	4,276
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4320	18,33	7,919
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,8986	30,00	26,958
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0346	30,00	1,038
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5184	25,00	12,960
	2320146200767	Petrol distilat tip 18/200	l	0,0346	16,44	0,569
	2874135840405	Piulite uzuale hexagonale M 6	buc	483,8400	0,23	111,283
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4320	30,00	12,960
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	61,3440	0,00	0,000
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	115,7760	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	76,8960	23,03	1 770,915
	2874125881198	Saiba plata pentru metal M 6	buc	483,8400	0,15	72,576
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	483,8400	2,00	967,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,2960	40,00	51,840
	2922140006702	Macara de fereastră	h-ut	0,6048	40,00	24,192
590	VA11J	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Trecere, tip 4 850x850/1100x850 L=440mm, tabla zincata δ=1,0 mm)	m2	2,0000	731,125	1 462,250
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,6600	84,97	650,870
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0400	64,17	2,567
	2710703504760	Otel cornier 40x40x4 mm	kg	3,0000	30,00	90,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1900	65,37	12,420
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4000	5,00	2,000
	2412126100010	Miniu de plumb	kg	0,0360	27,50	0,990
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1000	18,33	1,833
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0368	30,00	1,104
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0080	30,00	0,240
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1200	25,00	3,000
	2320146200767	Petrol distilat tip 18/200	l	0,0080	16,44	0,132

1	2	3	4	5	6	7
	2874135840405	Piulite uzuale hexagonale M 6	buc	112,0000	0,23	25,760
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1000	30,00	3,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	14,2000	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	17,8000	23,03	409,934
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	26,8000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	112,0000	0,15	16,800
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	112,0000	2,00	224,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3000	40,00	12,000
	2922140006702	Macara de fereastră	h-ut	0,1400	40,00	5,600
591	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 581x279, INOX (AISI 304) δ=0,6 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	2,4100	712,473	1 717,059
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,9048	84,97	671,671
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0242	64,17	1,553
	2430226100814	Grund miniu G 355-6	kg	0,1259	55,00	6,925
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0242	5,00	0,121
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1817	18,33	3,331
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0121	30,00	0,363
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0194	30,00	0,582
	2710703503596	Otel cornier 32x32x3 mm	kg	4,1175	30,00	123,525
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0727	25,00	1,818
	2320146200767	Petrol distilat tip 18/200	l	0,0218	16,44	0,358
	2874135840405	Piulite uzuale hexagonale M 6	buc	58,1292	0,23	13,370
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0969	30,00	2,907
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	10,8992	69,09	753,026
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	17,4388	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	21,7984	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	58,1292	0,15	8,719
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	58,1292	2,00	116,258
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1205	40,00	4,820
	2922140006702	Macara de fereastră	h-ut	0,1928	40,00	7,712

1	2	3	4	5	6	7
592	VA02D	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Canal 1100x850, INOX (AISI 304) $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0030	m2	7,8000	1 204,297	9 393,519
	7136060011900	Instalator ventilare si conditionare aer	h-om	27,5340	84,97	2 339,564
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1565	64,17	10,043
	2430226100814	Grund miniu G 355-6	kg	0,8136	55,00	44,748
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0782	5,00	0,391
	2112517330399	Mucava tip I de 3,3 mm	kg	1,1735	18,33	21,510
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1565	30,00	4,695
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0626	30,00	1,878
	2710703504502	Otel cornier 40x40x3 mm	kg	15,6468	30,00	469,404
	2710703504760	Otel cornier 40x40x4 mm	kg	19,9497	30,00	598,491
	2411115904512	Oxigen tehnic gazos S2031	m3	0,4694	25,00	11,735
	2320146200767	Petrol distilat tip 18/200	l	0,1252	16,44	2,058
	2874135840405	Piulite uzuale hexagonale M 6	buc	438,1104	0,23	100,765
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3912	30,00	11,736
	2710403643000 I3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	55,1550	0,00	0,000
	2710403644000 AISI304	Tabla din INOX alimentar AISI 304 1 mm grosime	kg	68,8459	69,09	4 756,563
	2874125881198	Saiba plata pentru metal M 6	buc	438,1104	0,15	65,717
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	438,1104	2,00	876,221
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,1700	40,00	46,800
	2922140006702	Macara de fereastră	h-ut	0,7800	40,00	31,200
593	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Trecere 400x200/d250 L=201mm, INOX (AISI 304) $\delta=0,6$ mm)	m2	2,3400	1 267,869	2 966,813
	7136060011900	Instalator ventilare si conditionare aer	h-om	19,1412	84,97	1 626,428
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0234	64,17	1,502
	2710703502671	Otel cornier 25x25x3 mm	kg	8,1900	30,00	245,700
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1872	65,37	12,237
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4680	5,00	2,340
	2412126100010	Miniu de plumb	kg	0,0421	27,50	1,158
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3744	18,33	6,863

1	2	3	4	5	6	7
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0112	30,00	0,336
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0426	30,00	1,278
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0702	25,00	1,755
	2320146200767	Petrol distilat tip 18/200	l	0,0094	16,44	0,155
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,0800	0,23	6,458
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0936	30,00	2,808
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	14,2740	69,09	986,191
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	22,8150	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	29,2500	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	42,8220	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	28,0800	0,15	4,212
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	28,0800	2,00	56,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2106	40,00	8,424
	2922140006702	Macara de fereastră	h-ut	0,0702	40,00	2,808
594	VA10J	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Dop 1100x850, INOX (AISI 304) δ=1,0 mm)	m2	1,0100	1 071,405	1 082,119
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,0098	84,97	255,743
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0202	64,17	1,296
	2710703504760	Otel cornier 40x40x4 mm	kg	1,5150	30,00	45,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0960	65,37	6,276
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2020	5,00	1,010
	2412126100010	Miniu de plumb	kg	0,0182	27,50	0,501
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0505	18,33	0,926
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1050	30,00	3,150
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0040	30,00	0,120
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0606	25,00	1,515
	2320146200767	Petrol distilat tip 18/200	l	0,0040	16,44	0,066
	2874135840405	Piulite uzuale hexagonale M 6	buc	56,5600	0,23	13,009
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0505	30,00	1,515
	2710403643000 I3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)	kg	7,1710	0,00	0,000
	2710403645000 I3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste	kg	13,5340	0,00	0,000

1	2	3	4	5	6	7
		pozitia: Tabla din INOX alimentar AISI 304 1 mm grosime)				
	2710403644000 AISI304	Tabla din INOX alimentar AISI 304 1 mm grosime	kg	8,9890	69,09	621,050
	2874125881198	Saiba plata pentru metal M 6	buc	56,5600	0,15	8,484
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	56,5600	2,00	113,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1515	40,00	6,060
	2922140006702	Macara de fereastră	h-ut	0,0707	40,00	2,828
595	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d250, INOX (AISI 304) $\delta=0,6$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	16,3800	731,539	11 982,607
	7136060011900	Instalator ventilare si conditionare aer	h-om	61,9164	84,97	5 261,037
	2710703700340	Banda de otel de 25x3 mm	kg	13,2350	30,00	397,050
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1654	64,17	10,614
	2430226100814	Grund miniu G 355-6	kg	0,1985	55,00	10,918
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1654	5,00	0,827
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2812	18,33	5,154
	2710703502671	Otel cornier 25x25x3 mm	kg	20,6797	30,00	620,391
	2411115904512	Oxigen tehnic gazos S2031	m3	0,4963	25,00	12,408
	2320146200767	Petrol distilat tip 18/200	l	0,4963	16,44	8,159
	2874135840405	Piulite uzuale hexagonale M 6	buc	99,2628	0,23	22,830
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4963	30,00	14,889
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	77,7559	69,09	5 372,155
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	156,0080	0,00	0,000
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	125,7329	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	99,2628	0,15	14,889
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	99,2628	2,00	198,526
	2922140006702	Macara de fereastră	h-ut	0,8190	40,00	32,760
596	VA02F	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d450, INOX (AISI 304) $\delta=0,6$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	56,5200	634,096	35 839,104
	7136060011900	Instalator ventilare si conditionare aer	h-om	153,1692	84,97	13 014,787

1	2	3	4	5	6	7
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,5709	64,17	36,635
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	2,2834	65,37	149,266
	2430226100814	Grund miniu G 355-6	kg	2,5688	55,00	141,284
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,5709	5,00	2,854
	2112517330399	Mucava tip I de 3,3 mm	kg	2,7401	18,33	50,226
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,4567	30,00	13,701
	2710703503596	Otel cornier 32x32x3 mm	kg	91,3363	30,00	2 740,089
	2411115904512	Oxigen tehnic gazos S2031	m3	3,4251	25,00	85,627
	2320146200767	Petrol distilat tip 18/200	l	3,4251	16,44	56,309
	2874135840405	Piulite uzuale hexagonale M 6	buc	685,0224	0,23	157,555
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,1417	30,00	34,251
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	256,8834	69,09	17 748,074
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	411,0134	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	513,7668	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	770,6502	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	685,0224	0,15	102,753
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	685,0224	2,00	1 370,045
	2922140006702	Macara de fereastră	h-ut	3,3912	40,00	135,648
597	VA17H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Conexiune d450, INOX (AISI 304) δ=0,6 mm)	m2	1,1400	893,754	1 018,880
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,1610	84,97	353,560
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0114	64,17	0,732
	2710703502671	Otel cornier 25x25x3 mm	kg	3,9900	30,00	119,700
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0912	65,37	5,962
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2280	5,00	1,140
	2412126100010	Miniu de plumb	kg	0,0205	27,50	0,564
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1824	18,33	3,343
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0055	30,00	0,165
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0207	30,00	0,621
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0342	25,00	0,855
	2320146200767	Petrol distilat tip 18/200	l	0,0046	16,44	0,076
	2874135840405	Piulite uzuale hexagonale M 6	buc	13,6800	0,23	3,146
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4560	30,00	13,680
	2710403642000	Tabla din INOX alimentar AISI 304	kg	6,9540	69,09	480,452

1	2	3	4	5	6	7
	AISI304	0,6 mm				
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	11,1150	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	14,2500	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	20,8620	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	13,6800	0,15	2,052
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	13,6800	2,00	27,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1026	40,00	4,104
	2922140006702	Macara de fereastră	h-ut	0,0342	40,00	1,368
598	VA13F	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 250 - 400 mm (Dop d250, INOX (AISI 304) δ=0,6 mm)	m2	0,2600	1 432,619	372,481
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,3010	84,97	195,516
	2710703700340	Banda de otel de 25x3 mm	kg	1,1700	30,00	35,100
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0026	64,17	0,167
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0156	65,37	1,020
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0520	5,00	0,260
	2412126100010	Miniu de plumb	kg	0,0047	27,50	0,129
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0988	18,33	1,811
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0078	25,00	0,195
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,0400	0,23	0,239
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0078	30,00	0,234
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	1,9500	69,09	134,726
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	3,1200	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	3,9000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,0400	0,15	0,156
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,0400	2,00	2,080
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0156	40,00	0,624
	2922140006702	Macara de fereastră	h-ut	0,0052	40,00	0,208
599	VA13F	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de	m2	0,4600	1 432,620	659,005

1	2	3	4	5	6	7
		250 - 400 mm (Cot 45* d250, INOX (AISI 304) δ=0,6 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,0710	84,97	345,913
	2710703700340	Banda de otel de 25x3 mm	kg	2,0700	30,00	62,100
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0046	64,17	0,295
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0276	65,37	1,804
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0920	5,00	0,460
	2412126100010	Miniu de plumb	kg	0,0083	27,50	0,228
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1748	18,33	3,204
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0138	25,00	0,345
	2320146200767	Petrol distilat tip 18/200	l	0,0018	16,44	0,030
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,8400	0,23	0,423
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0138	30,00	0,414
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	3,4500	69,09	238,361
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	5,5200	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	6,9000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,8400	0,15	0,276
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,8400	2,00	3,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0276	40,00	1,104
	2922140006702	Macara de fereastră	h-ut	0,0092	40,00	0,368
600	VA13F	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 250 - 400 mm (Cot 90* d250, INOX (AISI 304) δ=0,6 mm)	m2	4,2900	1 432,620	6 145,940
	7136060011900	Instalator ventilare si conditionare aer	h-om	37,9665	84,97	3 226,014
	2710703700340	Banda de otel de 25x3 mm	kg	19,3050	30,00	579,150
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0429	64,17	2,753
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2574	65,37	16,826
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,8580	5,00	4,290
	2412126100010	Miniu de plumb	kg	0,0772	27,50	2,123
	2112517330399	Mucava tip I de 3,3 mm	kg	1,6302	18,33	29,882
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1287	25,00	3,218
	2320146200767	Petrol distilat tip 18/200	l	0,0172	16,44	0,283
	2874135840405	Piulite uzuale hexagonale M 6	buc	17,1600	0,23	3,947
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1287	30,00	3,861
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	32,1750	69,09	2 222,971
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar	kg	51,4800	0,00	0,000

1	2	3	4	5	6	7
		AISI 304 0,6 mm)				
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	64,3500	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	17,1600	0,15	2,574
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	17,1600	2,00	34,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2574	40,00	10,296
	2922140006702	Macara de fereastră	h-ut	0,0858	40,00	3,432
601	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d450, INOX (AISI 304) δ=0,6 mm)	m2	4,5600	1 204,588	5 492,919
	7136060011900	Instalator ventilare si conditionare aer	h-om	33,8352	84,97	2 874,977
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0456	64,17	2,926
	2710703502671	Otel cornier 25x25x3 mm	kg	15,9600	30,00	478,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,3648	65,37	23,847
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,9120	5,00	4,560
	2412126100010	Miniu de plumb	kg	0,0821	27,50	2,258
	2112517330399	Mucava tip I de 3,3 mm	kg	0,7296	18,33	13,374
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2189	30,00	6,567
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0830	30,00	2,490
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1368	25,00	3,420
	2320146200767	Petrol distilat tip 18/200	l	0,0182	16,44	0,299
	2874135840405	Piulite uzuale hexagonale M 6	buc	54,7200	0,23	12,586
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1824	30,00	5,472
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	27,8160	69,09	1 921,807
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	44,4600	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	57,0000	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	83,4480	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	54,7200	0,15	8,208
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	54,7200	2,00	109,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4104	40,00	16,416
	2922140006702	Macara de fereastră	h-ut	0,1368	40,00	5,472
602	VA17H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii cerculare de 700 - 1600	m2	0,9400	893,753	840,128

1	2	3	4	5	6	7
		mm (Trecere d450/d250 L=310mm, INOX (AISI 304) δ=0,6 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,4310	84,97	291,532
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0094	64,17	0,603
	2710703502671	Otel cornier 25x25x3 mm	kg	3,2900	30,00	98,700
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0752	65,37	4,916
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1880	5,00	0,940
	2412126100010	Miniu de plumb	kg	0,0169	27,50	0,465
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1504	18,33	2,757
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0045	30,00	0,135
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0171	30,00	0,513
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0282	25,00	0,705
	2320146200767	Petrol distilat tip 18/200	l	0,0038	16,44	0,062
	2874135840405	Piulite uzuale hexagonale M 6	buc	11,2800	0,23	2,594
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3760	30,00	11,280
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	5,7340	69,09	396,162
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	9,1650	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	11,7500	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	17,2020	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	11,2800	0,15	1,692
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	11,2800	2,00	22,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0846	40,00	3,384
	2922140006702	Macara de fereastră	h-ut	0,0282	40,00	1,128
603	VA15H	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d450/d250/d450, INOX (AISI 304) δ=0,6 mm)	m2	0,9400	1 208,388	1 135,885
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,0312	84,97	597,441
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0094	64,17	0,603
	2710703502671	Otel cornier 25x25x3 mm	kg	3,2900	30,00	98,700
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0752	65,37	4,916
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1880	5,00	0,940
	2412126100010	Miniu de plumb	kg	0,0169	27,50	0,465
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1504	18,33	2,757

1	2	3	4	5	6	7
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0045	30,00	0,135
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0171	30,00	0,513
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0282	25,00	0,705
	2320146200767	Petrol distilat tip 18/200	l	0,0038	16,44	0,062
	2874135840405	Piulite uzuale hexagonale M 6	buc	11,2800	0,23	2,594
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0376	30,00	1,128
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	5,7340	69,09	396,162
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	9,1650	0,00	0,000
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	11,7500	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	17,2020	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	11,2800	0,15	1,692
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	11,2800	2,00	22,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0846	40,00	3,384
	2922140006702	Macara de fereastră	h-ut	0,0282	40,00	1,128
604	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d250/581x250, INOX (AISI 304) b=0,6 mm)	m2	1,3200	1 267,868	1 673,586
	7136060011900	Instalator ventilare si conditionare aer	h-om	10,7976	84,97	917,472
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0132	64,17	0,847
	2710703502671	Otel cornier 25x25x3 mm	kg	4,6200	30,00	138,600
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1056	65,37	6,903
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2640	5,00	1,320
	2412126100010	Miniu de plumb	kg	0,0238	27,50	0,655
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2112	18,33	3,871
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0063	30,00	0,189
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0240	30,00	0,720
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0396	25,00	0,990
	2320146200767	Petrol distilat tip 18/200	l	0,0053	16,44	0,087
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,8400	0,23	3,643
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0528	30,00	1,584
	2710403642000 AISI304	Tabla din INOX alimentar AISI 304 0,6 mm	kg	8,0520	69,09	556,313
	2710403643000 II	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla din INOX alimentar	kg	12,8700	0,00	0,000

1	2	3	4	5	6	7
		AISI 304 0,6 mm)				
	2710403644000 II	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	16,5000	0,00	0,000
	2710403645000 II	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla din INOX alimentar AISI 304 0,6 mm)	kg	24,1560	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	15,8400	0,15	2,376
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,8400	2,00	31,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1188	40,00	4,752
	2922140006702	Macara de fereastră	h-ut	0,0396	40,00	1,584
605	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=10 mm)	m2	103,8000	191,831	19 912,025
	7134050013240	Izolator - termic	h-om	49,2012	84,97	4 180,626
	1111000100031 10	Izolatie termica K-FLEX ST DUCT, δ=10 mm	m2	106,9140	145,83	15 591,269
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	4,6710	30,00	140,130
606	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=25 mm)	m2	2,0400	267,888	546,491
	7134050013240	Izolator - termic	h-om	0,9670	84,97	82,166
	1111000100031 25	Izolatie termica K-FLEX ST DUCT, δ=25 mm	m2	2,1012	219,67	461,571
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,0918	30,00	2,754
607	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (ALU1 WIRED MAT 105 25 mm (EI60), δ=25 mm)	m2	44,0900	300,846	13 264,300
	7134050013240	Izolator - termic	h-om	20,8987	84,97	1 775,763
	1111000100031 25EI60	Izolatie ALU1 WIRED MAT 105 25 mm (EI60), δ=25 mm	m2	45,4127	251,67	11 429,014
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	1,9841	30,00	59,523
608	Pretul firmei	EURO flansa PQ-C-20	m	20,4000	41,670	850,068
	PQ-C-20	EURO flansa PQ-C-20	m	20,4000	41,67	850,068
609	Pretul firmei	Cornier NQ-C-20	buc	48,0000	4,170	200,160
	NQ-C-20	Cornier NQ-C-20	buc	48,0000	4,17	200,160
610	Pretul firmei	EURO flansa PQ-C-30	m	66,6000	58,330	3 884,778
	PQ-C-30	EURO flansa PQ-C-30	m	66,6000	58,33	3 884,778
611	Pretul firmei	Cornier NQ-C-30	buc	76,0000	6,670	506,920

1	2	3	4	5	6	7
	NQ-C-30	Cornier NQ-C-30	buc	76,0000	6,67	506,920
612	Pretul firmei	Profil metalic LDBST-41-41-200-0600	m	12,0000	162,500	1 950,000
	LDBST-41-41-200-0600	Profil metalic LDBST-41-41-200-0600	m	12,0000	162,50	1 950,000
613	VB15B	Rama cu jaluzele reglabile simultan, gata confectionate cu perimetrul 800 - 2500 mm, montata pe canal (Clapeta de reglaj cu maner actionata manual d250)	buc	4,0000	469,490	1 877,961
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,9200	84,97	333,082
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,6800	64,17	43,636
	2412126100010	Miniu de plumb	kg	0,1800	27,50	4,950
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1600	18,33	2,933
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2400	25,00	6,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	112,0000	0,23	25,760
	2874115765700 CRMC250	CRMC Clapeta de reglaj cu maner D250 (actionata manual)	buc	4,0000	275,00	1 100,000
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,4000	30,00	72,000
	2874115883938	Saiba grower M 6	buc	112,0000	0,15	16,800
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	112,0000	2,15	240,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,7200	40,00	28,800
	2922140006702	Macara de fereastră	h-ut	0,0800	40,00	3,200
614	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	295,7000	66,214	19 579,465
	7136060011900	Instalator ventilare si conditionare aer	h-om	88,7100	84,97	7 537,689
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	11,8517	64,17	760,524
	2651122100024	Ciment portland P 40 saci S388	kg	17,7775	2,20	39,111
	2710703504760	Otel cornier 40x40x4 mm	kg	308,1431	30,00	9 244,293
	2412126100010	Miniu de plumb	kg	5,9258	27,50	162,959
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,5926	750,00	444,450
	2411115904512	Oxigen tehnic gazos S2031	m3	5,9258	25,00	148,145
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	5,9258	30,00	177,774
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	23,6560	40,00	946,240
	2922140006702	Macara de fereastră	h-ut	2,9570	40,00	118,280
		<i>Total</i>	Lei			158 613,485
		Total Sistem R6 Inclusiv salariu				158 613,485 51 931,992
		1.2.25. Sistem C6				

1	2	3	4	5	6	7
615	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d9,52mm preizolata)	m	3,5000	99,257	347,400
	7136040011749	Instalator incalzire si gaze	h-om	0,8050	84,97	68,401
	2746163334000 9,52	Teava din cupru Cu, preizolata ISO-SPLIT 3/8"x0.8-50 (9,52x0,8 mm) in colaci pentru traseu frigorific	m	3,5350	70,83	250,384
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0035	500,00	1,750
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0035	781,25	2,734
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,0525	459,64	24,131
616	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d12,7mm preizolata)	m	2,5000	125,356	313,389
	7136040011749	Instalator incalzire si gaze	h-om	0,5750	84,97	48,858
	2746163334000 12,7	Teava din cupru Cu, preizolata ISO-SPLIT 1/2"x0.8-50 (12,70x0,8 mm) in colaci pentru traseu frigorific	m	2,5250	96,67	244,092
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0025	500,00	1,250
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0025	781,25	1,953
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,0375	459,64	17,236
617	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d15,9mm preizolata)	m	1,0000	164,069	164,069
	7136040011749	Instalator incalzire si gaze	h-om	0,2300	84,97	19,543
	2746163334000 15,9	Teava din cupru Cu, preizolata ISO-SPLIT 5/8"x0.8-25 (15,88x0,8 mm) in colaci pentru traseu frigorific	m	1,0100	135,00	136,350
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0010	500,00	0,500
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0010	781,25	0,781
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,0150	459,64	6,895
618	IC33A	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 18,0 mm, inclusiv (d19,05mm preizolata)	m	16,5000	229,719	3 790,363
	7136040011749	Instalator incalzire si gaze	h-om	3,7950	84,97	322,461
	2746163334000 19,05	Teava din cupru Cu, preizolata ISO-	m	16,6650	200,00	3 333,000

1	2	3	4	5	6	7
		SPLIT 3/4"x0.8-25 (19,05x0,8 mm) in colaci pentru traseu frigorific				
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0165	500,00	8,250
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0165	781,25	12,891
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,2475	459,64	113,761
619	IC33B	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 22,0 mm (d25,4mm preizolata)	m	2,5000	524,160	1 310,399
	7136040011749	Instalator incalzire si gaze	h-om	0,7000	84,97	59,479
	2746163334000 25	Teava din cupru Cu M ACR H in bare fara izolatie 1" (25x1,0 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x25 (25 mm, grosimea 19 mm) pentru traseu frigorific	m	2,5375	482,50	1 224,344
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0025	500,00	1,250
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0030	781,25	2,344
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,0500	459,64	22,982
620	IC33C	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 28,0 mm (d28,6mm preizolata)	m	1,0000	530,512	530,512
	7136040011749	Instalator incalzire si gaze	h-om	0,3200	84,97	27,190
	2746163334000 28	Teava din cupru Cu M ACR H in bare fara izolatie 1 1/8" (28x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x28 (28 mm, grosimea 19 mm) pentru traseu frigorific	m	1,0150	482,50	489,737
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0020	500,00	1,000
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0014	781,25	1,094
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de 2x2x500 mm	kg	0,0250	459,64	11,491
621	IC33D	Teava din cupru, montata prin sudura, in conducte de distributie, in instalatii de incalzire centrala, avind diametrul exterior de 35,0 mm (d38,1mm preizolata)	m	16,5000	653,584	10 784,131
	7136040011749	Instalator incalzire si gaze	h-om	5,7750	84,97	490,702
	2746163334000 38	Teava din cupru Cu M ACR H in bare fara izolatie 1 3/8" (35x1,5 mm) pentru traseu frigorific + Izolatie termica Tuburi Armaflex AC 19x35 (35 mm, grosimea 19 mm) pentru traseu frigorific	m	16,7475	598,33	10 020,532
	2414126109482	Pasta pentru curatat cupru (decapant)	kg	0,0495	500,00	24,750
	2744135904000	Aliaj de lipit pentru cupru	kg	0,0264	781,25	20,625
	2735725903105	Electrod pt. lipit cupru L-Cu P6 de	kg	0,4950	459,64	227,522

1	2	3	4	5	6	7
		2x2x500 mm				
		<i>Total</i>	Lei			17 240,263
		Total Sistem C6 Inclusiv salariu				17 240,263 1 036,634
		1.2.26. Sistem A6				
622	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x200)	buc	4,0000	2 875,650	11 502,600
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 PCF400x200	Grila de aspiratie din INOX cu separator de puf PCF 400x200	buc	4,0000	2 827,94	11 311,760
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
623	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aspiratie din INOX cu separator de puf PCF 400x300)	buc	4,0000	3 304,710	13 218,840
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 PCF400x300	Grila de aspiratie din INOX cu separator de puf PCF 400x300	buc	4,0000	3 257,00	13 028,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
624	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	4,0000	114,380	457,520
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	4,0000	66,67	266,680
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
625	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu	buc	3,0000	210,210	630,630

1	2	3	4	5	6	7
		posibilitate de reglare MV-B 200)				
	7122050013400	Zidar	h-om	1,4100	84,97	119,808
	9310060019920	Muncitor deservire CM	h-om	0,0900	84,97	7,647
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,4500	27,50	12,375
	2811236306200 MV-B200	Valva metalica de aspiratie cu posibilitate de reglare MV-B 200	buc	3,0000	162,50	487,500
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,5000	2,20	3,300
626	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata δ=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	4,0800	512,891	2 092,597
	7136060011900	Instalator ventilare si conditionare aer	h-om	15,4224	84,97	1 310,441
	2710703700340	Banda de otel de 25x3 mm	kg	3,2966	30,00	98,898
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0412	64,17	2,644
	2430226100814	Grund miniu G 355-6	kg	0,0494	55,00	2,717
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0412	5,00	0,206
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0701	18,33	1,285
	2710703502671	Otel cornier 25x25x3 mm	kg	5,1510	30,00	154,530
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1236	25,00	3,090
	2320146200767	Petrol distilat tip 18/200	l	0,1236	16,44	2,032
	2874135840405	Piulite uzuale hexagonale M 6	buc	24,7248	0,23	5,687
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1236	30,00	3,708
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	19,3678	23,03	446,040
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	38,8591	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	31,3181	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	24,7248	0,15	3,709
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	24,7248	2,00	49,450
	2922140006702	Macara de fereastră	h-ut	0,2040	40,00	8,160
627	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata δ=0,5 mm)	m2	0,0280	995,000	27,860
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,2268	84,97	19,271
	2710703700340	Banda de otel de 25x3 mm	kg	0,1176	30,00	3,528
	2413547308164	Carbura de calciu tehnica (carbid)	kg	0,0003	64,17	0,019

1	2	3	4	5	6	7
		S102				
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0020	65,37	0,131
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0056	5,00	0,028
	2412126100010	Miniu de plumb	kg	0,0005	27,50	0,014
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0067	18,33	0,123
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0008	25,00	0,020
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,2240	0,23	0,052
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0008	30,00	0,024
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,1764	23,03	4,062
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,2940	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,3528	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,2240	0,15	0,034
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,2240	2,00	0,448
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0020	40,00	0,080
	2922140006702	Macara de fereastră	h-ut	0,0006	40,00	0,024
628	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 45* d100, tabla zincata δ=0,5 mm)	m2	0,0600	994,800	59,688
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4860	84,97	41,295
	2710703700340	Banda de otel de 25x3 mm	kg	0,2520	30,00	7,560
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0006	64,17	0,039
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0042	65,37	0,275
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0120	5,00	0,060
	2412126100010	Miniu de plumb	kg	0,0011	27,50	0,030
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0144	18,33	0,264
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0018	25,00	0,045
	2320146200767	Petrol distilat tip 18/200	l	0,0002	16,44	0,003
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,4800	0,23	0,110
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0018	30,00	0,054
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,3780	23,03	8,705
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,6300	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,7560	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,4800	0,15	0,072
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,4800	2,00	0,960

1	2	3	4	5	6	7
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0042	40,00	0,168
	2922140006702	Macara de fereastră	h-ut	0,0012	40,00	0,048
629	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata $\delta=0,5$ mm)	m2	0,4800	994,808	477,508
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,8880	84,97	330,363
	2710703700340	Banda de otel de 25x3 mm	kg	2,0160	30,00	60,480
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0048	64,17	0,308
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0336	65,37	2,196
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0960	5,00	0,480
	2412126100010	Miniu de plumb	kg	0,0086	27,50	0,236
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1152	18,33	2,112
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0144	25,00	0,360
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,8400	0,23	0,883
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0144	30,00	0,432
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	3,0240	23,03	69,643
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	5,0400	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	6,0480	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,8400	0,15	0,576
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,8400	2,00	7,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0336	40,00	1,344
	2922140006702	Macara de fereastră	h-ut	0,0096	40,00	0,384
630	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata $\delta=0,5$ mm)	m2	0,4800	1 499,100	719,568
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,0624	84,97	260,212
	2710703700340	Banda de otel de 25x3 mm	kg	2,1600	30,00	64,800
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0048	64,17	0,308
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0288	65,37	1,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0960	5,00	0,480
	2412126100010	Miniu de plumb	kg	0,0086	27,50	0,236
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1824	18,33	3,343
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0144	25,00	0,360
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031

1	2	3	4	5	6	7
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,9200	0,23	0,442
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0144	30,00	0,432
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	3,6000	23,03	82,908
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,7600	23,03	132,653
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	7,2000	23,03	165,816
	2874125881198	Saiba plata pentru metal M 6	buc	1,9200	0,15	0,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,9200	2,00	3,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0288	40,00	1,152
	2922140006702	Macara de fereastră	h-ut	0,0096	40,00	0,384
631	VA02F	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d250, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	8,6900	487,556	4 236,864
	7136060011900	Instalator ventilare si conditionare aer	h-om	23,5499	84,97	2 001,035
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0878	64,17	5,634
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,3511	65,37	22,951
	2430226100814	Grund miniu G 355-6	kg	0,3950	55,00	21,725
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0878	5,00	0,439
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4213	18,33	7,722
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0702	30,00	2,106
	2710703503596	Otel cornier 32x32x3 mm	kg	14,0430	30,00	421,290
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5266	25,00	13,165
	2320146200767	Petrol distilat tip 18/200	l	0,5266	16,44	8,657
	2874135840405	Piulite uzuale hexagonale M 6	buc	105,3228	0,23	24,224
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1755	30,00	5,265
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	39,4960	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	63,1937	23,03	1 455,351
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	78,9921	0,00	0,000
	2710403645000 2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	118,4881	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	105,3228	0,15	15,798
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	105,3228	2,00	210,646
	2922140006702	Macara de fereastră	h-ut	0,5214	40,00	20,856
632	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2	m2	0,0650	1 007,754	65,504

1	2	3	4	5	6	7
		mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Dop d250, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4823	84,97	40,981
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0007	64,17	0,045
	2710703502671	Otel cornier 25x25x3 mm	kg	0,2275	30,00	6,825
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0052	65,37	0,340
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0130	5,00	0,065
	2412126100010	Miniu de plumb	kg	0,0012	27,50	0,033
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0104	18,33	0,191
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0031	30,00	0,093
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0012	30,00	0,036
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0019	25,00	0,048
	2320146200767	Petrol distilat tip 18/200	l	0,0003	16,44	0,005
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,7800	0,23	0,179
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0026	30,00	0,078
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	0,3965	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	0,6338	23,03	14,596
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	0,8125	0,00	0,000
	2710403645000 2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,1895	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,7800	0,15	0,117
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,7800	2,00	1,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0059	40,00	0,236
	2922140006702	Macara de fereastră	h-ut	0,0019	40,00	0,076
633	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d250, tabla zincata $\delta=0,7$ mm)	m2	1,9500	1 007,681	1 964,978
	7136060011900	Instalator ventilare si conditionare aer	h-om	14,4690	84,97	1 229,431
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0195	64,17	1,251
	2710703502671	Otel cornier 25x25x3 mm	kg	6,8250	30,00	204,750
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1560	65,37	10,198
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3900	5,00	1,950
	2412126100010	Miniu de plumb	kg	0,0351	27,50	0,965

1	2	3	4	5	6	7
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3120	18,33	5,719
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0936	30,00	2,808
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0355	30,00	1,065
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0585	25,00	1,463
	2320146200767	Petrol distilat tip 18/200	l	0,0078	16,44	0,128
	2874135840405	Piulite uzuale hexagonale M 6	buc	23,4000	0,23	5,382
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0780	30,00	2,340
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	11,8950	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	19,0125	23,03	437,858
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	24,3750	0,00	0,000
	2710403645000 2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	35,6850	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	23,4000	0,15	3,510
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	23,4000	2,00	46,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1755	40,00	7,020
	2922140006702	Macara de fereastră	h-ut	0,0585	40,00	2,340
634	VA15H	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d250x250x250, tabla zincata b=0,7 mm)	m2	0,8700	1 011,486	879,993
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,5076	84,97	552,951
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0087	64,17	0,558
	2710703502671	Otel cornier 25x25x3 mm	kg	3,0450	30,00	91,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0696	65,37	4,550
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1740	5,00	0,870
	2412126100010	Miniu de plumb	kg	0,0157	27,50	0,432
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1392	18,33	2,552
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0042	30,00	0,126
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0158	30,00	0,474
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0261	25,00	0,653
	2320146200767	Petrol distilat tip 18/200	l	0,0035	16,44	0,058
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,4400	0,23	2,401
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0348	30,00	1,044
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	5,3070	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8	kg	8,4825	23,03	195,352

1	2	3	4	5	6	7
		mm grosime, cal.I				
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,8750	0,00	0,000
	2710403645000 2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	15,9210	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	10,4400	0,15	1,566
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,4400	2,00	20,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0783	40,00	3,132
	2922140006702	Macara de fereastră	h-ut	0,0261	40,00	1,044
635	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 300x300, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	9,7200	465,065	4 520,427
	7136060011900	Instalator ventilare si conditionare aer	h-om	23,9112	84,97	2 031,735
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0982	64,17	6,301
	2430226100814	Grund miniu G 355-6	kg	0,4418	55,00	24,299
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0982	5,00	0,491
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4712	18,33	8,637
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0785	30,00	2,355
	2710703502671	Otel cornier 25x25x3 mm	kg	13,2532	30,00	397,596
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2945	25,00	7,362
	2320146200767	Petrol distilat tip 18/200	l	0,0589	16,44	0,968
	2874135840405	Piulite uzuale hexagonale M 6	buc	157,0752	0,23	36,127
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3927	30,00	11,781
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	27,9790	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	44,1774	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	70,6838	23,03	1 627,848
	2874125881198	Saiba plata pentru metal M 6	buc	157,0752	0,15	23,561
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	157,0752	2,00	314,150
	2922140006702	Macara de fereastră	h-ut	0,6804	40,00	27,216
636	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 500x200, tabla	m2	19,3200	465,064	8 985,046

1	2	3	4	5	6	7
		zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	47,5272	84,97	4 038,386
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1951	64,17	12,520
	2430226100814	Grund miniu G 355-6	kg	0,8781	55,00	48,295
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1951	5,00	0,976
	2112517330399	Mucava tip I de 3,3 mm	kg	0,9366	18,33	17,168
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1561	30,00	4,683
	2710703502671	Otel cornier 25x25x3 mm	kg	26,3428	30,00	790,284
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5854	25,00	14,635
	2320146200767	Petrol distilat tip 18/200	l	0,1171	16,44	1,925
	2874135840405	Piulite uzuale hexagonale M 6	buc	312,2112	0,23	71,809
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,7805	30,00	23,415
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	55,6126	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	87,8094	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	140,4950	23,03	3 235,600
	2874125881198	Saiba plata pentru metal M 6	buc	312,2112	0,15	46,832
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	312,2112	2,00	624,422
	2922140006702	Macara de fereastră	h-ut	1,3524	40,00	54,096
637	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x300, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	55,4200	566,659	31 404,232
	7136060011900	Instalator ventilare si conditionare aer	h-om	181,7776	84,97	15 445,643
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,5570	64,17	35,743
	2430226100814	Grund miniu G 355-6	kg	2,8962	55,00	159,291
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,5570	5,00	2,785
	2112517330399	Mucava tip I de 3,3 mm	kg	4,1773	18,33	76,570
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2785	30,00	8,355
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,4456	30,00	13,368
	2710703503596	Otel cornier 32x32x3 mm	kg	94,6851	30,00	2 840,553
	2411115904512	Oxigen tehnic gazos S2031	m3	1,6709	25,00	41,773
	2320146200767	Petrol distilat tip 18/200	l	0,5013	16,44	8,241
	2874135840405	Piulite uzuale hexagonale M 6	buc	1 336,7304	0,23	307,448

1	2	3	4	5	6	7
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,2279	30,00	66,837
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	250,6369	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	401,0191	23,03	9 235,470
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	501,2739	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1 336,7304	0,15	200,510
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1 336,7304	2,00	2 673,461
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,7710	40,00	110,840
	2922140006702	Macara de fereastră	h-ut	4,4336	40,00	177,344
638	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 300x200, tabla zincata δ=0,7 mm)	m2	0,4000	696,312	278,525
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,4680	84,97	124,736
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0040	64,17	0,257
	2710703502671	Otel cornier 25x25x3 mm	kg	1,4000	30,00	42,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0280	65,37	1,830
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0800	5,00	0,400
	2412126100010	Miniu de plumb	kg	0,0072	27,50	0,198
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0640	18,33	1,173
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0019	30,00	0,057
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0073	30,00	0,219
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0120	25,00	0,300
	2320146200767	Petrol distilat tip 18/200	l	0,0016	16,44	0,026
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,4000	0,23	1,472
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0120	30,00	0,360
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,4400	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,9000	23,03	89,817
	2874125881198	Saiba plata pentru metal M 6	buc	6,4000	0,15	0,960
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,4000	2,00	12,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0360	40,00	1,440
	2922140006702	Macara de fereastră	h-ut	0,0120	40,00	0,480
639	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x200, tabla zincata δ=0,7 mm)	m2	0,7600	696,311	529,196

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,7892	84,97	236,998
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0076	64,17	0,488
	2710703502671	Otel cornier 25x25x3 mm	kg	2,6600	30,00	79,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0532	65,37	3,478
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1520	5,00	0,760
	2412126100010	Miniu de plumb	kg	0,0137	27,50	0,377
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1216	18,33	2,229
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0036	30,00	0,108
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0138	30,00	0,414
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0228	25,00	0,570
	2320146200767	Petrol distilat tip 18/200	l	0,0030	16,44	0,049
	2874135840405	Piulite uzuale hexagonale M 6	buc	12,1600	0,23	2,797
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0228	30,00	0,684
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,6360	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	7,4100	23,03	170,652
	2874125881198	Saiba plata pentru metal M 6	buc	12,1600	0,15	1,824
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	12,1600	2,00	24,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0684	40,00	2,736
	2922140006702	Macara de fereastră	h-ut	0,0228	40,00	0,912
640	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 400x300, tabla zincata δ=0,7 mm)	m2	1,1500	696,313	800,760
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,2205	84,97	358,616
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0115	64,17	0,738
	2710703502671	Otel cornier 25x25x3 mm	kg	4,0250	30,00	120,750
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0805	65,37	5,262
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2300	5,00	1,150
	2412126100010	Miniu de plumb	kg	0,0207	27,50	0,569
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1840	18,33	3,373
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0055	30,00	0,165
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0209	30,00	0,627
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0345	25,00	0,863
	2320146200767	Petrol distilat tip 18/200	l	0,0046	16,44	0,076
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,4000	0,23	4,232
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0345	30,00	1,035
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm	kg	7,0150	0,00	0,000

1	2	3	4	5	6	7
		grosime, cal.I)				
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,2125	23,03	258,224
	2874125881198	Saiba plata pentru metal M 6	buc	18,4000	0,15	2,760
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,4000	2,00	36,800
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1035	40,00	4,140
	2922140006702	Macara de fereastră	h-ut	0,0345	40,00	1,380
641	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Conexiune 500x200, tabla zincata δ=0,7 mm)	m2	1,1200	696,317	779,875
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,1104	84,97	349,261
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0112	64,17	0,719
	2710703502671	Otel cornier 25x25x3 mm	kg	3,9200	30,00	117,600
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0784	65,37	5,125
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2240	5,00	1,120
	2412126100010	Miniu de plumb	kg	0,0202	27,50	0,555
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1792	18,33	3,285
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0054	30,00	0,162
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0204	30,00	0,612
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0336	25,00	0,840
	2320146200767	Petrol distilat tip 18/200	l	0,0045	16,44	0,074
	2874135840405	Piulite uzuale hexagonale M 6	buc	17,9200	0,23	4,122
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0336	30,00	1,008
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	6,8320	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	10,9200	23,03	251,488
	2874125881198	Saiba plata pentru metal M 6	buc	17,9200	0,15	2,688
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	17,9200	2,00	35,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1008	40,00	4,032
	2922140006702	Macara de fereastră	h-ut	0,0336	40,00	1,344
642	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Dop 500x200, tabla zincata δ=0,7 mm)	m2	0,5200	714,121	371,343
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,0020	84,97	170,110
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0052	64,17	0,334
	2710703502671	Otel cornier 25x25x3 mm	kg	1,8200	30,00	54,600
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0468	65,37	3,059
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25	buc	0,1040	5,00	0,520

1	2	3	4	5	6	7
		S 1581				
	2412126100010	Minu de plumb	kg	0,0094	27,50	0,259
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0832	18,33	1,525
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0250	30,00	0,750
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0095	30,00	0,285
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0156	25,00	0,390
	2320146200767	Petrol distilat tip 18/200	l	0,0021	16,44	0,035
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,3200	0,23	1,914
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0208	30,00	0,624
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,1720	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	5,0700	23,03	116,762
	2874125881198	Saiba plata pentru metal M 6	buc	8,3200	0,15	1,248
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,3200	2,00	16,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0416	40,00	1,664
	2922140006702	Macara de fereastră	h-ut	0,0156	40,00	0,624
643	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x300, tabla zincata $\delta=0,7$ mm)	m2	0,4400	604,184	265,841
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,3640	84,97	115,899
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0044	64,17	0,282
	2710703503596	Otel cornier 32x32x3 mm	kg	1,2100	30,00	36,300
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0396	65,37	2,589
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0880	5,00	0,440
	2412126100010	Minu de plumb	kg	0,0079	27,50	0,217
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0330	18,33	0,605
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0383	30,00	1,149
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0051	30,00	0,153
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0132	25,00	0,330
	2320146200767	Petrol distilat tip 18/200	l	0,0018	16,44	0,030
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,5600	0,23	2,429
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0176	30,00	0,528
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,4540	23,03	79,546
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,3560	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	10,5600	0,15	1,584
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,5600	2,00	21,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0440	40,00	1,760
	2922140006702	Macara de fereastră	h-ut	0,0220	40,00	0,880
644	VA10H	Piesa speciala, din tabla zincata	m2	0,4700	714,119	335,636

1	2	3	4	5	6	7
		sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 200x500, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,8095	84,97	153,753
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0047	64,17	0,302
	2710703502671	Otel cornier 25x25x3 mm	kg	1,6450	30,00	49,350
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0423	65,37	2,765
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0940	5,00	0,470
	2412126100010	Miniu de plumb	kg	0,0085	27,50	0,234
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0752	18,33	1,378
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0226	30,00	0,678
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0086	30,00	0,258
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0141	25,00	0,352
	2320146200767	Petrol distilat tip 18/200	l	0,0019	16,44	0,031
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,5200	0,23	1,730
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0188	30,00	0,564
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,8670	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	4,5825	23,03	105,535
	2874125881198	Saiba plata pentru metal M 6	buc	7,5200	0,15	1,128
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,5200	2,00	15,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0376	40,00	1,504
	2922140006702	Macara de fereastră	h-ut	0,0141	40,00	0,564
645	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 300x300, tabla zincata $\delta=0,7$ mm)	m2	1,5000	714,112	1 071,168
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,7750	84,97	490,702
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0150	64,17	0,963
	2710703502671	Otel cornier 25x25x3 mm	kg	5,2500	30,00	157,500
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1350	65,37	8,825
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3000	5,00	1,500
	2412126100010	Miniu de plumb	kg	0,0270	27,50	0,742
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2400	18,33	4,399
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0720	30,00	2,160
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0273	30,00	0,819
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0450	25,00	1,125

1	2	3	4	5	6	7
	2320146200767	Petrol distilat tip 18/200	l	0,0060	16,44	0,099
	2874135840405	Piulite uzuale hexagonale M 6	buc	24,0000	0,23	5,520
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0600	30,00	1,800
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	9,1500	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	14,6250	23,03	336,814
	2874125881198	Saiba plata pentru metal M 6	buc	24,0000	0,15	3,600
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	24,0000	2,00	48,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1200	40,00	4,800
	2922140006702	Macara de fereastră	h-ut	0,0450	40,00	1,800
646	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x600, tabla zincata δ=0,7 mm)	m2	2,3400	604,185	1 413,793
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,2540	84,97	616,372
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0234	64,17	1,502
	2710703503596	Otel cornier 32x32x3 mm	kg	6,4350	30,00	193,050
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2106	65,37	13,767
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4680	5,00	2,340
	2412126100010	Miniu de plumb	kg	0,0421	27,50	1,158
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1755	18,33	3,217
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2036	30,00	6,108
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0274	30,00	0,822
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0702	25,00	1,755
	2320146200767	Petrol distilat tip 18/200	l	0,0094	16,44	0,155
	2874135840405	Piulite uzuale hexagonale M 6	buc	56,1600	0,23	12,917
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0936	30,00	2,808
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	18,3690	23,03	423,038
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	23,1660	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	56,1600	0,15	8,424
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	56,1600	2,00	112,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2340	40,00	9,360
	2922140006702	Macara de fereastră	h-ut	0,1170	40,00	4,680
647	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 600x300, tabla zincata δ=0,7 mm)	m2	7,0200	604,184	4 241,371
	7136060011900	Instalator ventilare si conditionare	h-om	21,7620	84,97	1 849,117

1	2	3	4	5	6	7
		aer				
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0702	64,17	4,505
	2710703503596	Otel cornier 32x32x3 mm	kg	19,3050	30,00	579,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,6318	65,37	41,301
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,4040	5,00	7,020
	2412126100010	Minu de plumb	kg	0,1264	27,50	3,476
	2112517330399	Mucava tip I de 3,3 mm	kg	0,5265	18,33	9,651
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,6107	30,00	18,321
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0821	30,00	2,463
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2106	25,00	5,265
	2320146200767	Petrol distilat tip 18/200	l	0,0281	16,44	0,462
	2874135840405	Piulite uzuale hexagonale M 6	buc	168,4800	0,23	38,750
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2808	30,00	8,424
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	55,1070	23,03	1 269,114
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	69,4980	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	168,4800	0,15	25,272
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	168,4800	2,00	336,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,7020	40,00	28,080
	2922140006702	Macara de fereastră	h-ut	0,3510	40,00	14,040
648	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 4 200x500/300x300 L=260mm, tabla zincata δ=0,7 mm)	m2	0,9600	696,314	668,461
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,5232	84,97	299,366
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0096	64,17	0,616
	2710703502671	Otel cornier 25x25x3 mm	kg	3,3600	30,00	100,800
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0672	65,37	4,393
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1920	5,00	0,960
	2412126100010	Minu de plumb	kg	0,0173	27,50	0,476
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1536	18,33	2,815
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0046	30,00	0,138
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0175	30,00	0,525
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0288	25,00	0,720
	2320146200767	Petrol distilat tip 18/200	l	0,0038	16,44	0,062
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,3600	0,23	3,533
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0288	30,00	0,864
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	5,8560	0,00	0,000

1	2	3	4	5	6	7
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	9,3600	23,03	215,561
	2874125881198	Saiba plata pentru metal M 6	buc	15,3600	0,15	2,304
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,3600	2,00	30,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0864	40,00	3,456
	2922140006702	Macara de fereastră	h-ut	0,0288	40,00	1,152
649	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 4 500x200/300x300 L=360mm, tabla zincata δ=0,7 mm)	m2	2,4400	696,313	1 699,004
	7136060011900	Instalator ventilare si conditionare aer	h-om	8,9548	84,97	760,889
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0244	64,17	1,566
	2710703502671	Otel cornier 25x25x3 mm	kg	8,5400	30,00	256,200
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1708	65,37	11,165
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4880	5,00	2,440
	2412126100010	Miniu de plumb	kg	0,0439	27,50	1,207
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3904	18,33	7,156
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0117	30,00	0,351
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0444	30,00	1,332
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0732	25,00	1,830
	2320146200767	Petrol distilat tip 18/200	l	0,0098	16,44	0,161
	2874135840405	Piulite uzuale hexagonale M 6	buc	39,0400	0,23	8,979
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0732	30,00	2,196
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	14,8840	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	23,7900	23,03	547,884
	2874125881198	Saiba plata pentru metal M 6	buc	39,0400	0,15	5,856
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	39,0400	2,00	78,080
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2196	40,00	8,784
	2922140006702	Macara de fereastră	h-ut	0,0732	40,00	2,928
650	VA11H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Trecere, tip 4 500x200/200x500 L=510mm, tabla zincata δ=0,7 mm)	m2	0,8500	696,315	591,868
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,1195	84,97	265,064
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0085	64,17	0,545
	2710703502671	Otel cornier 25x25x3 mm	kg	2,9750	30,00	89,250
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0595	65,37	3,890

1	2	3	4	5	6	7
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1700	5,00	0,850
	2412126100010	Miniu de plumb	kg	0,0153	27,50	0,421
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1360	18,33	2,493
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0041	30,00	0,123
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0155	30,00	0,465
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0255	25,00	0,637
	2320146200767	Petrol distilat tip 18/200	l	0,0034	16,44	0,056
	2874135840405	Piulite uzuale hexagonale M 6	buc	13,6000	0,23	3,128
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0255	30,00	0,765
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	5,1850	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,2875	23,03	190,861
	2874125881198	Saiba plata pentru metal M 6	buc	13,6000	0,15	2,040
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	13,6000	2,00	27,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0765	40,00	3,060
	2922140006702	Macara de fereastră	h-ut	0,0255	40,00	1,020
651	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Trecere, tip 4 300x200/d100 L=481mm, tabla zincata 6=0,7 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,7600	911,146	692,471
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,5068	84,97	382,943
	2710703700340	Banda de otel de 25x3 mm	kg	3,2239	30,00	96,717
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0077	64,17	0,494
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0537	65,37	3,510
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1535	5,00	0,767
	2412126100010	Miniu de plumb	kg	0,0138	27,50	0,380
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1842	18,33	3,376
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0230	25,00	0,575
	2320146200767	Petrol distilat tip 18/200	l	0,0031	16,44	0,051
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,1408	0,23	1,412
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0230	30,00	0,690
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	4,8359	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	8,0598	23,03	185,617
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	9,6718	0,00	0,000

1	2	3	4	5	6	7
	2874125881198	Saiba plata pentru metal M 6	buc	6,1408	0,15	0,921
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,1408	2,00	12,282
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0532	40,00	2,128
	2922140006702	Macara de fereastră	h-ut	0,0152	40,00	0,608
652	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Trecere, tip 4 400x300/d250 L=463mm, tabla zincata $\delta=0,7$ mm)	m2	0,6200	1 070,965	663,998
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,0716	84,97	430,934
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0062	64,17	0,398
	2710703502671	Otel cornier 25x25x3 mm	kg	2,1700	30,00	65,100
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0496	65,37	3,242
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1240	5,00	0,620
	2412126100010	Miniu de plumb	kg	0,0112	27,50	0,308
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0992	18,33	1,818
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0030	30,00	0,090
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0113	30,00	0,339
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0186	25,00	0,465
	2320146200767	Petrol distilat tip 18/200	l	0,0025	16,44	0,041
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,4400	0,23	1,711
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0248	30,00	0,744
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,7820	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	6,0450	23,03	139,216
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	7,7500	0,00	0,000
	2710403645000 2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	11,3460	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	7,4400	0,15	1,116
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,4400	2,00	14,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0558	40,00	2,232
	2922140006702	Macara de fereastră	h-ut	0,0186	40,00	0,744
653	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Ramificatie 600x300/600x300/600x300, tabla zincata $\delta=0,7$ mm)	m2	2,1600	631,525	1 364,094

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,4304	84,97	631,361
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0216	64,17	1,386
	2710703503596	Otel cornier 32x32x3 mm	kg	5,9400	30,00	178,200
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1944	65,37	12,708
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4320	5,00	2,160
	2412126100010	Miniu de plumb	kg	0,0389	27,50	1,070
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1620	18,33	2,969
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0188	30,00	0,564
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0253	30,00	0,759
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0648	25,00	1,620
	2320146200767	Petrol distilat tip 18/200	l	0,0086	16,44	0,141
	2874135840405	Piulite uzuale hexagonale M 6	buc	51,8400	0,23	11,923
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0864	30,00	2,592
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	16,9560	23,03	390,497
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	21,3840	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	51,8400	0,15	7,776
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	51,8400	2,00	103,680
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2592	40,00	10,368
	2922140006702	Macara de fereastră	h-ut	0,1080	40,00	4,320
654	Pretul firmei	EURO flansa PQ-C-20	m	242,0000	41,670	10 084,140
	PQ-C-20	EURO flansa PQ-C-20	m	242,0000	41,67	10 084,140
655	Pretul firmei	Cornier NQ-C-20	buc	600,0000	4,170	2 502,000
	NQ-C-20	Cornier NQ-C-20	buc	600,0000	4,17	2 502,000
656	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d100) Material marunt=1,0050	buc	2,0000	380,298	760,596
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2400	84,97	190,333
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	1,6080	30,00	48,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3317	64,17	21,285
	2651122100024	Ciment portland P 40 saci S388	kg	7,2360	2,20	15,919
	2412126100010	Miniu de plumb	kg	0,0904	27,50	2,486
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0121	750,00	9,075
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1105	25,00	2,763
	2874135840405	Piulite uzuale hexagonale M 6	buc	56,2800	0,23	12,944
	2874115765700 CRMC100	CRMC Clapeta de reglaj cu maner D100 (actionata manual)	buc	2,0100	141,67	284,757

1	2	3	4	5	6	7
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,0050	30,00	30,150
	2874115883938	Saiba grower M 6	buc	56,2800	0,15	8,442
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	56,2800	2,15	121,002
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3000	40,00	12,000
	2922140006702	Macara de fereastră	h-ut	0,0300	40,00	1,200
657	VB15A	Rama cu jaluzele reglabile simultan , gata confectionate cu perimetrul 800 - 2500 mm, montata pe zidarie (Clapeta de reglaj cu maner actionata manual d250) Material marunt=1,0050	buc	1,0000	514,255	514,255
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1200	84,97	95,166
	2710403700285	Banda din otel laminata la cald 3 x 20 mm	kg	0,8040	30,00	24,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1658	64,17	10,639
	2651122100024	Ciment portland P 40 saci S388	kg	3,6180	2,20	7,960
	2412126100010	Miniu de plumb	kg	0,0452	27,50	1,243
	1421102200496	Nisip sortat nespalat de riu si lacuri 0,0-1,0 mm	m3	0,0060	750,00	4,500
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0553	25,00	1,383
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1400	0,23	6,472
	2874115765700 CRMC250	CRMC Clapeta de reglaj cu maner D250 (actionata manual)	buc	1,0050	275,00	276,375
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5025	30,00	15,075
	2874115883938	Saiba grower M 6	buc	28,1400	0,15	4,221
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	28,1400	2,15	60,501
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1500	40,00	6,000
	2922140006702	Macara de fereastră	h-ut	0,0150	40,00	0,600
658	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	265,8000	66,214	17 599,683
	7136060011900	Instalator ventilare si conditionare aer	h-om	79,7400	84,97	6 775,508
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	10,6533	64,17	683,622
	2651122100024	Ciment portland P 40 saci S388	kg	15,9799	2,20	35,156
	2710703504760	Otel cornier 40x40x4 mm	kg	276,9849	30,00	8 309,547
	2412126100010	Miniu de plumb	kg	5,3266	27,50	146,482
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,5327	750,00	399,525
	2411115904512	Oxigen tehnic gazos S2031	m3	5,3266	25,00	133,165
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	5,3266	30,00	159,798
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	21,2640	40,00	850,560
	2922140006702	Macara de fereastră	h-ut	2,6580	40,00	106,320
		Total	Lei			128 471,933

1	2	3	4	5	6	7
		Total Sistem A6 Inclusiv salariu				128 471,933 42 236,147
		1.2.27. Sistem R7				
659	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer exterioara d200)	buc	1,0000	406,040	406,040
	7122050013400	Zidar	h-om	0,4700	84,97	39,936
	9310060019920	Muncitor deservire CM	h-om	0,0300	84,97	2,549
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,1500	27,50	4,125
	2811236306200 GED200	Grila de aer exterioara d200	buc	1,0000	358,33	358,330
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	0,5000	2,20	1,100
660	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 160)	buc	8,0000	181,040	1 448,320
	7122050013400	Zidar	h-om	3,7600	84,97	319,487
	9310060019920	Muncitor deservire CM	h-om	0,2400	84,97	20,393
	2874207327005	Lant cu zale innodate D=2 mm	kg	1,2000	27,50	33,000
	2811236306200 MV-B160	Valva metalica de aspiratie cu posibilitate de reglare MV-B 160	buc	8,0000	133,33	1 066,640
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	4,0000	2,20	8,800
661	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d160, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	6,0300	512,892	3 092,740
	7136060011900	Instalator ventilare si conditionare aer	h-om	22,7934	84,97	1 936,755
	2710703700340	Banda de otel de 25x3 mm	kg	4,8722	30,00	146,166
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0609	64,17	3,908
	2430226100814	Grund miniu G 355-6	kg	0,0731	55,00	4,021
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0609	5,00	0,304
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1035	18,33	1,897
	2710703502671	Otel cornier 25x25x3 mm	kg	7,6129	30,00	228,387
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1827	25,00	4,567
	2320146200767	Petrol distilat tip 18/200	l	0,1827	16,44	3,004
	2874135840405	Piulite uzuale hexagonale M 6	buc	36,5418	0,23	8,405
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1827	30,00	5,481
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	28,6244	23,03	659,220

1	2	3	4	5	6	7
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	57,4315	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	46,2863	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	36,5418	0,15	5,481
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	36,5418	2,00	73,084
	2922140006702	Macara de fereastră	h-ut	0,3015	40,00	12,060
662	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d200, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	7,5600	512,893	3 877,471
	7136060011900	Instalator ventilare si conditionare aer	h-om	28,5768	84,97	2 428,171
	2710703700340	Banda de otel de 25x3 mm	kg	6,1085	30,00	183,255
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0764	64,17	4,903
	2430226100814	Grund miniu G 355-6	kg	0,0916	55,00	5,038
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0764	5,00	0,382
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1298	18,33	2,379
	2710703502671	Otel cornier 25x25x3 mm	kg	9,5445	30,00	286,335
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2291	25,00	5,728
	2320146200767	Petrol distilat tip 18/200	l	0,2291	16,44	3,766
	2874135840405	Piulite uzuale hexagonale M 6	buc	45,8136	0,23	10,537
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2291	30,00	6,873
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	35,8873	23,03	826,485
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	72,0037	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	58,0306	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	45,8136	0,15	6,872
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	45,8136	2,00	91,627
	2922140006702	Macara de fereastră	h-ut	0,3780	40,00	15,120
663	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d160, tabla zincata $\delta=0,5$ mm)	m2	0,1200	994,833	119,380
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,9720	84,97	82,591

1	2	3	4	5	6	7
	2710703700340	Banda de otel de 25x3 mm	kg	0,5040	30,00	15,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0012	64,17	0,077
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0084	65,37	0,549
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0240	5,00	0,120
	2412126100010	Miniu de plumb	kg	0,0022	27,50	0,061
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0288	18,33	0,528
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0036	25,00	0,090
	2320146200767	Petrol distilat tip 18/200	l	0,0005	16,44	0,008
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0036	30,00	0,108
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,7560	23,03	17,411
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,2600	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,5120	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0084	40,00	0,336
	2922140006702	Macara de fereastră	h-ut	0,0024	40,00	0,096
664	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d200, tabla zincata δ=0,5 mm)	m2	0,1800	994,811	179,066
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,4580	84,97	123,886
	2710703700340	Banda de otel de 25x3 mm	kg	0,7560	30,00	22,680
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0018	64,17	0,116
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0126	65,37	0,824
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0360	5,00	0,180
	2412126100010	Miniu de plumb	kg	0,0032	27,50	0,088
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0432	18,33	0,792
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0054	25,00	0,135
	2320146200767	Petrol distilat tip 18/200	l	0,0007	16,44	0,012
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,4400	0,23	0,331
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0054	30,00	0,162
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,1340	23,03	26,116
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,8900	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,2680	0,00	0,000

1	2	3	4	5	6	7
	2874125881198	Saiba plata pentru metal M 6	buc	1,4400	0,15	0,216
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,4400	2,00	2,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0126	40,00	0,504
	2922140006702	Macara de fereastră	h-ut	0,0036	40,00	0,144
665	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 15* d200, tabla zincata δ=0,5 mm)	m2	0,1900	994,816	189,015
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5390	84,97	130,769
	2710703700340	Banda de otel de 25x3 mm	kg	0,7980	30,00	23,940
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0019	64,17	0,122
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0133	65,37	0,869
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0380	5,00	0,190
	2412126100010	Miniu de plumb	kg	0,0034	27,50	0,093
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0456	18,33	0,836
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0057	25,00	0,143
	2320146200767	Petrol distilat tip 18/200	l	0,0008	16,44	0,013
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,5200	0,23	0,350
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0057	30,00	0,171
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,1970	23,03	27,567
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,9950	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,3940	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,5200	0,15	0,228
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,5200	2,00	3,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0133	40,00	0,532
	2922140006702	Macara de fereastră	h-ut	0,0038	40,00	0,152
666	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 45* d200, tabla zincata δ=0,5 mm)	m2	0,1600	994,812	159,170
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,2960	84,97	110,121
	2710703700340	Banda de otel de 25x3 mm	kg	0,6720	30,00	20,160
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0016	64,17	0,103
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0112	65,37	0,732
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0320	5,00	0,160
	2412126100010	Miniu de plumb	kg	0,0029	27,50	0,080
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0384	18,33	0,704

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0048	25,00	0,120
	2320146200767	Petrol distilat tip 18/200	l	0,0006	16,44	0,010
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,2800	0,23	0,294
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0048	30,00	0,144
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,0080	23,03	23,214
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,6800	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,0160	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,2800	0,15	0,192
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,2800	2,00	2,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0112	40,00	0,448
	2922140006702	Macara de fereastră	h-ut	0,0032	40,00	0,128
667	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d200, tabla zincata δ=0,5 mm)	m2	0,7800	994,810	775,952
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,3180	84,97	536,840
	2710703700340	Banda de otel de 25x3 mm	kg	3,2760	30,00	98,280
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0078	64,17	0,501
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0546	65,37	3,569
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1560	5,00	0,780
	2412126100010	Miniu de plumb	kg	0,0140	27,50	0,385
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1872	18,33	3,431
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0234	25,00	0,585
	2320146200767	Petrol distilat tip 18/200	l	0,0031	16,44	0,051
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,2400	0,23	1,435
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0234	30,00	0,702
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	4,9140	23,03	113,169
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	8,1900	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	9,8280	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	6,2400	0,15	0,936
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,2400	2,00	12,480
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0546	40,00	2,184
	2922140006702	Macara de fereastră	h-ut	0,0156	40,00	0,624
668	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400	m2	1,5200	1 499,104	2 278,638

1	2	3	4	5	6	7
		mm (Teu d100x100x100, tabla zincata ̄=0,5 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	9,6976	84,97	824,005
	2710703700340	Banda de otel de 25x3 mm	kg	6,8400	30,00	205,200
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0152	64,17	0,975
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0912	65,37	5,962
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3040	5,00	1,520
	2412126100010	Miniu de plumb	kg	0,0274	27,50	0,754
	2112517330399	Mucava tip I de 3,3 mm	kg	0,5776	18,33	10,587
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0456	25,00	1,140
	2320146200767	Petrol distilat tip 18/200	l	0,0061	16,44	0,100
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0800	0,23	1,398
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0456	30,00	1,368
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	11,4000	23,03	262,542
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	18,2400	23,03	420,067
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	22,8000	23,03	525,084
	2874125881198	Saiba plata pentru metal M 6	buc	6,0800	0,15	0,912
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0800	2,00	12,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0912	40,00	3,648
	2922140006702	Macara de fereastră	h-ut	0,0304	40,00	1,216
669	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d200x160x200, tabla zincata ̄=0,5 mm)	m2	0,9200	1 499,104	1 379,176
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,8696	84,97	498,740
	2710703700340	Banda de otel de 25x3 mm	kg	4,1400	30,00	124,200
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0092	64,17	0,590
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0552	65,37	3,608
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1840	5,00	0,920
	2412126100010	Miniu de plumb	kg	0,0166	27,50	0,457
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3496	18,33	6,408
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0276	25,00	0,690
	2320146200767	Petrol distilat tip 18/200	l	0,0037	16,44	0,061
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,6800	0,23	0,846
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0276	30,00	0,828
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	6,9000	23,03	158,907
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,0400	23,03	254,251
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	13,8000	23,03	317,814
	2874125881198	Saiba plata pentru metal M 6	buc	3,6800	0,15	0,552
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,6800	2,00	7,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0552	40,00	2,208

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	0,0184	40,00	0,736
670	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=10 mm)	m2	18,8000	191,831	3 606,417
	7134050013240	Izolator - termic	h-om	8,9112	84,97	757,185
	1111000100031 10	Izolatie termica K-FLEX ST DUCT, δ=10 mm	m2	19,3640	145,83	2 823,852
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,8460	30,00	25,380
671	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=25 mm)	m2	2,2900	267,888	613,464
	7134050013240	Izolator - termic	h-om	1,0855	84,97	92,235
	1111000100031 25	Izolatie termica K-FLEX ST DUCT, δ=25 mm	m2	2,3587	219,67	518,136
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,1031	30,00	3,093
672	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	35,0000	66,213	2 317,456
	7136060011900	Instalator ventilare si conditionare aer	h-om	10,5000	84,97	892,185
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,4028	64,17	90,018
	2651122100024	Ciment portland P 40 saci S388	kg	2,1042	2,20	4,629
	2710703504760	Otel cornier 40x40x4 mm	kg	36,4728	30,00	1 094,184
	2412126100010	Miniu de plumb	kg	0,7014	27,50	19,288
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0701	750,00	52,575
	2411115904512	Oxygen tehnic gazos S2031	m3	0,7014	25,00	17,535
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,7014	30,00	21,042
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,8000	40,00	112,000
	2922140006702	Macara de fereastră	h-ut	0,3500	40,00	14,000
		<i>Total</i>	Lei			20 442,305
		Total Sistem R7 Inclusiv salariu				20 442,305 8 795,848
		1.2.28. Sistem R8				
673	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer exterioara d200)	buc	1,0000	406,040	406,040

1	2	3	4	5	6	7
	7122050013400	Zidar	h-om	0,4700	84,97	39,936
	9310060019920	Muncitor deservire CM	h-om	0,0300	84,97	2,549
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,1500	27,50	4,125
	2811236306200 GED200	Grila de aer exterioara d200	buc	1,0000	358,33	358,330
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	0,5000	2,20	1,100
674	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 160)	buc	7,0000	181,040	1 267,280
	7122050013400	Zidar	h-om	3,2900	84,97	279,551
	9310060019920	Muncitor deservire CM	h-om	0,2100	84,97	17,844
	2874207327005	Lant cu zale innodate D=2 mm	kg	1,0500	27,50	28,875
	2811236306200 MV-B160	Valva metalica de aspiratie cu posibilitate de reglare MV-B 160	buc	7,0000	133,33	933,310
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	3,5000	2,20	7,700
675	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d160, tabla zincata δ=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	5,5000	512,892	2 820,907
	7136060011900	Instalator ventilare si conditionare aer	h-om	20,7900	84,97	1 766,526
	2710703700340	Banda de otel de 25x3 mm	kg	4,4440	30,00	133,320
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0556	64,17	3,568
	2430226100814	Grund miniu G 355-6	kg	0,0667	55,00	3,668
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0556	5,00	0,278
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0944	18,33	1,730
	2710703502671	Otel cornier 25x25x3 mm	kg	6,9437	30,00	208,311
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1666	25,00	4,165
	2320146200767	Petrol distilat tip 18/200	l	0,1666	16,44	2,739
	2874135840405	Piulite uzuale hexagonale M 6	buc	33,3300	0,23	7,666
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1666	30,00	4,998
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	26,1085	23,03	601,279
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	52,3836	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	42,2180	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	33,3300	0,15	4,999
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	33,3300	2,00	66,660

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	0,2750	40,00	11,000
676	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d200, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	22,6800	512,892	11 632,401
	7136060011900	Instalator ventilare si conditionare aer	h-om	85,7304	84,97	7 284,512
	2710703700340	Banda de otel de 25x3 mm	kg	18,3254	30,00	549,762
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2291	64,17	14,701
	2430226100814	Grund miniu G 355-6	kg	0,2749	55,00	15,119
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2291	5,00	1,145
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3894	18,33	7,138
	2710703502671	Otel cornier 25x25x3 mm	kg	28,6335	30,00	859,005
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6872	25,00	17,180
	2320146200767	Petrol distilat tip 18/200	l	0,6872	16,44	11,298
	2874135840405	Piulite uzuale hexagonale M 6	buc	137,4408	0,23	31,611
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6872	30,00	20,616
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	107,6620	23,03	2 479,456
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	216,0111	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	174,0917	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	137,4408	0,15	20,616
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	137,4408	2,00	274,882
	2922140006702	Macara de fereastră	h-ut	1,1340	40,00	45,360
677	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d160, tabla zincata $\delta=0,5$ mm)	m2	0,1200	994,833	119,380
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,9720	84,97	82,591
	2710703700340	Banda de otel de 25x3 mm	kg	0,5040	30,00	15,120
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0012	64,17	0,077
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0084	65,37	0,549
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0240	5,00	0,120
	2412126100010	Miniu de plumb	kg	0,0022	27,50	0,061
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0288	18,33	0,528
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0036	25,00	0,090
	2320146200767	Petrol distilat tip 18/200	l	0,0005	16,44	0,008

1	2	3	4	5	6	7
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0036	30,00	0,108
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,7560	23,03	17,411
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,2600	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,5120	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0084	40,00	0,336
	2922140006702	Macara de fereastră	h-ut	0,0024	40,00	0,096
678	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d200, tabla zincata $\delta=0,5$ mm)	m2	0,1800	994,811	179,066
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,4580	84,97	123,886
	2710703700340	Banda de otel de 25x3 mm	kg	0,7560	30,00	22,680
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0018	64,17	0,116
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0126	65,37	0,824
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0360	5,00	0,180
	2412126100010	Miniu de plumb	kg	0,0032	27,50	0,088
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0432	18,33	0,792
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0054	25,00	0,135
	2320146200767	Petrol distilat tip 18/200	l	0,0007	16,44	0,012
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,4400	0,23	0,331
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0054	30,00	0,162
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,1340	23,03	26,116
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,8900	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,2680	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,4400	0,15	0,216
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,4400	2,00	2,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0126	40,00	0,504
	2922140006702	Macara de fereastră	h-ut	0,0036	40,00	0,144
679	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 15* d200,	m2	0,1000	994,820	99,482

1	2	3	4	5	6	7
		tabla zincata $\delta=0,5$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,8100	84,97	68,826
	2710703700340	Banda de otel de 25x3 mm	kg	0,4200	30,00	12,600
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0010	64,17	0,064
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0070	65,37	0,458
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0200	5,00	0,100
	2412126100010	Miniu de plumb	kg	0,0018	27,50	0,049
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0240	18,33	0,440
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0030	25,00	0,075
	2320146200767	Petrol distilat tip 18/200	l	0,0004	16,44	0,007
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,8000	0,23	0,184
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0030	30,00	0,090
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,6300	23,03	14,509
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,0500	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,2600	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,8000	0,15	0,120
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,8000	2,00	1,600
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0070	40,00	0,280
	2922140006702	Macara de fereastră	h-ut	0,0020	40,00	0,080
680	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 45* d200, tabla zincata $\delta=0,5$ mm)	m2	0,1600	994,812	159,170
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,2960	84,97	110,121
	2710703700340	Banda de otel de 25x3 mm	kg	0,6720	30,00	20,160
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0016	64,17	0,103
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0112	65,37	0,732
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0320	5,00	0,160
	2412126100010	Miniu de plumb	kg	0,0029	27,50	0,080
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0384	18,33	0,704
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0048	25,00	0,120
	2320146200767	Petrol distilat tip 18/200	l	0,0006	16,44	0,010
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,2800	0,23	0,294
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0048	30,00	0,144
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,0080	23,03	23,214
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,6800	0,00	0,000

1	2	3	4	5	6	7
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,0160	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,2800	0,15	0,192
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,2800	2,00	2,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0112	40,00	0,448
	2922140006702	Macara de fereastră	h-ut	0,0032	40,00	0,128
681	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d200, tabla zincata δ=0,5 mm)	m2	0,7800	994,810	775,952
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,3180	84,97	536,840
	2710703700340	Banda de otel de 25x3 mm	kg	3,2760	30,00	98,280
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0078	64,17	0,501
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0546	65,37	3,569
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1560	5,00	0,780
	2412126100010	Miniu de plumb	kg	0,0140	27,50	0,385
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1872	18,33	3,431
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0234	25,00	0,585
	2320146200767	Petrol distilat tip 18/200	l	0,0031	16,44	0,051
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,2400	0,23	1,435
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0234	30,00	0,702
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	4,9140	23,03	113,169
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	8,1900	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	9,8280	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	6,2400	0,15	0,936
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,2400	2,00	12,480
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0546	40,00	2,184
	2922140006702	Macara de fereastră	h-ut	0,0156	40,00	0,624
682	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d200x160x200, tabla zincata δ=0,5 mm)	m2	2,5300	1 499,103	3 792,731
	7136060011900	Instalator ventilare si conditionare aer	h-om	16,1414	84,97	1 371,535
	2710703700340	Banda de otel de 25x3 mm	kg	11,3850	30,00	341,550
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0253	64,17	1,624
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1518	65,37	9,923

1	2	3	4	5	6	7
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,5060	5,00	2,530
	2412126100010	Miniu de plumb	kg	0,0455	27,50	1,251
	2112517330399	Mucava tip I de 3,3 mm	kg	0,9614	18,33	17,622
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0759	25,00	1,897
	2320146200767	Petrol distilat tip 18/200	l	0,0101	16,44	0,166
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,1200	0,23	2,328
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0759	30,00	2,277
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	18,9750	23,03	436,994
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	30,3600	23,03	699,191
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	37,9500	23,03	873,989
	2874125881198	Saiba plata pentru metal M 6	buc	10,1200	0,15	1,518
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,1200	2,00	20,240
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1518	40,00	6,072
	2922140006702	Macara de fereastră	h-ut	0,0506	40,00	2,024
683	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=10 mm)	m2	36,6500	191,831	7 030,593
	7134050013240	Izolator - termic	h-om	17,3721	84,97	1 476,107
	1111000100031 10	Izolatie termica K-FLEX ST DUCT, δ=10 mm	m2	37,7495	145,83	5 505,010
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	1,6492	30,00	49,476
684	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=25 mm)	m2	2,1600	267,884	578,630
	7134050013240	Izolator - termic	h-om	1,0238	84,97	86,992
	1111000100031 25	Izolatie termica K-FLEX ST DUCT, δ=25 mm	m2	2,2248	219,67	488,722
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,0972	30,00	2,916
685	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	45,0000	66,214	2 979,641
	7136060011900	Instalator ventilare si conditionare aer	h-om	13,5000	84,97	1 147,095
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	1,8036	64,17	115,737
	2651122100024	Ciment portland P 40 saci S388	kg	2,7054	2,20	5,952
	2710703504760	Otel cornier 40x40x4 mm	kg	46,8936	30,00	1 406,808
	2412126100010	Miniu de plumb	kg	0,9018	27,50	24,800
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0902	750,00	67,650

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,9018	25,00	22,545
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,9018	30,00	27,054
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	3,6000	40,00	144,000
	2922140006702	Macara de fereastră	h-ut	0,4500	40,00	18,000
		<i>Total</i>	Lei			31 841,273
		Total Sistem R8 Inclusiv salariu				31 841,273 14 394,911
		1.2.29. Sistem RE1				
686	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer exterioara MBM 152 6BcH)	buc	1,0000	439,380	439,380
	7122050013400	Zidar	h-om	0,4700	84,97	39,936
	9310060019920	Muncitor deservire CM	h-om	0,0300	84,97	2,549
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,1500	27,50	4,125
	2811236306200 1526BcH	Grila de aer exterioara MBM 152 6BcH	buc	1,0000	391,67	391,670
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	0,5000	2,20	1,100
687	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer pentru refulare 200x150)	buc	3,0000	276,880	830,640
	7122050013400	Zidar	h-om	1,4100	84,97	119,808
	9310060019920	Muncitor deservire CM	h-om	0,0900	84,97	7,647
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,4500	27,50	12,375
	2811236306200 200x150	Grila de aer pentru refulare 200x150	buc	3,0000	229,17	687,510
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,5000	2,20	3,300
688	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d160, tabla zincata 6=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	3,0000	512,892	1 538,677
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,3400	84,97	963,560
	2710703700340	Banda de otel de 25x3 mm	kg	2,4240	30,00	72,720
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0303	64,17	1,944
	2430226100814	Grund miniu G 355-6	kg	0,0364	55,00	2,002
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0303	5,00	0,151
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0515	18,33	0,944
	2710703502671	Otel cornier 25x25x3 mm	kg	3,7875	30,00	113,625

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0909	25,00	2,272
	2320146200767	Petrol distilat tip 18/200	l	0,0909	16,44	1,494
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,1800	0,23	4,181
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0909	30,00	2,727
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	14,2410	23,03	327,970
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	28,5729	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	23,0280	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	18,1800	0,15	2,727
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,1800	2,00	36,360
	2922140006702	Macara de fereastră	h-ut	0,1500	40,00	6,000
689	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d160, tabla zincata $\delta=0,5$ mm)	m2	0,0300	994,767	29,843
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,2430	84,97	20,648
	2710703700340	Banda de otel de 25x3 mm	kg	0,1260	30,00	3,780
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0003	64,17	0,019
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0021	65,37	0,137
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0060	5,00	0,030
	2412126100010	Miniu de plumb	kg	0,0005	27,50	0,014
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0072	18,33	0,132
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0009	25,00	0,022
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,2400	0,23	0,055
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0009	30,00	0,027
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,1890	23,03	4,353
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,3150	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,3780	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,2400	0,15	0,036
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,2400	2,00	0,480
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0021	40,00	0,084
	2922140006702	Macara de fereastră	h-ut	0,0006	40,00	0,024
690	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de	m2	0,3600	994,814	358,133

1	2	3	4	5	6	7
		400 - 700 mm (Cot 90* d160, tabla zincata δ=0,5 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,9160	84,97	247,773
	2710703700340	Banda de otel de 25x3 mm	kg	1,5120	30,00	45,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0036	64,17	0,231
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0252	65,37	1,647
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0720	5,00	0,360
	2412126100010	Miniu de plumb	kg	0,0065	27,50	0,179
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0864	18,33	1,584
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0108	25,00	0,270
	2320146200767	Petrol distilat tip 18/200	l	0,0014	16,44	0,023
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,8800	0,23	0,662
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0108	30,00	0,324
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,2680	23,03	52,232
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,7800	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,5360	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,8800	0,15	0,432
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,8800	2,00	5,760
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0252	40,00	1,008
	2922140006702	Macara de fereastră	h-ut	0,0072	40,00	0,288
691	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii cerclare de 400 - 700 mm (Teu d160/200x150, tabla zincata δ=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,6300	813,460	512,480
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,7359	84,97	317,439
	2710703700340	Banda de otel de 25x3 mm	kg	2,6725	30,00	80,175
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0064	64,17	0,411
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0445	65,37	2,909
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1273	5,00	0,636
	2412126100010	Miniu de plumb	kg	0,0115	27,50	0,316
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1527	18,33	2,799
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0191	25,00	0,477
	2320146200767	Petrol distilat tip 18/200	l	0,0025	16,44	0,041
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,0904	0,23	1,171
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0191	30,00	0,573
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	4,0087	23,03	92,320

1	2	3	4	5	6	7
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	6,6811	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	8,0174	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	5,0904	0,15	0,764
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,0904	2,00	10,181
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0441	40,00	1,764
	2922140006702	Macara de fereastră	h-ut	0,0126	40,00	0,504
692	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=10 mm)	m2	3,6800	191,830	705,935
	7134050013240	Izolator - termic	h-om	1,7443	84,97	148,213
	1111000100031 10	Izolatie termica K-FLEX ST DUCT, δ=10 mm	m2	3,7904	145,83	552,754
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,1656	30,00	4,968
693	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, δ=25 mm)	m2	1,4300	267,884	383,074
	7134050013240	Izolator - termic	h-om	0,6778	84,97	57,593
	1111000100031 25	Izolatie termica K-FLEX ST DUCT, δ=25 mm	m2	1,4729	219,67	323,552
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,0643	30,00	1,929
694	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	20,0000	66,215	1 324,293
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,0000	84,97	509,820
	2413547308164	Carbura de calciu tehnica (carbida) S102	kg	0,8016	64,17	51,439
	2651122100024	Ciment portland P 40 saci S388	kg	1,2024	2,20	2,645
	2710703504760	Otel cornier 40x40x4 mm	kg	20,8416	30,00	625,248
	2412126100010	Minu de plumb	kg	0,4008	27,50	11,022
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0401	750,00	30,075
	2411115904512	Oxigen tehnic gazos S2031	m3	0,4008	25,00	10,020
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4008	30,00	12,024
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,6000	40,00	64,000
	2922140006702	Macara de fereastră	h-ut	0,2000	40,00	8,000
		Total	Lei			6 122,455

1	2	3	4	5	6	7
		Total Sistem RE1 Inclusiv salariu				6 122,455 2 434,986
		1.2.30. Sistem RE2				
695	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer exterioara MBM 152 6BcH)	buc	1,0000	439,380	439,380
	7122050013400	Zidar	h-om	0,4700	84,97	39,936
	9310060019920	Muncitor deservire CM	h-om	0,0300	84,97	2,549
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,1500	27,50	4,125
	2811236306200 1526BcH	Grila de aer exterioara MBM 152 6BcH	buc	1,0000	391,67	391,670
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	0,5000	2,20	1,100
696	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer pentru refulare 200x150)	buc	3,0000	276,880	830,640
	7122050013400	Zidar	h-om	1,4100	84,97	119,808
	9310060019920	Muncitor deservire CM	h-om	0,0900	84,97	7,647
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,4500	27,50	12,375
	2811236306200 200x150	Grila de aer pentru refulare 200x150	buc	3,0000	229,17	687,510
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,5000	2,20	3,300
697	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d160, tabla zincata 6=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	5,0000	512,893	2 564,465
	7136060011900	Instalator ventilare si conditionare aer	h-om	18,9000	84,97	1 605,933
	2710703700340	Banda de otel de 25x3 mm	kg	4,0400	30,00	121,200
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0505	64,17	3,241
	2430226100814	Grund miniu G 355-6	kg	0,0606	55,00	3,333
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0505	5,00	0,253
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0859	18,33	1,575
	2710703502671	Otel cornier 25x25x3 mm	kg	6,3125	30,00	189,375
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1515	25,00	3,788
	2320146200767	Petrol distilat tip 18/200	l	0,1515	16,44	2,491
	2874135840405	Piulite uzuale hexagonale M 6	buc	30,3000	0,23	6,969
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1515	30,00	4,545
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	23,7350	23,03	546,617
	2710403644000	Tabla zincata sau din aluminiu cal.I 1	kg	47,6215	0,00	0,000

1	2	3	4	5	6	7
	1	mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)				
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	38,3800	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	30,3000	0,15	4,545
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	30,3000	2,00	60,600
	2922140006702	Macara de fereastră	h-ut	0,2500	40,00	10,000
698	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d160, tabla zincata $\delta=0,5$ mm)	m2	0,0300	994,767	29,843
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,2430	84,97	20,648
	2710703700340	Banda de otel de 25x3 mm	kg	0,1260	30,00	3,780
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0003	64,17	0,019
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0021	65,37	0,137
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0060	5,00	0,030
	2412126100010	Miniu de plumb	kg	0,0005	27,50	0,014
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0072	18,33	0,132
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0009	25,00	0,022
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,2400	0,23	0,055
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0009	30,00	0,027
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,1890	23,03	4,353
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,3150	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,3780	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,2400	0,15	0,036
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,2400	2,00	0,480
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0021	40,00	0,084
	2922140006702	Macara de fereastră	h-ut	0,0006	40,00	0,024
699	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 15* d160, tabla zincata $\delta=0,5$ mm)	m2	0,1400	994,821	139,275
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1340	84,97	96,356
	2710703700340	Banda de otel de 25x3 mm	kg	0,5880	30,00	17,640
	2413547308164	Carbura de calciu tehnica (carbid)	kg	0,0014	64,17	0,090

1	2	3	4	5	6	7
		S102				
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0098	65,37	0,641
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0280	5,00	0,140
	2412126100010	Miniu de plumb	kg	0,0025	27,50	0,069
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0336	18,33	0,616
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0042	25,00	0,105
	2320146200767	Petrol distilat tip 18/200	l	0,0006	16,44	0,010
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,1200	0,23	0,258
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0042	30,00	0,126
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,8820	23,03	20,312
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,4700	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,7640	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,1200	0,15	0,168
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,1200	2,00	2,240
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0098	40,00	0,392
	2922140006702	Macara de fereastră	h-ut	0,0028	40,00	0,112
700	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d160, tabla zincata δ=0,5 mm)	m2	0,7200	994,815	716,267
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,8320	84,97	495,545
	2710703700340	Banda de otel de 25x3 mm	kg	3,0240	30,00	90,720
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0072	64,17	0,462
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0504	65,37	3,295
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1440	5,00	0,720
	2412126100010	Miniu de plumb	kg	0,0130	27,50	0,357
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1728	18,33	3,167
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0216	25,00	0,540
	2320146200767	Petrol distilat tip 18/200	l	0,0029	16,44	0,048
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,7600	0,23	1,325
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0216	30,00	0,648
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	4,5360	23,03	104,464
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	7,5600	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	9,0720	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	5,7600	0,15	0,864
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,7600	2,00	11,520

1	2	3	4	5	6	7
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0504	40,00	2,016
	2922140006702	Macara de fereastră	h-ut	0,0144	40,00	0,576
701	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Teu d160/200x150, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,6300	813,460	512,480
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,7359	84,97	317,439
	2710703700340	Banda de otel de 25x3 mm	kg	2,6725	30,00	80,175
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0064	64,17	0,411
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0445	65,37	2,909
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1273	5,00	0,636
	2412126100010	Miniu de plumb	kg	0,0115	27,50	0,316
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1527	18,33	2,799
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0191	25,00	0,477
	2320146200767	Petrol distilat tip 18/200	l	0,0025	16,44	0,041
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,0904	0,23	1,171
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0191	30,00	0,573
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	4,0087	23,03	92,320
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	6,6811	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	8,0174	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	5,0904	0,15	0,764
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,0904	2,00	10,181
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0441	40,00	1,764
	2922140006702	Macara de fereastră	h-ut	0,0126	40,00	0,504
702	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, $\delta=10$ mm)	m2	3,6800	191,830	705,935
	7134050013240	Izolator - termic	h-om	1,7443	84,97	148,213
	1111000100031 10	Izolatie termica K-FLEX ST DUCT, $\delta=10$ mm	m2	3,7904	145,83	552,754
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,1656	30,00	4,968
703	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, $\delta=25$ mm)	m2	4,4800	267,885	1 200,127

1	2	3	4	5	6	7
	7134050013240	Izolator - termic	h-om	2,1235	84,97	180,434
	1111000100031 25	Izolatie termica K-FLEX ST DUCT, δ=25 mm	m2	4,6144	219,67	1 013,645
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,2016	30,00	6,048
704	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	22,0000	66,215	1 456,721
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,6000	84,97	560,802
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,8818	64,17	56,585
	2651122100024	Ciment portland P 40 saci S388	kg	1,3226	2,20	2,910
	2710703504760	Otel cornier 40x40x4 mm	kg	22,9258	30,00	687,774
	2412126100010	Miniu de plumb	kg	0,4409	27,50	12,125
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0- 3,0 mm	m3	0,0441	750,00	33,075
	2411115904512	Oxigen tehnic gazos S2031	m3	0,4409	25,00	11,023
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4409	30,00	13,227
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,7600	40,00	70,400
	2922140006702	Macara de fereastră	h-ut	0,2200	40,00	8,800
		<i>Total</i>	Lei			8 595,133
		Total Sistem RE2 Inclusiv salariu				8 595,133 3 595,310
		1.2.31. Sistem RE3				
705	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer exterioara MBM 152 6BcH)	buc	1,0000	439,380	439,380
	7122050013400	Zidar	h-om	0,4700	84,97	39,936
	9310060019920	Muncitor deservire CM	h-om	0,0300	84,97	2,549
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,1500	27,50	4,125
	2811236306200 1526BcH	Grila de aer exterioara MBM 152 6BcH	buc	1,0000	391,67	391,670
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	0,5000	2,20	1,100
706	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer pentru refulare 200x150)	buc	3,0000	276,880	830,640
	7122050013400	Zidar	h-om	1,4100	84,97	119,808
	9310060019920	Muncitor deservire CM	h-om	0,0900	84,97	7,647
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,4500	27,50	12,375
	2811236306200 200x150	Grila de aer pentru refulare 200x150	buc	3,0000	229,17	687,510

1	2	3	4	5	6	7
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,5000	2,20	3,300
707	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d160, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	3,5000	512,891	1 795,117
	7136060011900	Instalator ventilare si conditionare aer	h-om	13,2300	84,97	1 124,153
	2710703700340	Banda de otel de 25x3 mm	kg	2,8280	30,00	84,840
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0353	64,17	2,265
	2430226100814	Grund miniu G 355-6	kg	0,0424	55,00	2,332
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0353	5,00	0,176
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0601	18,33	1,102
	2710703502671	Otel cornier 25x25x3 mm	kg	4,4188	30,00	132,564
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1060	25,00	2,650
	2320146200767	Petrol distilat tip 18/200	l	0,1060	16,44	1,743
	2874135840405	Piulite uzuale hexagonale M 6	buc	21,2100	0,23	4,878
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1060	30,00	3,180
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	16,6145	23,03	382,632
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	33,3351	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	26,8660	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	21,2100	0,15	3,182
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	21,2100	2,00	42,420
	2922140006702	Macara de fereastră	h-ut	0,1750	40,00	7,000
708	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d160, tabla zincata $\delta=0,5$ mm)	m2	0,0300	994,767	29,843
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,2430	84,97	20,648
	2710703700340	Banda de otel de 25x3 mm	kg	0,1260	30,00	3,780
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0003	64,17	0,019
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0021	65,37	0,137
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0060	5,00	0,030
	2412126100010	Miniu de plumb	kg	0,0005	27,50	0,014
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0072	18,33	0,132
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0009	25,00	0,022

1	2	3	4	5	6	7
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,2400	0,23	0,055
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0009	30,00	0,027
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,1890	23,03	4,353
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,3150	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,3780	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,2400	0,15	0,036
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,2400	2,00	0,480
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0021	40,00	0,084
	2922140006702	Macara de fereastră	h-ut	0,0006	40,00	0,024
709	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d160, tabla zincata δ=0,5 mm)	m2	0,3600	994,814	358,133
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,9160	84,97	247,773
	2710703700340	Banda de otel de 25x3 mm	kg	1,5120	30,00	45,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0036	64,17	0,231
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0252	65,37	1,647
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0720	5,00	0,360
	2412126100010	Miniu de plumb	kg	0,0065	27,50	0,179
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0864	18,33	1,584
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0108	25,00	0,270
	2320146200767	Petrol distilat tip 18/200	l	0,0014	16,44	0,023
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,8800	0,23	0,662
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0108	30,00	0,324
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,2680	23,03	52,232
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,7800	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,5360	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,8800	0,15	0,432
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,8800	2,00	5,760
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0252	40,00	1,008
	2922140006702	Macara de fereastră	h-ut	0,0072	40,00	0,288
710	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii	m2	0,6300	813,460	512,480

1	2	3	4	5	6	7
		cerculare de 400 - 700 mm (Teu d160/200x150, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,7359	84,97	317,439
	2710703700340	Banda de otel de 25x3 mm	kg	2,6725	30,00	80,175
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0064	64,17	0,411
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0445	65,37	2,909
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1273	5,00	0,636
	2412126100010	Miniu de plumb	kg	0,0115	27,50	0,316
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1527	18,33	2,799
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0191	25,00	0,477
	2320146200767	Petrol distilat tip 18/200	l	0,0025	16,44	0,041
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,0904	0,23	1,171
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0191	30,00	0,573
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	4,0087	23,03	92,320
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	6,6811	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	8,0174	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	5,0904	0,15	0,764
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,0904	2,00	10,181
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0441	40,00	1,764
	2922140006702	Macara de fereastră	h-ut	0,0126	40,00	0,504
711	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, $\delta=10$ mm)	m2	4,2800	191,830	821,034
	7134050013240	Izolator - termic	h-om	2,0287	84,97	172,379
	1111000100031 10	Izolatie termica K-FLEX ST DUCT, $\delta=10$ mm	m2	4,4084	145,83	642,877
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,1926	30,00	5,778
712	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (K-FLEX ST DUCT, $\delta=25$ mm)	m2	1,4300	267,884	383,074
	7134050013240	Izolator - termic	h-om	0,6778	84,97	57,593
	1111000100031 25	Izolatie termica K-FLEX ST DUCT, $\delta=25$ mm	m2	1,4729	219,67	323,552
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	0,0643	30,00	1,929
713	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale,	kg	20,0000	66,215	1 324,293

1	2	3	4	5	6	7
		piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020				
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,0000	84,97	509,820
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,8016	64,17	51,439
	2651122100024	Ciment portland P 40 saci S388	kg	1,2024	2,20	2,645
	2710703504760	Otel cornier 40x40x4 mm	kg	20,8416	30,00	625,248
	2412126100010	Miniu de plumb	kg	0,4008	27,50	11,022
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0- 3,0 mm	m3	0,0401	750,00	30,075
	2411115904512	Oxigen tehnic gazos S2031	m3	0,4008	25,00	10,020
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4008	30,00	12,024
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,6000	40,00	64,000
	2922140006702	Macara de fereastră	h-ut	0,2000	40,00	8,000
		<i>Total</i>	Lei			6 493,994
		Total Sistem RE3 Inclusiv salariu				6 493,994 2 619,745
		1.2.32. Sistem A7				
714	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 150)	buc	8,0000	181,040	1 448,320
	7122050013400	Zidar	h-om	3,7600	84,97	319,487
	9310060019920	Muncitor deservire CM	h-om	0,2400	84,97	20,393
	2874207327005	Lant cu zale innodate D=2 mm	kg	1,2000	27,50	33,000
	2811236306200 MV-B150	Valva metalica de aspiratie cu posibilitate de reglare MV-B 150	buc	8,0000	133,33	1 066,640
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	4,0000	2,20	8,800
715	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d200, tabla zincata δ=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	12,6000	512,893	6 462,447
	7136060011900	Instalator ventilare si conditionare aer	h-om	47,6280	84,97	4 046,951
	2710703700340	Banda de otel de 25x3 mm	kg	10,1808	30,00	305,424
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1273	64,17	8,169
	2430226100814	Grund miniu G 355-6	kg	0,1527	55,00	8,399
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25	buc	0,1273	5,00	0,636

1	2	3	4	5	6	7
		S 1581				
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2163	18,33	3,965
	2710703502671	Otel cornier 25x25x3 mm	kg	15,9075	30,00	477,225
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3818	25,00	9,545
	2320146200767	Petrol distilat tip 18/200	l	0,3818	16,44	6,277
	2874135840405	Piulite uzuale hexagonale M 6	buc	76,3560	0,23	17,562
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3818	30,00	11,454
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	59,8122	23,03	1 377,475
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	120,0062	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	96,7176	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	76,3560	0,15	11,453
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	76,3560	2,00	152,712
	2922140006702	Macara de fereastră	h-ut	0,6300	40,00	25,200
716	VA02F	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d250, tabla zincata $\delta=0,6$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	3,9500	424,753	1 677,776
	7136060011900	Instalator ventilare si conditionare aer	h-om	10,7045	84,97	909,561
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0399	64,17	2,560
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1596	65,37	10,433
	2430226100814	Grund miniu G 355-6	kg	0,1795	55,00	9,872
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0399	5,00	0,199
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1915	18,33	3,510
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0319	30,00	0,957
	2710703503596	Otel cornier 32x32x3 mm	kg	6,3832	30,00	191,496
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2394	25,00	5,985
	2320146200767	Petrol distilat tip 18/200	l	0,2394	16,44	3,936
	2874135840405	Piulite uzuale hexagonale M 6	buc	47,8740	0,23	11,011
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0798	30,00	2,394
	2710403642000 06	Tabla zincata sau din aluminiu cal. I 0,6 mm	kg	17,9528	23,03	413,453
	2710403643000 106	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	28,7244	0,00	0,000
	2710403644000 106	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	35,9055	0,00	0,000
	2710403645000 106	Tabla zincata sau din aluminiu cal.I	kg	53,8583	0,00	0,000

1	2	3	4	5	6	7
		1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)				
	2874125881198	Saiba plata pentru metal M 6	buc	47,8740	0,15	7,181
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	47,8740	2,00	95,748
	2922140006702	Macara de fereastră	h-ut	0,2370	40,00	9,480
717	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d200, tabla zincata δ=0,5 mm)	m2	1,0800	994,812	1 074,397
	7136060011900	Instalator ventilare si conditionare aer	h-om	8,7480	84,97	743,318
	2710703700340	Banda de otel de 25x3 mm	kg	4,5360	30,00	136,080
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0108	64,17	0,693
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0756	65,37	4,942
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2160	5,00	1,080
	2412126100010	Miniu de plumb	kg	0,0194	27,50	0,533
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2592	18,33	4,751
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0324	25,00	0,810
	2320146200767	Petrol distilat tip 18/200	l	0,0043	16,44	0,071
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,6400	0,23	1,987
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0324	30,00	0,972
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	6,8040	23,03	156,696
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	11,3400	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	13,6080	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	8,6400	0,15	1,296
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,6400	2,00	17,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0756	40,00	3,024
	2922140006702	Macara de fereastră	h-ut	0,0216	40,00	0,864
718	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d200, tabla zincata δ=0,5 mm)	m2	0,7800	994,810	775,952
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,3180	84,97	536,840
	2710703700340	Banda de otel de 25x3 mm	kg	3,2760	30,00	98,280
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0078	64,17	0,501
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0546	65,37	3,569
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1560	5,00	0,780

1	2	3	4	5	6	7
	2412126100010	Minu de plumb	kg	0,0140	27,50	0,385
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1872	18,33	3,431
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0234	25,00	0,585
	2320146200767	Petrol distilat tip 18/200	l	0,0031	16,44	0,051
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,2400	0,23	1,435
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0234	30,00	0,702
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	4,9140	23,03	113,169
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	8,1900	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	9,8280	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	6,2400	0,15	0,936
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,2400	2,00	12,480
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0546	40,00	2,184
	2922140006702	Macara de fereastr	h-ut	0,0156	40,00	0,624
719	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d200x160x200, tabla zincata $\delta=0,5$ mm)	m2	1,8400	1 499,104	2 758,351
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,7392	84,97	997,480
	2710703700340	Banda de otel de 25x3 mm	kg	8,2800	30,00	248,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0184	64,17	1,181
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1104	65,37	7,217
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3680	5,00	1,840
	2412126100010	Minu de plumb	kg	0,0331	27,50	0,910
	2112517330399	Mucava tip I de 3,3 mm	kg	0,6992	18,33	12,816
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0552	25,00	1,380
	2320146200767	Petrol distilat tip 18/200	l	0,0074	16,44	0,122
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,3600	0,23	1,693
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0552	30,00	1,656
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	13,8000	23,03	317,814
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	22,0800	23,03	508,502
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	27,6000	23,03	635,628
	2874125881198	Saiba plata pentru metal M 6	buc	7,3600	0,15	1,104
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,3600	2,00	14,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1104	40,00	4,416
	2922140006702	Macara de fereastr	h-ut	0,0368	40,00	1,472
720	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d200x200x200, tabla	m2	1,1700	1 499,104	1 753,952

1	2	3	4	5	6	7
		zincata $\delta=0,5$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,4646	84,97	634,267
	2710703700340	Banda de otel de 25x3 mm	kg	5,2650	30,00	157,950
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0117	64,17	0,751
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0702	65,37	4,589
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2340	5,00	1,170
	2412126100010	Miniu de plumb	kg	0,0211	27,50	0,580
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4446	18,33	8,150
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0351	25,00	0,877
	2320146200767	Petrol distilat tip 18/200	l	0,0047	16,44	0,077
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,6800	0,23	1,076
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0351	30,00	1,053
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	8,7750	23,03	202,088
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	14,0400	23,03	323,341
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	17,5500	23,03	404,177
	2874125881198	Saiba plata pentru metal M 6	buc	4,6800	0,15	0,702
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,6800	2,00	9,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0702	40,00	2,808
	2922140006702	Macara de fereastră	h-ut	0,0234	40,00	0,936
721	VA17G	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Piesa deviatie d200 H=330mm L=618mm, tabla zincata $\delta=0,5$ mm)	m2	0,8100	733,558	594,182
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,9933	84,97	339,311
	2710703700340	Banda de otel de 25x3 mm	kg	3,4020	30,00	102,060
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0081	64,17	0,520
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0567	65,37	3,706
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1620	5,00	0,810
	2412126100010	Miniu de plumb	kg	0,0146	27,50	0,402
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1944	18,33	3,563
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0243	25,00	0,607
	2320146200767	Petrol distilat tip 18/200	l	0,0032	16,44	0,053
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,4800	0,23	1,490
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2430	30,00	7,290
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	5,1030	23,03	117,522
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	8,5050	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I	kg	10,2060	0,00	0,000

1	2	3	4	5	6	7
		0,5 mm)				
	2874125881198	Saiba plata pentru metal M 6	buc	6,4800	0,15	0,972
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,4800	2,00	12,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0567	40,00	2,268
	2922140006702	Macara de fereastră	h-ut	0,0162	40,00	0,648
722	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 15* d250, tabla zincata δ=0,6 mm)	m2	0,1300	923,600	120,068
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,9646	84,97	81,962
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0013	64,17	0,083
	2710703502671	Otel cornier 25x25x3 mm	kg	0,4550	30,00	13,650
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0104	65,37	0,680
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0260	5,00	0,130
	2412126100010	Miniu de plumb	kg	0,0023	27,50	0,063
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0208	18,33	0,381
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0062	30,00	0,186
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0024	30,00	0,072
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0039	25,00	0,097
	2320146200767	Petrol distilat tip 18/200	l	0,0005	16,44	0,008
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,5600	0,23	0,359
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0052	30,00	0,156
	2710403642000 06	Tabla zincata sau din aluminiu cal. I 0,6 mm	kg	0,7930	23,03	18,263
	2710403643000 106	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	1,2675	0,00	0,000
	2710403644000 106	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	1,6250	0,00	0,000
	2710403645000 106	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	2,3790	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,5600	0,15	0,234
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,5600	2,00	3,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0117	40,00	0,468
	2922140006702	Macara de fereastră	h-ut	0,0039	40,00	0,156
723	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d250, tabla zincata δ=0,6 mm)	m2	0,7800	923,619	720,423
	7136060011900	Instalator ventilare si conditionare	h-om	5,7876	84,97	491,772

1	2	3	4	5	6	7
		aer				
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0078	64,17	0,501
	2710703502671	Otel cornier 25x25x3 mm	kg	2,7300	30,00	81,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0624	65,37	4,079
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1560	5,00	0,780
	2412126100010	Miniu de plumb	kg	0,0140	27,50	0,385
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1248	18,33	2,288
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0374	30,00	1,122
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0142	30,00	0,426
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0234	25,00	0,585
	2320146200767	Petrol distilat tip 18/200	l	0,0031	16,44	0,051
	2874135840405	Piulite uzuale hexagonale M 6	buc	9,3600	0,23	2,153
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0312	30,00	0,936
	2710403642000 06	Tabla zincata sau din aluminiu cal. I 0,6 mm	kg	4,7580	23,03	109,577
	2710403643000 106	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	7,6050	0,00	0,000
	2710403644000 106	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	9,7500	0,00	0,000
	2710403645000 106	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	14,2740	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	9,3600	0,15	1,404
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	9,3600	2,00	18,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0702	40,00	2,808
	2922140006702	Macara de fereastră	h-ut	0,0234	40,00	0,936
724	VA17H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Trecere d250/d200 L=99mm, tabla zincata δ=0,6 mm)	m2	0,1400	612,793	85,791
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,5110	84,97	43,420
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0014	64,17	0,090
	2710703502671	Otel cornier 25x25x3 mm	kg	0,4900	30,00	14,700
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0112	65,37	0,732
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0280	5,00	0,140
	2412126100010	Miniu de plumb	kg	0,0025	27,50	0,069
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0224	18,33	0,411
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0007	30,00	0,021
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0025	30,00	0,075

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0042	25,00	0,105
	2320146200767	Petrol distilat tip 18/200	l	0,0006	16,44	0,010
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,6800	0,23	0,386
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0560	30,00	1,680
	2710403642000 06	Tabla zincata sau din aluminiu cal. I 0,6 mm	kg	0,8540	23,03	19,668
	2710403643000 106	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	1,3650	0,00	0,000
	2710403644000 106	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	1,7500	0,00	0,000
	2710403645000 106	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	2,5620	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,6800	0,15	0,252
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,6800	2,00	3,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0126	40,00	0,504
	2922140006702	Macara de fereastră	h-ut	0,0042	40,00	0,168
725	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	35,0000	66,213	2 317,456
	7136060011900	Instalator ventilare si conditionare aer	h-om	10,5000	84,97	892,185
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,4028	64,17	90,018
	2651122100024	Ciment portland P 40 saci S388	kg	2,1042	2,20	4,629
	2710703504760	Otel cornier 40x40x4 mm	kg	36,4728	30,00	1 094,184
	2412126100010	Minu de plumb	kg	0,7014	27,50	19,288
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0- 3,0 mm	m3	0,0701	750,00	52,575
	2411115904512	Oxigen tehnic gazos S2031	m3	0,7014	25,00	17,535
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,7014	30,00	21,042
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,8000	40,00	112,000
	2922140006702	Macara de fereastră	h-ut	0,3500	40,00	14,000
		<i>Total</i>	Lei			19 789,115
		Total Sistem A7 Inclusiv salariu				19 789,115 10 056,947
		1.2.33. Sistem A8				
726	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 150)	buc	7,0000	181,040	1 267,280

1	2	3	4	5	6	7
	7122050013400	Zidar	h-om	3,2900	84,97	279,551
	9310060019920	Muncitor deservire CM	h-om	0,2100	84,97	17,844
	2874207327005	Lant cu zale innodate D=2 mm	kg	1,0500	27,50	28,875
	2811236306200 MV-B150	Valva metalica de aspiratie cu posibilitate de reglare MV-B 150	buc	7,0000	133,33	933,310
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	3,5000	2,20	7,700
727	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d160, tabla zincata δ=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	1,0000	512,891	512,891
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,7800	84,97	321,187
	2710703700340	Banda de otel de 25x3 mm	kg	0,8080	30,00	24,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0101	64,17	0,648
	2430226100814	Grund miniu G 355-6	kg	0,0121	55,00	0,665
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0101	5,00	0,050
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0172	18,33	0,315
	2710703502671	Otel cornier 25x25x3 mm	kg	1,2625	30,00	37,875
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0303	25,00	0,758
	2320146200767	Petrol distilat tip 18/200	l	0,0303	16,44	0,498
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,0600	0,23	1,394
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0303	30,00	0,909
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	4,7470	23,03	109,323
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	9,5243	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	7,6760	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	6,0600	0,15	0,909
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,0600	2,00	12,120
	2922140006702	Macara de fereastră	h-ut	0,0500	40,00	2,000
728	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d200, tabla zincata δ=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	20,7900	512,892	10 663,034
	7136060011900	Instalator ventilare si conditionare aer	h-om	78,5862	84,97	6 677,469

1	2	3	4	5	6	7
	2710703700340	Banda de otel de 25x3 mm	kg	16,7983	30,00	503,949
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2100	64,17	13,476
	2430226100814	Grund miniu G 355-6	kg	0,2520	55,00	13,860
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2100	5,00	1,050
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3570	18,33	6,544
	2710703502671	Otel cornier 25x25x3 mm	kg	26,2474	30,00	787,422
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6299	25,00	15,748
	2320146200767	Petrol distilat tip 18/200	l	0,6299	16,44	10,356
	2874135840405	Piulite uzuale hexagonale M 6	buc	125,9874	0,23	28,977
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6299	30,00	18,897
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	98,6901	23,03	2 272,833
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	198,0102	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	159,5840	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	125,9874	0,15	18,898
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	125,9874	2,00	251,975
	2922140006702	Macara de fereastră	h-ut	1,0395	40,00	41,580
729	VA02F	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Canal d250, tabla zincata $\delta=0,6$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	5,5300	424,754	2 348,887
	7136060011900	Instalator ventilare si conditionare aer	h-om	14,9863	84,97	1 273,386
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0559	64,17	3,587
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2234	65,37	14,604
	2430226100814	Grund miniu G 355-6	kg	0,2513	55,00	13,822
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0559	5,00	0,279
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2681	18,33	4,914
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0447	30,00	1,341
	2710703503596	Otel cornier 32x32x3 mm	kg	8,9365	30,00	268,095
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3351	25,00	8,377
	2320146200767	Petrol distilat tip 18/200	l	0,3351	16,44	5,509
	2874135840405	Piulite uzuale hexagonale M 6	buc	67,0236	0,23	15,415
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1117	30,00	3,351
	2710403642000 06	Tabla zincata sau din aluminiu cal. I 0,6 mm	kg	25,1339	23,03	578,834
	2710403643000 106	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	40,2142	0,00	0,000

1	2	3	4	5	6	7
	2710403644000 106	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	50,2677	0,00	0,000
	2710403645000 106	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	75,4016	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	67,0236	0,15	10,054
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	67,0236	2,00	134,047
	2922140006702	Macara de fereastră	h-ut	0,3318	40,00	13,272
730	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d160, tabla zincata $\delta=0,5$ mm)	m2	0,9000	994,812	895,331
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,2900	84,97	619,431
	2710703700340	Banda de otel de 25x3 mm	kg	3,7800	30,00	113,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0090	64,17	0,578
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0630	65,37	4,118
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1800	5,00	0,900
	2412126100010	Miniu de plumb	kg	0,0162	27,50	0,445
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2160	18,33	3,959
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0270	25,00	0,675
	2320146200767	Petrol distilat tip 18/200	l	0,0036	16,44	0,059
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,2000	0,23	1,656
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0270	30,00	0,810
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	5,6700	23,03	130,580
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	9,4500	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	11,3400	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	7,2000	0,15	1,080
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,2000	2,00	14,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0630	40,00	2,520
	2922140006702	Macara de fereastră	h-ut	0,0180	40,00	0,720
731	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d200, tabla zincata $\delta=0,5$ mm)	m2	1,0800	994,812	1 074,397
	7136060011900	Instalator ventilare si conditionare aer	h-om	8,7480	84,97	743,318
	2710703700340	Banda de otel de 25x3 mm	kg	4,5360	30,00	136,080

1	2	3	4	5	6	7
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0108	64,17	0,693
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0756	65,37	4,942
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2160	5,00	1,080
	2412126100010	Miniu de plumb	kg	0,0194	27,50	0,533
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2592	18,33	4,751
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0324	25,00	0,810
	2320146200767	Petrol distilat tip 18/200	l	0,0043	16,44	0,071
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,6400	0,23	1,987
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0324	30,00	0,972
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	6,8040	23,03	156,696
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	11,3400	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	13,6080	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	8,6400	0,15	1,296
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,6400	2,00	17,280
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0756	40,00	3,024
	2922140006702	Macara de fereastră	h-ut	0,0216	40,00	0,864
732	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 45* d200, tabla zincata δ=0,5 mm)	m2	0,3200	994,812	318,340
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,5920	84,97	220,242
	2710703700340	Banda de otel de 25x3 mm	kg	1,3440	30,00	40,320
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0224	65,37	1,464
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0768	18,33	1,408
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,5600	0,23	0,589
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0096	30,00	0,288
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,0160	23,03	46,428
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,3600	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,0320	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,5600	0,15	0,384

1	2	3	4	5	6	7
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,5600	2,00	5,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0224	40,00	0,896
	2922140006702	Macara de fereastră	h-ut	0,0064	40,00	0,256
733	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d200, tabla zincata δ=0,5 mm)	m2	0,7800	994,810	775,952
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,3180	84,97	536,840
	2710703700340	Banda de otel de 25x3 mm	kg	3,2760	30,00	98,280
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0078	64,17	0,501
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0546	65,37	3,569
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1560	5,00	0,780
	2412126100010	Miniu de plumb	kg	0,0140	27,50	0,385
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1872	18,33	3,431
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0234	25,00	0,585
	2320146200767	Petrol distilat tip 18/200	l	0,0031	16,44	0,051
	2874135840405	Piulite uzuale hexagonale M 6	buc	6,2400	0,23	1,435
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0234	30,00	0,702
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	4,9140	23,03	113,169
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	8,1900	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	9,8280	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	6,2400	0,15	0,936
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	6,2400	2,00	12,480
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0546	40,00	2,184
	2922140006702	Macara de fereastră	h-ut	0,0156	40,00	0,624
734	VA17G	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Trecere d200/d160 L=85mm, tabla zincata δ=0,5 mm)	m2	0,1100	733,564	80,692
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,5423	84,97	46,079
	2710703700340	Banda de otel de 25x3 mm	kg	0,4620	30,00	13,860
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0011	64,17	0,071
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0077	65,37	0,503
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0220	5,00	0,110
	2412126100010	Miniu de plumb	kg	0,0020	27,50	0,055
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0264	18,33	0,484

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0033	25,00	0,083
	2320146200767	Petrol distilat tip 18/200	l	0,0004	16,44	0,007
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,8800	0,23	0,202
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0330	30,00	0,990
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,6930	23,03	15,960
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,1550	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,3860	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,8800	0,15	0,132
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,8800	2,00	1,760
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0077	40,00	0,308
	2922140006702	Macara de fereastră	h-ut	0,0022	40,00	0,088
735	VA15G	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Teu d160x160x160, tabla zincata δ=0,5 mm)	m2	0,1900	863,111	163,991
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,2445	84,97	105,745
	2710703700340	Banda de otel de 25x3 mm	kg	0,7980	30,00	23,940
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0019	64,17	0,122
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0133	65,37	0,869
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0380	5,00	0,190
	2412126100010	Miniu de plumb	kg	0,0034	27,50	0,093
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0456	18,33	0,836
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0057	25,00	0,143
	2320146200767	Petrol distilat tip 18/200	l	0,0008	16,44	0,013
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,5200	0,23	0,350
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0057	30,00	0,171
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,1970	23,03	27,567
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,9950	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,3940	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,5200	0,15	0,228
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,5200	2,00	3,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0133	40,00	0,532
	2922140006702	Macara de fereastră	h-ut	0,0038	40,00	0,152
736	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400	m2	1,3800	1 499,104	2 068,763

1	2	3	4	5	6	7
		mm (Teu d200x160x200, tabla zincata ̄=0,5 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	8,8044	84,97	748,110
	2710703700340	Banda de otel de 25x3 mm	kg	6,2100	30,00	186,300
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0138	64,17	0,886
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0828	65,37	5,413
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2760	5,00	1,380
	2412126100010	Miniu de plumb	kg	0,0248	27,50	0,682
	2112517330399	Mucava tip I de 3,3 mm	kg	0,5244	18,33	9,612
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0414	25,00	1,035
	2320146200767	Petrol distilat tip 18/200	l	0,0055	16,44	0,090
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,5200	0,23	1,270
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0414	30,00	1,242
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	10,3500	23,03	238,361
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	16,5600	23,03	381,377
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	20,7000	23,03	476,721
	2874125881198	Saiba plata pentru metal M 6	buc	5,5200	0,15	0,828
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,5200	2,00	11,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0828	40,00	3,312
	2922140006702	Macara de fereastră	h-ut	0,0276	40,00	1,104
737	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d200x200x200, tabla zincata ̄=0,5 mm)	m2	0,9300	1 499,103	1 394,166
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,9334	84,97	504,161
	2710703700340	Banda de otel de 25x3 mm	kg	4,1850	30,00	125,550
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0093	64,17	0,597
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0558	65,37	3,648
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1860	5,00	0,930
	2412126100010	Miniu de plumb	kg	0,0167	27,50	0,459
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3534	18,33	6,478
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0279	25,00	0,698
	2320146200767	Petrol distilat tip 18/200	l	0,0037	16,44	0,061
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,7200	0,23	0,856
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0279	30,00	0,837
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	6,9750	23,03	160,634
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	11,1600	23,03	257,015
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	13,9500	23,03	321,268
	2874125881198	Saiba plata pentru metal M 6	buc	3,7200	0,15	0,558
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,7200	2,00	7,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0558	40,00	2,232

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	0,0186	40,00	0,744
738	VA17G	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Piesa deviatie d200 H=650mm L=1098mm, tabla zincata δ=0,5 mm)	m2	3,0200	733,559	2 215,349
	7136060011900	Instalator ventilare si conditionare aer	h-om	14,8886	84,97	1 265,084
	2710703700340	Banda de otel de 25x3 mm	kg	12,6840	30,00	380,520
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0302	64,17	1,938
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2114	65,37	13,819
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,6040	5,00	3,020
	2412126100010	Miniu de plumb	kg	0,0544	27,50	1,496
	2112517330399	Mucava tip I de 3,3 mm	kg	0,7248	18,33	13,286
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0906	25,00	2,265
	2320146200767	Petrol distilat tip 18/200	l	0,0121	16,44	0,199
	2874135840405	Piulite uzuale hexagonale M 6	buc	24,1600	0,23	5,557
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,9060	30,00	27,180
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	19,0260	23,03	438,169
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	31,7100	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	38,0520	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	24,1600	0,15	3,624
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	24,1600	2,00	48,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2114	40,00	8,456
	2922140006702	Macara de fereastră	h-ut	0,0604	40,00	2,416
739	VA13H	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 700 - 1600 mm (Cot 90* d250, tabla zincata δ=0,6 mm)	m2	0,7800	923,619	720,423
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,7876	84,97	491,772
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0078	64,17	0,501
	2710703502671	Otel cornier 25x25x3 mm	kg	2,7300	30,00	81,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0624	65,37	4,079
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1560	5,00	0,780
	2412126100010	Miniu de plumb	kg	0,0140	27,50	0,385
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1248	18,33	2,288
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0374	30,00	1,122

1	2	3	4	5	6	7
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0142	30,00	0,426
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0234	25,00	0,585
	2320146200767	Petrol distilat tip 18/200	l	0,0031	16,44	0,051
	2874135840405	Piulite uzuale hexagonale M 6	buc	9,3600	0,23	2,153
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0312	30,00	0,936
	2710403642000 06	Tabla zincata sau din aluminiu cal. I 0,6 mm	kg	4,7580	23,03	109,577
	2710403643000 106	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	7,6050	0,00	0,000
	2710403644000 106	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	9,7500	0,00	0,000
	2710403645000 106	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	14,2740	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	9,3600	0,15	1,404
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	9,3600	2,00	18,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0702	40,00	2,808
	2922140006702	Macara de fereastră	h-ut	0,0234	40,00	0,936
740	VA17H	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii cerculare de 700 - 1600 mm (d250/d200 L=99mm, tabla zincata $\delta=0,6$ mm)	m2	0,1400	612,793	85,791
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,5110	84,97	43,420
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0014	64,17	0,090
	2710703502671	Otel cornier 25x25x3 mm	kg	0,4900	30,00	14,700
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0112	65,37	0,732
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0280	5,00	0,140
	2412126100010	Minu de plumb	kg	0,0025	27,50	0,069
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0224	18,33	0,411
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0007	30,00	0,021
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0025	30,00	0,075
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0042	25,00	0,105
	2320146200767	Petrol distilat tip 18/200	l	0,0006	16,44	0,010
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,6800	0,23	0,386
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0560	30,00	1,680
	2710403642000 06	Tabla zincata sau din aluminiu cal. I 0,6 mm	kg	0,8540	23,03	19,668
	2710403643000 106	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	1,3650	0,00	0,000
	2710403644000 106	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia:	kg	1,7500	0,00	0,000

1	2	3	4	5	6	7
		Tabla zincata sau din aluminiu cal. I 0,6 mm)				
	2710403645000 106	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	2,5620	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,6800	0,15	0,252
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,6800	2,00	3,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0126	40,00	0,504
	2922140006702	Macara de fereastră	h-ut	0,0042	40,00	0,168
741	VA15H	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 700 - 1600 mm (Teu d250x200x250, tabla zincata $\delta=0,6$ mm)	m2	0,2800	927,414	259,676
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,0944	84,97	177,961
	2413547308164	Carbura de calciu tehnica (carbida) S102	kg	0,0028	64,17	0,180
	2710703502671	Otel cornier 25x25x3 mm	kg	0,9800	30,00	29,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0224	65,37	1,464
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0560	5,00	0,280
	2412126100010	Miniu de plumb	kg	0,0050	27,50	0,138
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0448	18,33	0,821
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0013	30,00	0,039
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0051	30,00	0,153
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0084	25,00	0,210
	2320146200767	Petrol distilat tip 18/200	l	0,0011	16,44	0,018
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,3600	0,23	0,773
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0112	30,00	0,336
	2710403642000 06	Tabla zincata sau din aluminiu cal. I 0,6 mm	kg	1,7080	23,03	39,335
	2710403643000 106	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	2,7300	0,00	0,000
	2710403644000 106	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	3,5000	0,00	0,000
	2710403645000 106	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,6 mm)	kg	5,1240	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,3600	0,15	0,504
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,3600	2,00	6,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0252	40,00	1,008
	2922140006702	Macara de fereastră	h-ut	0,0084	40,00	0,336
742	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel	kg	55,0000	66,214	3 641,750

1	2	3	4	5	6	7
		profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020				
	7136060011900	Instalator ventilare si conditionare aer	h-om	16,5000	84,97	1 402,005
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	2,2044	64,17	141,456
	2651122100024	Ciment portland P 40 saci S388	kg	3,3066	2,20	7,275
	2710703504760	Otel cornier 40x40x4 mm	kg	57,3144	30,00	1 719,432
	2412126100010	Miniu de plumb	kg	1,1022	27,50	30,311
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,1102	750,00	82,650
	2411115904512	Oxigen tehnic gazos S2031	m3	1,1022	25,00	27,555
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,1022	30,00	33,066
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	4,4000	40,00	176,000
	2922140006702	Macara de fereastră	h-ut	0,5500	40,00	22,000
		<i>Total</i>	Lei			28 486,713
		Total Sistem A8 Inclusiv salariu				28 486,713 15 473,605
		1.2.34. Sistem A9				
743	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer pentru aspiratie 200x100)	buc	4,0000	243,540	974,160
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 200x100	Grila de aer pentru refulare 200x100	buc	4,0000	195,83	783,320
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
744	VA02B	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Canal 300x150, tabla zincata $\delta=0,7$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	2,3900	465,064	1 111,502
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,8794	84,97	499,573
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0241	64,17	1,546
	2430226100814	Grund miniu G 355-6	kg	0,1086	55,00	5,973
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0241	5,00	0,120
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1159	18,33	2,124
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0193	30,00	0,579

1	2	3	4	5	6	7
	2710703502671	Otel cornier 25x25x3 mm	kg	3,2588	30,00	97,764
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0724	25,00	1,810
	2320146200767	Petrol distilat tip 18/200	l	0,0145	16,44	0,238
	2874135840405	Piulite uzuale hexagonale M 6	buc	38,6224	0,23	8,883
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0966	30,00	2,898
	2710403641000 2	Tabla zincata sau din aluminiu cal.I 0,3 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	6,8796	0,00	0,000
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	10,8626	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	17,3801	23,03	400,264
	2874125881198	Saiba plata pentru metal M 6	buc	38,6224	0,15	5,793
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	38,6224	2,00	77,245
	2922140006702	Macara de fereastră	h-ut	0,1673	40,00	6,692
745	VA10H	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 700 - 1600 mm (Cot 90* 300x150, tabla zincata δ=0,7 mm)	m2	0,3700	714,119	264,224
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,4245	84,97	121,040
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0037	64,17	0,237
	2710703502671	Otel cornier 25x25x3 mm	kg	1,2950	30,00	38,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0333	65,37	2,177
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0740	5,00	0,370
	2412126100010	Miniu de plumb	kg	0,0067	27,50	0,184
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0592	18,33	1,085
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0178	30,00	0,534
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0067	30,00	0,201
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0111	25,00	0,278
	2320146200767	Petrol distilat tip 18/200	l	0,0015	16,44	0,025
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,9200	0,23	1,362
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0148	30,00	0,444
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	2,2570	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	3,6075	23,03	83,081
	2874125881198	Saiba plata pentru metal M 6	buc	5,9200	0,15	0,888
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,9200	2,00	11,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0296	40,00	1,184
	2922140006702	Macara de fereastră	h-ut	0,0111	40,00	0,444
746	VA14H	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime,	m2	0,2800	1 070,954	299,867

1	2	3	4	5	6	7
		avind perimetrul sectiunii circulara de 700 - 1600 mm (Trecere, tip 5 300x250/d200 L=265mm, tabla zincata $\delta=0,7$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,2904	84,97	194,615
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0028	64,17	0,180
	2710703502671	Otel cornier 25x25x3 mm	kg	0,9800	30,00	29,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0224	65,37	1,464
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0560	5,00	0,280
	2412126100010	Miniu de plumb	kg	0,0050	27,50	0,138
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0448	18,33	0,821
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0013	30,00	0,039
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0051	30,00	0,153
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0084	25,00	0,210
	2320146200767	Petrol distilat tip 18/200	l	0,0011	16,44	0,018
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,3600	0,23	0,773
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0112	30,00	0,336
	2710403642000 2	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	1,7080	0,00	0,000
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,7300	23,03	62,872
	2710403644000 2	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	3,5000	0,00	0,000
	2710403645000 2	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I)	kg	5,1240	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,3600	0,15	0,504
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,3600	2,00	6,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0252	40,00	1,008
	2922140006702	Macara de fereastră	h-ut	0,0084	40,00	0,336
747	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d200, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	27,0900	512,892	13 894,247
	7136060011900	Instalator ventilare si conditionare aer	h-om	102,4002	84,97	8 700,945
	2710703700340	Banda de otel de 25x3 mm	kg	21,8887	30,00	656,661
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2736	64,17	17,557

1	2	3	4	5	6	7
	2430226100814	Grund miniu G 355-6	kg	0,3283	55,00	18,056
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2736	5,00	1,368
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4651	18,33	8,525
	2710703502671	Otel cornier 25x25x3 mm	kg	34,2011	30,00	1 026,033
	2411115904512	Oxigen tehnic gazos S2031	m3	0,8208	25,00	20,520
	2320146200767	Petrol distilat tip 18/200	l	0,8208	16,44	13,494
	2874135840405	Piulite uzuale hexagonale M 6	buc	164,1654	0,23	37,758
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8208	30,00	24,624
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	128,5962	23,03	2 961,570
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	258,0133	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	207,9428	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	164,1654	0,15	24,625
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	164,1654	2,00	328,331
	2922140006702	Macara de fereastră	h-ut	1,3545	40,00	54,180
748	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d200, tabla zincata δ=0,5 mm)	m2	0,3600	994,814	358,133
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,9160	84,97	247,773
	2710703700340	Banda de otel de 25x3 mm	kg	1,5120	30,00	45,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0036	64,17	0,231
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0252	65,37	1,647
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0720	5,00	0,360
	2412126100010	Miniu de plumb	kg	0,0065	27,50	0,179
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0864	18,33	1,584
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0108	25,00	0,270
	2320146200767	Petrol distilat tip 18/200	l	0,0014	16,44	0,023
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,8800	0,23	0,662
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0108	30,00	0,324
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,2680	23,03	52,232
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,7800	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,5360	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,8800	0,15	0,432
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,8800	2,00	5,760
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0252	40,00	1,008
	2922140006702	Macara de fereastră	h-ut	0,0072	40,00	0,288

1	2	3	4	5	6	7
749	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 15* d200, tabla zincata $\delta=0,5$ mm)	m2	0,1000	994,820	99,482
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,8100	84,97	68,826
	2710703700340	Banda de otel de 25x3 mm	kg	0,4200	30,00	12,600
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0010	64,17	0,064
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0070	65,37	0,458
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0200	5,00	0,100
	2412126100010	Miniu de plumb	kg	0,0018	27,50	0,049
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0240	18,33	0,440
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0030	25,00	0,075
	2320146200767	Petrol distilat tip 18/200	l	0,0004	16,44	0,007
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,8000	0,23	0,184
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0030	30,00	0,090
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,6300	23,03	14,509
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,0500	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,2600	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,8000	0,15	0,120
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,8000	2,00	1,600
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0070	40,00	0,280
	2922140006702	Macara de fereastră	h-ut	0,0020	40,00	0,080
750	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d200, tabla zincata $\delta=0,5$ mm)	m2	0,2600	994,812	258,651
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,1060	84,97	178,947
	2710703700340	Banda de otel de 25x3 mm	kg	1,0920	30,00	32,760
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0026	64,17	0,167
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0182	65,37	1,190
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0520	5,00	0,260
	2412126100010	Miniu de plumb	kg	0,0047	27,50	0,129
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0624	18,33	1,144
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0078	25,00	0,195
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,0800	0,23	0,478
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0078	30,00	0,234

1	2	3	4	5	6	7
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,6380	23,03	37,723
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,7300	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,2760	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,0800	0,15	0,312
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,0800	2,00	4,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0182	40,00	0,728
	2922140006702	Macara de fereastră	h-ut	0,0052	40,00	0,208
751	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d200x200x200, tabla zincata $\delta=0,5$ mm)	m2	0,2300	1 499,104	344,794
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,4674	84,97	124,685
	2710703700340	Banda de otel de 25x3 mm	kg	1,0350	30,00	31,050
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0023	64,17	0,148
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0138	65,37	0,902
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0460	5,00	0,230
	2412126100010	Miniu de plumb	kg	0,0041	27,50	0,113
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0874	18,33	1,602
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0069	25,00	0,172
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9200	0,23	0,212
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0069	30,00	0,207
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,7250	23,03	39,727
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,7600	23,03	63,563
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,4500	23,03	79,454
	2874125881198	Saiba plata pentru metal M 6	buc	0,9200	0,15	0,138
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9200	2,00	1,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0138	40,00	0,552
	2922140006702	Macara de fereastră	h-ut	0,0046	40,00	0,184
752	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Teu d200/200x150, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,9600	813,462	780,924
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,6928	84,97	483,717

1	2	3	4	5	6	7
	2710703700340	Banda de otel de 25x3 mm	kg	4,0723	30,00	122,169
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0097	64,17	0,622
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0679	65,37	4,439
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1939	5,00	0,969
	2412126100010	Minu de plumb	kg	0,0175	27,50	0,481
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2327	18,33	4,265
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0291	25,00	0,728
	2320146200767	Petrol distilat tip 18/200	l	0,0039	16,44	0,064
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,7568	0,23	1,784
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0291	30,00	0,873
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	6,1085	23,03	140,679
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	10,1808	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	12,2170	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	7,7568	0,15	1,164
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,7568	2,00	15,514
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0672	40,00	2,688
	2922140006702	Macara de fereastră	h-ut	0,0192	40,00	0,768
753	VA17G	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Piesa deviatie d200 H=300mm L=1098mm, tabla zincata δ=0,5 mm)	m2	12,8400	733,559	9 418,894
	7136060011900	Instalator ventilare si conditionare aer	h-om	63,3012	84,97	5 378,703
	2710703700340	Banda de otel de 25x3 mm	kg	53,9280	30,00	1 617,840
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1284	64,17	8,239
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,8988	65,37	58,755
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	2,5680	5,00	12,840
	2412126100010	Minu de plumb	kg	0,2311	27,50	6,355
	2112517330399	Mucava tip I de 3,3 mm	kg	3,0816	18,33	56,486
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3852	25,00	9,630
	2320146200767	Petrol distilat tip 18/200	l	0,0514	16,44	0,845
	2874135840405	Piulite uzuale hexagonale M 6	buc	102,7200	0,23	23,626
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	3,8520	30,00	115,560
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	80,8920	23,03	1 862,943
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	134,8200	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I	kg	161,7840	0,00	0,000

1	2	3	4	5	6	7
		0,5 mm)				
	2874125881198	Saiba plata pentru metal M 6	buc	102,7200	0,15	15,408
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	102,7200	2,00	205,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,8988	40,00	35,952
	2922140006702	Macara de fereastră	h-ut	0,2568	40,00	10,272
754	Pretul firmei	EURO flansa PQ-C-20	m	8,1000	41,670	337,527
	PQ-C-20	EURO flansa PQ-C-20	m	8,1000	41,67	337,527
755	Pretul firmei	Cornier NQ-C-20	buc	36,0000	4,170	150,120
	NQ-C-20	Cornier NQ-C-20	buc	36,0000	4,17	150,120
756	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	65,0000	66,214	4 303,934
	7136060011900	Instalator ventilare si conditionare aer	h-om	19,5000	84,97	1 656,915
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	2,6052	64,17	167,176
	2651122100024	Ciment portland P 40 saci S388	kg	3,9078	2,20	8,597
	2710703504760	Otel cornier 40x40x4 mm	kg	67,7352	30,00	2 032,056
	2412126100010	Miniu de plumb	kg	1,3026	27,50	35,822
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,1303	750,00	97,725
	2411115904512	Oxigen tehnic gazos S2031	m3	1,3026	25,00	32,565
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,3026	30,00	39,078
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	5,2000	40,00	208,000
	2922140006702	Macara de fereastră	h-ut	0,6500	40,00	26,000
		<i>Total</i>	Lei			32 596,459
		Total Sistem A9 Inclusiv salariu				32 596,459 17 825,679
		1.2.35. Sistem A10				
757	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer pentru aspiratie 200x100)	buc	4,0000	243,540	974,160
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 200x100	Grila de aer pentru refulare 200x100	buc	4,0000	195,83	783,320
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
758	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul	m2	5,8800	512,894	3 015,814

1	2	3	4	5	6	7
		sectiunii circulare de 250 - 700 mm (Canal d125, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	22,2264	84,97	1 888,577
	2710703700340	Banda de otel de 25x3 mm	kg	4,7510	30,00	142,530
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0594	64,17	3,812
	2430226100814	Grund miniu G 355-6	kg	0,0713	55,00	3,921
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0594	5,00	0,297
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1010	18,33	1,851
	2710703502671	Otel cornier 25x25x3 mm	kg	7,4235	30,00	222,705
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1782	25,00	4,455
	2320146200767	Petrol distilat tip 18/200	l	0,1782	16,44	2,930
	2874135840405	Piulite uzuale hexagonale M 6	buc	35,6328	0,23	8,196
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1782	30,00	5,346
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	27,9124	23,03	642,823
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	56,0029	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	45,1349	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	35,6328	0,15	5,345
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	35,6328	2,00	71,266
	2922140006702	Macara de fereastră	h-ut	0,2940	40,00	11,760
759	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d125, tabla zincata $\delta=0,5$ mm)	m2	0,0400	994,825	39,793
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,3240	84,97	27,530
	2710703700340	Banda de otel de 25x3 mm	kg	0,1680	30,00	5,040
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0004	64,17	0,026
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0028	65,37	0,183
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0080	5,00	0,040
	2412126100010	Miniu de plumb	kg	0,0007	27,50	0,019
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0096	18,33	0,176
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0012	25,00	0,030
	2320146200767	Petrol distilat tip 18/200	l	0,0002	16,44	0,003
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,3200	0,23	0,074
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0012	30,00	0,036
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,2520	23,03	5,804
	2710403643000 1	Tabla zincata sau aluminiu de 0,8	kg	0,4200	0,00	0,000

1	2	3	4	5	6	7
		mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)				
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,5040	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,3200	0,15	0,048
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,3200	2,00	0,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0028	40,00	0,112
	2922140006702	Macara de fereastră	h-ut	0,0008	40,00	0,032
760	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d125, tabla zincata δ=0,5 mm)	m2	0,7200	994,815	716,267
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,8320	84,97	495,545
	2710703700340	Banda de otel de 25x3 mm	kg	3,0240	30,00	90,720
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0072	64,17	0,462
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0504	65,37	3,295
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1440	5,00	0,720
	2412126100010	Miniu de plumb	kg	0,0130	27,50	0,357
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1728	18,33	3,167
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0216	25,00	0,540
	2320146200767	Petrol distilat tip 18/200	l	0,0029	16,44	0,048
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,7600	0,23	1,325
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0216	30,00	0,648
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	4,5360	23,03	104,464
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	7,5600	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	9,0720	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	5,7600	0,15	0,864
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,7600	2,00	11,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0504	40,00	2,016
	2922140006702	Macara de fereastră	h-ut	0,0144	40,00	0,576
761	VA15G	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 400 - 700 mm (Teu d125x125x125, tabla zincata δ=0,5 mm)	m2	0,1500	863,100	129,465
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,9825	84,97	83,483
	2710703700340	Banda de otel de 25x3 mm	kg	0,6300	30,00	18,900

1	2	3	4	5	6	7
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0015	64,17	0,096
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0105	65,37	0,686
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0300	5,00	0,150
	2412126100010	Miniu de plumb	kg	0,0027	27,50	0,074
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0360	18,33	0,660
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0045	25,00	0,112
	2320146200767	Petrol distilat tip 18/200	l	0,0006	16,44	0,010
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,2000	0,23	0,276
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0045	30,00	0,135
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,9450	23,03	21,763
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,5750	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,8900	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,2000	0,15	0,180
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,2000	2,00	2,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0105	40,00	0,420
	2922140006702	Macara de fereastră	h-ut	0,0030	40,00	0,120
762	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii cerclare de 400 - 700 mm (Teu d125/200x100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	0,6800	813,463	553,155
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,0324	84,97	342,633
	2710703700340	Banda de otel de 25x3 mm	kg	2,8846	30,00	86,538
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0069	64,17	0,443
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0481	65,37	3,144
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1374	5,00	0,687
	2412126100010	Miniu de plumb	kg	0,0124	27,50	0,341
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1648	18,33	3,021
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0206	25,00	0,515
	2320146200767	Petrol distilat tip 18/200	l	0,0027	16,44	0,044
	2874135840405	Piulite uzuale hexagonale M 6	buc	5,4944	0,23	1,264
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0206	30,00	0,618
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	4,3268	23,03	99,646
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	7,2114	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia:	kg	8,6537	0,00	0,000

1	2	3	4	5	6	7
		Tabla zincata sau din aluminiu cal. I (0,5 mm)				
	2874125881198	Saiba plata pentru metal M 6	buc	5,4944	0,15	0,824
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	5,4944	2,00	10,989
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0476	40,00	1,904
	2922140006702	Macara de fereastră	h-ut	0,0136	40,00	0,544
763	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	25,0000	66,214	1 655,347
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,5000	84,97	637,275
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,0020	64,17	64,298
	2651122100024	Ciment portland P 40 saci S388	kg	1,5030	2,20	3,307
	2710703504760	Otel cornier 40x40x4 mm	kg	26,0520	30,00	781,560
	2412126100010	Miniu de plumb	kg	0,5010	27,50	13,777
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0501	750,00	37,575
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5010	25,00	12,525
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5010	30,00	15,030
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,0000	40,00	80,000
	2922140006702	Macara de fereastră	h-ut	0,2500	40,00	10,000
		<i>Total</i>	Lei			7 084,001
		Total Sistem A10 Inclusiv salariu				7 084,001 3 644,983
		1.2.36. Sistem A11				
764	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
765	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata δ=0,5 mm)	m2	4,4000	512,891	2 256,721

1	2	3	4	5	6	7
		Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	16,6320	84,97	1 413,221
	2710703700340	Banda de otel de 25x3 mm	kg	3,5552	30,00	106,656
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0444	64,17	2,849
	2430226100814	Grund miniu G 355-6	kg	0,0533	55,00	2,932
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0444	5,00	0,222
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0755	18,33	1,384
	2710703502671	Otel cornier 25x25x3 mm	kg	5,5550	30,00	166,650
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1333	25,00	3,333
	2320146200767	Petrol distilat tip 18/200	l	0,1333	16,44	2,191
	2874135840405	Piulite uzuale hexagonale M 6	buc	26,6640	0,23	6,133
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1333	30,00	3,999
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	20,8868	23,03	481,023
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	41,9069	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	33,7744	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	26,6640	0,15	4,000
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	26,6640	2,00	53,328
	2922140006702	Macara de fereastră	h-ut	0,2200	40,00	8,800
766	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata δ=0,5 mm)	m2	0,0100	994,800	9,948
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,0810	84,97	6,883
	2710703700340	Banda de otel de 25x3 mm	kg	0,0420	30,00	1,260
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0007	65,37	0,046
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0020	5,00	0,010
	2412126100010	Miniu de plumb	kg	0,0002	27,50	0,006
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0024	18,33	0,044
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0003	25,00	0,007
	2320146200767	Petrol distilat tip 18/200	l	0,0000	16,44	0,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,0800	0,23	0,018
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0003	30,00	0,009
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0630	23,03	1,451
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1050	0,00	0,000

1	2	3	4	5	6	7
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1260	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,0800	0,15	0,012
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,0800	2,00	0,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0007	40,00	0,028
	2922140006702	Macara de fereastră	h-ut	0,0002	40,00	0,008
767	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 45* d100, tabla zincata δ=0,5 mm)	m2	0,0600	994,800	59,688
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4860	84,97	41,295
	2710703700340	Banda de otel de 25x3 mm	kg	0,2520	30,00	7,560
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0006	64,17	0,039
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0042	65,37	0,275
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0120	5,00	0,060
	2412126100010	Miniu de plumb	kg	0,0011	27,50	0,030
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0144	18,33	0,264
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0018	25,00	0,045
	2320146200767	Petrol distilat tip 18/200	l	0,0002	16,44	0,003
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,4800	0,23	0,110
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0018	30,00	0,054
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,3780	23,03	8,705
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,6300	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,7560	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,4800	0,15	0,072
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,4800	2,00	0,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0042	40,00	0,168
	2922140006702	Macara de fereastră	h-ut	0,0012	40,00	0,048
768	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata δ=0,5 mm)	m2	0,3200	994,812	318,340
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,5920	84,97	220,242
	2710703700340	Banda de otel de 25x3 mm	kg	1,3440	30,00	40,320
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0224	65,37	1,464

1	2	3	4	5	6	7
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Minu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0768	18,33	1,408
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,5600	0,23	0,589
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0096	30,00	0,288
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,0160	23,03	46,428
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,3600	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,0320	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,5600	0,15	0,384
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,5600	2,00	5,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0224	40,00	0,896
	2922140006702	Macara de fereastră	h-ut	0,0064	40,00	0,256
769	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata δ=0,5 mm)	m2	0,2400	877,292	210,550
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Minu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,8800	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,6000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192

1	2	3	4	5	6	7
770	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	15,0000	66,216	993,238
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,5000	84,97	382,365
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,6012	64,17	38,579
	2651122100024	Ciment portland P 40 saci S388	kg	0,9018	2,20	1,984
	2710703504760	Otel cornier 40x40x4 mm	kg	15,6312	30,00	468,936
	2412126100010	Miniu de plumb	kg	0,3006	27,50	8,266
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0301	750,00	22,575
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3006	25,00	7,515
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3006	30,00	9,018
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,2000	40,00	48,000
	2922140006702	Macara de fereastră	h-ut	0,1500	40,00	6,000
		<i>Total</i>	Lei			4 077,245
		Total Sistem A11 Inclusiv salariu				4 077,245 2 279,082
		1.2.37. Sistem A12				
771	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
772	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	3,1400	512,892	1 610,481
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,8692	84,97	1 008,526
	2710703700340	Banda de otel de 25x3 mm	kg	2,5371	30,00	76,113
	2413547308164	Carbura de calciu tehnica (carbid)	kg	0,0317	64,17	2,034

1	2	3	4	5	6	7
		S102				
	2430226100814	Grund miniu G 355-6	kg	0,0381	55,00	2,095
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0317	5,00	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0539	18,33	0,988
	2710703502671	Otel cornier 25x25x3 mm	kg	3,9643	30,00	118,929
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0951	25,00	2,377
	2320146200767	Petrol distilat tip 18/200	l	0,0951	16,44	1,563
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,0284	0,23	4,377
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0951	30,00	2,853
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	14,9056	23,03	343,276
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	29,9063	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	24,1026	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	19,0284	0,15	2,854
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,0284	2,00	38,057
	2922140006702	Macara de fereastră	h-ut	0,1570	40,00	6,280
773	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)	m2	0,0100	994,800	9,948
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,0810	84,97	6,883
	2710703700340	Banda de otel de 25x3 mm	kg	0,0420	30,00	1,260
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0007	65,37	0,046
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0020	5,00	0,010
	2412126100010	Miniu de plumb	kg	0,0002	27,50	0,006
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0024	18,33	0,044
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0003	25,00	0,007
	2320146200767	Petrol distilat tip 18/200	l	0,0000	16,44	0,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,0800	0,23	0,018
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0003	30,00	0,009
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0630	23,03	1,451
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1050	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1260	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,0800	0,15	0,012
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,0800	2,00	0,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0007	40,00	0,028

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	0,0002	40,00	0,008
774	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 45* d100, tabla zincata δ=0,5 mm)	m2	0,0600	994,800	59,688
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4860	84,97	41,295
	2710703700340	Banda de otel de 25x3 mm	kg	0,2520	30,00	7,560
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0006	64,17	0,039
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0042	65,37	0,275
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0120	5,00	0,060
	2412126100010	Miniu de plumb	kg	0,0011	27,50	0,030
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0144	18,33	0,264
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0018	25,00	0,045
	2320146200767	Petrol distilat tip 18/200	l	0,0002	16,44	0,003
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,4800	0,23	0,110
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0018	30,00	0,054
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,3780	23,03	8,705
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,6300	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,7560	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,4800	0,15	0,072
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,4800	2,00	0,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0042	40,00	0,168
	2922140006702	Macara de fereastră	h-ut	0,0012	40,00	0,048
775	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata δ=0,5 mm)	m2	0,2400	994,812	238,755
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9440	84,97	165,182
	2710703700340	Banda de otel de 25x3 mm	kg	1,0080	30,00	30,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0168	65,37	1,098
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0576	18,33	1,056
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,9200	0,23	0,442

1	2	3	4	5	6	7
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,5120	23,03	34,821
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,5200	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,0240	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,9200	0,15	0,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,9200	2,00	3,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0168	40,00	0,672
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
776	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata δ=0,5 mm)	m2	0,2400	877,292	210,550
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,8800	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,6000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
777	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe,	kg	15,0000	66,216	993,238

1	2	3	4	5	6	7
		petrol, etc)=1,0020				
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,5000	84,97	382,365
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,6012	64,17	38,579
	2651122100024	Ciment portland P 40 saci S388	kg	0,9018	2,20	1,984
	2710703504760	Otel cornier 40x40x4 mm	kg	15,6312	30,00	468,936
	2412126100010	Miniu de plumb	kg	0,3006	27,50	8,266
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0301	750,00	22,575
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3006	25,00	7,515
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3006	30,00	9,018
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,2000	40,00	48,000
	2922140006702	Macara de fereastră	h-ut	0,1500	40,00	6,000
		<i>Total</i>	Lei			3 351,420
		Total Sistem A12 Inclusiv salariu				3 351,420 1 819,327
		1.2.38. Sistem A13				
778	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
779	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	2,5100	512,895	1 287,367
	7136060011900	Instalator ventilare si conditionare aer	h-om	9,4878	84,97	806,178
	2710703700340	Banda de otel de 25x3 mm	kg	2,0281	30,00	60,843
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0254	64,17	1,630
	2430226100814	Grund miniu G 355-6	kg	0,0304	55,00	1,672
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0254	5,00	0,127
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0431	18,33	0,790
	2710703502671	Otel cornier 25x25x3 mm	kg	3,1689	30,00	95,067
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0761	25,00	1,903

1	2	3	4	5	6	7
	2320146200767	Petrol distilat tip 18/200	l	0,0761	16,44	1,251
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,2106	0,23	3,498
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0761	30,00	2,283
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	11,9150	23,03	274,402
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	23,9060	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	19,2668	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	15,2106	0,15	2,282
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,2106	2,00	30,421
	2922140006702	Macara de fereastră	h-ut	0,1255	40,00	5,020
780	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)	m2	0,0100	994,800	9,948
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,0810	84,97	6,883
	2710703700340	Banda de otel de 25x3 mm	kg	0,0420	30,00	1,260
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0007	65,37	0,046
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0020	5,00	0,010
	2412126100010	Miniu de plumb	kg	0,0002	27,50	0,006
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0024	18,33	0,044
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0003	25,00	0,007
	2320146200767	Petrol distilat tip 18/200	l	0,0000	16,44	0,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,0800	0,23	0,018
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0003	30,00	0,009
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0630	23,03	1,451
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1050	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1260	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,0800	0,15	0,012
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,0800	2,00	0,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0007	40,00	0,028
	2922140006702	Macara de fereastră	h-ut	0,0002	40,00	0,008
781	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 45* d100,	m2	0,0600	994,800	59,688

1	2	3	4	5	6	7
		tabla zincata $\delta=0,5$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4860	84,97	41,295
	2710703700340	Banda de otel de 25x3 mm	kg	0,2520	30,00	7,560
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0006	64,17	0,039
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0042	65,37	0,275
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0120	5,00	0,060
	2412126100010	Miniu de plumb	kg	0,0011	27,50	0,030
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0144	18,33	0,264
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0018	25,00	0,045
	2320146200767	Petrol distilat tip 18/200	l	0,0002	16,44	0,003
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,4800	0,23	0,110
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0018	30,00	0,054
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,3780	23,03	8,705
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,6300	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,7560	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,4800	0,15	0,072
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,4800	2,00	0,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0042	40,00	0,168
	2922140006702	Macara de fereastră	h-ut	0,0012	40,00	0,048
782	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata $\delta=0,5$ mm)	m2	0,2400	994,812	238,755
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9440	84,97	165,182
	2710703700340	Banda de otel de 25x3 mm	kg	1,0080	30,00	30,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0168	65,37	1,098
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0576	18,33	1,056
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,9200	0,23	0,442
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,5120	23,03	34,821
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,5200	0,00	0,000

1	2	3	4	5	6	7
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,0240	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,9200	0,15	0,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,9200	2,00	3,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0168	40,00	0,672
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
783	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata δ=0,5 mm)	m2	0,2400	877,292	210,550
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,8800	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,6000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
784	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	15,0000	66,216	993,238
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,5000	84,97	382,365
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,6012	64,17	38,579
	2651122100024	Ciment portland P 40 saci S388	kg	0,9018	2,20	1,984

1	2	3	4	5	6	7
	2710703504760	Otel cornier 40x40x4 mm	kg	15,6312	30,00	468,936
	2412126100010	Miniu de plumb	kg	0,3006	27,50	8,266
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0301	750,00	22,575
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3006	25,00	7,515
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3006	30,00	9,018
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,2000	40,00	48,000
	2922140006702	Macara de fereastră	h-ut	0,1500	40,00	6,000
		<i>Total</i>	Lei			3 028,306
		Total Sistem A13 Inclusiv salariu				3 028,306 1 616,979
		1.2.39. Sistem A14				
785	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
786	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	3,1400	512,892	1 610,481
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,8692	84,97	1 008,526
	2710703700340	Banda de otel de 25x3 mm	kg	2,5371	30,00	76,113
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0317	64,17	2,034
	2430226100814	Grund miniu G 355-6	kg	0,0381	55,00	2,095
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0317	5,00	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0539	18,33	0,988
	2710703502671	Otel cornier 25x25x3 mm	kg	3,9643	30,00	118,929
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0951	25,00	2,377
	2320146200767	Petrol distilat tip 18/200	l	0,0951	16,44	1,563
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,0284	0,23	4,377
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0951	30,00	2,853
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	14,9056	23,03	343,276
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia:	kg	29,9063	0,00	0,000

1	2	3	4	5	6	7
		Tabla zincata sau din aluminiu cal. I 0,5 mm)				
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	24,1026	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	19,0284	0,15	2,854
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,0284	2,00	38,057
	2922140006702	Macara de fereastră	h-ut	0,1570	40,00	6,280
787	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)	m2	0,0100	994,800	9,948
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,0810	84,97	6,883
	2710703700340	Banda de otel de 25x3 mm	kg	0,0420	30,00	1,260
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0007	65,37	0,046
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0020	5,00	0,010
	2412126100010	Miniu de plumb	kg	0,0002	27,50	0,006
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0024	18,33	0,044
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0003	25,00	0,007
	2320146200767	Petrol distilat tip 18/200	l	0,0000	16,44	0,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,0800	0,23	0,018
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0003	30,00	0,009
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0630	23,03	1,451
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1050	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1260	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,0800	0,15	0,012
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,0800	2,00	0,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0007	40,00	0,028
	2922140006702	Macara de fereastră	h-ut	0,0002	40,00	0,008
788	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 45* d100, tabla zincata $\delta=0,5$ mm)	m2	0,0600	994,800	59,688
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4860	84,97	41,295
	2710703700340	Banda de otel de 25x3 mm	kg	0,2520	30,00	7,560
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0006	64,17	0,039

1	2	3	4	5	6	7
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0042	65,37	0,275
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0120	5,00	0,060
	2412126100010	Minu de plumb	kg	0,0011	27,50	0,030
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0144	18,33	0,264
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0018	25,00	0,045
	2320146200767	Petrol distilat tip 18/200	l	0,0002	16,44	0,003
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,4800	0,23	0,110
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0018	30,00	0,054
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,3780	23,03	8,705
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,6300	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,7560	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,4800	0,15	0,072
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,4800	2,00	0,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0042	40,00	0,168
	2922140006702	Macara de fereastră	h-ut	0,0012	40,00	0,048
789	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata δ=0,5 mm)	m2	0,3200	994,812	318,340
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,5920	84,97	220,242
	2710703700340	Banda de otel de 25x3 mm	kg	1,3440	30,00	40,320
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0224	65,37	1,464
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Minu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0768	18,33	1,408
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,5600	0,23	0,589
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0096	30,00	0,288
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,0160	23,03	46,428
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,3600	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,0320	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,5600	0,15	0,384
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,5600	2,00	5,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0224	40,00	0,896

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	0,0064	40,00	0,256
790	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata $\delta=0,5$ mm)	m2	0,2400	877,292	210,550
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,8800	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,6000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
791	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	20,0000	66,215	1 324,293
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,0000	84,97	509,820
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,8016	64,17	51,439
	2651122100024	Ciment portland P 40 saci S388	kg	1,2024	2,20	2,645
	2710703504760	Otel cornier 40x40x4 mm	kg	20,8416	30,00	625,248
	2412126100010	Miniu de plumb	kg	0,4008	27,50	11,022
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0401	750,00	30,075
	2411115904512	Oxigen tehnic gazos S2031	m3	0,4008	25,00	10,020
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4008	30,00	12,024
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,6000	40,00	64,000

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	0,2000	40,00	8,000
		<i>Total</i>	Lei			3 762,060
		Total Sistem A14 Inclusiv salariu				3 762,060 2 001,842
		1.2.40. Sistem A15				
792	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	1,0000	114,380	114,380
	7122050013400	Zidar	h-om	0,4700	84,97	39,936
	9310060019920	Muncitor deservire CM	h-om	0,0300	84,97	2,549
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,1500	27,50	4,125
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	1,0000	66,67	66,670
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	0,5000	2,20	1,100
793	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	2,2000	512,895	1 128,369
	7136060011900	Instalator ventilare si conditionare aer	h-om	8,3160	84,97	706,611
	2710703700340	Banda de otel de 25x3 mm	kg	1,7776	30,00	53,328
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0222	64,17	1,425
	2430226100814	Grund miniu G 355-6	kg	0,0267	55,00	1,469
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0222	5,00	0,111
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0378	18,33	0,693
	2710703502671	Otel cornier 25x25x3 mm	kg	2,7775	30,00	83,325
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0667	25,00	1,667
	2320146200767	Petrol distilat tip 18/200	l	0,0667	16,44	1,097
	2874135840405	Piulite uzuale hexagonale M 6	buc	13,3320	0,23	3,066
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0667	30,00	2,001
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	10,4434	23,03	240,512
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	20,9535	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	16,8872	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	13,3320	0,15	2,000

1	2	3	4	5	6	7
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	13,3320	2,00	26,664
	2922140006702	Macara de fereastră	h-ut	0,1100	40,00	4,400
794	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)	m2	0,0100	994,800	9,948
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,0810	84,97	6,883
	2710703700340	Banda de otel de 25x3 mm	kg	0,0420	30,00	1,260
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0007	65,37	0,046
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0020	5,00	0,010
	2412126100010	Miniu de plumb	kg	0,0002	27,50	0,006
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0024	18,33	0,044
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0003	25,00	0,007
	2320146200767	Petrol distilat tip 18/200	l	0,0000	16,44	0,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,0800	0,23	0,018
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0003	30,00	0,009
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0630	23,03	1,451
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1050	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1260	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,0800	0,15	0,012
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,0800	2,00	0,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0007	40,00	0,028
	2922140006702	Macara de fereastră	h-ut	0,0002	40,00	0,008
795	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 45* d100, tabla zincata $\delta=0,5$ mm)	m2	0,0600	994,800	59,688
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4860	84,97	41,295
	2710703700340	Banda de otel de 25x3 mm	kg	0,2520	30,00	7,560
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0006	64,17	0,039
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0042	65,37	0,275
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0120	5,00	0,060
	2412126100010	Miniu de plumb	kg	0,0011	27,50	0,030
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0144	18,33	0,264
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0018	25,00	0,045
	2320146200767	Petrol distilat tip 18/200	l	0,0002	16,44	0,003

1	2	3	4	5	6	7
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,4800	0,23	0,110
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0018	30,00	0,054
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,3780	23,03	8,705
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,6300	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,7560	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,4800	0,15	0,072
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,4800	2,00	0,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0042	40,00	0,168
	2922140006702	Macara de fereastră	h-ut	0,0012	40,00	0,048
796	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata δ=0,5 mm)	m2	0,2400	994,812	238,755
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9440	84,97	165,182
	2710703700340	Banda de otel de 25x3 mm	kg	1,0080	30,00	30,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0168	65,37	1,098
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0576	18,33	1,056
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,9200	0,23	0,442
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,5120	23,03	34,821
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,5200	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,0240	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,9200	0,15	0,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,9200	2,00	3,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0168	40,00	0,672
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
797	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla	m2	0,1200	877,308	105,277

1	2	3	4	5	6	7
		zincata $\delta=0,5$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7656	84,97	65,053
	2710703700340	Banda de otel de 25x3 mm	kg	0,5400	30,00	16,200
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0012	64,17	0,077
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0072	65,37	0,471
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0240	5,00	0,120
	2412126100010	Miniu de plumb	kg	0,0022	27,50	0,061
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0456	18,33	0,836
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0036	25,00	0,090
	2320146200767	Petrol distilat tip 18/200	l	0,0005	16,44	0,008
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,4800	0,23	0,110
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0036	30,00	0,108
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,9000	23,03	20,727
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,4400	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,8000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,4800	0,15	0,072
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,4800	2,00	0,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0072	40,00	0,288
	2922140006702	Macara de fereastră	h-ut	0,0024	40,00	0,096
798	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	15,0000	66,216	993,238
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,5000	84,97	382,365
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,6012	64,17	38,579
	2651122100024	Ciment portland P 40 saci S388	kg	0,9018	2,20	1,984
	2710703504760	Otel cornier 40x40x4 mm	kg	15,6312	30,00	468,936
	2412126100010	Miniu de plumb	kg	0,3006	27,50	8,266
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0301	750,00	22,575
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3006	25,00	7,515
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3006	30,00	9,018
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,2000	40,00	48,000
	2922140006702	Macara de fereastră	h-ut	0,1500	40,00	6,000
		<i>Total</i>	Lei			2 649,655
		Total Sistem A15 Inclusiv salariu				2 649,655 1 409,874

1	2	3	4	5	6	7
		1.2.41. Sistem A16				
799	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	1,0000	114,380	114,380
	7122050013400	Zidar	h-om	0,4700	84,97	39,936
	9310060019920	Muncitor deservire CM	h-om	0,0300	84,97	2,549
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,1500	27,50	4,125
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	1,0000	66,67	66,670
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	0,5000	2,20	1,100
800	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	2,5100	512,895	1 287,367
	7136060011900	Instalator ventilare si conditionare aer	h-om	9,4878	84,97	806,178
	2710703700340	Banda de otel de 25x3 mm	kg	2,0281	30,00	60,843
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0254	64,17	1,630
	2430226100814	Grund miniu G 355-6	kg	0,0304	55,00	1,672
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0254	5,00	0,127
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0431	18,33	0,790
	2710703502671	Otel cornier 25x25x3 mm	kg	3,1689	30,00	95,067
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0761	25,00	1,903
	2320146200767	Petrol distilat tip 18/200	l	0,0761	16,44	1,251
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,2106	0,23	3,498
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0761	30,00	2,283
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	11,9150	23,03	274,402
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	23,9060	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	19,2668	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	15,2106	0,15	2,282
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,2106	2,00	30,421
	2922140006702	Macara de fereastr	h-ut	0,1255	40,00	5,020
801	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind	m2	0,0100	994,800	9,948

1	2	3	4	5	6	7
		perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,0810	84,97	6,883
	2710703700340	Banda de otel de 25x3 mm	kg	0,0420	30,00	1,260
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0007	65,37	0,046
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0020	5,00	0,010
	2412126100010	Miniu de plumb	kg	0,0002	27,50	0,006
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0024	18,33	0,044
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0003	25,00	0,007
	2320146200767	Petrol distilat tip 18/200	l	0,0000	16,44	0,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,0800	0,23	0,018
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0003	30,00	0,009
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0630	23,03	1,451
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1050	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1260	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,0800	0,15	0,012
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,0800	2,00	0,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0007	40,00	0,028
	2922140006702	Macara de fereastră	h-ut	0,0002	40,00	0,008
802	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 45* d100, tabla zincata $\delta=0,5$ mm)	m2	0,0600	994,800	59,688
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4860	84,97	41,295
	2710703700340	Banda de otel de 25x3 mm	kg	0,2520	30,00	7,560
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0006	64,17	0,039
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0042	65,37	0,275
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0120	5,00	0,060
	2412126100010	Miniu de plumb	kg	0,0011	27,50	0,030
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0144	18,33	0,264
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0018	25,00	0,045
	2320146200767	Petrol distilat tip 18/200	l	0,0002	16,44	0,003
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,4800	0,23	0,110
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0018	30,00	0,054
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,3780	23,03	8,705
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste	kg	0,6300	0,00	0,000

1	2	3	4	5	6	7
		pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)				
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,7560	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,4800	0,15	0,072
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,4800	2,00	0,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0042	40,00	0,168
	2922140006702	Macara de fereastră	h-ut	0,0012	40,00	0,048
803	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata δ=0,5 mm)	m2	0,2400	994,812	238,755
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,9440	84,97	165,182
	2710703700340	Banda de otel de 25x3 mm	kg	1,0080	30,00	30,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0168	65,37	1,098
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0576	18,33	1,056
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,9200	0,23	0,442
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,5120	23,03	34,821
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,5200	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,0240	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,9200	0,15	0,288
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,9200	2,00	3,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0168	40,00	0,672
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
804	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata δ=0,5 mm)	m2	0,1200	877,308	105,277
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,7656	84,97	65,053
	2710703700340	Banda de otel de 25x3 mm	kg	0,5400	30,00	16,200
	2413547308164	Carbura de calciu tehnica (carbid)	kg	0,0012	64,17	0,077

1	2	3	4	5	6	7
		S102				
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0072	65,37	0,471
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0240	5,00	0,120
	2412126100010	Miniu de plumb	kg	0,0022	27,50	0,061
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0456	18,33	0,836
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0036	25,00	0,090
	2320146200767	Petrol distilat tip 18/200	l	0,0005	16,44	0,008
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,4800	0,23	0,110
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0036	30,00	0,108
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,9000	23,03	20,727
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,4400	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	1,8000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,4800	0,15	0,072
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,4800	2,00	0,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0072	40,00	0,288
	2922140006702	Macara de fereastră	h-ut	0,0024	40,00	0,096
805	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	17,0000	66,216	1 125,665
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,1000	84,97	433,347
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,6814	64,17	43,725
	2651122100024	Ciment portland P 40 saci S388	kg	1,0220	2,20	2,248
	2710703504760	Otel cornier 40x40x4 mm	kg	17,7154	30,00	531,462
	2412126100010	Miniu de plumb	kg	0,3407	27,50	9,369
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0341	750,00	25,575
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3407	25,00	8,518
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3407	30,00	10,221
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,3600	40,00	54,400
	2922140006702	Macara de fereastră	h-ut	0,1700	40,00	6,800
		<i>Total</i>	Lei			2 941,080
		Total Sistem A16 Inclusiv salariu				2 941,080 1 560,423
		1.2.42. Sistem A17				
806	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva	buc	2,0000	114,380	228,760

1	2	3	4	5	6	7
		metalica de aspiratie cu posibilitate de reglare MV-B 100)				
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200 MV-B100	Valva metalica de aspiratie cu posibilitate de reglare MV-B 100	buc	2,0000	66,67	133,340
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
807	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata δ=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	3,4500	512,890	1 769,472
	7136060011900	Instalator ventilare si conditionare aer	h-om	13,0410	84,97	1 108,094
	2710703700340	Banda de otel de 25x3 mm	kg	2,7876	30,00	83,628
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0348	64,17	2,233
	2430226100814	Grund miniu G 355-6	kg	0,0418	55,00	2,299
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0348	5,00	0,174
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0592	18,33	1,085
	2710703502671	Otel cornier 25x25x3 mm	kg	4,3556	30,00	130,668
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1045	25,00	2,612
	2320146200767	Petrol distilat tip 18/200	l	0,1045	16,44	1,718
	2874135840405	Piulite uzuale hexagonale M 6	buc	20,9070	0,23	4,809
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1045	30,00	3,135
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	16,3772	23,03	377,167
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	32,8588	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	26,4822	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	20,9070	0,15	3,136
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	20,9070	2,00	41,814
	2922140006702	Macara de fereastră	h-ut	0,1725	40,00	6,900
808	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata δ=0,5 mm)	m2	0,0100	994,800	9,948
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,0810	84,97	6,883
	2710703700340	Banda de otel de 25x3 mm	kg	0,0420	30,00	1,260

1	2	3	4	5	6	7
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0007	65,37	0,046
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0020	5,00	0,010
	2412126100010	Miniu de plumb	kg	0,0002	27,50	0,006
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0024	18,33	0,044
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0003	25,00	0,007
	2320146200767	Petrol distilat tip 18/200	l	0,0000	16,44	0,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,0800	0,23	0,018
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0003	30,00	0,009
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0630	23,03	1,451
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1050	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1260	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,0800	0,15	0,012
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,0800	2,00	0,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0007	40,00	0,028
	2922140006702	Macara de fereastră	h-ut	0,0002	40,00	0,008
809	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 45* d100, tabla zincata δ=0,5 mm)	m2	0,0600	994,800	59,688
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4860	84,97	41,295
	2710703700340	Banda de otel de 25x3 mm	kg	0,2520	30,00	7,560
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0006	64,17	0,039
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0042	65,37	0,275
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0120	5,00	0,060
	2412126100010	Miniu de plumb	kg	0,0011	27,50	0,030
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0144	18,33	0,264
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0018	25,00	0,045
	2320146200767	Petrol distilat tip 18/200	l	0,0002	16,44	0,003
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,4800	0,23	0,110
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0018	30,00	0,054
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,3780	23,03	8,705
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,6300	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,7560	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,4800	0,15	0,072

1	2	3	4	5	6	7
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,4800	2,00	0,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0042	40,00	0,168
	2922140006702	Macara de fereastră	h-ut	0,0012	40,00	0,048
810	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata δ=0,5 mm)	m2	0,3200	994,812	318,340
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,5920	84,97	220,242
	2710703700340	Banda de otel de 25x3 mm	kg	1,3440	30,00	40,320
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0224	65,37	1,464
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0768	18,33	1,408
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,5600	0,23	0,589
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0096	30,00	0,288
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,0160	23,03	46,428
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,3600	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,0320	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,5600	0,15	0,384
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,5600	2,00	5,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0224	40,00	0,896
	2922140006702	Macara de fereastră	h-ut	0,0064	40,00	0,256
811	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d100x100x100, tabla zincata δ=0,5 mm)	m2	0,2400	877,292	210,550
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180

1	2	3	4	5	6	7
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,8800	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,6000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastră	h-ut	0,0048	40,00	0,192
812	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	15,0000	66,216	993,238
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,5000	84,97	382,365
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,6012	64,17	38,579
	2651122100024	Ciment portland P 40 saci S388	kg	0,9018	2,20	1,984
	2710703504760	Otel cornier 40x40x4 mm	kg	15,6312	30,00	468,936
	2412126100010	Miniu de plumb	kg	0,3006	27,50	8,266
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0301	750,00	22,575
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3006	25,00	7,515
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3006	30,00	9,018
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,2000	40,00	48,000
	2922140006702	Macara de fereastră	h-ut	0,1500	40,00	6,000
		<i>Total</i>	Lei			3 589,996
		Total Sistem A17 Inclusiv salariu				3 589,996 1 973,955
		1.2.43. Sistem A18				
813	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 100)	buc	2,0000	114,380	228,760
	7122050013400	Zidar	h-om	0,9400	84,97	79,872
	9310060019920	Muncitor deservire CM	h-om	0,0600	84,97	5,098
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,3000	27,50	8,250
	2811236306200	Valva metalica de aspiratie cu	buc	2,0000	66,67	133,340

1	2	3	4	5	6	7
	MV-B100	posibilitate de reglare MV-B 100				
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	1,0000	2,20	2,200
814	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d100, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	3,4500	512,890	1 769,472
	7136060011900	Instalator ventilare si conditionare aer	h-om	13,0410	84,97	1 108,094
	2710703700340	Banda de otel de 25x3 mm	kg	2,7876	30,00	83,628
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0348	64,17	2,233
	2430226100814	Grund miniu G 355-6	kg	0,0418	55,00	2,299
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0348	5,00	0,174
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0592	18,33	1,085
	2710703502671	Otel cornier 25x25x3 mm	kg	4,3556	30,00	130,668
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1045	25,00	2,612
	2320146200767	Petrol distilat tip 18/200	l	0,1045	16,44	1,718
	2874135840405	Piulite uzuale hexagonale M 6	buc	20,9070	0,23	4,809
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1045	30,00	3,135
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	16,3772	23,03	377,167
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	32,8588	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	26,4822	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	20,9070	0,15	3,136
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	20,9070	2,00	41,814
	2922140006702	Macara de fereastră	h-ut	0,1725	40,00	6,900
815	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d100, tabla zincata $\delta=0,5$ mm)	m2	0,0100	994,800	9,948
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,0810	84,97	6,883
	2710703700340	Banda de otel de 25x3 mm	kg	0,0420	30,00	1,260
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0001	64,17	0,006
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0007	65,37	0,046
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0020	5,00	0,010
	2412126100010	Miniu de plumb	kg	0,0002	27,50	0,006
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0024	18,33	0,044

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0003	25,00	0,007
	2320146200767	Petrol distilat tip 18/200	l	0,0000	16,44	0,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,0800	0,23	0,018
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0003	30,00	0,009
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,0630	23,03	1,451
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1050	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,1260	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,0800	0,15	0,012
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,0800	2,00	0,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0007	40,00	0,028
	2922140006702	Macara de fereastră	h-ut	0,0002	40,00	0,008
816	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d100, tabla zincata δ=0,5 mm)	m2	0,3200	994,812	318,340
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,5920	84,97	220,242
	2710703700340	Banda de otel de 25x3 mm	kg	1,3440	30,00	40,320
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0224	65,37	1,464
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0768	18,33	1,408
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,5600	0,23	0,589
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0096	30,00	0,288
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,0160	23,03	46,428
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,3600	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,0320	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,5600	0,15	0,384
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,5600	2,00	5,120
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0224	40,00	0,896
	2922140006702	Macara de fereastră	h-ut	0,0064	40,00	0,256
817	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400	m2	0,2400	877,292	210,550

1	2	3	4	5	6	7
		mm (Teu d100x100x100, tabla zincata ̢=0,5 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5312	84,97	130,106
	2710703700340	Banda de otel de 25x3 mm	kg	1,0800	30,00	32,400
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0024	64,17	0,154
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0144	65,37	0,941
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0480	5,00	0,240
	2412126100010	Miniu de plumb	kg	0,0043	27,50	0,118
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0912	18,33	1,672
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0072	25,00	0,180
	2320146200767	Petrol distilat tip 18/200	l	0,0010	16,44	0,016
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9600	0,23	0,221
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,8000	23,03	41,454
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,8800	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,6000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,9600	0,15	0,144
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9600	2,00	1,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0144	40,00	0,576
	2922140006702	Macara de fereastr	h-ut	0,0048	40,00	0,192
818	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	17,0000	66,216	1 125,665
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,1000	84,97	433,347
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,6814	64,17	43,725
	2651122100024	Ciment portland P 40 saci S388	kg	1,0220	2,20	2,248
	2710703504760	Otel cornier 40x40x4 mm	kg	17,7154	30,00	531,462
	2412126100010	Miniu de plumb	kg	0,3407	27,50	9,369
	1421102200575	Nisip sortat spal	m3	0,0341	750,00	25,575
	2411115904512	Oxigen tehnic gazos S2031	m3	0,3407	25,00	8,518
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3407	30,00	10,221
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,3600	40,00	54,400
	2922140006702	Macara de fereastr	h-ut	0,1700	40,00	6,800
		Total	Lei			3 662,735
		Total Sistem A18				3 662,735

1	2	3	4	5	6	7
		Inclusiv salariu				1 983,642
		1.2.44. Sistem A19				
819	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Valva metalica de aspiratie cu posibilitate de reglare MV-B 150)	buc	4,0000	181,040	724,160
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 MV-B150	Valva metalica de aspiratie cu posibilitate de reglare MV-B 150	buc	4,0000	133,33	533,320
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
820	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d160, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	4,5000	512,892	2 308,016
	7136060011900	Instalator ventilare si conditionare aer	h-om	17,0100	84,97	1 445,340
	2710703700340	Banda de otel de 25x3 mm	kg	3,6360	30,00	109,080
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0455	64,17	2,920
	2430226100814	Grund miniu G 355-6	kg	0,0545	55,00	2,998
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0455	5,00	0,227
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0773	18,33	1,417
	2710703502671	Otel cornier 25x25x3 mm	kg	5,6813	30,00	170,439
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1363	25,00	3,408
	2320146200767	Petrol distilat tip 18/200	l	0,1363	16,44	2,241
	2874135840405	Piulite uzuale hexagonale M 6	buc	27,2700	0,23	6,272
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1363	30,00	4,089
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	21,3615	23,03	491,955
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	42,8593	0,00	0,000
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	34,5420	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	27,2700	0,15	4,090
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	27,2700	2,00	54,540
	2922140006702	Macara de fereastră	h-ut	0,2250	40,00	9,000
821	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind	m2	0,0300	994,767	29,843

1	2	3	4	5	6	7
		perimetrul sectiunii circulare de 400 - 700 mm (Dop d160, tabla zincata $\delta=0,5$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,2430	84,97	20,648
	2710703700340	Banda de otel de 25x3 mm	kg	0,1260	30,00	3,780
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0003	64,17	0,019
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0021	65,37	0,137
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0060	5,00	0,030
	2412126100010	Miniu de plumb	kg	0,0005	27,50	0,014
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0072	18,33	0,132
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0009	25,00	0,022
	2320146200767	Petrol distilat tip 18/200	l	0,0001	16,44	0,002
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,2400	0,23	0,055
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0009	30,00	0,027
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	0,1890	23,03	4,353
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,3150	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	0,3780	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	0,2400	0,15	0,036
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,2400	2,00	0,480
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0021	40,00	0,084
	2922140006702	Macara de fereastră	h-ut	0,0006	40,00	0,024
822	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d160, tabla zincata $\delta=0,5$ mm)	m2	0,1800	994,811	179,066
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,4580	84,97	123,886
	2710703700340	Banda de otel de 25x3 mm	kg	0,7560	30,00	22,680
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0018	64,17	0,116
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0126	65,37	0,824
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0360	5,00	0,180
	2412126100010	Miniu de plumb	kg	0,0032	27,50	0,088
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0432	18,33	0,792
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0054	25,00	0,135
	2320146200767	Petrol distilat tip 18/200	l	0,0007	16,44	0,012
	2874135840405	Piulite uzuale hexagonale M 6	buc	1,4400	0,23	0,331
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0054	30,00	0,162
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,1340	23,03	26,116
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste	kg	1,8900	0,00	0,000

1	2	3	4	5	6	7
		pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)				
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	2,2680	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	1,4400	0,15	0,216
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	1,4400	2,00	2,880
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0126	40,00	0,504
	2922140006702	Macara de fereastră	h-ut	0,0036	40,00	0,144
823	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d160x160x160, tabla zincata δ=0,5 mm)	m2	0,7600	877,295	666,744
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,8488	84,97	412,003
	2710703700340	Banda de otel de 25x3 mm	kg	3,4200	30,00	102,600
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0076	64,17	0,488
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0456	65,37	2,981
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1520	5,00	0,760
	2412126100010	Miniu de plumb	kg	0,0137	27,50	0,377
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2888	18,33	5,294
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0228	25,00	0,570
	2320146200767	Petrol distilat tip 18/200	l	0,0030	16,44	0,049
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,0400	0,23	0,699
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0228	30,00	0,684
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	5,7000	23,03	131,271
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	9,1200	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	11,4000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	3,0400	0,15	0,456
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,0400	2,00	6,080
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0456	40,00	1,824
	2922140006702	Macara de fereastră	h-ut	0,0152	40,00	0,608
824	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	25,0000	66,214	1 655,347
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,5000	84,97	637,275
	2413547308164	Carbura de calciu tehnica (carbid)	kg	1,0020	64,17	64,298

1	2	3	4	5	6	7
		S102				
	2651122100024	Ciment portland P 40 saci S388	kg	1,5030	2,20	3,307
	2710703504760	Otel cornier 40x40x4 mm	kg	26,0520	30,00	781,560
	2412126100010	Miniu de plumb	kg	0,5010	27,50	13,777
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0501	750,00	37,575
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5010	25,00	12,525
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5010	30,00	15,030
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,0000	40,00	80,000
	2922140006702	Macara de fereastră	h-ut	0,2500	40,00	10,000
		<i>Total</i>	Lei			5 563,176
		Total Sistem A19 Inclusiv salariu				5 563,176 2 809,092
		1.2.45. Sistem A20				
825	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer pentru aspiratie 300x150)	buc	4,0000	310,210	1 240,840
	7122050013400	Zidar	h-om	1,8800	84,97	159,744
	9310060019920	Muncitor deservire CM	h-om	0,1200	84,97	10,196
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,6000	27,50	16,500
	2811236306200 300x150	Grila de aer pentru refulare 300x150	buc	4,0000	262,50	1 050,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	2,0000	2,20	4,400
826	VA02E	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 700 mm (Canal d200, tabla zincata δ=0,5 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100	m2	6,9300	512,892	3 554,344
	7136060011900	Instalator ventilare si conditionare aer	h-om	26,1954	84,97	2 225,823
	2710703700340	Banda de otel de 25x3 mm	kg	5,5994	30,00	167,982
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0700	64,17	4,492
	2430226100814	Grund miniu G 355-6	kg	0,0840	55,00	4,620
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0700	5,00	0,350
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1190	18,33	2,181
	2710703502671	Otel cornier 25x25x3 mm	kg	8,7491	30,00	262,473
	2411115904512	Oxigen tehnic gazos S2031	m3	0,2100	25,00	5,250
	2320146200767	Petrol distilat tip 18/200	l	0,2100	16,44	3,452
	2874135840405	Piulite uzuale hexagonale M 6	buc	41,9958	0,23	9,659
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2100	30,00	6,300
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	32,8967	23,03	757,611
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1	kg	66,0034	0,00	0,000

1	2	3	4	5	6	7
		mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)				
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	53,1947	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	41,9958	0,15	6,299
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	41,9958	2,00	83,992
	2922140006702	Macara de fereastră	h-ut	0,3465	40,00	13,860
827	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Dop d200, tabla zincata $\delta=0,5$ mm)	m2	0,3600	994,814	358,133
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,9160	84,97	247,773
	2710703700340	Banda de otel de 25x3 mm	kg	1,5120	30,00	45,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0036	64,17	0,231
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0252	65,37	1,647
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0720	5,00	0,360
	2412126100010	Miniu de plumb	kg	0,0065	27,50	0,179
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0864	18,33	1,584
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0108	25,00	0,270
	2320146200767	Petrol distilat tip 18/200	l	0,0014	16,44	0,023
	2874135840405	Piulite uzuale hexagonale M 6	buc	2,8800	0,23	0,662
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0108	30,00	0,324
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	2,2680	23,03	52,232
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	3,7800	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	4,5360	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	2,8800	0,15	0,432
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	2,8800	2,00	5,760
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0252	40,00	1,008
	2922140006702	Macara de fereastră	h-ut	0,0072	40,00	0,288
828	VA13FG	Piesa speciala (cot), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime inclusiv, avind perimetrul sectiunii circulare de 400 - 700 mm (Cot 90* d200, tabla zincata $\delta=0,5$ mm)	m2	1,0400	994,813	1 034,606
	7136060011900	Instalator ventilare si conditionare aer	h-om	8,4240	84,97	715,787
	2710703700340	Banda de otel de 25x3 mm	kg	4,3680	30,00	131,040
	2413547308164	Carbura de calciu tehnica (carbid)	kg	0,0104	64,17	0,667

1	2	3	4	5	6	7
		S102				
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0728	65,37	4,759
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2080	5,00	1,040
	2412126100010	Miniu de plumb	kg	0,0187	27,50	0,514
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2496	18,33	4,575
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0312	25,00	0,780
	2320146200767	Petrol distilat tip 18/200	l	0,0042	16,44	0,069
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,3200	0,23	1,914
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0312	30,00	0,936
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	6,5520	23,03	150,893
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	10,9200	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	13,1040	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	8,3200	0,15	1,248
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,3200	2,00	16,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0728	40,00	2,912
	2922140006702	Macara de fereastră	h-ut	0,0208	40,00	0,832
829	VA15F	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 250 - 400 mm (Teu d200x200x200, tabla zincata $\delta=0,5$ mm)	m2	0,2300	1 499,104	344,794
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,4674	84,97	124,685
	2710703700340	Banda de otel de 25x3 mm	kg	1,0350	30,00	31,050
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0023	64,17	0,148
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0138	65,37	0,902
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0460	5,00	0,230
	2412126100010	Miniu de plumb	kg	0,0041	27,50	0,113
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0874	18,33	1,602
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0069	25,00	0,172
	2320146200767	Petrol distilat tip 18/200	l	0,0009	16,44	0,015
	2874135840405	Piulite uzuale hexagonale M 6	buc	0,9200	0,23	0,212
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0069	30,00	0,207
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	1,7250	23,03	39,727
	2710403643000	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I	kg	2,7600	23,03	63,563
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,4500	23,03	79,454
	2874125881198	Saiba plata pentru metal M 6	buc	0,9200	0,15	0,138
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	0,9200	2,00	1,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0138	40,00	0,552
	2922140006702	Macara de fereastră	h-ut	0,0046	40,00	0,184
830	VA14G	Piesa speciala (schimbare de sectiune), din tabla zincata sau	m2	1,0000	813,459	813,459

1	2	3	4	5	6	7
		aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii cerculare de 400 - 700 mm (Teu d200/300x150, tabla zincata $\delta=0,5$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0100				
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,9300	84,97	503,872
	2710703700340	Banda de otel de 25x3 mm	kg	4,2420	30,00	127,260
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0101	64,17	0,648
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0707	65,37	4,622
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2020	5,00	1,010
	2412126100010	Miniu de plumb	kg	0,0182	27,50	0,501
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2424	18,33	4,443
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0303	25,00	0,758
	2320146200767	Petrol distilat tip 18/200	l	0,0040	16,44	0,066
	2874135840405	Piulite uzuale hexagonale M 6	buc	8,0800	0,23	1,858
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0303	30,00	0,909
	2710403642000	Tabla zincata sau din aluminiu cal. I 0,5 mm	kg	6,3630	23,03	146,540
	2710403643000 1	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	10,6050	0,00	0,000
	2710403644000 1	Tabla zincata sau din aluminiu cal.I 1 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal. I 0,5 mm)	kg	12,7260	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	8,0800	0,15	1,212
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	8,0800	2,00	16,160
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0700	40,00	2,800
	2922140006702	Macara de fereastră	h-ut	0,0200	40,00	0,800
831	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc.)=1,0020	kg	35,0000	66,213	2 317,456
	7136060011900	Instalator ventilare si conditionare aer	h-om	10,5000	84,97	892,185
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,4028	64,17	90,018
	2651122100024	Ciment portland P 40 saci S388	kg	2,1042	2,20	4,629
	2710703504760	Otel cornier 40x40x4 mm	kg	36,4728	30,00	1 094,184
	2412126100010	Miniu de plumb	kg	0,7014	27,50	19,288
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,0701	750,00	52,575
	2411115904512	Oxigen tehnic gazos S2031	m3	0,7014	25,00	17,535
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,7014	30,00	21,042
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,8000	40,00	112,000
	2922140006702	Macara de fereastră	h-ut	0,3500	40,00	14,000

1	2	3	4	5	6	7
		<i>Total</i>	Lei			9 663,632
		Total Sistem A20 Inclusiv salariu				9 663,632 4 880,065
		1.2.46. Sistem RDF1				
832	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer pentru refulare 400x400)	buc	1,0000	626,880	626,880
	7122050013400	Zidar	h-om	0,4700	84,97	39,936
	9310060019920	Muncitor deservire CM	h-om	0,0300	84,97	2,549
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,1500	27,50	4,125
	2811236306200 400x400	Grila de aer pentru refulare 400x400	buc	1,0000	579,17	579,170
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	0,5000	2,20	1,100
833	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 400x400, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	0,5600	608,321	340,660
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,8368	84,97	156,073
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0056	64,17	0,359
	2430226100814	Grund miniu G 355-6	kg	0,0293	55,00	1,611
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0056	5,00	0,028
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0422	18,33	0,774
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0028	30,00	0,084
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0045	30,00	0,135
	2710703503596	Otel cornier 32x32x3 mm	kg	0,9568	30,00	28,704
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0169	25,00	0,422
	2320146200767	Petrol distilat tip 18/200	l	0,0051	16,44	0,084
	2874135840405	Piulite uzuale hexagonale M 6	buc	13,5072	0,23	3,107
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0225	30,00	0,675
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	2,5326	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	4,0522	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	5,0652	23,03	116,652

1	2	3	4	5	6	7
	2874125881198	Saiba plata pentru metal M 6	buc	13,5072	0,15	2,026
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	13,5072	2,00	27,014
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0280	40,00	1,120
	2922140006702	Macara de fereastră	h-ut	0,0448	40,00	1,792
834	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 500x300, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	14,3200	608,320	8 711,144
	7136060011900	Instalator ventilare si conditionare aer	h-om	46,9696	84,97	3 991,007
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1439	64,17	9,234
	2430226100814	Grund miniu G 355-6	kg	0,7484	55,00	41,162
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1439	5,00	0,720
	2112517330399	Mucava tip I de 3,3 mm	kg	1,0794	18,33	19,785
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0720	30,00	2,160
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1151	30,00	3,453
	2710703503596	Otel cornier 32x32x3 mm	kg	24,4657	30,00	733,971
	2411115904512	Oxigen tehnic gazos S2031	m3	0,4317	25,00	10,792
	2320146200767	Petrol distilat tip 18/200	l	0,1295	16,44	2,129
	2874135840405	Piulite uzuale hexagonale M 6	buc	345,3984	0,23	79,442
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5757	30,00	17,271
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	64,7622	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	103,6195	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	129,5244	23,03	2 982,947
	2874125881198	Saiba plata pentru metal M 6	buc	345,3984	0,15	51,810
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	345,3984	2,00	690,797
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,7160	40,00	28,640
	2922140006702	Macara de fereastră	h-ut	1,1456	40,00	45,824
835	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x200, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	5,2800	608,321	3 211,933
	7136060011900	Instalator ventilare si conditionare aer	h-om	17,3184	84,97	1 471,544

1	2	3	4	5	6	7
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0531	64,17	3,407
	2430226100814	Grund miniu G 355-6	kg	0,2759	55,00	15,174
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0531	5,00	0,266
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3980	18,33	7,295
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0265	30,00	0,795
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0425	30,00	1,275
	2710703503596	Otel cornier 32x32x3 mm	kg	9,0209	30,00	270,627
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1592	25,00	3,980
	2320146200767	Petrol distilat tip 18/200	l	0,0478	16,44	0,786
	2874135840405	Piulite uzuale hexagonale M 6	buc	127,3536	0,23	29,291
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2123	30,00	6,369
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	23,8788	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	38,2061	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	47,7576	23,03	1 099,858
	2874125881198	Saiba plata pentru metal M 6	buc	127,3536	0,15	19,103
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	127,3536	2,00	254,707
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2640	40,00	10,560
	2922140006702	Macara de fereastră	h-ut	0,4224	40,00	16,896
836	VA111	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Conexiune 400x400 L=100mm, tabla zincata δ=1,0 mm)	m2	0,3200	696,578	222,905
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1680	84,97	99,245
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2710703503596	Otel cornier 32x32x3 mm	kg	0,8800	30,00	26,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0288	65,37	1,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0240	18,33	0,440
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0028	30,00	0,084
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0037	30,00	0,111
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,6800	0,23	1,766
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0128	30,00	0,384
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste	kg	2,5120	0,00	0,000

1	2	3	4	5	6	7
		pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)				
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,1680	23,03	72,959
	2874125881198	Saiba plata pentru metal M 6	buc	7,6800	0,15	1,152
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,6800	2,00	15,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0384	40,00	1,536
	2922140006702	Macara de fereastră	h-ut	0,0160	40,00	0,640
837	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Conexiune 500x300 L=100mm, tabla zincata ̢=1,0 mm)	m2	0,3200	696,578	222,905
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1680	84,97	99,245
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2710703503596	Otel cornier 32x32x3 mm	kg	0,8800	30,00	26,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0288	65,37	1,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0240	18,33	0,440
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0028	30,00	0,084
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0037	30,00	0,111
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,6800	0,23	1,766
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0128	30,00	0,384
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	2,5120	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,1680	23,03	72,959
	2874125881198	Saiba plata pentru metal M 6	buc	7,6800	0,15	1,152
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,6800	2,00	15,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0384	40,00	1,536
	2922140006702	Macara de fereastră	h-ut	0,0160	40,00	0,640
838	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 500x300, tabla zincata ̢=1,0 mm)	m2	0,1800	651,394	117,251
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,5580	84,97	47,413
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0018	64,17	0,116
	2710703503596	Otel cornier 32x32x3 mm	kg	0,4950	30,00	14,850

1	2	3	4	5	6	7
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0162	65,37	1,059
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0360	5,00	0,180
	2412126100010	Miniu de plumb	kg	0,0032	27,50	0,088
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0135	18,33	0,247
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0157	30,00	0,471
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0021	30,00	0,063
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0054	25,00	0,135
	2320146200767	Petrol distilat tip 18/200	l	0,0007	16,44	0,012
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,3200	0,23	0,994
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	1,4130	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	1,7820	23,03	41,039
	2874125881198	Saiba plata pentru metal M 6	buc	4,3200	0,15	0,648
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,3200	2,00	8,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0090	40,00	0,360
839	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x200, tabla zincata $\delta=1,0$ mm)	m2	0,1500	651,380	97,707
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4650	84,97	39,511
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0015	64,17	0,096
	2710703503596	Otel cornier 32x32x3 mm	kg	0,4125	30,00	12,375
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0135	65,37	0,882
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0300	5,00	0,150
	2412126100010	Miniu de plumb	kg	0,0027	27,50	0,074
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0112	18,33	0,205
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0130	30,00	0,390
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0018	30,00	0,054
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0045	25,00	0,112
	2320146200767	Petrol distilat tip 18/200	l	0,0006	16,44	0,010
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,6000	0,23	0,828
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0060	30,00	0,180
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	1,1775	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	1,4850	23,03	34,200
	2874125881198	Saiba plata pentru metal M 6	buc	3,6000	0,15	0,540
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,6000	2,00	7,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0150	40,00	0,600

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	0,0075	40,00	0,300
840	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 200x600, tabla zincata $\delta=1,0$ mm)	m2	0,5400	651,396	351,754
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,6740	84,97	142,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0054	64,17	0,347
	2710703503596	Otel cornier 32x32x3 mm	kg	1,4850	30,00	44,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0486	65,37	3,177
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1080	5,00	0,540
	2412126100010	Miniu de plumb	kg	0,0097	27,50	0,267
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0405	18,33	0,742
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0470	30,00	1,410
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0063	30,00	0,189
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0162	25,00	0,405
	2320146200767	Petrol distilat tip 18/200	l	0,0022	16,44	0,036
	2874135840405	Piulite uzuale hexagonale M 6	buc	12,9600	0,23	2,981
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0216	30,00	0,648
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	4,2390	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	5,3460	23,03	123,118
	2874125881198	Saiba plata pentru metal M 6	buc	12,9600	0,15	1,944
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	12,9600	2,00	25,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0540	40,00	2,160
	2922140006702	Macara de fereastră	h-ut	0,0270	40,00	1,080
841	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x500, tabla zincata $\delta=1,0$ mm)	m2	1,9900	651,395	1 296,277
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,1690	84,97	524,180
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0199	64,17	1,277
	2710703503596	Otel cornier 32x32x3 mm	kg	5,4725	30,00	164,175
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1791	65,37	11,708
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3980	5,00	1,990
	2412126100010	Miniu de plumb	kg	0,0358	27,50	0,984
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1492	18,33	2,735
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1731	30,00	5,193
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S	kg	0,0233	30,00	0,699

1	2	3	4	5	6	7
		1257				
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0597	25,00	1,493
	2320146200767	Petrol distilat tip 18/200	l	0,0080	16,44	0,132
	2874135840405	Piulite uzuale hexagonale M 6	buc	47,7600	0,23	10,985
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0796	30,00	2,388
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	15,6215	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	19,7010	23,03	453,714
	2874125881198	Saiba plata pentru metal M 6	buc	47,7600	0,15	7,164
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	47,7600	2,00	95,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1990	40,00	7,960
	2922140006702	Macara de fereastră	h-ut	0,0995	40,00	3,980
842	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 500x300, tabla zincata δ=1,0 mm)	m2	1,9900	651,395	1 296,277
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,1690	84,97	524,180
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0199	64,17	1,277
	2710703503596	Otel cornier 32x32x3 mm	kg	5,4725	30,00	164,175
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1791	65,37	11,708
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3980	5,00	1,990
	2412126100010	Miniu de plumb	kg	0,0358	27,50	0,984
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1492	18,33	2,735
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1731	30,00	5,193
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0233	30,00	0,699
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0597	25,00	1,493
	2320146200767	Petrol distilat tip 18/200	l	0,0080	16,44	0,132
	2874135840405	Piulite uzuale hexagonale M 6	buc	47,7600	0,23	10,985
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0796	30,00	2,388
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	15,6215	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	19,7010	23,03	453,714
	2874125881198	Saiba plata pentru metal M 6	buc	47,7600	0,15	7,164
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	47,7600	2,00	95,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1990	40,00	7,960
	2922140006702	Macara de fereastră	h-ut	0,0995	40,00	3,980
843	VA14I	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Trecere, tip 1 500x300/d630	m2	1,0600	968,136	1 026,224

1	2	3	4	5	6	7
		L=483mm, tabla zincata ̑=1,0 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,4942	84,97	636,782
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0106	64,17	0,680
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9150	30,00	87,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0954	65,37	6,236
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2120	5,00	1,060
	2412126100010	Miniu de plumb	kg	0,0191	27,50	0,525
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0795	18,33	1,457
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0092	30,00	0,276
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0124	30,00	0,372
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0318	25,00	0,795
	2320146200767	Petrol distilat tip 18/200	l	0,0042	16,44	0,069
	2874135840405	Piulite uzuale hexagonale M 6	buc	16,9600	0,23	3,901
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0424	30,00	1,272
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	8,3210	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	10,4940	23,03	241,677
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	15,9000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	16,9600	0,15	2,544
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	16,9600	2,00	33,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1272	40,00	5,088
	2922140006702	Macara de fereastră	h-ut	0,0530	40,00	2,120
844	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Trecere, tip 1 600x200/500x300 L=160mm, tabla zincata ̑=1,0 mm)	m2	0,4300	696,577	299,528
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5695	84,97	133,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0043	64,17	0,276
	2710703503596	Otel cornier 32x32x3 mm	kg	1,1825	30,00	35,475
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0387	65,37	2,530
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0860	5,00	0,430
	2412126100010	Miniu de plumb	kg	0,0077	27,50	0,212
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0323	18,33	0,592
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0037	30,00	0,111
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0050	30,00	0,150

1	2	3	4	5	6	7
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0129	25,00	0,323
	2320146200767	Petrol distilat tip 18/200	l	0,0017	16,44	0,028
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,3200	0,23	2,374
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0172	30,00	0,516
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	3,3755	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	4,2570	23,03	98,039
	2874125881198	Saiba plata pentru metal M 6	buc	10,3200	0,15	1,548
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,3200	2,00	20,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0516	40,00	2,064
	2922140006702	Macara de fereastră	h-ut	0,0215	40,00	0,860
845	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Piesa deviatie 300x500 H=325mm L=468mm, tabla zincata b=1,0 mm)	m2	0,9800	696,580	682,648
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,5770	84,97	303,938
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0098	64,17	0,629
	2710703503596	Otel cornier 32x32x3 mm	kg	2,6950	30,00	80,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0882	65,37	5,766
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1960	5,00	0,980
	2412126100010	Miniu de plumb	kg	0,0176	27,50	0,484
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0735	18,33	1,347
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0085	30,00	0,255
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0115	30,00	0,345
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0294	25,00	0,735
	2320146200767	Petrol distilat tip 18/200	l	0,0039	16,44	0,064
	2874135840405	Piulite uzuale hexagonale M 6	buc	23,5200	0,23	5,410
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0392	30,00	1,176
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	7,6930	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	9,7020	23,03	223,437
	2874125881198	Saiba plata pentru metal M 6	buc	23,5200	0,15	3,528
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	23,5200	2,00	47,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1176	40,00	4,704
	2922140006702	Macara de fereastră	h-ut	0,0490	40,00	1,960
846	VA02G	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Canal d630, tabla zincata	m2	1,9800	649,281	1 285,576

1	2	3	4	5	6	7
		6=1,0 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050				
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,1478	84,97	607,349
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0199	64,17	1,277
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0796	65,37	5,203
	2430226100814	Grund miniu G 355-6	kg	0,1035	55,00	5,692
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0199	5,00	0,100
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1492	18,33	2,735
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0139	30,00	0,417
	2710703504760	Otel cornier 40x40x4 mm	kg	4,9747	30,00	149,241
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1194	25,00	2,985
	2320146200767	Petrol distilat tip 18/200	l	0,1791	16,44	2,944
	2874135840405	Piulite uzuale hexagonale M 6	buc	31,8384	0,23	7,323
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0398	30,00	1,194
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	8,9545	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	14,3273	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	17,9091	23,03	412,447
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	26,8636	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	31,8384	0,15	4,776
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	31,8384	2,00	63,677
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2970	40,00	11,880
	2922140006702	Macara de fereastră	h-ut	0,1584	40,00	6,336
847	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (ALU1 WIRED MAT 105 25 mm (EI60), 6=25 mm)	m2	37,7800	300,846	11 365,955
	7134050013240	Izolator - termic	h-om	17,9077	84,97	1 521,617
	1111000100031 25EI60	Izolatie ALU1 WIRED MAT 105 25 mm (EI60), 6=25 mm	m2	38,9134	251,67	9 793,335
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	1,7001	30,00	51,003
848	Pretul firmei	EURO flansa PQ-C-30	m	73,6000	58,330	4 293,088
	PQ-C-30	EURO flansa PQ-C-30	m	73,6000	58,33	4 293,088
849	Pretul firmei	Cornier NQ-C-30	buc	184,0000	6,670	1 227,280
	NQ-C-30	Cornier NQ-C-30	buc	184,0000	6,67	1 227,280
850	VC34A	Confectionarea si montarea dispozitivului de sustinere si	kg	77,0000	66,214	5 098,469

1	2	3	4	5	6	7
		ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020				
	7136060011900	Instalator ventilare si conditionare aer	h-om	23,1000	84,97	1 962,807
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	3,0862	64,17	198,041
	2651122100024	Ciment portland P 40 saci S388	kg	4,6292	2,20	10,184
	2710703504760	Otel cornier 40x40x4 mm	kg	80,2402	30,00	2 407,206
	2412126100010	Miniu de plumb	kg	1,5431	27,50	42,435
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,1543	750,00	115,725
	2411115904512	Oxigen tehnic gazos S2031	m3	1,5431	25,00	38,578
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,5431	30,00	46,293
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	6,1600	40,00	246,400
	2922140006702	Macara de fereastră	h-ut	0,7700	40,00	30,800
		<i>Total</i>	Lei			41 774,461
		Total Sistem RDF1 Inclusiv salariu				41 774,461 12 302,976
		1.2.47. Sistem RDF2				
851	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer pentru refulare 400x400)	buc	1,0000	626,880	626,880
	7122050013400	Zidar	h-om	0,4700	84,97	39,936
	9310060019920	Muncitor deservire CM	h-om	0,0300	84,97	2,549
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,1500	27,50	4,125
	2811236306200 400x400	Grila de aer pentru refulare 400x400	buc	1,0000	579,17	579,170
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	0,5000	2,20	1,100
852	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 400x400, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	0,5600	608,321	340,660
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,8368	84,97	156,073
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0056	64,17	0,359
	2430226100814	Grund miniu G 355-6	kg	0,0293	55,00	1,611
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0056	5,00	0,028

1	2	3	4	5	6	7
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0422	18,33	0,774
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0028	30,00	0,084
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0045	30,00	0,135
	2710703503596	Otel cornier 32x32x3 mm	kg	0,9568	30,00	28,704
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0169	25,00	0,422
	2320146200767	Petrol distilat tip 18/200	l	0,0051	16,44	0,084
	2874135840405	Piulite uzuale hexagonale M 6	buc	13,5072	0,23	3,107
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0225	30,00	0,675
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	2,5326	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	4,0522	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	5,0652	23,03	116,652
	2874125881198	Saiba plata pentru metal M 6	buc	13,5072	0,15	2,026
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	13,5072	2,00	27,014
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0280	40,00	1,120
	2922140006702	Macara de fereastră	h-ut	0,0448	40,00	1,792
853	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 500x300, tabla zincata δ=1,0 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	13,6800	608,320	8 321,816
	7136060011900	Instalator ventilare si conditionare aer	h-om	44,8704	84,97	3 812,638
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,1375	64,17	8,823
	2430226100814	Grund miniu G 355-6	kg	0,7149	55,00	39,319
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1375	5,00	0,688
	2112517330399	Mucava tip I de 3,3 mm	kg	1,0311	18,33	18,900
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0687	30,00	2,061
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1100	30,00	3,300
	2710703503596	Otel cornier 32x32x3 mm	kg	23,3723	30,00	701,169
	2411115904512	Oxigen tehnic gazos S2031	m3	0,4125	25,00	10,312
	2320146200767	Petrol distilat tip 18/200	l	0,1237	16,44	2,034
	2874135840405	Piulite uzuale hexagonale M 6	buc	329,9616	0,23	75,891
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5499	30,00	16,497
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	61,8678	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste	kg	98,9885	0,00	0,000

1	2	3	4	5	6	7
		pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)				
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	123,7356	23,03	2 849,631
	2874125881198	Saiba plata pentru metal M 6	buc	329,9616	0,15	49,494
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	329,9616	2,00	659,923
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,6840	40,00	27,360
	2922140006702	Macara de fereastră	h-ut	1,0944	40,00	43,776
854	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x200, tabla zincata δ=1,0 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	6,0000	608,320	3 649,919
	7136060011900	Instalator ventilare si conditionare aer	h-om	19,6800	84,97	1 672,210
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0603	64,17	3,869
	2430226100814	Grund miniu G 355-6	kg	0,3136	55,00	17,248
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0603	5,00	0,301
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4522	18,33	8,289
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0301	30,00	0,903
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0482	30,00	1,446
	2710703503596	Otel cornier 32x32x3 mm	kg	10,2510	30,00	307,530
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1809	25,00	4,522
	2320146200767	Petrol distilat tip 18/200	l	0,0543	16,44	0,893
	2874135840405	Piulite uzuale hexagonale M 6	buc	144,7200	0,23	33,286
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2412	30,00	7,236
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	27,1350	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	43,4160	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	54,2700	23,03	1 249,838
	2874125881198	Saiba plata pentru metal M 6	buc	144,7200	0,15	21,708
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	144,7200	2,00	289,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3000	40,00	12,000
	2922140006702	Macara de fereastră	h-ut	0,4800	40,00	19,200
855	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Conexiune 400x400 L=100mm, tabla zincata δ=1,0 mm)	m2	0,3200	696,578	222,905

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1680	84,97	99,245
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0032	64,17	0,205
	2710703503596	Otel cornier 32x32x3 mm	kg	0,8800	30,00	26,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0288	65,37	1,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Minu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0240	18,33	0,440
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0028	30,00	0,084
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0037	30,00	0,111
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,6800	0,23	1,766
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0128	30,00	0,384
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	2,5120	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,1680	23,03	72,959
	2874125881198	Saiba plata pentru metal M 6	buc	7,6800	0,15	1,152
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,6800	2,00	15,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0384	40,00	1,536
	2922140006702	Macara de fereastră	h-ut	0,0160	40,00	0,640
856	VA111	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Conexiune 500x300 L=100mm, tabla zincata δ=1,0 mm)	m2	0,3200	696,578	222,905
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1680	84,97	99,245
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	0,0032	64,17	0,205
	2710703503596	Otel cornier 32x32x3 mm	kg	0,8800	30,00	26,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0288	65,37	1,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Minu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0240	18,33	0,440
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0028	30,00	0,084
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0037	30,00	0,111
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,6800	0,23	1,766
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0128	30,00	0,384
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din	kg	2,5120	0,00	0,000

1	2	3	4	5	6	7
		aluminu cal.I 1 mm grosime)				
	2710403644000	Tabla zincata sau din aluminu cal.I 1 mm grosime	kg	3,1680	23,03	72,959
	2874125881198	Saiba plata pentru metal M 6	buc	7,6800	0,15	1,152
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,6800	2,00	15,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0384	40,00	1,536
	2922140006702	Macara de fereastr	h-ut	0,0160	40,00	0,640
857	VA10I	Piesa speciala, din tabla zincata sau aluminu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 500x300, tabla zincata $\delta=1,0$ mm)	m2	0,1800	651,394	117,251
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,5580	84,97	47,413
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0018	64,17	0,116
	2710703503596	Otel cornier 32x32x3 mm	kg	0,4950	30,00	14,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0162	65,37	1,059
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0360	5,00	0,180
	2412126100010	Minu de plumb	kg	0,0032	27,50	0,088
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0135	18,33	0,247
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0157	30,00	0,471
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0021	30,00	0,063
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0054	25,00	0,135
	2320146200767	Petrol distilat tip 18/200	l	0,0007	16,44	0,012
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,3200	0,23	0,994
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403643000 3	Tabla zincata sau aluminu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminu cal.I 1 mm grosime)	kg	1,4130	0,00	0,000
	2710403644000	Tabla zincata sau din aluminu cal.I 1 mm grosime	kg	1,7820	23,03	41,039
	2874125881198	Saiba plata pentru metal M 6	buc	4,3200	0,15	0,648
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,3200	2,00	8,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastr	h-ut	0,0090	40,00	0,360
858	VA10I	Piesa speciala, din tabla zincata sau aluminu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x200, tabla zincata $\delta=1,0$ mm)	m2	0,1500	651,380	97,707
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4650	84,97	39,511
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0015	64,17	0,096
	2710703503596	Otel cornier 32x32x3 mm	kg	0,4125	30,00	12,375
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0135	65,37	0,882
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25	buc	0,0300	5,00	0,150

1	2	3	4	5	6	7
		S 1581				
	2412126100010	Minu de plumb	kg	0,0027	27,50	0,074
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0112	18,33	0,205
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0130	30,00	0,390
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0018	30,00	0,054
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0045	25,00	0,112
	2320146200767	Petrol distilat tip 18/200	l	0,0006	16,44	0,010
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,6000	0,23	0,828
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0060	30,00	0,180
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	1,1775	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	1,4850	23,03	34,200
	2874125881198	Saiba plata pentru metal M 6	buc	3,6000	0,15	0,540
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,6000	2,00	7,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0150	40,00	0,600
	2922140006702	Macara de fereastr	h-ut	0,0075	40,00	0,300
859	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x500, tabla zincata $\delta=1,0$ mm)	m2	1,3300	651,395	866,355
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,1230	84,97	350,331
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0133	64,17	0,853
	2710703503596	Otel cornier 32x32x3 mm	kg	3,6575	30,00	109,725
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1197	65,37	7,825
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2660	5,00	1,330
	2412126100010	Minu de plumb	kg	0,0239	27,50	0,657
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0998	18,33	1,829
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1157	30,00	3,471
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0156	30,00	0,468
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0399	25,00	0,997
	2320146200767	Petrol distilat tip 18/200	l	0,0053	16,44	0,087
	2874135840405	Piulite uzuale hexagonale M 6	buc	31,9200	0,23	7,342
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0532	30,00	1,596
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	10,4405	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	13,1670	23,03	303,236
	2874125881198	Saiba plata pentru metal M 6	buc	31,9200	0,15	4,788
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	31,9200	2,00	63,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1330	40,00	5,320
	2922140006702	Macara de fereastr	h-ut	0,0665	40,00	2,660
860	VA10I	Piesa speciala, din tabla zincata	m2	1,3300	651,395	866,355

1	2	3	4	5	6	7
		sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 500x300, tabla zincata $\delta=1,0$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,1230	84,97	350,331
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0133	64,17	0,853
	2710703503596	Otel cornier 32x32x3 mm	kg	3,6575	30,00	109,725
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1197	65,37	7,825
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2660	5,00	1,330
	2412126100010	Miniu de plumb	kg	0,0239	27,50	0,657
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0998	18,33	1,829
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1157	30,00	3,471
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0156	30,00	0,468
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0399	25,00	0,997
	2320146200767	Petrol distilat tip 18/200	l	0,0053	16,44	0,087
	2874135840405	Piulite uzuale hexagonale M 6	buc	31,9200	0,23	7,342
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0532	30,00	1,596
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	10,4405	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	13,1670	23,03	303,236
	2874125881198	Saiba plata pentru metal M 6	buc	31,9200	0,15	4,788
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	31,9200	2,00	63,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1330	40,00	5,320
	2922140006702	Macara de fereastră	h-ut	0,0665	40,00	2,660
861	VA14I	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Trecere, tip 1 500x300/d630 L=483mm, tabla zincata $\delta=1,0$ mm)	m2	1,0600	968,136	1 026,224
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,4942	84,97	636,782
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0106	64,17	0,680
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9150	30,00	87,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0954	65,37	6,236
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2120	5,00	1,060
	2412126100010	Miniu de plumb	kg	0,0191	27,50	0,525
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0795	18,33	1,457
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0092	30,00	0,276
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S	kg	0,0124	30,00	0,372

1	2	3	4	5	6	7
		1257				
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0318	25,00	0,795
	2320146200767	Petrol distilat tip 18/200	l	0,0042	16,44	0,069
	2874135840405	Piulite uzuale hexagonale M 6	buc	16,9600	0,23	3,901
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0424	30,00	1,272
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	8,3210	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	10,4940	23,03	241,677
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	15,9000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	16,9600	0,15	2,544
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	16,9600	2,00	33,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1272	40,00	5,088
	2922140006702	Macara de fereastră	h-ut	0,0530	40,00	2,120
862	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Trecere, tip 1 600x200/500x300 L=160mm, tabla zincata δ=1,0 mm)	m2	0,4300	696,577	299,528
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5695	84,97	133,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0043	64,17	0,276
	2710703503596	Otel cornier 32x32x3 mm	kg	1,1825	30,00	35,475
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0387	65,37	2,530
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0860	5,00	0,430
	2412126100010	Miniu de plumb	kg	0,0077	27,50	0,212
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0323	18,33	0,592
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0037	30,00	0,111
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0050	30,00	0,150
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0129	25,00	0,323
	2320146200767	Petrol distilat tip 18/200	l	0,0017	16,44	0,028
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,3200	0,23	2,374
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0172	30,00	0,516
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	3,3755	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	4,2570	23,03	98,039
	2874125881198	Saiba plata pentru metal M 6	buc	10,3200	0,15	1,548
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,3200	2,00	20,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0516	40,00	2,064
	2922140006702	Macara de fereastră	h-ut	0,0215	40,00	0,860
863	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5	m2	1,9600	696,580	1 365,297

1	2	3	4	5	6	7
		mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Piesa deviatie 300x500 H=325mm L=468mm, tabla zincata $\delta=1,0$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,1540	84,97	607,875
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0196	64,17	1,258
	2710703503596	Otel cornier 32x32x3 mm	kg	5,3900	30,00	161,700
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1764	65,37	11,531
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3920	5,00	1,960
	2412126100010	Miniu de plumb	kg	0,0353	27,50	0,971
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1470	18,33	2,695
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0171	30,00	0,513
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0229	30,00	0,687
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0588	25,00	1,470
	2320146200767	Petrol distilat tip 18/200	l	0,0078	16,44	0,128
	2874135840405	Piulite uzuale hexagonale M 6	buc	47,0400	0,23	10,819
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0784	30,00	2,352
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	15,3860	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	19,4040	23,03	446,874
	2874125881198	Saiba plata pentru metal M 6	buc	47,0400	0,15	7,056
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	47,0400	2,00	94,080
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2352	40,00	9,408
	2922140006702	Macara de fereastră	h-ut	0,0980	40,00	3,920
864	VA02G	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Canal d630, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	1,9800	649,281	1 285,576
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,1478	84,97	607,349
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0199	64,17	1,277
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0796	65,37	5,203
	2430226100814	Grund miniu G 355-6	kg	0,1035	55,00	5,692
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0199	5,00	0,100
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1492	18,33	2,735
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0139	30,00	0,417
	2710703504760	Otel cornier 40x40x4 mm	kg	4,9747	30,00	149,241
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1194	25,00	2,985

1	2	3	4	5	6	7
	2320146200767	Petrol distilat tip 18/200	l	0,1791	16,44	2,944
	2874135840405	Piulite uzuale hexagonale M 6	buc	31,8384	0,23	7,323
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0398	30,00	1,194
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	8,9545	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	14,3273	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	17,9091	23,03	412,447
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	26,8636	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	31,8384	0,15	4,776
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	31,8384	2,00	63,677
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2970	40,00	11,880
	2922140006702	Macara de fereastră	h-ut	0,1584	40,00	6,336
865	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (ALU1 WIRED MAT 105 25 mm (EI60), δ=25 mm)	m2	36,0400	300,846	10 842,489
	7134050013240	Izolator - termic	h-om	17,0830	84,97	1 451,543
	1111000100031 25EI60	Izolatie ALU1 WIRED MAT 105 25 mm (EI60), δ=25 mm	m2	37,1212	251,67	9 342,292
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	1,6218	30,00	48,654
866	Pretul firmei	EURO flansa PQ-C-30	m	64,0000	58,330	3 733,120
	PQ-C-30	EURO flansa PQ-C-30	m	64,0000	58,33	3 733,120
867	Pretul firmei	Cornier NQ-C-30	buc	160,0000	6,670	1 067,200
	NQ-C-30	Cornier NQ-C-30	buc	160,0000	6,67	1 067,200
868	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	72,0000	66,214	4 767,416
	7136060011900	Instalator ventilare si conditionare aer	h-om	21,6000	84,97	1 835,352
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	2,8858	64,17	185,182
	2651122100024	Ciment portland P 40 saci S388	kg	4,3286	2,20	9,523
	2710703504760	Otel cornier 40x40x4 mm	kg	75,0298	30,00	2 250,894
	2412126100010	Miniu de plumb	kg	1,4429	27,50	39,680
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,1443	750,00	108,225
	2411115904512	Oxigen tehnic gazos S2031	m3	1,4429	25,00	36,073

1	2	3	4	5	6	7
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,4429	30,00	43,287
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	5,7600	40,00	230,400
	2922140006702	Macara de fereastră	h-ut	0,7200	40,00	28,800
		<i>Total</i>	Lei			39 719,603
		Total Sistem RDF2 Inclusiv salariu				39 719,603 11 941,743
		1.2.48. Sistem RDF3				
869	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer pentru refulare 400x400)	buc	1,0000	626,880	626,880
	7122050013400	Zidar	h-om	0,4700	84,97	39,936
	9310060019920	Muncitor deservire CM	h-om	0,0300	84,97	2,549
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,1500	27,50	4,125
	2811236306200 400x400	Grila de aer pentru refulare 400x400	buc	1,0000	579,17	579,170
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	0,5000	2,20	1,100
870	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectionii rectangulare de 1600 - 2500 mm (Canal 400x400, tabla zincata 6=1,0 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	0,5600	608,321	340,660
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,8368	84,97	156,073
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0056	64,17	0,359
	2430226100814	Grund miniu G 355-6	kg	0,0293	55,00	1,611
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0056	5,00	0,028
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0422	18,33	0,774
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0028	30,00	0,084
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0045	30,00	0,135
	2710703503596	Otel cornier 32x32x3 mm	kg	0,9568	30,00	28,704
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0169	25,00	0,422
	2320146200767	Petrol distilat tip 18/200	l	0,0051	16,44	0,084
	2874135840405	Piulite uzuale hexagonale M 6	buc	13,5072	0,23	3,107
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0225	30,00	0,675
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	2,5326	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din	kg	4,0522	0,00	0,000

1	2	3	4	5	6	7
		aluminiu cal.I 1 mm grosime)				
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	5,0652	23,03	116,652
	2874125881198	Saiba plata pentru metal M 6	buc	13,5072	0,15	2,026
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	13,5072	2,00	27,014
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0280	40,00	1,120
	2922140006702	Macara de fereastră	h-ut	0,0448	40,00	1,792
871	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 500x300, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	21,0400	608,320	12 799,062
	7136060011900	Instalator ventilare si conditionare aer	h-om	69,0112	84,97	5 863,882
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2115	64,17	13,572
	2430226100814	Grund miniu G 355-6	kg	1,0996	55,00	60,478
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2115	5,00	1,057
	2112517330399	Mucava tip I de 3,3 mm	kg	1,5859	18,33	29,070
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1057	30,00	3,171
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,1692	30,00	5,076
	2710703503596	Otel cornier 32x32x3 mm	kg	35,9468	30,00	1 078,404
	2411115904512	Oxigen tehnic gazos S2031	m3	0,6344	25,00	15,860
	2320146200767	Petrol distilat tip 18/200	l	0,1903	16,44	3,129
	2874135840405	Piulite uzuale hexagonale M 6	buc	507,4848	0,23	116,722
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,8458	30,00	25,374
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	95,1534	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	152,2454	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	190,3068	23,03	4 382,766
	2874125881198	Saiba plata pentru metal M 6	buc	507,4848	0,15	76,123
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	507,4848	2,00	1 014,970
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,0520	40,00	42,080
	2922140006702	Macara de fereastră	h-ut	1,6832	40,00	67,328
872	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x200, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	5,1200	608,321	3 114,604

1	2	3	4	5	6	7
	7136060011900	Instalator ventilare si conditionare aer	h-om	16,7936	84,97	1 426,952
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0515	64,17	3,305
	2430226100814	Grund miniu G 355-6	kg	0,2676	55,00	14,718
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0515	5,00	0,258
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3859	18,33	7,074
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0257	30,00	0,771
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0412	30,00	1,236
	2710703503596	Otel cornier 32x32x3 mm	kg	8,7475	30,00	262,425
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1544	25,00	3,860
	2320146200767	Petrol distilat tip 18/200	l	0,0463	16,44	0,761
	2874135840405	Piulite uzuale hexagonale M 6	buc	123,4944	0,23	28,404
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2058	30,00	6,174
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	23,1552	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	37,0483	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	46,3104	23,03	1 066,529
	2874125881198	Saiba plata pentru metal M 6	buc	123,4944	0,15	18,524
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	123,4944	2,00	246,989
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2560	40,00	10,240
	2922140006702	Macara de fereastră	h-ut	0,4096	40,00	16,384
873	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Conexiune 400x400 L=100mm, tabla zincata ̑=1,0 mm)	m2	0,3200	696,578	222,905
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1680	84,97	99,245
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2710703503596	Otel cornier 32x32x3 mm	kg	0,8800	30,00	26,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0288	65,37	1,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0240	18,33	0,440
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0028	30,00	0,084
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0037	30,00	0,111
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,6800	0,23	1,766

1	2	3	4	5	6	7
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0128	30,00	0,384
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	2,5120	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,1680	23,03	72,959
	2874125881198	Saiba plata pentru metal M 6	buc	7,6800	0,15	1,152
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,6800	2,00	15,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0384	40,00	1,536
	2922140006702	Macara de fereastră	h-ut	0,0160	40,00	0,640
874	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Conexiune 500x300 L=100mm, tabla zincata 6=1,0 mm)	m2	0,3200	696,578	222,905
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,1680	84,97	99,245
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2710703503596	Otel cornier 32x32x3 mm	kg	0,8800	30,00	26,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0288	65,37	1,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0240	18,33	0,440
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0028	30,00	0,084
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0037	30,00	0,111
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,6800	0,23	1,766
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0128	30,00	0,384
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	2,5120	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,1680	23,03	72,959
	2874125881198	Saiba plata pentru metal M 6	buc	7,6800	0,15	1,152
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,6800	2,00	15,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0384	40,00	1,536
	2922140006702	Macara de fereastră	h-ut	0,0160	40,00	0,640
875	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 500x300, tabla zincata 6=1,0 mm)	m2	0,1800	651,394	117,251
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,5580	84,97	47,413

1	2	3	4	5	6	7
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0018	64,17	0,116
	2710703503596	Otel cornier 32x32x3 mm	kg	0,4950	30,00	14,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0162	65,37	1,059
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0360	5,00	0,180
	2412126100010	Minu de plumb	kg	0,0032	27,50	0,088
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0135	18,33	0,247
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0157	30,00	0,471
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0021	30,00	0,063
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0054	25,00	0,135
	2320146200767	Petrol distilat tip 18/200	l	0,0007	16,44	0,012
	2874135840405	Piulite uzuale hexagonale M 6	buc	4,3200	0,23	0,994
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0072	30,00	0,216
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	1,4130	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	1,7820	23,03	41,039
	2874125881198	Saiba plata pentru metal M 6	buc	4,3200	0,15	0,648
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	4,3200	2,00	8,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0180	40,00	0,720
	2922140006702	Macara de fereastră	h-ut	0,0090	40,00	0,360
876	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 600x200, tabla zincata δ=1,0 mm)	m2	0,1500	651,380	97,707
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,4650	84,97	39,511
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0015	64,17	0,096
	2710703503596	Otel cornier 32x32x3 mm	kg	0,4125	30,00	12,375
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0135	65,37	0,882
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0300	5,00	0,150
	2412126100010	Minu de plumb	kg	0,0027	27,50	0,074
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0112	18,33	0,205
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0130	30,00	0,390
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0018	30,00	0,054
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0045	25,00	0,112
	2320146200767	Petrol distilat tip 18/200	l	0,0006	16,44	0,010
	2874135840405	Piulite uzuale hexagonale M 6	buc	3,6000	0,23	0,828
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0060	30,00	0,180
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	1,1775	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	1,4850	23,03	34,200

1	2	3	4	5	6	7
	2874125881198	Saiba plata pentru metal M 6	buc	3,6000	0,15	0,540
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	3,6000	2,00	7,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0150	40,00	0,600
	2922140006702	Macara de fereastră	h-ut	0,0075	40,00	0,300
877	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 200x600, tabla zincata δ=1,0 mm)	m2	0,5400	651,396	351,754
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,6740	84,97	142,240
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0054	64,17	0,347
	2710703503596	Otel cornier 32x32x3 mm	kg	1,4850	30,00	44,550
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0486	65,37	3,177
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1080	5,00	0,540
	2412126100010	Miniu de plumb	kg	0,0097	27,50	0,267
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0405	18,33	0,742
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0470	30,00	1,410
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0063	30,00	0,189
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0162	25,00	0,405
	2320146200767	Petrol distilat tip 18/200	l	0,0022	16,44	0,036
	2874135840405	Piulite uzuale hexagonale M 6	buc	12,9600	0,23	2,981
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0216	30,00	0,648
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	4,2390	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	5,3460	23,03	123,118
	2874125881198	Saiba plata pentru metal M 6	buc	12,9600	0,15	1,944
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	12,9600	2,00	25,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0540	40,00	2,160
	2922140006702	Macara de fereastră	h-ut	0,0270	40,00	1,080
878	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x500, tabla zincata δ=1,0 mm)	m2	1,9900	651,395	1 296,277
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,1690	84,97	524,180
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0199	64,17	1,277
	2710703503596	Otel cornier 32x32x3 mm	kg	5,4725	30,00	164,175
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1791	65,37	11,708
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3980	5,00	1,990
	2412126100010	Miniu de plumb	kg	0,0358	27,50	0,984
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1492	18,33	2,735

1	2	3	4	5	6	7
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1731	30,00	5,193
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0233	30,00	0,699
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0597	25,00	1,493
	2320146200767	Petrol distilat tip 18/200	l	0,0080	16,44	0,132
	2874135840405	Piulite uzuale hexagonale M 6	buc	47,7600	0,23	10,985
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0796	30,00	2,388
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	15,6215	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	19,7010	23,03	453,714
	2874125881198	Saiba plata pentru metal M 6	buc	47,7600	0,15	7,164
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	47,7600	2,00	95,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1990	40,00	7,960
	2922140006702	Macara de fereastră	h-ut	0,0995	40,00	3,980
879	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 500x300, tabla zincata δ=1,0 mm)	m2	1,9900	651,395	1 296,277
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,1690	84,97	524,180
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0199	64,17	1,277
	2710703503596	Otel cornier 32x32x3 mm	kg	5,4725	30,00	164,175
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1791	65,37	11,708
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3980	5,00	1,990
	2412126100010	Miniu de plumb	kg	0,0358	27,50	0,984
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1492	18,33	2,735
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1731	30,00	5,193
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0233	30,00	0,699
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0597	25,00	1,493
	2320146200767	Petrol distilat tip 18/200	l	0,0080	16,44	0,132
	2874135840405	Piulite uzuale hexagonale M 6	buc	47,7600	0,23	10,985
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0796	30,00	2,388
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	15,6215	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	19,7010	23,03	453,714
	2874125881198	Saiba plata pentru metal M 6	buc	47,7600	0,15	7,164
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	47,7600	2,00	95,520
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1990	40,00	7,960
	2922140006702	Macara de fereastră	h-ut	0,0995	40,00	3,980
880	VA14I	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime,	m2	1,0600	968,136	1 026,224

1	2	3	4	5	6	7
		avind perimetrul sectiunii circulara de 1600 - 2500 mm (Trecere, tip 1 500x300/d630 L=483mm, tabla zincata $\delta=1,0$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,4942	84,97	636,782
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0106	64,17	0,680
	2710703503596	Otel cornier 32x32x3 mm	kg	2,9150	30,00	87,450
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0954	65,37	6,236
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2120	5,00	1,060
	2412126100010	Miniu de plumb	kg	0,0191	27,50	0,525
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0795	18,33	1,457
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0092	30,00	0,276
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0124	30,00	0,372
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0318	25,00	0,795
	2320146200767	Petrol distilat tip 18/200	l	0,0042	16,44	0,069
	2874135840405	Piulite uzuale hexagonale M 6	buc	16,9600	0,23	3,901
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0424	30,00	1,272
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	8,3210	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	10,4940	23,03	241,677
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	15,9000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	16,9600	0,15	2,544
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	16,9600	2,00	33,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1272	40,00	5,088
	2922140006702	Macara de fereastră	h-ut	0,0530	40,00	2,120
881	VA111	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Trecere, tip 1 600x200/500x300 L=160mm, tabla zincata $\delta=1,0$ mm)	m2	0,4300	696,577	299,528
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5695	84,97	133,360
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0043	64,17	0,276
	2710703503596	Otel cornier 32x32x3 mm	kg	1,1825	30,00	35,475
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0387	65,37	2,530
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0860	5,00	0,430
	2412126100010	Miniu de plumb	kg	0,0077	27,50	0,212
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0323	18,33	0,592

1	2	3	4	5	6	7
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0037	30,00	0,111
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0050	30,00	0,150
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0129	25,00	0,323
	2320146200767	Petrol distilat tip 18/200	l	0,0017	16,44	0,028
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,3200	0,23	2,374
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0172	30,00	0,516
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	3,3755	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	4,2570	23,03	98,039
	2874125881198	Saiba plata pentru metal M 6	buc	10,3200	0,15	1,548
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,3200	2,00	20,640
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0516	40,00	2,064
	2922140006702	Macara de fereastră	h-ut	0,0215	40,00	0,860
882	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Piesa deviatie 300x500 H=325mm L=468mm, tabla zincata δ=1,0 mm)	m2	0,9800	696,580	682,648
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,5770	84,97	303,938
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0098	64,17	0,629
	2710703503596	Otel cornier 32x32x3 mm	kg	2,6950	30,00	80,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0882	65,37	5,766
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1960	5,00	0,980
	2412126100010	Miniu de plumb	kg	0,0176	27,50	0,484
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0735	18,33	1,347
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0085	30,00	0,255
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0115	30,00	0,345
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0294	25,00	0,735
	2320146200767	Petrol distilat tip 18/200	l	0,0039	16,44	0,064
	2874135840405	Piulite uzuale hexagonale M 6	buc	23,5200	0,23	5,410
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0392	30,00	1,176
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	7,6930	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	9,7020	23,03	223,437
	2874125881198	Saiba plata pentru metal M 6	buc	23,5200	0,15	3,528
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	23,5200	2,00	47,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1176	40,00	4,704
	2922140006702	Macara de fereastră	h-ut	0,0490	40,00	1,960
883	VA02G	Confectionarea si montarea canalelor de ventilatie drepte, din	m2	1,9800	649,281	1 285,576

1	2	3	4	5	6	7
		tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Canal d630, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050				
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,1478	84,97	607,349
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0199	64,17	1,277
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0796	65,37	5,203
	2430226100814	Grund miniu G 355-6	kg	0,1035	55,00	5,692
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0199	5,00	0,100
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1492	18,33	2,735
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0139	30,00	0,417
	2710703504760	Otel cornier 40x40x4 mm	kg	4,9747	30,00	149,241
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1194	25,00	2,985
	2320146200767	Petrol distilat tip 18/200	l	0,1791	16,44	2,944
	2874135840405	Piulite uzuale hexagonale M 6	buc	31,8384	0,23	7,323
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0398	30,00	1,194
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	8,9545	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	14,3273	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	17,9091	23,03	412,447
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	26,8636	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	31,8384	0,15	4,776
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	31,8384	2,00	63,677
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2970	40,00	11,880
	2922140006702	Macara de fereastră	h-ut	0,1584	40,00	6,336
884	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (ALU1 WIRED MAT 105 25 mm (EI60), $\delta=25$ mm)	m2	44,4000	300,846	13 357,557
	7134050013240	Izolator - termic	h-om	21,0456	84,97	1 788,245
	1111000100031 25EI60	Izolatie ALU1 WIRED MAT 105 25 mm (EI60), $\delta=25$ mm	m2	45,7320	251,67	11 509,372
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	1,9980	30,00	59,940
885	Pretul firmei	EURO flansa PQ-C-30	m	73,6000	58,330	4 293,088
	PQ-C-30	EURO flansa PQ-C-30	m	73,6000	58,33	4 293,088
886	Pretul	Cornier NQ-C-30	buc	184,0000	6,670	1 227,280

1	2	3	4	5	6	7
	firmei					
	NQ-C-30	Cornier NQ-C-30	buc	184,0000	6,67	1 227,280
887	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	88,8000	66,214	5 879,831
	7136060011900	Instalator ventilare si conditionare aer	h-om	26,6400	84,97	2 263,601
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	3,5591	64,17	228,387
	2651122100024	Ciment portland P 40 saci S388	kg	5,3387	2,20	11,745
	2710703504760	Otel cornier 40x40x4 mm	kg	92,5367	30,00	2 776,101
	2412126100010	Miniu de plumb	kg	1,7796	27,50	48,939
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,1780	750,00	133,500
	2411115904512	Oxigen tehnic gazos S2031	m3	1,7796	25,00	44,490
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,7796	30,00	53,388
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	7,1040	40,00	284,160
	2922140006702	Macara de fereastră	h-ut	0,8880	40,00	35,520
		<i>Total</i>	Lei			48 538,014
		Total Sistem RDF3 Inclusiv salariu				48 538,014 14 698,681
		1.2.49. Sistem DF1				
888	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer pentru aspiratie 500x400)	buc	1,0000	631,040	631,040
	7122050013400	Zidar	h-om	0,4700	84,97	39,936
	9310060019920	Muncitor deservire CM	h-om	0,0300	84,97	2,549
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,1500	27,50	4,125
	2811236306200 500x400	Grila de aer pentru refulare 500x400	buc	1,0000	583,33	583,330
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	0,5000	2,20	1,100
889	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 500x400, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	1,2600	608,320	766,483
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,1328	84,97	351,164
	2413547308164	Carbura de calciu tehnica (carbid)	kg	0,0127	64,17	0,815

1	2	3	4	5	6	7
		S102				
	2430226100814	Grund miniu G 355-6	kg	0,0658	55,00	3,619
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0127	5,00	0,064
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0950	18,33	1,741
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0063	30,00	0,189
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0101	30,00	0,303
	2710703503596	Otel cornier 32x32x3 mm	kg	2,1527	30,00	64,581
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0380	25,00	0,950
	2320146200767	Petrol distilat tip 18/200	l	0,0114	16,44	0,187
	2874135840405	Piulite uzuale hexagonale M 6	buc	30,3912	0,23	6,990
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0507	30,00	1,521
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	5,6983	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	9,1174	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	11,3967	23,03	262,466
	2874125881198	Saiba plata pentru metal M 6	buc	30,3912	0,15	4,559
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	30,3912	2,00	60,782
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0630	40,00	2,520
	2922140006702	Macara de fereastră	h-ut	0,1008	40,00	4,032
890	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 700x300, tabla zincata δ=1,0 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	41,2000	608,320	25 062,785
	7136060011900	Instalator ventilare si conditionare aer	h-om	135,1360	84,97	11 482,506
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,4141	64,17	26,573
	2430226100814	Grund miniu G 355-6	kg	2,1531	55,00	118,420
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4141	5,00	2,071
	2112517330399	Mucava tip I de 3,3 mm	kg	3,1054	18,33	56,922
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,2070	30,00	6,210
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,3312	30,00	9,936
	2710703503596	Otel cornier 32x32x3 mm	kg	70,3902	30,00	2 111,706
	2411115904512	Oxigen tehnic gazos S2031	m3	1,2422	25,00	31,055
	2320146200767	Petrol distilat tip 18/200	l	0,3727	16,44	6,127
	2874135840405	Piulite uzuale hexagonale M 6	buc	993,7440	0,23	228,561
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,6562	30,00	49,686
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla	kg	186,3270	0,00	0,000

1	2	3	4	5	6	7
		zincata sau din aluminiu cal.I 1 mm grosime)				
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	298,1232	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	372,6540	23,03	8 582,222
	2874125881198	Saiba plata pentru metal M 6	buc	993,7440	0,15	149,062
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	993,7440	2,00	1 987,488
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,0600	40,00	82,400
	2922140006702	Macara de fereastră	h-ut	3,2960	40,00	131,840
891	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 700x400, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	2,7500	608,318	1 672,874
	7136060011900	Instalator ventilare si conditionare aer	h-om	9,0200	84,97	766,429
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0276	64,17	1,771
	2430226100814	Grund miniu G 355-6	kg	0,1437	55,00	7,903
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0276	5,00	0,138
	2112517330399	Mucava tip I de 3,3 mm	kg	0,2073	18,33	3,800
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0138	30,00	0,414
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0221	30,00	0,663
	2710703503596	Otel cornier 32x32x3 mm	kg	4,6984	30,00	140,952
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0829	25,00	2,073
	2320146200767	Petrol distilat tip 18/200	l	0,0249	16,44	0,409
	2874135840405	Piulite uzuale hexagonale M 6	buc	66,3300	0,23	15,256
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1105	30,00	3,315
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	12,4369	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	19,8990	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	24,8737	23,03	572,841
	2874125881198	Saiba plata pentru metal M 6	buc	66,3300	0,15	9,950
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	66,3300	2,00	132,660
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1375	40,00	5,500
	2922140006702	Macara de fereastră	h-ut	0,2200	40,00	8,800
892	VA1II	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 -	m2	0,7200	696,582	501,539

1	2	3	4	5	6	7
		2500 mm (Conexiune 500x400 L=100mm, tabla zincata ̢=1,0 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,6280	84,97	223,301
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0072	64,17	0,462
	2710703503596	Otel cornier 32x32x3 mm	kg	1,9800	30,00	59,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0648	65,37	4,236
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1440	5,00	0,720
	2412126100010	Miniu de plumb	kg	0,0130	27,50	0,357
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0540	18,33	0,990
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0063	30,00	0,189
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0084	30,00	0,252
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0216	25,00	0,540
	2320146200767	Petrol distilat tip 18/200	l	0,0029	16,44	0,048
	2874135840405	Piulite uzuale hexagonale M 6	buc	17,2800	0,23	3,974
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0288	30,00	0,864
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	5,6520	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	7,1280	23,03	164,158
	2874125881198	Saiba plata pentru metal M 6	buc	17,2800	0,15	2,592
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	17,2800	2,00	34,560
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0864	40,00	3,456
	2922140006702	Macara de fereastră	h-ut	0,0360	40,00	1,440
893	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 700x300, tabla zincata ̢=1,0 mm)	m2	0,5000	651,398	325,699
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,5500	84,97	131,703
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0050	64,17	0,321
	2710703503596	Otel cornier 32x32x3 mm	kg	1,3750	30,00	41,250
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0450	65,37	2,942
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1000	5,00	0,500
	2412126100010	Miniu de plumb	kg	0,0090	27,50	0,247
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0375	18,33	0,687
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0435	30,00	1,305
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0059	30,00	0,177
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0150	25,00	0,375
	2320146200767	Petrol distilat tip 18/200	l	0,0020	16,44	0,033
	2874135840405	Piulite uzuale hexagonale M 6	buc	12,0000	0,23	2,760
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0200	30,00	0,600

1	2	3	4	5	6	7
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	3,9250	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	4,9500	23,03	113,999
	2874125881198	Saiba plata pentru metal M 6	buc	12,0000	0,15	1,800
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	12,0000	2,00	24,000
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0500	40,00	2,000
	2922140006702	Macara de fereastră	h-ut	0,0250	40,00	1,000
894	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 700x400, tabla zincata $\delta=1,0$ mm)	m2	0,3200	651,387	208,444
	7136060011900	Instalator ventilare si conditionare aer	h-om	0,9920	84,97	84,290
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0032	64,17	0,205
	2710703503596	Otel cornier 32x32x3 mm	kg	0,8800	30,00	26,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0288	65,37	1,883
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0640	5,00	0,320
	2412126100010	Miniu de plumb	kg	0,0058	27,50	0,159
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0240	18,33	0,440
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0278	30,00	0,834
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0037	30,00	0,111
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0096	25,00	0,240
	2320146200767	Petrol distilat tip 18/200	l	0,0013	16,44	0,021
	2874135840405	Piulite uzuale hexagonale M 6	buc	7,6800	0,23	1,766
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0128	30,00	0,384
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	2,5120	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	3,1680	23,03	72,959
	2874125881198	Saiba plata pentru metal M 6	buc	7,6800	0,15	1,152
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	7,6800	2,00	15,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0320	40,00	1,280
	2922140006702	Macara de fereastră	h-ut	0,0160	40,00	0,640
895	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x700, tabla zincata $\delta=1,0$ mm)	m2	4,9800	651,396	3 243,951
	7136060011900	Instalator ventilare si conditionare aer	h-om	15,4380	84,97	1 311,767
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0498	64,17	3,196

1	2	3	4	5	6	7
	2710703503596	Otel cornier 32x32x3 mm	kg	13,6950	30,00	410,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4482	65,37	29,299
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,9960	5,00	4,980
	2412126100010	Miniu de plumb	kg	0,0896	27,50	2,464
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3735	18,33	6,846
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,4333	30,00	12,999
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0583	30,00	1,749
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1494	25,00	3,735
	2320146200767	Petrol distilat tip 18/200	l	0,0199	16,44	0,327
	2874135840405	Piulite uzuale hexagonale M 6	buc	119,5200	0,23	27,490
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1992	30,00	5,976
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	39,0930	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	49,3020	23,03	1 135,425
	2874125881198	Saiba plata pentru metal M 6	buc	119,5200	0,15	17,928
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	119,5200	2,00	239,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4980	40,00	19,920
	2922140006702	Macara de fereastră	h-ut	0,2490	40,00	9,960
896	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 700x300, tabla zincata b=1,0 mm)	m2	4,9800	651,396	3 243,951
	7136060011900	Instalator ventilare si conditionare aer	h-om	15,4380	84,97	1 311,767
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0498	64,17	3,196
	2710703503596	Otel cornier 32x32x3 mm	kg	13,6950	30,00	410,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4482	65,37	29,299
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,9960	5,00	4,980
	2412126100010	Miniu de plumb	kg	0,0896	27,50	2,464
	2112517330399	Mucava tip I de 3,3 mm	kg	0,3735	18,33	6,846
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,4333	30,00	12,999
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0583	30,00	1,749
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1494	25,00	3,735
	2320146200767	Petrol distilat tip 18/200	l	0,0199	16,44	0,327
	2874135840405	Piulite uzuale hexagonale M 6	buc	119,5200	0,23	27,490
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1992	30,00	5,976
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	39,0930	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	49,3020	23,03	1 135,425
	2874125881198	Saiba plata pentru metal M 6	buc	119,5200	0,15	17,928
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	119,5200	2,00	239,040

1	2	3	4	5	6	7
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4980	40,00	19,920
	2922140006702	Macara de fereastră	h-ut	0,2490	40,00	9,960
897	VA14I	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Trecere, tip 1 700x400/d630 L=346mm, tabla zincata δ=1,0 mm)	m2	0,9200	968,141	890,690
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,5044	84,97	552,679
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0092	64,17	0,590
	2710703503596	Otel cornier 32x32x3 mm	kg	2,5300	30,00	75,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0828	65,37	5,413
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1840	5,00	0,920
	2412126100010	Miniu de plumb	kg	0,0166	27,50	0,457
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0690	18,33	1,265
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0080	30,00	0,240
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0108	30,00	0,324
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0276	25,00	0,690
	2320146200767	Petrol distilat tip 18/200	l	0,0037	16,44	0,061
	2874135840405	Piulite uzuale hexagonale M 6	buc	14,7200	0,23	3,386
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0368	30,00	1,104
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	7,2220	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	9,1080	23,03	209,757
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	13,8000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	14,7200	0,15	2,208
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	14,7200	2,00	29,440
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1104	40,00	4,416
	2922140006702	Macara de fereastră	h-ut	0,0460	40,00	1,840
898	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Trecere, tip 1 700x400/700x300 L=160mm, tabla zincata δ=1,0 mm)	m2	1,1200	696,579	780,169
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,0880	84,97	347,357
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0112	64,17	0,719
	2710703503596	Otel cornier 32x32x3 mm	kg	3,0800	30,00	92,400

1	2	3	4	5	6	7
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1008	65,37	6,589
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2240	5,00	1,120
	2412126100010	Miniu de plumb	kg	0,0202	27,50	0,555
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0840	18,33	1,540
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0097	30,00	0,291
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0131	30,00	0,393
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0336	25,00	0,840
	2320146200767	Petrol distilat tip 18/200	l	0,0045	16,44	0,074
	2874135840405	Piulite uzuale hexagonale M 6	buc	26,8800	0,23	6,182
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0448	30,00	1,344
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	8,7920	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	11,0880	23,03	255,357
	2874125881198	Saiba plata pentru metal M 6	buc	26,8800	0,15	4,032
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	26,8800	2,00	53,760
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1344	40,00	5,376
	2922140006702	Macara de fereastră	h-ut	0,0560	40,00	2,240
899	VA16I	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Teu 700x400/700x400/700x400, tabla zincata $\delta=1,0$ mm)	m2	1,2000	678,734	814,481
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,1280	84,97	350,756
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0120	64,17	0,770
	2710703503596	Otel cornier 32x32x3 mm	kg	3,3000	30,00	99,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1080	65,37	7,060
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2400	5,00	1,200
	2412126100010	Miniu de plumb	kg	0,0216	27,50	0,594
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0900	18,33	1,650
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0104	30,00	0,312
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0140	30,00	0,420
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0360	25,00	0,900
	2320146200767	Petrol distilat tip 18/200	l	0,0048	16,44	0,079
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,8000	0,23	6,624
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0480	30,00	1,440
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	9,4200	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	11,8800	23,03	273,596
	2874125881198	Saiba plata pentru metal M 6	buc	28,8000	0,15	4,320
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	28,8000	2,00	57,600

1	2	3	4	5	6	7
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1440	40,00	5,760
	2922140006702	Macara de fereastră	h-ut	0,0600	40,00	2,400
900	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Piesa deviatie 300x700 H=325mm L=468mm, tabla zincata δ=1,0 mm)	m2	2,3400	696,582	1 630,001
	7136060011900	Instalator ventilare si conditionare aer	h-om	8,5410	84,97	725,729
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0234	64,17	1,502
	2710703503596	Otel cornier 32x32x3 mm	kg	6,4350	30,00	193,050
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2106	65,37	13,767
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,4680	5,00	2,340
	2412126100010	Miniu de plumb	kg	0,0421	27,50	1,158
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1755	18,33	3,217
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0204	30,00	0,612
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0274	30,00	0,822
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0702	25,00	1,755
	2320146200767	Petrol distilat tip 18/200	l	0,0094	16,44	0,155
	2874135840405	Piulite uzuale hexagonale M 6	buc	56,1600	0,23	12,917
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0936	30,00	2,808
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	18,3690	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	23,1660	23,03	533,513
	2874125881198	Saiba plata pentru metal M 6	buc	56,1600	0,15	8,424
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	56,1600	2,00	112,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2808	40,00	11,232
	2922140006702	Macara de fereastră	h-ut	0,1170	40,00	4,680
901	VA02G	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Canal d630, tabla zincata δ=1,0 mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	1,9800	649,281	1 285,576
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,1478	84,97	607,349
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0199	64,17	1,277
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0796	65,37	5,203
	2430226100814	Grund miniu G 355-6	kg	0,1035	55,00	5,692
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0199	5,00	0,100
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1492	18,33	2,735

1	2	3	4	5	6	7
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0139	30,00	0,417
	2710703504760	Otel cornier 40x40x4 mm	kg	4,9747	30,00	149,241
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1194	25,00	2,985
	2320146200767	Petrol distilat tip 18/200	l	0,1791	16,44	2,944
	2874135840405	Piulite uzuale hexagonale M 6	buc	31,8384	0,23	7,323
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0398	30,00	1,194
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	8,9545	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	14,3273	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	17,9091	23,03	412,447
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	26,8636	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	31,8384	0,15	4,776
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	31,8384	2,00	63,677
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2970	40,00	11,880
	2922140006702	Macara de fereastră	h-ut	0,1584	40,00	6,336
902	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (ALU1 WIRED MAT 105 25 mm (EI60), δ=25 mm)	m2	86,9800	300,846	26 167,573
	7134050013240	Izolator - termic	h-om	41,2285	84,97	3 503,186
	1111000100031 25EI60	Izolatie ALU1 WIRED MAT 105 25 mm (EI60), δ=25 mm	m2	89,5894	251,67	22 546,964
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	3,9141	30,00	117,423
903	Pretul firmei	EURO flansa PQ-C-30	m	158,0000	58,330	9 216,140
	PQ-C-30	EURO flansa PQ-C-30	m	158,0000	58,33	9 216,140
904	Pretul firmei	Cornier NQ-C-30	buc	312,0000	6,670	2 081,040
	NQ-C-30	Cornier NQ-C-30	buc	312,0000	6,67	2 081,040
905	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	174,0000	66,214	11 521,222
	7136060011900	Instalator ventilare si conditionare aer	h-om	52,2000	84,97	4 435,434
	2413547308164	Carbura de calciu tehnica (carbide) S102	kg	6,9739	64,17	447,515
	2651122100024	Ciment portland P 40 saci S388	kg	10,4609	2,20	23,014
	2710703504760	Otel cornier 40x40x4 mm	kg	181,3219	30,00	5 439,657

1	2	3	4	5	6	7
	2412126100010	Miniu de plumb	kg	3,4870	27,50	95,892
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,3487	750,00	261,525
	2411115904512	Oxigen tehnic gazos S2031	m3	3,4870	25,00	87,175
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	3,4870	30,00	104,610
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	13,9200	40,00	556,800
	2922140006702	Macara de fereastră	h-ut	1,7400	40,00	69,600
		<i>Total</i>	Lei			90 043,658
		Total Sistem DF1 Inclusiv salariu				90 043,658 26 227,902
		1.2.50. Sistem DF2				
906	CL20A	Grile de ventilatie gata confectionate din tabla neagra, cu jaluzele reglabile manual, vopsite si montate in zidarie (Grila de aer pentru aspiratie 600x400)	buc	1,0000	697,710	697,710
	7122050013400	Zidar	h-om	0,4700	84,97	39,936
	9310060019920	Muncitor deservire CM	h-om	0,0300	84,97	2,549
	2874207327005	Lant cu zale innodate D=2 mm	kg	0,1500	27,50	4,125
	2811236306200 600x400	Grila de aer pentru refulare 600x400	buc	1,0000	650,00	650,000
	2651122100402	Ciment metalurgic cu adaosuri M 30 saci S1500	kg	0,5000	2,20	1,100
907	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 600x400, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	1,4000	608,324	851,653
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,5920	84,97	390,182
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0141	64,17	0,905
	2430226100814	Grund miniu G 355-6	kg	0,0732	55,00	4,026
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0141	5,00	0,070
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1055	18,33	1,934
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0070	30,00	0,210
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0113	30,00	0,339
	2710703503596	Otel cornier 32x32x3 mm	kg	2,3919	30,00	71,757
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0422	25,00	1,055
	2320146200767	Petrol distilat tip 18/200	l	0,0127	16,44	0,209
	2874135840405	Piulite uzuale hexagonale M 6	buc	33,7680	0,23	7,767
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0563	30,00	1,689
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm	kg	6,3315	0,00	0,000

1	2	3	4	5	6	7
		grosime)				
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	10,1304	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	12,6630	23,03	291,629
	2874125881198	Saiba plata pentru metal M 6	buc	33,7680	0,15	5,065
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	33,7680	2,00	67,536
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0700	40,00	2,800
	2922140006702	Macara de fereastră	h-ut	0,1120	40,00	4,480
908	VA02C	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminiu de 0,3 - 2 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Canal 800x300, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	36,3000	608,320	22 082,013
	7136060011900	Instalator ventilare si conditionare aer	h-om	119,0640	84,97	10 116,868
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3648	64,17	23,409
	2430226100814	Grund miniu G 355-6	kg	1,8970	55,00	104,335
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3648	5,00	1,824
	2112517330399	Mucava tip I de 3,3 mm	kg	2,7361	18,33	50,153
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1824	30,00	5,472
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,2919	30,00	8,757
	2710703503596	Otel cornier 32x32x3 mm	kg	62,0185	30,00	1 860,555
	2411115904512	Oxigen tehnic gazos S2031	m3	1,0944	25,00	27,360
	2320146200767	Petrol distilat tip 18/200	l	0,3283	16,44	5,397
	2874135840405	Piulite uzuale hexagonale M 6	buc	875,5560	0,23	201,378
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,4593	30,00	43,779
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	164,1667	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	262,6668	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	328,3335	23,03	7 561,521
	2874125881198	Saiba plata pentru metal M 6	buc	875,5560	0,15	131,333
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	875,5560	2,00	1 751,112
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,8150	40,00	72,600
	2922140006702	Macara de fereastră	h-ut	2,9040	40,00	116,160
909	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Conexiune 600x400	m2	0,8000	696,584	557,267

1	2	3	4	5	6	7
		L=100mm, tabla zincata 6=1,0 mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	2,9200	84,97	248,112
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0080	64,17	0,513
	2710703503596	Otel cornier 32x32x3 mm	kg	2,2000	30,00	66,000
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0720	65,37	4,707
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1600	5,00	0,800
	2412126100010	Minu de plumb	kg	0,0144	27,50	0,396
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0600	18,33	1,100
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0070	30,00	0,210
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0094	30,00	0,282
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0240	25,00	0,600
	2320146200767	Petrol distilat tip 18/200	l	0,0032	16,44	0,053
	2874135840405	Piulite uzuale hexagonale M 6	buc	19,2000	0,23	4,416
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0320	30,00	0,960
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	6,2800	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	7,9200	23,03	182,398
	2874125881198	Saiba plata pentru metal M 6	buc	19,2000	0,15	2,880
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	19,2000	2,00	38,400
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0960	40,00	3,840
	2922140006702	Macara de fereastră	h-ut	0,0400	40,00	1,600
910	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 800x300, tabla zincata 6=1,0 mm)	m2	0,5700	651,396	371,296
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,7670	84,97	150,142
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0057	64,17	0,366
	2710703503596	Otel cornier 32x32x3 mm	kg	1,5675	30,00	47,025
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0513	65,37	3,353
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1140	5,00	0,570
	2412126100010	Minu de plumb	kg	0,0103	27,50	0,283
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0427	18,33	0,783
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0496	30,00	1,488
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0067	30,00	0,201
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0171	25,00	0,427
	2320146200767	Petrol distilat tip 18/200	l	0,0023	16,44	0,038
	2874135840405	Piulite uzuale hexagonale M 6	buc	13,6800	0,23	3,146
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0228	30,00	0,684
	2710403643000	Tabla zincata sau aluminiu de 0,8	kg	4,4745	0,00	0,000

1	2	3	4	5	6	7
	3	mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)				
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	5,6430	23,03	129,958
	2874125881198	Saiba plata pentru metal M 6	buc	13,6800	0,15	2,052
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	13,6800	2,00	27,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0570	40,00	2,280
	2922140006702	Macara de fereastră	h-ut	0,0285	40,00	1,140
911	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Dop 800x500, tabla zincata $\delta=1,0$ mm)	m2	0,4500	651,400	293,130
	7136060011900	Instalator ventilare si conditionare aer	h-om	1,3950	84,97	118,533
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0045	64,17	0,289
	2710703503596	Otel cornier 32x32x3 mm	kg	1,2375	30,00	37,125
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0405	65,37	2,647
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0900	5,00	0,450
	2412126100010	Miniu de plumb	kg	0,0081	27,50	0,223
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0338	18,33	0,620
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0391	30,00	1,173
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0053	30,00	0,159
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0135	25,00	0,338
	2320146200767	Petrol distilat tip 18/200	l	0,0018	16,44	0,030
	2874135840405	Piulite uzuale hexagonale M 6	buc	10,8000	0,23	2,484
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0180	30,00	0,540
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	3,5325	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	4,4550	23,03	102,599
	2874125881198	Saiba plata pentru metal M 6	buc	10,8000	0,15	1,620
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	10,8000	2,00	21,600
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,0450	40,00	1,800
	2922140006702	Macara de fereastră	h-ut	0,0225	40,00	0,900
912	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 300x800, tabla zincata $\delta=1,0$ mm)	m2	5,4600	651,395	3 556,619
	7136060011900	Instalator ventilare si conditionare aer	h-om	16,9260	84,97	1 438,202
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0546	64,17	3,504
	2710703503596	Otel cornier 32x32x3 mm	kg	15,0150	30,00	450,450

1	2	3	4	5	6	7
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,4914	65,37	32,123
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	1,0920	5,00	5,460
	2412126100010	Miniu de plumb	kg	0,0983	27,50	2,703
	2112517330399	Mucava tip I de 3,3 mm	kg	0,4095	18,33	7,506
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,4750	30,00	14,250
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0639	30,00	1,917
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1638	25,00	4,095
	2320146200767	Petrol distilat tip 18/200	l	0,0218	16,44	0,358
	2874135840405	Piulite uzuale hexagonale M 6	buc	131,0400	0,23	30,139
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2184	30,00	6,552
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	42,8610	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	54,0540	23,03	1 244,864
	2874125881198	Saiba plata pentru metal M 6	buc	131,0400	0,15	19,656
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	131,0400	2,00	262,080
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,5460	40,00	21,840
	2922140006702	Macara de fereastră	h-ut	0,2730	40,00	10,920
913	VA10I	Piesa speciala, din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Cot 90* 800x300, tabla zincata δ=1,0 mm)	m2	1,8200	651,396	1 185,541
	7136060011900	Instalator ventilare si conditionare aer	h-om	5,6420	84,97	479,401
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0182	64,17	1,168
	2710703503596	Otel cornier 32x32x3 mm	kg	5,0050	30,00	150,150
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1638	65,37	10,708
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3640	5,00	1,820
	2412126100010	Miniu de plumb	kg	0,0328	27,50	0,902
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1365	18,33	2,502
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,1583	30,00	4,749
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0213	30,00	0,639
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0546	25,00	1,365
	2320146200767	Petrol distilat tip 18/200	l	0,0073	16,44	0,120
	2874135840405	Piulite uzuale hexagonale M 6	buc	43,6800	0,23	10,046
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0728	30,00	2,184
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	14,2870	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	18,0180	23,03	414,955
	2874125881198	Saiba plata pentru metal M 6	buc	43,6800	0,15	6,552
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	43,6800	2,00	87,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1820	40,00	7,280

1	2	3	4	5	6	7
	2922140006702	Macara de fereastră	h-ut	0,0910	40,00	3,640
914	VA14I	Piesa speciala (schimbare de sectiune), din tabla zincata sau aluminiu de 0,5 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Trecere, tip 1 800x500/d710 L=318mm, tabla zincata δ=1,0 mm)	m2	0,9800	968,136	948,773
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,9286	84,97	588,723
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0098	64,17	0,629
	2710703503596	Otel cornier 32x32x3 mm	kg	2,6950	30,00	80,850
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0882	65,37	5,766
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,1960	5,00	0,980
	2412126100010	Miniu de plumb	kg	0,0176	27,50	0,484
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0735	18,33	1,347
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0085	30,00	0,255
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0115	30,00	0,345
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0294	25,00	0,735
	2320146200767	Petrol distilat tip 18/200	l	0,0039	16,44	0,064
	2874135840405	Piulite uzuale hexagonale M 6	buc	15,6800	0,23	3,606
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0392	30,00	1,176
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	7,6930	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	9,7020	23,03	223,437
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	14,7000	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	15,6800	0,15	2,352
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	15,6800	2,00	31,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1176	40,00	4,704
	2922140006702	Macara de fereastră	h-ut	0,0490	40,00	1,960
915	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminiu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Trecere, tip 1 800x500/800x300 L=260mm, tabla zincata δ=1,0 mm)	m2	1,7900	696,580	1 246,879
	7136060011900	Instalator ventilare si conditionare aer	h-om	6,5335	84,97	555,151
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0179	64,17	1,149
	2710703503596	Otel cornier 32x32x3 mm	kg	4,9225	30,00	147,675
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1611	65,37	10,531

1	2	3	4	5	6	7
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,3580	5,00	1,790
	2412126100010	Miniu de plumb	kg	0,0322	27,50	0,885
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1343	18,33	2,462
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0156	30,00	0,468
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0209	30,00	0,627
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0537	25,00	1,343
	2320146200767	Petrol distilat tip 18/200	l	0,0072	16,44	0,118
	2874135840405	Piulite uzuale hexagonale M 6	buc	42,9600	0,23	9,881
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0716	30,00	2,148
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	14,0515	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	17,7210	23,03	408,115
	2874125881198	Saiba plata pentru metal M 6	buc	42,9600	0,15	6,444
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	42,9600	2,00	85,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,2148	40,00	8,592
	2922140006702	Macara de fereastră	h-ut	0,0895	40,00	3,580
916	VA16J	Piesa speciala (ramificatie), din tabla zincata sau aluminiu de 0,5 - 1,5 mm grosime, avind perimetrul sectiunii rectangulare de 2500 - 4000 mm (Teu 800x500/800x500/800x500, tabla zincata $\delta=1,0$ mm)	m2	1,2800	692,345	886,202
	7136060011900	Instalator ventilare si conditionare aer	h-om	3,8912	84,97	330,635
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0512	64,17	3,286
	2710703504502	Otel cornier 40x40x3 mm	kg	2,8800	30,00	86,400
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,1216	65,37	7,949
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,2560	5,00	1,280
	2412126100010	Miniu de plumb	kg	0,0230	27,50	0,632
	2112517330399	Mucava tip I de 3,3 mm	kg	0,0768	18,33	1,408
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0236	30,00	0,708
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0083	30,00	0,249
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0768	25,00	1,920
	2320146200767	Petrol distilat tip 18/200	l	0,0051	16,44	0,084
	2874135840405	Piulite uzuale hexagonale M 6	buc	71,6800	0,23	16,486
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0512	30,00	1,536
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	9,2800	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	11,6480	23,03	268,253
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din	kg	17,4080	0,00	0,000

1	2	3	4	5	6	7
		aluminu cal.I 1 mm grosime)				
	2874125881198	Saiba plata pentru metal M 6	buc	71,6800	0,15	10,752
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	71,6800	2,00	143,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,1920	40,00	7,680
	2922140006702	Macara de fereastr	h-ut	0,0896	40,00	3,584
917	VA11I	Piesa speciala (reductie), din tabla zincata sau aluminu de 0,5 - 1.5 mm grosime, avind perimetrul sectiunii rectangulare de 1600 - 2500 mm (Piesa deviatie 300x800 H=325mm L=468mm, tabla zincata $\delta=1,0$ mm)	m2	2,5200	696,580	1 755,382
	7136060011900	Instalator ventilare si conditionare aer	h-om	9,1980	84,97	781,554
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0252	64,17	1,617
	2710703503596	Otel cornier 32x32x3 mm	kg	6,9300	30,00	207,900
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,2268	65,37	14,826
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,5040	5,00	2,520
	2412126100010	Minu de plumb	kg	0,0454	27,50	1,249
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1890	18,33	3,464
	2874125885675	Nit cu cap semiinecat 3 x 6 OL34 S 1257	kg	0,0219	30,00	0,657
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0295	30,00	0,885
	2411115904512	Oxigen tehnic gazos S2031	m3	0,0756	25,00	1,890
	2320146200767	Petrol distilat tip 18/200	l	0,0101	16,44	0,166
	2874135840405	Piulite uzuale hexagonale M 6	buc	60,4800	0,23	13,910
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1008	30,00	3,024
	2710403643000 3	Tabla zincata sau aluminu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminu cal.I 1 mm grosime)	kg	19,7820	0,00	0,000
	2710403644000	Tabla zincata sau din aluminu cal.I 1 mm grosime	kg	24,9480	23,03	574,552
	2874125881198	Saiba plata pentru metal M 6	buc	60,4800	0,15	9,072
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	60,4800	2,00	120,960
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3024	40,00	12,096
	2922140006702	Macara de fereastr	h-ut	0,1260	40,00	5,040
918	VA02G	Confectionarea si montarea canalelor de ventilatie drepte, din tabla zincata sau aluminu de 0,3 - 2 mm grosime, avind perimetrul sectiunii circulare de 1600 - 2500 mm (Canal d710, tabla zincata $\delta=1,0$ mm) Material marunt(cirpe de sters, energie electrica, etc.)=1,0050	m2	2,2300	649,278	1 447,891
	7136060011900	Instalator ventilare si conditionare aer	h-om	8,0503	84,97	684,034
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,0224	64,17	1,437
	2873155903088	Electrozi speciali Cu-Zn-Si	kg	0,0896	65,37	5,857
	2430226100814	Grund minu G 355-6	kg	0,1165	55,00	6,408

1	2	3	4	5	6	7
	2881116001666	Hirtie slef.usc.sticla foi 23 x 30 gr 25 S 1581	buc	0,0224	5,00	0,112
	2112517330399	Mucava tip I de 3,3 mm	kg	0,1681	18,33	3,081
	2874125885663	Nit cu cap semiinecat 3 x 9 OL34 S 1257	kg	0,0157	30,00	0,471
	2710703504760	Otel cornier 40x40x4 mm	kg	5,6029	30,00	168,087
	2411115904512	Oxigen tehnic gazos S2031	m3	0,1345	25,00	3,363
	2320146200767	Petrol distilat tip 18/200	l	0,2017	16,44	3,316
	2874135840405	Piulite uzuale hexagonale M 6	buc	35,8584	0,23	8,247
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,0448	30,00	1,344
	2710403642000 3	Tabla zincata sau din aluminiu cal. I 0,5 mm (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	10,0852	0,00	0,000
	2710403643000 3	Tabla zincata sau aluminiu de 0,8 mm grosime, cal.I (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	16,1363	0,00	0,000
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	20,1703	23,03	464,522
	2710403645000 3	Tabla zincata sau din aluminiu cal.I 1.5 mm grosime (Se foloseste pozitia: Tabla zincata sau din aluminiu cal.I 1 mm grosime)	kg	30,2555	0,00	0,000
	2874125881198	Saiba plata pentru metal M 6	buc	35,8584	0,15	5,379
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	35,8584	2,00	71,717
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3345	40,00	13,380
	2922140006702	Macara de fereastră	h-ut	0,1784	40,00	7,136
919	IzH22A	Izolarea conductelor cu cochilii din vata minerala, gata confectionate, cu grosimea de 20; 30; 40; 50; 60; 70 si 80mm (ALU1 WIRED MAT 105 25 mm (EI60), 6=25 mm)	m2	73,1100	300,846	21 994,838
	7134050013240	Izolator - termic	h-om	34,6541	84,97	2 944,559
	1111000100031 25EI60	Izolatie ALU1 WIRED MAT 105 25 mm (EI60), 6=25 mm	m2	75,3033	251,67	18 951,582
	2734113805815	Sirma zincata moale d = 1,25 mm	kg	3,2899	30,00	98,697
920	Pretul firmei	EURO flansa PQ-C-30	m	136,0000	58,330	7 932,880
	PQ-C-30	EURO flansa PQ-C-30	m	136,0000	58,33	7 932,880
921	Pretul firmei	Cornier NQ-C-30	buc	240,0000	6,670	1 600,800
	NQ-C-30	Cornier NQ-C-30	buc	240,0000	6,67	1 600,800
922	VC34A	Confectionarea si montarea dispozitivului de sustinere si ancorare, pentru aparate, canale, piese speciale etc. din otel profilat, avind greutatea pe bucata de pina la 5 kg Material marunt si de montaj (vaselina cirpe, petrol, etc)=1,0020	kg	146,5000	66,214	9 700,349
	7136060011900	Instalator ventilare si conditionare aer	h-om	43,9500	84,97	3 734,432
	2413547308164	Carbura de calciu tehnica (carbid)	kg	5,8717	64,17	376,787

1	2	3	4	5	6	7
		S102				
	2651122100024	Ciment portland P 40 saci S388	kg	8,8076	2,20	19,377
	2710703504760	Otel cornier 40x40x4 mm	kg	152,6647	30,00	4 579,941
	2412126100010	Miniu de plumb	kg	2,9359	27,50	80,737
	1421102200575	Nisip sortat spalat de riu si lacuri 0,0-3,0 mm	m3	0,2936	750,00	220,200
	2411115904512	Oxigen tehnic gazos S2031	m3	2,9359	25,00	73,398
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	2,9359	30,00	88,077
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	11,7200	40,00	468,800
	2922140006702	Macara de fereastră	h-ut	1,4650	40,00	58,600
923	VB15B	Rama cu jaluzele reglabile simultan, gata confectionate cu perimetrul 800 - 2500 mm, montata pe canal (Supapa de suprapresiune JNZ-6 200x200)	buc	18,0000	1 280,740	23 053,324
	7136060011900	Instalator ventilare si conditionare aer	h-om	17,6400	84,97	1 498,871
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	3,0600	64,17	196,360
	2412126100010	Miniu de plumb	kg	0,8100	27,50	22,275
	2112517330399	Mucava tip I de 3,3 mm	kg	0,7200	18,33	13,198
	2411115904512	Oxigen tehnic gazos S2031	m3	1,0800	25,00	27,000
	2874135840405	Piulite uzuale hexagonale M 6	buc	504,0000	0,23	115,920
	2874115765700 JNZ200x200	Supapa de suprapresiune JNZ-6 200x200	buc	18,0000	1 086,25	19 552,500
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	10,8000	30,00	324,000
	2874115883938	Saiba grower M 6	buc	504,0000	0,15	75,600
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	504,0000	2,15	1 083,600
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	3,2400	40,00	129,600
	2922140006702	Macara de fereastră	h-ut	0,3600	40,00	14,400
924	VB15B	Rama cu jaluzele reglabile simultan, gata confectionate cu perimetrul 800 - 2500 mm, montata pe canal (Supapa de suprapresiune JNZ-6 600x200)	buc	13,0000	1 883,120	24 480,563
	7136060011900	Instalator ventilare si conditionare aer	h-om	12,7400	84,97	1 082,518
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	2,2100	64,17	141,816
	2412126100010	Miniu de plumb	kg	0,5850	27,50	16,087
	2112517330399	Mucava tip I de 3,3 mm	kg	0,5200	18,33	9,532
	2411115904512	Oxigen tehnic gazos S2031	m3	0,7800	25,00	19,500
	2874135840405	Piulite uzuale hexagonale M 6	buc	364,0000	0,23	83,720
	2874115765700 JNZ600x200	Supapa de suprapresiune JNZ-6 600x200	buc	13,0000	1 688,63	21 952,190
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	7,8000	30,00	234,000
	2874115883938	Saiba grower M 6	buc	364,0000	0,15	54,600
	2874115819999	Suruburi cap hexagonal 6 x 35 mm	buc	364,0000	2,15	782,600
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,3400	40,00	93,600
	2922140006702	Macara de fereastră	h-ut	0,2600	40,00	10,400
925	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 680x660, 1	m2	1,6200	579,199	938,302

1	2	3	4	5	6	7
		buc, tabla zincata $\delta=1,0$ mm)				
	7136060011900	Instalator ventilare si conditionare aer	h-om	4,8276	84,97	410,201
	2732103702611	Banda otel T 3 x 30 mm	kg	1,9375	30,00	58,125
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,2430	64,17	15,593
	2710703549394	Otel cornier 25x25x2,5 mm	kg	0,4698	30,00	14,094
	2710703500166	Otel cornier 30x30x4 mm	kg	1,6978	30,00	50,934
	2710703504502	Otel cornier 40x40x3 mm	kg	1,8954	30,00	56,862
	2412126100010	Miniu de plumb	kg	0,1620	27,50	4,455
	2112517330399	Mucava tip I de 3,3 mm	kg	0,8100	18,33	14,847
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	0,5022	30,00	15,066
	2411115904512	Oxigen tehnic gazos S2031	m3	0,5346	25,00	13,365
	2874135840405	Piulite uzuale hexagonale M 6	buc	12,9600	0,23	2,981
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,1944	30,00	5,832
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	10,1250	23,03	233,179
	2874125881198	Saiba plata pentru metal M 6	buc	12,9600	0,15	1,944
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	12,9600	2,00	25,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,3240	40,00	12,960
	2922140006702	Macara de fereastră	h-ut	0,0486	40,00	1,944
926	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 800x660, 2 buc, tabla zincata $\delta=1,0$ mm)	m2	3,8600	579,199	2 235,708
	7136060011900	Instalator ventilare si conditionare aer	h-om	11,5028	84,97	977,393
	2732103702611	Banda otel T 3 x 30 mm	kg	4,6166	30,00	138,498
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,5790	64,17	37,154
	2710703549394	Otel cornier 25x25x2,5 mm	kg	1,1194	30,00	33,582
	2710703500166	Otel cornier 30x30x4 mm	kg	4,0453	30,00	121,359
	2710703504502	Otel cornier 40x40x3 mm	kg	4,5162	30,00	135,486
	2412126100010	Miniu de plumb	kg	0,3860	27,50	10,615
	2112517330399	Mucava tip I de 3,3 mm	kg	1,9300	18,33	35,377
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	1,1966	30,00	35,898
	2411115904512	Oxigen tehnic gazos S2031	m3	1,2738	25,00	31,845
	2874135840405	Piulite uzuale hexagonale M 6	buc	30,8800	0,23	7,102
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4632	30,00	13,896
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	24,1250	23,03	555,599
	2874125881198	Saiba plata pentru metal M 6	buc	30,8800	0,15	4,632
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	30,8800	2,00	61,760
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,7720	40,00	30,880
	2922140006702	Macara de fereastră	h-ut	0,1158	40,00	4,632
927	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 820x650, 1 buc, tabla zincata $\delta=1,0$ mm)	m2	4,2000	579,199	2 432,635
	7136060011900	Instalator ventilare si conditionare aer	h-om	12,5160	84,97	1 063,485

1	2	3	4	5	6	7
	2732103702611	Banda otel T 3 x 30 mm	kg	5,0232	30,00	150,696
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,6300	64,17	40,427
	2710703549394	Otel cornier 25x25x2,5 mm	kg	1,2180	30,00	36,540
	2710703500166	Otel cornier 30x30x4 mm	kg	4,4016	30,00	132,048
	2710703504502	Otel cornier 40x40x3 mm	kg	4,9140	30,00	147,420
	2412126100010	Minu de plumb	kg	0,4200	27,50	11,550
	2112517330399	Mucava tip I de 3,3 mm	kg	2,1000	18,33	38,493
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	1,3020	30,00	39,060
	2411115904512	Oxigen tehnic gazos S2031	m3	1,3860	25,00	34,650
	2874135840405	Piulite uzuale hexagonale M 6	buc	33,6000	0,23	7,728
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5040	30,00	15,120
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	26,2500	23,03	604,538
	2874125881198	Saiba plata pentru metal M 6	buc	33,6000	0,15	5,040
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	33,6000	2,00	67,200
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,8400	40,00	33,600
	2922140006702	Macara de fereastr	h-ut	0,1260	40,00	5,040
928	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 900x670, 1 buc, tabla zincata $\delta=1,0$ mm)	m2	2,3500	579,198	1 361,116
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,0030	84,97	595,045
	2732103702611	Banda otel T 3 x 30 mm	kg	2,8106	30,00	84,318
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3525	64,17	22,620
	2710703549394	Otel cornier 25x25x2,5 mm	kg	0,6815	30,00	20,445
	2710703500166	Otel cornier 30x30x4 mm	kg	2,4628	30,00	73,884
	2710703504502	Otel cornier 40x40x3 mm	kg	2,7495	30,00	82,485
	2412126100010	Minu de plumb	kg	0,2350	27,50	6,462
	2112517330399	Mucava tip I de 3,3 mm	kg	1,1750	18,33	21,538
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	0,7285	30,00	21,855
	2411115904512	Oxigen tehnic gazos S2031	m3	0,7755	25,00	19,387
	2874135840405	Piulite uzuale hexagonale M 6	buc	18,8000	0,23	4,324
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,2820	30,00	8,460
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	14,6875	23,03	338,253
	2874125881198	Saiba plata pentru metal M 6	buc	18,8000	0,15	2,820
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	18,8000	2,00	37,600
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,4700	40,00	18,800
	2922140006702	Macara de fereastr	h-ut	0,0705	40,00	2,820
929	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 900x800, 1 buc, tabla zincata $\delta=1,0$ mm)	m2	2,5200	579,199	1 459,582
	7136060011900	Instalator ventilare si conditionare aer	h-om	7,5096	84,97	638,091
	2732103702611	Banda otel T 3 x 30 mm	kg	3,0139	30,00	90,417
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,3780	64,17	24,256
	2710703549394	Otel cornier 25x25x2,5 mm	kg	0,7308	30,00	21,924

1	2	3	4	5	6	7
	2710703500166	Otel cornier 30x30x4 mm	kg	2,6410	30,00	79,230
	2710703504502	Otel cornier 40x40x3 mm	kg	2,9484	30,00	88,452
	2412126100010	Miniu de plumb	kg	0,2520	27,50	6,930
	2112517330399	Mucava tip I de 3,3 mm	kg	1,2600	18,33	23,096
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	0,7812	30,00	23,436
	2411115904512	Oxigen tehnic gazos S2031	m3	0,8316	25,00	20,790
	2874135840405	Piulite uzuale hexagonale M 6	buc	20,1600	0,23	4,637
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,3024	30,00	9,072
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	15,7500	23,03	362,723
	2874125881198	Saiba plata pentru metal M 6	buc	20,1600	0,15	3,024
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	20,1600	2,00	40,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,5040	40,00	20,160
	2922140006702	Macara de fereastră	h-ut	0,0756	40,00	3,024
930	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 1050x930, 1 buc, tabla zincata δ=1,0 mm)	m2	3,5200	579,199	2 038,780
	7136060011900	Instalator ventilare si conditionare aer	h-om	10,4896	84,97	891,301
	2732103702611	Banda otel T 3 x 30 mm	kg	4,2099	30,00	126,297
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,5280	64,17	33,882
	2710703549394	Otel cornier 25x25x2,5 mm	kg	1,0208	30,00	30,624
	2710703500166	Otel cornier 30x30x4 mm	kg	3,6890	30,00	110,670
	2710703504502	Otel cornier 40x40x3 mm	kg	4,1184	30,00	123,552
	2412126100010	Miniu de plumb	kg	0,3520	27,50	9,680
	2112517330399	Mucava tip I de 3,3 mm	kg	1,7600	18,33	32,261
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	1,0912	30,00	32,736
	2411115904512	Oxigen tehnic gazos S2031	m3	1,1616	25,00	29,040
	2874135840405	Piulite uzuale hexagonale M 6	buc	28,1600	0,23	6,477
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,4224	30,00	12,672
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	22,0000	23,03	506,660
	2874125881198	Saiba plata pentru metal M 6	buc	28,1600	0,15	4,224
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	28,1600	2,00	56,320
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,7040	40,00	28,160
	2922140006702	Macara de fereastră	h-ut	0,1056	40,00	4,224
931	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 1360x900, 1 buc, tabla zincata δ=1,0 mm)	m2	4,9900	579,198	2 890,200
	7136060011900	Instalator ventilare si conditionare aer	h-om	14,8702	84,97	1 263,521
	2732103702611	Banda otel T 3 x 30 mm	kg	5,9680	30,00	179,040
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,7485	64,17	48,031
	2710703549394	Otel cornier 25x25x2,5 mm	kg	1,4471	30,00	43,413
	2710703500166	Otel cornier 30x30x4 mm	kg	5,2295	30,00	156,885
	2710703504502	Otel cornier 40x40x3 mm	kg	5,8383	30,00	175,149
	2412126100010	Miniu de plumb	kg	0,4990	27,50	13,723
	2112517330399	Mucava tip I de 3,3 mm	kg	2,4950	18,33	45,733

1	2	3	4	5	6	7
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	1,5469	30,00	46,407
	2411115904512	Oxigen tehnic gazos S2031	m3	1,6467	25,00	41,168
	2874135840405	Piulite uzuale hexagonale M 6	buc	39,9200	0,23	9,182
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,5988	30,00	17,964
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	31,1875	23,03	718,248
	2874125881198	Saiba plata pentru metal M 6	buc	39,9200	0,15	5,988
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	39,9200	2,00	79,840
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	0,9980	40,00	39,920
	2922140006702	Macara de fereastră	h-ut	0,1497	40,00	5,988
932	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 1430x920, 1 buc, tabla zincata δ=1,0 mm)	m2	5,1000	579,198	2 953,912
	7136060011900	Instalator ventilare si conditionare aer	h-om	15,1980	84,97	1 291,374
	2732103702611	Banda otel T 3 x 30 mm	kg	6,0996	30,00	182,988
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	0,7650	64,17	49,090
	2710703549394	Otel cornier 25x25x2,5 mm	kg	1,4790	30,00	44,370
	2710703500166	Otel cornier 30x30x4 mm	kg	5,3448	30,00	160,344
	2710703504502	Otel cornier 40x40x3 mm	kg	5,9670	30,00	179,010
	2412126100010	Minu de plumb	kg	0,5100	27,50	14,025
	2112517330399	Mucava tip I de 3,3 mm	kg	2,5500	18,33	46,741
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	1,5810	30,00	47,430
	2411115904512	Oxigen tehnic gazos S2031	m3	1,6830	25,00	42,075
	2874135840405	Piulite uzuale hexagonale M 6	buc	40,8000	0,23	9,384
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	0,6120	30,00	18,360
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	31,8750	23,03	734,081
	2874125881198	Saiba plata pentru metal M 6	buc	40,8000	0,15	6,120
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	40,8000	2,00	81,600
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,0200	40,00	40,800
	2922140006702	Macara de fereastră	h-ut	0,1530	40,00	6,120
933	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 1920x1040, 1 buc, tabla zincata δ=1,0 mm)	m2	8,6200	579,199	4 992,692
	7136060011900	Instalator ventilare si conditionare aer	h-om	25,6876	84,97	2 182,675
	2732103702611	Banda otel T 3 x 30 mm	kg	10,3095	30,00	309,285
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,2930	64,17	82,972
	2710703549394	Otel cornier 25x25x2,5 mm	kg	2,4998	30,00	74,994
	2710703500166	Otel cornier 30x30x4 mm	kg	9,0338	30,00	271,014
	2710703504502	Otel cornier 40x40x3 mm	kg	10,0854	30,00	302,562
	2412126100010	Minu de plumb	kg	0,8620	27,50	23,705
	2112517330399	Mucava tip I de 3,3 mm	kg	4,3100	18,33	79,002
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	2,6722	30,00	80,166
	2411115904512	Oxigen tehnic gazos S2031	m3	2,8446	25,00	71,115
	2874135840405	Piulite uzuale hexagonale M 6	buc	68,9600	0,23	15,861
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,0344	30,00	31,032

1	2	3	4	5	6	7
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	53,8750	23,03	1 240,741
	2874125881198	Saiba plata pentru metal M 6	buc	68,9600	0,15	10,344
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	68,9600	2,00	137,920
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,7240	40,00	68,960
	2922140006702	Macara de fereastră	h-ut	0,2586	40,00	10,344
934	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 2150x1150, 1 buc, tabla zincata δ=1,0 mm)	m2	9,9400	579,198	5 757,232
	7136060011900	Instalator ventilare si conditionare aer	h-om	29,6212	84,97	2 516,913
	2732103702611	Banda otel T 3 x 30 mm	kg	11,8882	30,00	356,646
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,4910	64,17	95,677
	2710703549394	Otel cornier 25x25x2,5 mm	kg	2,8826	30,00	86,478
	2710703500166	Otel cornier 30x30x4 mm	kg	10,4171	30,00	312,513
	2710703504502	Otel cornier 40x40x3 mm	kg	11,6298	30,00	348,894
	2412126100010	Miniu de plumb	kg	0,9940	27,50	27,335
	2112517330399	Mucava tip I de 3,3 mm	kg	4,9700	18,33	91,100
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	3,0814	30,00	92,442
	2411115904512	Oxigen tehnic gazos S2031	m3	3,2802	25,00	82,005
	2874135840405	Piulite uzuale hexagonale M 6	buc	79,5200	0,23	18,290
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,1928	30,00	35,784
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	62,1250	23,03	1 430,739
	2874125881198	Saiba plata pentru metal M 6	buc	79,5200	0,15	11,928
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	79,5200	2,00	159,040
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	1,9880	40,00	79,520
	2922140006702	Macara de fereastră	h-ut	0,2982	40,00	11,928
935	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 2680x1050, 1 buc, tabla zincata δ=1,0 mm)	m2	11,2500	579,199	6 515,984
	7136060011900	Instalator ventilare si conditionare aer	h-om	33,5250	84,97	2 848,619
	2732103702611	Banda otel T 3 x 30 mm	kg	13,4550	30,00	403,650
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,6875	64,17	108,287
	2710703549394	Otel cornier 25x25x2,5 mm	kg	3,2625	30,00	97,875
	2710703500166	Otel cornier 30x30x4 mm	kg	11,7900	30,00	353,700
	2710703504502	Otel cornier 40x40x3 mm	kg	13,1625	30,00	394,875
	2412126100010	Miniu de plumb	kg	1,1250	27,50	30,938
	2112517330399	Mucava tip I de 3,3 mm	kg	5,6250	18,33	103,106
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	3,4875	30,00	104,625
	2411115904512	Oxigen tehnic gazos S2031	m3	3,7125	25,00	92,812
	2874135840405	Piulite uzuale hexagonale M 6	buc	90,0000	0,23	20,700
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,3500	30,00	40,500
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	70,3125	23,03	1 619,297
	2874125881198	Saiba plata pentru metal M 6	buc	90,0000	0,15	13,500
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	90,0000	2,00	180,000

1	2	3	4	5	6	7
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,2500	40,00	90,000
	2922140006702	Macara de fereastră	h-ut	0,3375	40,00	13,500
936	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 2940x920, 1 buc, tabla zincata δ=1,0 mm)	m2	11,9600	579,199	6 927,217
	7136060011900	Instalator ventilare si conditionare aer	h-om	35,6408	84,97	3 028,399
	2732103702611	Banda otel T 3 x 30 mm	kg	14,3042	30,00	429,126
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,7940	64,17	115,121
	2710703549394	Otel cornier 25x25x2,5 mm	kg	3,4684	30,00	104,052
	2710703500166	Otel cornier 30x30x4 mm	kg	12,5341	30,00	376,023
	2710703504502	Otel cornier 40x40x3 mm	kg	13,9932	30,00	419,796
	2412126100010	Miniu de plumb	kg	1,1960	27,50	32,890
	2112517330399	Mucava tip I de 3,3 mm	kg	5,9800	18,33	109,613
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	3,7076	30,00	111,228
	2411115904512	Oxigen tehnic gazos S2031	m3	3,9468	25,00	98,670
	2874135840405	Piulite uzuale hexagonale M 6	buc	95,6800	0,23	22,006
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,4352	30,00	43,056
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	74,7500	23,03	1 721,493
	2874125881198	Saiba plata pentru metal M 6	buc	95,6800	0,15	14,352
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	95,6800	2,00	191,360
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,3920	40,00	95,680
	2922140006702	Macara de fereastră	h-ut	0,3588	40,00	14,352
937	VB30D	Hota de uz general tip A,B,C, confectionata din tabla zincata sau aluminiu de 0,8 mm grosime (Caciula de protectie 3200x910, 1 buc, tabla zincata δ=1,0 mm)	m2	12,4200	579,199	7 193,648
	7136060011900	Instalator ventilare si conditionare aer	h-om	37,0116	84,97	3 144,876
	2732103702611	Banda otel T 3 x 30 mm	kg	14,8543	30,00	445,629
	2413547308164	Carbura de calciu tehnica (carbid) S102	kg	1,8630	64,17	119,549
	2710703549394	Otel cornier 25x25x2,5 mm	kg	3,6018	30,00	108,054
	2710703500166	Otel cornier 30x30x4 mm	kg	13,0162	30,00	390,486
	2710703504502	Otel cornier 40x40x3 mm	kg	14,5314	30,00	435,942
	2412126100010	Miniu de plumb	kg	1,2420	27,50	34,155
	2112517330399	Mucava tip I de 3,3 mm	kg	6,2100	18,33	113,829
	2874125884798	Nit cu cap semirotund 4 x 8 mm	kg	3,8502	30,00	115,506
	2411115904512	Oxigen tehnic gazos S2031	m3	4,0986	25,00	102,465
	2874135840405	Piulite uzuale hexagonale M 6	buc	99,3600	0,23	22,853
	2735725903453	Sirma pt. sudura, obisnuita dn=3,25	kg	1,4904	30,00	44,712
	2710403644000	Tabla zincata sau din aluminiu cal.I 1 mm grosime	kg	77,6250	23,03	1 787,704
	2874125881198	Saiba plata pentru metal M 6	buc	99,3600	0,15	14,904
	2874115819963	Suruburi cap hexagonal 6 x 25 mm	buc	99,3600	2,00	198,720
	3110500002401	Aparat de sudura 28-35 Kw	h-ut	2,4840	40,00	99,360
	2922140006702	Macara de fereastră	h-ut	0,3726	40,00	14,904
		Total	Lei			172 340,118

1	2	3	4	5	6	7
		Total Sistem DF2 Inclusiv salariu				172 340,118 46 036,295
		<i>Total</i>	Lei			3 698 840,72 5
		Total Ventilarea si conditionarea aerului Inclusiv salariu				3 698 840,72 5 1 120 807,65 7
		<i>Total</i>	Lei			4 421 342,57 5
		<i>Asigurare sociala si medicala</i>	24 %			295 882,560
		<i>Cheltuieli de transport</i>	7 %			220 403,014
		<i>Total</i>				4 937 628,14 9
		<i>Cheltuieli de regie</i>	14,5 %			715 956,082
		<i>Total</i>				5 653 584,23 1
		<i>Beneficiu de deviz</i>	6 %			339 215,054
		<i>Total</i>				5 992 799,28 5
		Total Lucrari de constructie Inclusiv salariu				5 992 799,28 5 1 232 844,00 2

		Total	Lei	5 992 798,88
		TVA	20 %	1 198 559,78
		Total deviz: Inclisiv salariu		7 191 358,66

Intocmit

Bet D., Mironov D.

(funcția, semnătura, numele, prenumele)

Verificat

Bet D.

(funcția, semnătura, numele, prenumele)

