

2017-12-4



Home

About Us

Products

News

Exhibition

Contact Us

Feedback



Home > Products > Anesthesiology ICU Products

Product Categories

Interventional Products

Anesthesiology ICU Products

Medical Imaging Products

Urology Products

Obstetrics & Gynecology Products



OEM Products

Central Venous Catheter Kits



Contact Information

SCW MEDICATH LTD
ADD:NO.4 Baolong 6th Road,Baolong
industrial Town,Longgang
District,Shenzhen ,P.R.China



Soft-tip designed to reduce vessel trauma during insertion
Medical grade material ensures the highest level of safety
Catheter softens at body temperature and provide excellent
ease of insertion

[Send Inquiry](#)

Product Details:**CENTRAL VENOUS CATHETER KITS****Features :**

Soft-tip designed to reduce vessel trauma during insertion
 Medical grade material ensures the highest level of safety
 Catheter softens at body temperature and provide excellent ease of insertion
 Features radiopaque materials that enable quick visualization and correct placement of the catheter tip
 Optional kink-resistant guidewire that increases clinician confidence

Kit Content:

Catheter, Dilator, Guidewire, Clamp, injection cap, syringe, introducer needle, scalpel

Single Lumen

Product No.	Size(Ga)	Length(cm)	Product No.	Size(Ga)	Length(cm)
41.01.10103	14.0	15	41.01.10206	16.0	60
41.01.10101	14.0	20	41.01.10303	18.0	13
41.01.10102	14.0	30	41.01.10301	18.0	15
41.01.10201	16.0	15	41.01.10302	18.0	20
41.01.10202	16.0	20	41.01.10401	20.0	13
41.01.10203	16.0	30	41.01.10402	20.0	15
41.01.10204	16.0	35	41.01.10403	20.0	20
41.01.10205	16.0	45			

Double Lumen

Product No.	Size(F)	Length(cm)	Product No.	Size(F)	Length(cm)
41.01.20101	4.0	8	41.01.20301	7.0	15
41.01.20102	4.0	13	41.01.20302	7.0	20
41.01.20103	4.0	20	41.01.20303	7.0	30
41.01.20201	5.0	8	41.01.20401	8.0	20
41.01.20202	5.0	13	41.01.20402	8.0	30
41.01.20203	5.0	20			

Triple Lumen

Product No.	Size(F)	Length(cm)	Product No.	Size(F)	Length(cm)
41.01.30101	5.5	8	41.01.30302	8.5	20
41.01.30102	5.5	13	41.01.30303	8.5	30
41.01.30103	5.5	15			
41.01.30201	7.0	15			