

## Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, iar de către autoritatea contractantă – în coloanele 1, 2, 6, 8]

Numărul procedurii de achiziție: <u>ocds-b3wdp1-MD-1592986901562</u> din: 24.06.2020
Denumirea procedurii de achiziție: Cererea ofertelor de prețuri

Denumirea bunurilor/serviciilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant
2	3	4	5	6	7
<b>Bunuri/servicii</b>					
Lotul 1					
<i>Boxă acustică pasiva</i>	C.25.2	Germania	Dynacord	Boxa acustica, passiva, 2 wooferi la 15", puterea RMS :1000W, Peak :4000W, Impedance: 4Ohm, Max. SPL/1m (calc): 139dB. Woofer: 2xSMX2151, Driver: DH3. Dimensiuni (H x W x D) 445 x 1130 x 445 mm	Boxa acustica, passiva, 2 wooferi la 15", puterea RMS :1000W, Peak :4000W, Impedance: 4Ohm, Max. SPL/1m (calc): 139dB. Woofer: 2xSMX2151, Driver: DH3. Dimensiuni (H x W x D) 445 x 1130 x 445 mm
<i>Subwoofer, passiv</i>	Sub 2.18	Germania	Dynacord	Subwoofer, passiv, 2 wooferi la 18", puterea RMS :1000W, Peak :4000W, Impedance: 4Ohm, Max. SPL/1m (calc): 138dB.	Subwoofer, passiv, 2 wooferi la 18", puterea RMS :1000W, Peak :4000W, Impedance: 4Ohm, Max. SPL/1m (calc): 138dB. Woofer:2x 18" EVS-

				Woofers: 2x 18" EVS-18S. Dimensiuni (H x W x D) 513 x 1200 x 710 mm	18S. Dimensiuni (H x W x D) 513 x 1200 x 710 mm
<i>Micser analogic pasiv</i>	CMS 2200-3	Germania	Dynacord	Micser, 18 Mic/Line + 4 Mic/Stereo Line Channels, 6 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface	Micser, 18 Mic/Line + 4 Mic/Stereo Line Channels, 6 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface
<i>Amplificator</i>	L3600FD DSP	Germania	Dynacord	DSP Amplifer, Puterea 2x1800Watt la 4 Ohm, 2x3200Watt la 2 Ohm, Balanced XLR in / out, DSP Processor, Parametric EQ, Dimensiuni (H x W x D): 483 x 88 x 462.4 mm	DSP Amplifer, Puterea 2x1800Watt la 4 Ohm, 2x3200Watt la 2 Ohm, Balanced XLR in / out, DSP Processor, Parametric EQ, Dimensiuni (H x W x D): 483 x 88 x 462.4 mm
<i>Amplificator</i>	L2800FD DSP	Germania	Dynacord	DSP Amplifer, Puterea 2x1400Watt la 4 Ohm, 2x2300Watt la 2 Ohm, Balanced XLR in / out, DSP Processor, Parametric EQ, Dimensiuni (H x W x D): 483 x 88 x 462.4 mm	DSP Amplifer, Puterea 2x1400Watt la 4 Ohm, 2x2300Watt la 2 Ohm, Balanced XLR in / out, DSP Processor, Parametric EQ, Dimensiuni (H x W x D): 483 x 88 x 462.4 mm
<i>Subwoofer Pasiv</i>	A118	Germania	Dynacord	Subwoofer Pasiv 18", putere 400W-1600W, 8Ohm, 134db max. SPL Subwoofer pasiv, Impedance 8 Ohm, Puterea RMS: 400 Watt, Puterea Peak 1600 Watt, Max. SPL 128 dB, Woofers: 1 x EVS- 18K, 457 mm (18"), Dimensiuni (H x W x D) 661 mm x 507 mm x 574 mm	Subwoofer Pasiv 18", putere 400W-1600W, 8Ohm, 134db max. SPL Subwoofer pasiv, Impedance 8 Ohm, Puterea RMS: 400 Watt, Puterea Peak 1600 Watt, Max. SPL 128 dB, Woofers: 1 x EVS- 18K, 457 mm (18"), Dimensiuni (H x W x D) 661 mm x 507 mm x 574 mm
<i>Monitor</i>	PXM12 MP	China	Electro-Voice	Activ 12" Coax Monitor, Puterea 700 Watt, DSP Processor cu 4 EQ presets, 2 Mic / line intrari, 1 RCA intrare, Dimensiuni (H x W x D) 334 x 409 x 484 mm	Activ, 12", Coaxial Monitor, Puterea 700 Watt, DSP Processor cu 4 EQ presets, 2 Mic / line intrari, 1 RCA intrare, Dimensiuni (H x W x D) 334 x 409 x 484 mm

<i>Speaker Cablu</i>	LY225	Germania	Klotz	Cablu pentru sisteme acustice, 2x2,5MM, de cupru fara oxigen, negru, rotund	Cablu pentru sisteme acustice, 2x2,5MM, de cupru fara oxigen, negru, rotund
<i>Connector SPK</i>	NL4FX	Liechtenstein	Neutrik	Connector pentru sisteme acustice de tip Speakon cu 4 pinuri de conectare	Connector pentru sisteme acustice de tip Speakon cu 4 pinuri de conectare
<i>Cablu Microfon</i>	MY206	Germania	Klotz	Cablu pentru microfoane, echilibrat, negru	Cablu pentru microfoane, echilibrat, negru
<i>Connector XLR</i>	NC3FXX / NC3MXX	Liechtenstein	Neutrik	Set de conectori pentru microfoane de tip XLR cu 3 pinuri (Male+Female)	Set de conectori pentru microfoane de tip XLR cu 3 pinuri (Male+Female)

Semnat: Semnat electronic(Prima Pagina) Numele, Prenumele: Carabut Vladislav În calitate de: Director

Ofertantul: SC „Muzic-Prod” Adresa: Moldova,mun.Chisinau,Durlesti, str-la II Vovinteni 15