

CHEM-LAB NV Industriezone "De Arend" 2 B-8210 ZEDELGEM - BELGIUM

Tel.: (32)-50-288320 Fax.: (32)-50-782654

SAFETY DATA SHEET

1. Identification of the substance / preparation and company.

1.1 Product identifier

Product Nr. CL00.1608

Trade name Petroleum ether 40-60 a.r.

REACH Registration Number 01-2119475133-43

CAS-No. 64742-49-0

1.2 Relevant identified uses of the substance or mixture and uses adviced against

Identified uses: Reagent for analysis

In compliance with the conditions described in the annex to this safety data sheet.

1.3 Information provided by CHEM-LAB NV product service.

Responsible department: e-mail: info@chem-lab.be

1.4 Emergency telephone: 00 (32) 50.28.83.20

2. Hazard identification

2.1 Classification of the substance or the mixture (EG 1272/2008)

Flammable liquid, Categorie 2, H225

Aspiration hazard, Categorie 1, H304

Skin corrosion/irritation, Categorie 2, H315

Specific target organ toxicity - single exposure, Categorie 3, H336

Reproductive toxicity, Categorie 2, H361

Specific target organ toxicity - repeated exposure, Categorie 2, H373

Hazardous to the aquatic environment, Categorie 2, H411

For the full text of H-sentences mentioned in this Section, see Section 16

For the full text of R-sentences mentioned in this Section, see Section 16

2.2 GHS-Labelling

GHS-Labelling Labelling (REGULATION (EC) No 1272/2008) (EG 1272/2008) Hazard pictograms:









Signal word: DANGER

Hazard statements:

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P210 Keep away from heat, sparks, open flames, hot surfaces. No smoking.

P261 Avoid breathing dust, fume, gas, mist, vapours, spray.

P273 Avoid release to the environment.

P281 Use personal protective equipment as required.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

P403 + P235 Store in a well-ventilated place. Keep cool.

Reduced labelling Hazard pictograms:









Signal word: DANGER

3. Composition / Information on ingredients.

3.1 Substance

CAS-No. 64742-49-0 EC-Nr 265-151-9 Index-No 649-328-00-1

Formula -

Component	Cas-No.	Concentration	Classification (REGULATION (EC) No 1272/2008)
Petroleum ether 40-60 a.r.	64742-49-0	Petroleum ether 40-60°C	Flam. Liq. 2 (H225) Asp. Tox. 1 (H304) Skin Corr. 2 (H315) STOT SE 3 (H336) Repr. 2 (H361) STOT RE 2 (H373) Aquatic Chronic 2 (H411)

Component	Reach Number	
Petroleum ether 40-60 a.r.	01-2119475133-43	

For the full text of H-Phrases mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

4. First aid measures.

4.1 Description of first aid measures

General advice

First-aid personnel: ensure self-protection!

After inhalation: Remove to fresh air, seek medical advice.

After contact with skin: Wash off with plenty of water. Remove contaminated clothing.

After contact with eyes: Rinse out with plenty of water for at least 10 minutes with the eyelid held wide open. Immediately call an ophtalmologist.

After ingestion: Caution if victim vomits. Risk of aspiration! Keep airways free. Immediately call in physician. In case of spontaneous vomiting, risk of aspiration. Pulmonary failure possible. Call in physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. Fire fighting measures.

5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical or carbon dioxide.

Unsuitable extinguishing media

Cool container with spray water from a save distance. Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.

5.2 Special hazards arising from substance or mixture

Combustible. Vapours heavier than air. Forms explosive mixtures with air at ambient temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

5.4 Further information

no data available

6. Accidental release measures.

6.1 Peronal precautions, protective equipment and emergency procedures

Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms. For personal protection see section 8.

6.2 Environmental precautions

Do not allow to enter sewerage system; risk of explosion!

6.3 Methods and materials for containment and cleaning up

Absorb on vermiculite, sand or a pillow from Chemical Spill Center.

6.4 Reference to other sections

For disposal see section 13.

7. Handling and storage.

7.1 Precautions for safe handling

Keep away from sources of ignition. Take measures to prevent electrostatic charging. Work under hood. Do not inhale substance. Avoid generation of vapours/aerosols.

For precautions see section 2.2

7.2 Conditions for safe storage, including any incompatibilities

Closed in a well ventilated place. Away from sources of ignition and heat.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. Exposure controls - Personal protection.

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Protective clothing should be selected specificly for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

See section 7.1

Individual protection measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance. Under no circumstances eat or drink at workplace. Work under hood . Do not inhale substance.

Respiratory protections

Required when vapours/aerosols are generated.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye protection

Required.

Hand protection

Required.

Body protection

Required.

Environmental exposure controls

Do not allow to enter sewerage system; risk of explosion!

9. Physical and chemical properties.

9.1 Information on basic physical

<u>Appearence</u>

Form: Liquid
Colour: Colourless
Odour: specific

Changes in physical state

Melting Point: -100°C
Boiling point: 40-60°C
Flash point: -21°C
Ignation temperature: 250°C

Mol. Weight:

Density: 0,653 g/ml

pH value: -

Solubility in water: insoluble

Explosion limits: lower 0.8 vol% / upper 8 vol%

Further information: explosion limits - I

9.2 Other data

No further relevant information available.

10. Stability and reactivity.

10.1 Reactivity

See section 10.3

10.2 Chemical stability

No further relevant information available.

10.3 Possibility of hazardous reactions

Explosible with air in a vaporous/gaseous state when heated

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

No further relevant information available.

11. Toxicological information.

11.1 Information on toxicological effects

Acute oral toxity

LD50 orl. rat > 2000 mg/kg

Acute inhalation toxity

No further relevant information available.

Acute dermal toxity

No further relevant information available.

Skin irritation

No further relevant information available.

Eye irritation

No further relevant information available.

Sensitisation

No further relevant information available.

Germ cell mutagenicity

No further relevant information available.

Carcinogenicity

No further relevant information available.

Reproductive toxity

No further relevant information available.

Teratogenicity

No further relevant information available.

Specific target organ toxity - single exposure

No further relevant information available.

Specific target organ toxity - repeated exposure

No further relevant information available.

Aspiration hazard

No further relevant information available.

11.2 Further information

No further relevant information available.

Further data:

Handle in accordance with good industrial hygiene and safety practice...

12. Ecological information.

12.1 Toxity

No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

No further relevant information available.

12.6 Other adverse effects

Do not allow to enter waters, waste water, or soil!

13. Disposal considerations.

Product: Chemicals must be disposed of in compliance with the respective national regulations. Packaging: Chem-lab product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. Transport information.

Land Transport (ADR/RID)

14.1 UN number UN 1268

Petroleum distillates, n.o.s. 14.2 Proper shipping name (Petroleum ether)

3

14.3 Class 14.4 Packing group

Ш

14.5 Environmentally hazardousyes14.6 Special precautions for usernoTunnel restriction code(D/E)

Inland waterway transport (ADN)

Not relevant

Air Transport (IATA)

14.1 UN number UN 1268

Petroleum distillates, n.o.s.

14.2 Proper shipping name (Petroleum ether)

14.3 Class314.4 Packing groupII14.5 Environmentally hazardousyes14.6 Special precautions for userno

Sea Transport (IMDG)

14.1 UN number UN 1268

Petroleum distillates, n.o.s.

14.2 Proper shipping name (Petroleum ether)

14.3 Class314.4 Packing groupII14.5 Environmentally hazardousyes14.6 Special precautions for userno

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

15. Regulatory information.

15.1 Safety, health and environmental regulations/legislation speficic for the substance or mixtureFor this product an assessment was not carried out.

15.2 Chemical Safety Assesment

For this product an assessment was not carried out.

16. Other information.

The information and recommendations in this MSDS are to the best of our knowledge, information and belief accurate at the date of publications. Although outmost care has been taken in the composition of this text, the publisher cannot be held responsible for any damage resulting from any possible error in this publications.

Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Exposure scenario 1 (Industrial use)

1. Industrial use Reagent for analysis, (Chemical production)

Sectors of end-use

	SU 9	Manufacture of fine chemicals			
	SU10	Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)			
	Chemical product category				
	PC19	Removed from PC list and relocated in the technical function list (Table R.12- 15)24.			
	PC21	Laboratory chemicals			
	Process categories				
	PROC 1	Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.			
	PROC 2	Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions			
	PROC 3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition			
	PROC 4	Chemical production where opportunity for exposure arises			
	PROC 5	Mixing or blending in batch processes			
	PROC 8a	Transfer of substance or mixture (charging and discharging) at non- dedicated facilities 26			
	PROC 8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities26			
	PROC 9	Transfer of substance or mixture into small containers (dedicated filling line, including weighing)			
	PROC10	Roller application or brushing			
	PROC15	Use as laboratory reagent			
	Environmental Release Categories				
	ERC 1	Manufacture of the substance			
	ERC 2	Formulation into mixture			
	ERC 4	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)			
	ERC 6a	Use of intermediate			
	ERC 6b	Use of reactive processing aid at industrial site (no inclusion into or onto article)			
2. Con	. Contributing scenarios: Operational conditions and risk management measures				

Industrial uses: Uses of substances as such or in preparations at industrial sites

Exposure scenario 2 (Professional use)

1. Industrial use Reagent for analysis, (Chemical production)

Sectors of end-use

SU₃

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category

PC21 Laboratory chemicals

Process categories

PROC15 Use as laboratory reagent

Environmental Release Categories

ERC 2 Formulation into mixture ERC 6a

Use of intermediate

ERC 6b Use of reactive processing aid at industrial site (no inclusion into or onto article)

2. Contributing scenarios: Operational conditions and risk management measures