



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2- Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter	LCIIOVO				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * Desktop Computer					
Commercial name *	Lenovo V50s SFF					
Model number *	11EE, 11EF, 11HA, 11HB					
Issue date *	2020-05-14					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information	ENERGY STAR® Qualified;					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main bodyare not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		11EE, 11EF, 11HA, 11HB	Logo	Long		
Issue date *		2020-05-14		Lend		J _{TM}
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products do comply with current European RoHS Directive. (See legal reference andNOTEB1)					
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes		
F 1.3		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-		Ш	
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
	concentration values.					
P1.4*	Products	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	X		
		l (PCT)in preparations (see legal reference).				
P1.5*		odo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	>		
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm²/week			
	(see lega	al reference).			_	_
	Commer	nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33information about substances in articles is available at (add URL or mail of		\boxtimes		
	https://st	atic.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disc	losure.pdf	_		_
P2	Batterie	s				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t	the disposal	\boxtimes		
		nformation on proper disposal is provided in user manual. (See legal reference)				
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	าium. (See legal			
	reference	· ·				
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification& Eco design (ErP)				
P3.1*		luct isCE-markedto show conformance with applicable legal requirements (see lega		\boxtimes		
		laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar	nce/eu-doc			
P3.2*		duct complies with the Eco design requirements forenergy-related products, al reference).		\boxtimes	Ш	
	` •	d information is; given in item P15 or added to this document,		\boxtimes		
		available at: https://www.lenovo.com/us/en/compliance/ed	co-declaration			
P5	Product	packaging	,o-acciaration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	v cadmium an	d 🔀		
	hexavale	ent chromium by weight of these together.			<u> </u>	
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material(s	s) 🔀		
P5.3*		luct packaging material is free from ozone depleting substances as specified in the N	Nontreal Protoco	ol 🔀		
		al reference).		<u>~</u>		
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	11EE, 11EF, 11HA, 11HB	Logo	Lanava
Issue date *	2020-05-14		LEI IOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
- Enviro		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for:5years			
P7.10	Service is available after end of production for:5years			
	Material and substance requirements			
P7.11*	Product cover/housing material type(e.g. plastics, metal, aluminum): Material type: PC Material type: steel			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		Ħ	
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC61249-2-21. (See 1NOTEB2)	1 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:	\boxtimes		
P7.17	Alt. 1:Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA(reactive)(See NOTEB3), Other: Brominated Epoxy Resin, CAS #:			
	1BBPA (reactive) (See NOTEB3), Other: Brominated Epoxy Resin, CAS #: 68928-70-1		Ш	
	Alt. 2:Chemical specifications of flame retardants in printed circuit boards (without components)> 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	1		
	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2:Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		+	-
17.15	assigned the following Risk phrases; R45, R40, R46, R48, R50, R51, R53, R60, R61 and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g,the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 18.9%. or	_	_	_
	b) The weight of recycled material is 58.4 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11EE, 11EF, 11HA, 11HB	Logo	Lonovo
Issue date *	2020-05-14		LEHOVO

Product environmental attributes - Market requirements (continued)	Requir	emen	t met
Item	Yes	No	n.a.

	Material and substance requirements (continued)						
P7.21*	Biobased plastic material content is used in the product (See NOTEB7):						
P7.22*		free from mercury, i.e. specify: Number of lar	less than 0,1 mg/lamp mps: and maxim	num mercury content pe	er lamp: mg		
P8	Batteries						
P8.1*		omposition: <i>Li-manga</i>	anese dioxide				
P9		tion (See NOTEB8)					
P9.1 Energy mo		Power level at	ls or energy consumpti Power level at	Power level at	Reference/Standard for energy		
		100 V AC	115 V AC	230 V AC	modes and test method *		
Peak (On-		W	W	W	Full load		
Catego							
Short Idle Enabled	State - WOL	13.465 W	13.254 W	13.247 W	Use for ENERGY STAR V8 registration(P _{idle})		
Long Idle Enabled	State - WOL	12.154 W	12.241 W	12.154 W	Use for ENERGY STAR V8 registration(P _{idle})		
) - WOL Enabled	0.925 W	0.914 W	0.912 W	Use for ENERGY STAR V8 registration(P _{sleep})		
	WOL Enabled	0.521 W	0.512 W	0.514 W	Use for ENERGY STAR V8 registration(P _{off})		
Off (S5) -	WOL Disabled	W	0.633 W	W	Use for ErP		
Catego	ry <u> 12</u>						
Short Idle Enabled	State - WOL	14.284 W	14.574 W	14.652 W	Use for ENERGY STAR V8 registration(P _{idle})		
Long Idle Enabled	State - WOL	13.658 W	13.264 W	13.412 W	Use for ENERGY STAR V8 registration(P _{idle})		
Sleep (S3) - WOL Enabled	0.864 W	0.845 W	0.902 W	Use for ENERGY STAR V8 registration(P _{sleep})		
Off (S5) -	WOL Enabled	0.59 W	0.562 W	0.512 W	Use for ENERGY STAR V8 registration(P _{off})		
Off (S5) -	WOL Disabled	W	0.548 W	W	Reference		
Catego	ryD1						
Short Idle Enabled	State - WOL	15.632 W	15.358 W	15.361 W	Use for ENERGY STAR V8 registration(P _{idle})		
Long Idle Enabled	State - WOL	13.24 W	13.241 W	14.235 W	Use for ENERGY STAR V8 registration(P _{idle})		
Sleep (S3) - WOL Enabled	0.903 W	0.911 W	0.932 W	Use for ENERGY STAR V8 registration(P _{sleep})		
Off (S5) -	WOL Enabled	0.521 W	0.59 W	0.551 W	Use for ENERGY STAR V8 registration(Poff)		
Off (S5) -	WOL Disabled	W	0.688 W	W	Reference		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; seehttp://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Catego	ryD2						
Short Idle Enabled	e State - WOL	16.647 W	16.587 W	16.261 W	Use for ENERGY STAR V8 registration(P _{idle})		
Long Idle Enabled	State - WOL	14.368 W	13.054 W	12.536 W	Use for ENERGY STAR V8 registration(P _{idle})		
Sleep (S3) - WOL Enabled	0.948 W	0.947 W	0.952 W	Use for ENERGY STAR V8 registration(P _{sleep})		
Off (S5) -	WOL Enabled	0.601 W	0.591 W	0.591 W	Use for ENERGY STAR V8 registration(Poff)		
Off (S5) -	WOL Disabled	W	0.615 W	W	Reference		
PTEC * Typical Er	nergy Consumption	W	W	W			
ETEC * Annual En	nergy Consumption	11: 50.36kWh/year 12: 53.68kWh/year D1:56.92kWh/year D2: 60.86kWh/year	I1: 49.84kWh/yearI2: 53.99kWh/yearD1:56.33kWh/yearD2: 59.54kWh/year	11: 49.73kWh/year 12: 54.48kWh/year D1: 57.24kWh/year D2:58.24kWh/year	ETEC = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{long_Idle} x 0.15+ P _{short_Idle} x 0.35)		
E					Enabled; Pidle: Idle State - WOL Enabled		
		` `	l Efficiency Marking Pro	tocol) ^ :			
		egapixels ave mode: 25 minutes					
P9.2*			on is provided with the	product			
P9.3		class (monitors only):	on is provided with the	product.			
P10	Emissions	oldos (morntors orny).					
0		 Declared according to 	ISO 9296 (See NOTE	B9)			
P10.1	Mode	Mode description	•		it A-weighted sound power level,L _{WA,c} (B)		
	Idle	* HDD:Idle		*3.1			
	Operation	* HDD: Operating		*4.2			
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{\sf Am}}$	20.2(operator position	n desktop – idle)		
Other mode Declared A-weighted sound pressure level (dB) L_{pAm} 26.6(operator position desktop – operating)					n desktop – operating)		
	Measured according to: SO7779 ECMA-74 Other (only if not covered by ECMA-74)						

					_
Model number *		11EE, 11EF, 11HA, 11HB	eno	1/0	
Issue date *		2020-05-14	enc	VO,	×
Product	environr	mental attributes - Market requirements (continued)	Require	ment	met
Item			Yes	No	n.a.
	Electron	magnetic emissions			
P10.4	Compute program				
P12	Ergono	mics for computing products			
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13	Packagi	ing and documentation			
P13.1*	Product	packaging material type(s): <i>EPE</i> packaging material type(s): <i>HDPE</i> packaging material type(s): <i>Paper</i> weight (kg): 0.120 weight (kg): 0.010 weight (kg): 0.886			
P13.2*	Product	plastic primary packaging is free from PVC.	\boxtimes		
P13.3*		duct primary corrugated fiberboard packaging, specify the contained percentage of minimum poster recovered fiber content: 35 %	\boxtimes		
P13.4*		media for user and product documentation (tick box): tronic, ⊠Paper, □Other			
P13.5	Ùser and	only complete this item if paper documentation used) d product documentation on paper media is chlorine-free: elease specify:			
	Element	chlorine-free tal chlorine-free ed chlorine-free			
P14	Volunta	ry programs			
P14.1		duct meets the requirements of the following voluntary program(s):			

Date: 2020-5-21

Date:

Date:

NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more

Energy consumption of specific configuration may vary; description of the tested product configuration:

See Energy Star Qualified Notebooks & Tablet Computers for the latest information:http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO

Product category: I1, I2, D1, D2

Product category:

Product category:

Criteria version:8.0

Criteria version:

Criteria version:

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

ENERGY STAR®

Additional information (See NOTE B10)

Eco-label:

Eco-label:

information.

P15

P9

P9

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)* *These provisions shall not applywhere, for safety, performance, medical or data integrityreasons, continuity of power supply is necessary and requires apermanent connection between the appliance and the batteryor accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V50 SFF 07IMB Logo			
Model Number	11EE, 11EF, 11HA, 11HB			
Issue Date	2020-05-14 Lenovo			
Additional information	ENERGY STAR® Qualified;			

d)	year of manufacture:				2020				
e)	Etec value (kWh)per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3				
Test results capability adjustments applied during testing	Memory over base [GB]		30	-	28				
	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)				
	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)				
	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)				
	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)				
	Category of discrete graphics Card(s)		G3		G3				
	Etec Value (kWh) - dGfxdisabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		50.27		45.43				
	Etec Value (kWh) - dGfxenabled all discrete graphics cards (dGfx) are enabled		61.88		68.73				
g)) Idle state power demand (Watts);								
1)	Sleep mode power demand (Watts);		Cat-D:18.422 Cat-B: 0.971 Cat-D: 1.025						
)	Sleep mode with WOL enabled power demand (Watts) (where enabled);								
)	Off mode power demand (Watts); Cat-D: 1.24 Cat-B: 0.68i Cat-D: 0.61i								
k)	Off mode with WOL enabled power demand (Watts) (where enabled); Cat-D: 0.755 Cat-D: 0.755								
)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): <i>Model:PCK027</i> 10% 81.3 20% 85.2 50% 87.3 100% 84.8 Average 85.8								
m)	External power supply efficiency (if applicable)*:								
	Average active efficiency:								
o)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): N/A								
o-1)	Measurement methodology used to dete	nternal PSU efficiency:							

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: NA								
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries: N/A								
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:								
	IEC 62623 / IEC EN50564:2011 measurement methodology								
(q)	Sequence of steps for achieving a stable condition with respect to power demand:								
			Power on -> Wait 5 minutes ->Sta	able condition					
(r)	Description of how sleep and/or off mode was selected or programmed:								
Begin menu -> Power -> Select sleep or off mode									
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:								
	Control Pane	el->Power	Options-> Change Settings-> R	estore default settings for this plan					
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode(in minutes):								
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):								
(v)				te after user inactivity (in minutes):	10 minutes				
(w)	Information on the er	nergy-savi	ng potential of power management	functionality:					
	N/A								
(x)	User information on how to enable the power management functionality:								
Refer to User Guide									
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:								
	Test voltage in V and frequency in Hz230V/50Hz Total harmonic distortion of the electricity supply system≤2% Information and documentation on the instrumentation, set-up and circuits used for electrical testing								
	Instrument		Range Used						
	Type		Or ***	Make and Model **					
	AC Power Sou	ırce	1~280VAC;1~550HZ;1000VA.	NF;EC1000S; SN:9152124					
	Digital Watch Power Meter		Full range CASIO; HS-70W; SN:208Q08R						
			0~600V;0~20A	YOKOGAWA;WT210;SN:91M9445 60					
	Hygrothermog	ranh	15~35°C/15~90%	testo; 608-H1,SN:1034895602					
	Thermal anemome		0~20m/s,-20~70°C	Testo;425;SN:02591883					
	Light Measuring		1°;1-300cd/ m²	Konica Minolta;LS-110;					
A 1 1'4'	10111 154								
Additio	nal Notebook Batter			Detter Seel was replaced	2 2/2				
		Battery[ies] not user replaceable		Battery[ies] user replaceable	e n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)							
Internal/built-in Battery									
External/detachable Battery									
Bios Backup Battery									
Other:									
Addition	nal information								
					·				

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Aкумулаторната[ите] батерия[и] в тозипродуктнеможедасезамени[ят] лесноотсамитепотребители. Las baterías de esteproducto no pueden ser sustituidasfácilmente por los propiosusuarios. Výměnubaterie/baterií v tomtovýrobku by neměliprovádětsamiuživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkusdieses Produkts kann/könnennichtohneweiteres vom Benutzerselbstausgetauschtwerden.

Kasutajadeisaaselletoote akut/akusid ise hõlpsastiasendada.

Ημπαταρία[-ες] στοπροϊόναυτόδενμπορούννααντικατασταθούνεύκολααπότουςίδιουςτουςχρήστες

Ημπαταρία[-ες] στοπροϊόναυτόδενμπορούννααντικατασταθούνεὐκολααπότους[διουςτουςχρήστες La/les batterie(s présente(s) dans ceproduit ne peuventêtrefacilementremplacée(s) par les utilisateurseux-mêmes. Korisnik ne moželakozamijenitiBaterijusam u ovomproizvodu.

La batteria/le batterie in questoprodotto non può/possonoesserefacilmentesostituita/e dall'utente. Lietotājipašinevarnomainītšāražojumaakumulatoru(-us).

Šiogaminiobaterijos [bateriju] pats vartotojasnegalilengvaipakeisti.

A termékakkumulátorát/akkumulátorait a felhasználónemtudjaegyedülegyszerűenkicserélni. II-batterija/batterijif'danil-prodott ma tistax/jistgħuxtiġi/jiġusostitwita/i mill-utentistess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in ditproductis (zijn) door de gebruikernietgemakkelijkvervangbaar.
Użytkownik nie może sam w łatwysposóbwymienićbaterii w tymprodukcie.
Aou as bateriasdesteprodutonãopodem ser facilmentesubstituídaspelosprópriosutilizadores.

Bateria (bateriile) din acestprodus nu poate (pot) fi uşorînlocuită (înlocuite) de utilizatoriiînşişi. Batériu(-ie) v tomtovýrobkunemôževymieňaťpoužívateľ. Baterij/baterije v temizdelkuuporabnikisami ne morejozlahkazamenjati.

Tämäntuotteenakku [akut] ei[vät] ole helpostikäyttäjänvaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründekibatarya(lar) kullanıcılartarafındankolaylıkladeğiştirilemez.