

Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, iar de către autoritatea contractantă – în coloanele 1, 2, 6, 8]

Numărul procedurii de achiziție : ocde-b3wdp1-MD-1637135531004 din 24.11.2021							
Denumirea procedurii de achiziție:Tehnică de calcul							
Cod CPV	Denumirea bunurilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	8
Lot nr.1 Echipament informatic							
30213000-5	Bloc de sistem A	Workstation A	China	TrioMAC SRL	Bloc de sistem: CPU: Intel® Core™ i3-10100, S1200, 3.6-4.3GHz (4C/8T), 6MB Cache, Intel® UHD Graphics 630, 14nm 65W, sau analog MB: ASUS PRIME H410M-K, Socket 1200, Intel® H410 (10th Gen CPU), Dual 2xDDR4-2933, VGA, DVI, CPU Intel graphics, 1xPCIe X16, 4xSATA3, 2xPCIex1, ALC887 HDA, GbE LAN, 4xUSB3.2, 5X Pro III, mATX sau analog DDR: minim 8GB DDR4-3000 Kingston FURY® Beast DDR4, PC24000, CL15, 1.35V, 1Gx8, Auto-overclocking, Asymmetric BLACK low-profile heat spreader, Intel XMP Ready (Extreme Memory Profiles) sau analog SSD: M.2 NVMe SSD 250GB Samsung SSD 980 PRO, PCIe4.0 x4 / NVMe1.3c, M2 Type 2280 form factor, Seq. Read: 6400 MB/s, Seq. Write: 2700 MB/s, Max Random 4k: Read /Write: 500,000/600,000 IOPS, Samsung Elpis Controller, 512MB LPDDR4, V-NAND 3-bit MLC sau analog HDD: minim 3.5" HDD 1.0TB Western Digital WD10EZEX Caviar® Blue™, CMR Drive, 7200rpm, 64MB, SATAIII sau analog DVD-RW : LG HLDS "GH24NSD5" sau analog (SATA), Black, CASE: ATX 550W Soho 5911BK sau analog cu PSU XILENCE XP550MR11, 550W, "Performance A+ III" Series / Semi-Modular, ATX 2.52, 80 PLUS® BRONZE Active PFC, 120mm fan,+12V(37.5A), 20+4 Pin, 5x SATA, 1x PCI-E 6+2pin, 3x Peripheral, ErP2014 norm, Black sau analog.	CPU Intel Core i3-10100, S1200, 3.6-4.3GHz (4C/8T), 6MB Cache, Intel UHD 630, 14nm 65W, BOX ASUS PRIME H410M-K R2.0 Intel H470 LGA 1200 micro ATX 8GB DDR4-3200 GOODRAM, PC25600, CL22, 1.2V GR3200D464L22S/8G Samsung 980 PRO M.2 250 GB PCI Express 4.0 V-NAND MLC NVMe Toshiba P300 1TB 3.5" 1000 GB Serial ATA III "DVD-RW intern, LG, interfata S-ATA, negru, „GH24NSD5” (include TV 0.75 lei) SKU: GH24NSD5" PSU XILENCE Performance A+ III , 550Watt, Semi-Modular XP550MR11 Case ATX Soho 5911BK, 1xUSB3.0, 2xUSB2.0, Black	

30213000-5	Bloc de sistem B	Workstation B	China	TrioMAC SRL	Bloc de sistem : CPU: Intel Core i3-10100 sau analog, 3.6-4.3GHz, cu următoarele caracteristici minime: 4C/8T, 6MB, S1200, 14nm, Integrated UHD Graphics 630, 65W, Box MB: S1200 Gigabyte H410M H 1.0 mATX sau analog. DDR: 8GB DDR4- 3200MHz Kingston ValueRAM sau analog, PC25600, CL22, 288pin DIMM 1.2V.M.2 NVMe SSD: minim128GB ADATA XPG SX6000 Lite sau analog [PCIe3.0 x4, R/W:1800/600MB/s, 100/130K IOPS, 3DTLC] HDD: 3.5" minim 1.0TB-SATA - 64MB Toshiba "Performance P300 (HDWD110UZSVA)" sau analog. DVD-RW Drive LG HLDS "GH24NSD5" sau analog (SATA), Black, Bulk Case: ATX 550W Sohoo 5911BK sau analog, minim1xUSB3.0, minim 2xUSB 2.0, Black, ATX-550W-12cm. Tastiera - Logitech K200 Multimedia sau analog, Thin profile, Quiet typing, Spill-resistant, Black, USB Mouse - Mouse Logitech M100 sau analog, Optical, minim 1000 dpi, 3 buttons, Ambidextrous, Gray, USB Mouse Pad (covoraş mouse) - Black, dimensiuni minime: 250 × 350 × 3mm Boxe - SVEN "SPS-607" Black sau analog, putere : minim 6w Filtru - Surge Protector 6 Sockets, minim 3.0m, Sven "SF-06L" sau analog, BLACK, Retail color box, flame-retardant.	CPU Intel Core i3-10100, S1200, 3.6-4.3GHz (4C/8T), 6MB Cache, Intel UHD 630, 14nm 65W, BOX ASUS PRIME H410M-K R2.0 Intel H470 LGA 1200 micro ATX 8GB DDR4-3200 GOODRAM, PC25600, CL22, 1.2V GR3200D464L22S/8G SSD ADATA, XPG SX6000 Lite, 128 GB, M.2, PCIe Gen3.0 x4, 3D TLC Nand, R/W: 1800/600 MB/s Toshiba P300 1TB 3.5" 1000 GB Serial ATA III "DVD-RW intern, LG, interfata S-ATA, negru, „GH24NSD5” (include TV 0.75 lei) SKU: GH24NSD5" Case ATX 550W Sohoo 5911BK, 1xUSB3.0, 2xUSB2.0, Black, ATX-550W-12cm Logitech Keyboard K200 Multimedia, USB, Russian Layout Logitech B100 Optical Mouse, White, USB, OEM Mouse Pad Esperanza EGP103K CLASSIC MAXII, Gaming mouse pad, 400x300x3 mm, Rubber bottom Speakers 2.0 Esperanza Folk EP122, 6W (2 x 3W) Surge Protector 6 Sockets, 3.0m, Ultra Power, black, UP6-B-10PPB	
30213000-5	Monitor	VA2732-H	China	VIEWSONIC	Monitor min.27.0" ACER IPS LED HA270A ZeroFrame Black (4ms, 100M:1, 250cd,	MONITOR LCD 27" IPS/VA2732-H VIEWSONIC,	

					1920x1080, 178°/178°, VGA, HDMI) [UM.HW0EE.A04] sau analog	„VA2732-H” HDMI,VGA,250 cd/mp,IPS Full HD (1920 x 1080)	
30200000-1	Printer color	L805	China	Epson	Printer Epson L810 sau analog, formatul hîrtiei: A4	Printer Epson L805, A4	
30200000-1	Printer laser (cu duplex)	LBP226dw	China	Canon	Printer Canon i-Sensys LBP212dw sau analog	Canon i-Sensys LBP226dw, A4, Functii: Impr., Viteza de Printare Monocrom: 38ppm, Conectivitate:USB Ret WiFi, Duplex	
Lot nr.3 Camere web cu microfon							
30237000-9	Camera web cu microfon	SPW-CAM-01	China	Spacer	Webcam rezoluție minimă HD, cu microfon incorporat.	Camera Web Spacer Full HD, 2MP, Autofocus, Microphone SPW-CAM-01	

Semnat: _____ Numele, Prenumele: Constantin Alexandru
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16

În calitate de: director