





健安医用敷料

Jianan Medical Products

Declaration

Hereby, we *Nantong Jianan Medical Products Co., Ltd*, based in *2nd Floor, 7th Building, Electronic Industry Park, No.9, Xindong Road, Nantong Economic and Technological Development Zone, 226010 Jiangsu, PR China*, confirm technical parameters of our products:

Product name	Description	Picture
<p>BANDAJ DE TIFON NEȚESUT 7M X 14CM, NESTERILE</p> <p>(NON-WOVEN GAUZE BANDAGE 7M X 14CM, NON-STERILE)</p>	<p>Gauze bandage, width 14cm, NON-STERILE, hydrophilic, density 32g/m².</p> <ul style="list-style-type: none"> - 100% cotton, - it is rolled and conditioned in individual packaging, without seams and weaving defects - bandage fabric does not allow loose threads to come off at the edges <p>Physical-mechanical characteristics:</p> <ul style="list-style-type: none"> - width 14cm - length 7m - density 32 g/m² - fabric connection=cloth - physical-chemical characteristics: - hydrophilicity max 10 seconds - the bleaching agent used: non-toxic, non-allergic, non-flammable - manufactured according to the SM SR EN 14079:2003 standard - Density: in the warp, threads/10cm=min 116, in the weft, threads/10cm=min 96. - 50x200mm fabric breaking load: in warp, N, min=60 	
<p>BANDAJ DE TIFON NEȚESUT 7M X 14CM, STERILE</p> <p>(NON-WOVEN GAUZE BANDAGE 7M X 14CM, STERILE)</p>	<p>Gauze bandage, width 14cm, STERILE, hydrophilic, density 32g/m².</p> <ul style="list-style-type: none"> - 100% cotton, - it is rolled and conditioned in individual packaging, without seams and weaving defects - bandage fabric does not allow loose threads to come off at the edges <p>Physical-mechanical characteristics:</p> <ul style="list-style-type: none"> - width 14cm - length 7m - density 32 g/m² - fabric connection=cloth - physical-chemical characteristics: hydrophilicity max 10 seconds - the bleaching agent used: non-toxic, non-allergic, non-flammable - manufactured according to the SM SR EN 14079:2003 standard Density: in the warp, threads/10cm=min 116, in the weft, threads/10cm=min 96. - 50x200mm fabric breaking load: in warp, N, min=60 	



健安医用敷料

Jianan Medical Products

<p>BANDAJ DE TIFON NEȚESUT 5M X 10CM, NESTERILE</p> <p>(NON-WOVEN GAUZE BANDAGE 5M X 10CM, NON-STERILE)</p>	<p>Gauze bandage, width 10cm, NON-STERILE, hydrophilic, density 32g/m².</p> <ul style="list-style-type: none"> - 100% cotton, - it is rolled and conditioned in individual packaging, without seams and weaving defects - bandage fabric does not allow loose threads to come off at the edges <p>Physical-mechanical characteristics:</p> <ul style="list-style-type: none"> - width 10cm - length 5m - density 32 g/m² - fabric connection=cloth - physical-chemical characteristics: - hydrophilicity max 10 seconds - the bleaching agent used: non-toxic, non-allergic, non-flammable - manufactured according to the SM SR EN 14079:2003 standard - Density: in the warp, threads/10cm=min 116, in the weft, threads/10cm=min 96. - 50x200mm fabric breaking load: in warp, N, min=60 	
<p>BANDAJ DE TIFON NEȚESUT 5M X 10CM, STERILE</p> <p>(NON-WOVEN GAUZE BANDAGE 5M X 10CM, STERILE)</p>	<p>Gauze bandage, width 10cm, STERILE, hydrophilic, density 32g/m².</p> <ul style="list-style-type: none"> - 100% cotton, - it is rolled and conditioned in individual packaging, without seams and weaving defects - bandage fabric does not allow loose threads to come off at the edges <p>Physical-mechanical characteristics:</p> <ul style="list-style-type: none"> - width 10cm - length 5m - density 32 g/m² - fabric connection=cloth - physical-chemical characteristics: hydrophilicity max 10 seconds - the bleaching agent used: non-toxic, non-allergic, non-flammable - manufactured according to the SM SR EN 14079:2003 standard - Density: in the warp, threads/10cm=min 116, in the weft, threads/10cm=min 96. - 50x200mm fabric breaking load: in warp, N, min=60 	
<p>TIFON MEDICAL 0.9 M X 1000 M</p> <p>MEDICAL GAUZE 0.9 M X 1000 M</p>	<p>Medical gauze, non-sterile, 90 cm, density 32 g/m²</p> <ul style="list-style-type: none"> - 100% cotton, - it is rolled and conditioned in individual packaging, without seams and weaving defects - gauze fabric does not allow loose threads to come off at the edges <p>Physical-mechanical characteristics:</p> <ul style="list-style-type: none"> - width 90 CM - density 32 g/m² - fabric connection=cloth - physical-chemical characteristics: hydrophilicity up to 10 sec. - the bleaching agent used: non-toxic, non-allergic, non-flammable - manufactured according to the SM SR EN 14079:2003 standard - Density: in the warp, threads/10cm=min 116, in the weft, threads/10cm=min 96. - 50x200mm fabric breaking load: in warp, N, min=60, In the weft, N, min=40 	



健安医用敷料

Jianan Medical Products

Place: Nantong City



Date: 02/09/2024

Signed: