



CATHMEDICAL CARDIOVASCULAR, S.A.

C/ Duero 37 BIS Local 15 P.S.

C.C El Bosque

Villaviciosa de Odon

28670 – MADRID (SPAIN)

TEL. (34)-91-604-40-88

FAX. (34)-91-141-23-64

www.cathmedical.com

e-mail: info@cathmedical.com

Description

Hemofisiodynamic Monitor Software Picasso Cathmed

Cathlab Monitoring System Ref. 340-500-006

- Picasso Cathmed Software license (English Software)

- Software protection key

- Intel PC Computer

- TFT Color Monitor 27"

- Video splitter

- Laserprinter Laserjet

- Front-end Amplifier PB3000

- *ECG 12 Leads

- *Invasive Blood Pressure x 2 channels

- *SpO2 (Pulse oximeter)

- *Cardiac Output

- *Non-invasive blood pressure

- *Respiration

- *Temperature

- Accessories:

Cardiac Output Y-connection cable

NIBP connecting cable 3,5 m

Masimo SpO2 Reusable Fingerclip Sensor

Extension cable Masimo SpO2

10-lead ECG patient cable IEC with clip

Temperature probe

Adult NIBP cuff with micro connection

Front-end mounting device

- Installation Cables

VGA extension cable 15 mts.

Serial extension cable 15 mts.





CATHMEDICAL CARDIOVASCULAR, S.A.

C/ Duero 37 BIS Local 15 P.S.

C.C El Bosque

Villaviciosa de Odon

28670 – MADRID (SPAIN)

TEL. (34)-91-604-40-88

FAX. (34)-91-141-23-64

www.cathmedical.com

