

PRODUCT LISTING – MEGASYSTEM-C®

The following chapter gives an overview about the item codes of the above mentioned product.

Neck segments, massive, Megasytem-C®, Ti6Al4V acc. to ISO 5832-3 and ASTM F136; Ti6Al4V acc. to ASTM F1108; CoCrMo acc. to ISO 5832-12

Article number	Description
15-8503/35	135° CCD, 65 mm
15-8503/26	126° CCD, 65 mm
15-8504/35	135° CCD, 35 mm
15-8504/26	126° CCD, 35 mm



Neck segments without collar, microporous, Ti6Al4V acc. to ASTM F1108; CoCrMo acc. to ISO 5832-12; Ti6Al4V acc. to ISO 5832-3 and ASTM F136

Article number	Description
172-964/35	135° CCD, 65 mm
172-964/26	126° CCD, 65 mm
172-965/35	135° CCD, 35 mm
172-965/26	126° CCD, 35 mm



Neck segments with collar, microporous, Ti6Al4V acc. to ASTM F1108; CoCrMo acc. to ISO 5832-12; Ti6Al4V acc. to ISO 5832-3 and ASTM F136

Article number	Description
172-960/35	135° CCD, 65 mm
172-960/26	126° CCD, 65 mm
172-961/35	135° CCD, 35 mm
172-961/26	126° CCD, 35 mm



Neck segments XXL without collar, 40 mm offset, microporous, Ti6Al4V acc. to ASTM F1108; CoCrMo acc. to ISO 5832-12; Ti6Al4V acc. to ISO 5832-3 and ASTM F136

Article number	Description
172-984/35	135° CCD, 65 mm
172-984/26	126° CCD, 65 mm
172-985/35	135° CCD, 35 mm
172-985/26	126° CCD, 35 mm



PRODUCT LISTING – MEGASYSTEM-C®

Neck segments XXL with collar, 40 mm offset, microporous, Ti6Al4V acc. to ASTM F1108; CoCrMo acc. to ISO 5832-12; Ti6Al4V acc. to ISO 5832-3 and ASTM F136

Article number	Description
172-980/35	135° CCD, 65 mm
172-980/26	126° CCD, 65 mm
172-981/35	135° CCD, 35 mm
172-981/26	126° CCD, 35 mm



Expansion bolts, CoCrMo acc. to ISO 5832-12

Article number	Description
172-947/38	Key width 8mm, 41 mm
172-947/58	Key width 8mm, 61 mm



Proximal spacers, CoCrMo acc. to ISO 5832-12

Article number	Description
172-950/10	10 mm
172-950/20	20 mm



Push-trough stems for total femur replacement, CoCrMo acc. to ISO 5832-12; UHMWPE acc. to ISO 5834-2 and ASTM F 648

Article number	Description
15-8523/70	Ø 14 mm, 120 mm
15-8523/71	Ø 14 mm, 160 mm
15-8523/72	Ø 14 mm, 200 mm
15-8523/73	Ø 14 mm, 240 mm
15-8523/74	Ø 14 mm, 280 mm
15-8523/75	Ø 14 mm, 320 mm
15-8523/76	Ø 14 mm, 360 mm
15-8522/70	Ø 16 mm, 120 mm
15-8522/71	Ø 16 mm, 160 mm
15-8522/72	Ø 16 mm, 200 mm
15-8522/73	Ø 16 mm, 240 mm
15-8522/74	Ø 16 mm, 280 mm
15-8522/75	Ø 16 mm, 320 mm
15-8522/76	Ø 16 mm, 360 mm



PRODUCT LISTING – MEGASYSTEM-C[®]

Coupling for diaphyseal spacer, Ti6Al4V acc. to ISO 5832-3 and ASTM F 136; UHMWPE acc. to ISO 5834-2 and ASTM F 648, CoCrMo acc. to ISO 5832-12

Article number	Description
15-8522/65	-




Stem segments, Ø 28 mm, Ti6Al4V acc. to ISO 5832-3 and ASTM F 136

Article number	Description
15-8522/02	30 mm
15-8522/04	40 mm
15-8522/06	50 mm
15-8522/08	60 mm
15-8522/10	100 mm
15-8522/12	150 mm
15-8522/14	200 mm
15-8522/16	250 mm



Coupling components for femur replacement, CoCrMo acc. to ISO 5832-12

Article number	Description
15-8522/24	Total femur replacement, short
15-8522/26	Total femur replacement, long
15-8522/28	Proximal femur replacement, short
15-8522/30	Proximal femur replacement, long



Support ring, height 10 mm, Ti6Al4V acc. to ISO 5832-3 and ASTM F136; CoCrMo acc. to ISO 5832-12

Article number	Description
15-8502/66	up to Ø 18 mm



Terminals, height 10 mm, oval, Ti6Al4V acc. to ISO 5832-3 and ASTM F 136

Article number	Description
15-8512/83	I-Ø 24,3 mm, 26x34 mm
15-8512/84	I-Ø 24,3 mm, 30x44 mm
15-8512/85	I-Ø 24,3 mm, 34x48 mm



PRODUCT LISTING – MEGASYSTEM-C®

Modular stem, cementless, Ti6Al4V acc. to ISO 5832-3 and ASTM F 136

Article number	Description
15-8524/50	L= 100 mm, Ø 12/9 mm
15-8524/51	L= 100 mm, Ø 13/10 mm
15-8524/52	L= 100 mm, Ø 14/11 mm
15-8524/53	L= 100 mm, Ø 15/12 mm
15-8524/54	L= 100 mm, Ø 16/13 mm
15-8524/55	L= 100 mm, Ø 17/14 mm
15-8524/56	L= 100 mm, Ø 18/15 mm
15-8524/57	L= 100 mm, Ø 19/16 mm
15-8524/58	L= 100 mm, Ø 20/17 mm
15-8524/59	L= 100 mm, Ø 21/18 mm
15-8524/60	L= 100 mm, Ø 22/19 mm
15-8524/61	L= 100 mm, Ø 23/20 mm
15-8524/62	L= 100 mm, Ø 24/21 mm
15-8523/50	L= 130 mm, Ø 12/8 mm
15-8523/51	L= 130 mm, Ø 13/9 mm
15-8523/52	L= 130 mm, Ø 14/10 mm
15-8523/53	L= 130 mm, Ø 15/11 mm
15-8523/54	L= 130 mm, Ø 16/12 mm
15-8523/55	L= 130 mm, Ø 17/13 mm
15-8523/56	L= 130 mm, Ø 18/14 mm
15-8523/57	L= 130 mm, Ø 19/15 mm
15-8523/58	L= 130 mm, Ø 20/16 mm
15-8523/59	L= 130 mm, Ø 21/17 mm
15-8523/60	L= 130 mm, Ø 22/18 mm
15-8523/61	L= 130 mm, Ø 23/19 mm
15-8523/62	L= 130 mm, Ø 24/20 mm
15-8522/50	L= 160 mm, Ø 12/7 mm
15-8522/51	L= 160 mm, Ø 13/8 mm
15-8522/52	L= 160 mm, Ø 14/9 mm
15-8522/53	L= 160 mm, Ø 15/10 mm
15-8522/54	L= 160 mm, Ø 16/11 mm
15-8522/55	L= 160 mm, Ø 17/12 mm
15-8522/56	L= 160 mm, Ø 18/13 mm
15-8522/57	L= 160 mm, Ø 19/14 mm



PRODUCT LISTING – MEGASYSTEM-C®

15-8522/58	L= 160 mm, Ø 20/15 mm
15-8522/59	L= 160 mm, Ø 21/16 mm
15-8522/60	L= 160 mm, Ø 22/17 mm
15-8522/61	L= 160 mm, Ø 23/18 mm
15-8522/62	L= 160 mm, Ø 24/19 mm

Modular stem, cementable, CoCrMo acc. to ISO 5832-12

Article number	Description
15-8524/40	L=100mm, Ø 12/9 mm
15-8524/42	L=100mm, Ø 14/11 mm
15-8524/44	L=100mm, Ø 16/13 mm
15-8523/40	L=130mm, Ø 12/8 mm
15-8523/42	L=130mm, Ø 14/10 mm
15-8523/44	L=130mm, Ø 16/12 mm
15-8522/40	L=160mm, Ø 12/7 mm
15-8522/42	L=160mm, Ø 14/9 mm
15-8522/44	L=160mm, Ø 16/11 mm



Femoral component, intracondylar, CoCrMo acc. to ISO 5832-4, CoCrMo acc. to ISO 5832-12 and UHMWPE acc. to ISO 5834-2 and ASTM F 648

Article number	Description
16-2821/21	right, small / 63 mm
16-2821/22	left, small / 63 mm
16-2823/21	right, medium / 69 mm
16-2823/22	left, medium / 69 mm
16-2825/21	right, large / 72,5 mm
16-2825/22	left, large / 72,5 mm



Distal femoral component, CoCrMo acc. to ISO 5832-12, CoCrMo acc. to ISO 5832-4 and UHMWPE acc. to ISO 5834.2 and ASTM F 648

Article number	Description
16-2853/21	right, small / 60 mm
16-2853/22	left, small / 60 mm
16-2855/21	right, medium / 65 mm
16-2855/22	left, medium / 65 mm
16-2857/21	right, large / 75 mm
16-2857/22	left, large / 75 mm



PRODUCT LISTING – MEGASYSTEM-C®

Femoral segments, medial, height 25 mm, Ti6Al4V alloy acc. to ISO 5832-3 and ASTM F136

Article number	Description
15-8517/01	right, small
15-8517/02	right, medium
15-8517/03	right, large
15-8518/01	left, small
15-8518/02	left, medium
15-8518/03	left, large



Femoral segments, medial, height 25 mm, UHMWPE acc. to ISO 5834-2 and ASTM F 648

Article number	Description
15-8519/01	right, small
15-8519/02	right, medium
15-8519/03	right, large
15-8520/01	left, small
15-8520/02	left, medium
15-8520/03	left, large



Femoral segments, lateral, height 25 mm, Ti6Al4V alloy acc. to ISO 5832-3 and ASTM F136

Article number	Description
15-8517/11	right, klein
15-8517/12	right, medium
15-8517/13	right, large
15-8518/11	left, small
15-8518/12	left, medium
15-8518/13	left, large



Femoral segments, lateral, height 25 mm, UHMWPE acc. to ISO 5834-2 and ASTM F 648

Article number	Description
15-8519/11	right, small
15-8519/12	right, medium
15-8519/13	right, large
15-8520/11	left, small
15-8520/12	left, medium
15-8520/13	left, large



PRODUCT LISTING – MEGASYSTEM-C®

Modular joint components, total condylar replacement, CoCrMo acc. to ISO 5832-12, CoCrMo acc. to ISO 5832-4 and UHMWPE acc. to ISO 5834.2 and ASTM F 648

Article number	Description
15-8521/06	right, small
15-8521/08	left, small
15-8521/10	right, medium
15-8521/12	left, medium
15-8521/14	right, large
15-8521/16	left, large



Joint component unit, total condylar replacement, CoCrMo acc. to ISO 5832-12, CoCrMo acc. to ISO 5832-4 and UHMWPE acc. to ISO 5834.2 and ASTM F 648

Article number	Description
15-8521/05	right, small
15-8521/07	left, small
15-8521/09	right, medium
15-8521/11	left, medium
15-8521/13	right, large
15-8521/15	left, large



Modular joint components, intracondylar, CoCrMo acc. to ISO 5832-12, CoCrMo acc. to ISO 5832-4 and UHMWPE acc. to ISO 5834.2 and ASTM F 648

Article number	Description
15-8521/26	right, small
15-8521/28	left, small
15-8521/30	right, medium
15-8521/32	left, medium
15-8521/34	right, large
15-8521/36	left, large



Joint component unit, intracondylar, CoCrMo acc. to ISO 5832-12, CoCrMo acc. to ISO 5832-4 and UHMWPE acc. to ISO 5834.2 and ASTM F 648

Article number	Description
15-8521/25	right, small
15-8521/27	left, small
15-8521/29	right, medium
15-8521/31	left, medium
15-8521/33	right, large
15-8521/35	left, large



PRODUCT LISTING – MEGASYSTEM-C®

Tibial components, CoCrMo acc. to ISO 5832-12, CoCrMo acc. to 5832-4 and UHMWPE acc. to ISO 5834-2 and ASTM F 648

Article number	Description
15-2814/02	neutral, small
15-2814/03	neutral, medium
15-2814/04	neutral, large



Tibial component neutral, CoCrMo acc to ISO 5832-12, CoCrMo acc. to 5832-4, UHMWPE acc. to ISO 5834-2 and ASTM F 648

Article number	Description
16-2817/02	small / 60 mm
16-2817/05	medium / 65 mm
16-2817/07	large / 75 mm



Tibial component system SL, CoCrMo acc to ISO 5832-12, CoCrMo acc. to 5832-4, UHMWPE acc. to ISO 5834-2 and ASTM F 648

Article number	Description
16-2817/32	small / 60 mm
16-2817/35	medium / 65 mm
16-2817/37	large / 75 mm



Proximal tibial component, modular neutral, Ti6Al4V alloy acc. to ISO 5832-3 and ASTM F 136, CoCrMo acc. to ISO 5832-12 and UHMWPE acc. to ISO 5834-2 and ASTM F 648

Article number	Description
16-2849/22	medium / 60 mm
16-2849/25	medium / 65 mm
16-2849/27	large / 75 mm



PRODUCT LISTING – MEGASYSTEM-C®

Connection components, CoCrMo acc. to ISO 5832-12, CoCrMo acc. to ISO 5832-4 and UHMWPE acc. to ISO 5834-2 and ASTM F 648



Article number	Description
16-2840/02	Rotational version, small
16-2840/05	Rotational version, medium
16-2840/07	Rotational version, large
16-2841/02	Hinged version, small
16-2841/05	Hinged version, medium
16-2841/07	Hinged version, large

Modular stems, cementless, female taper, Ti6Al4V acc. to ISO 5832-3 and ASTM F 136

Article number	Description
15-8517/50	Ø 12 / 9 mm
15-8517/51	Ø 13 / 10 mm
15-8517/52	Ø 14 / 11 mm
15-8517/53	Ø 15 / 12 mm
15-8517/54	Ø 16 / 13 mm
15-8517/55	Ø 17 / 14 mm
15-8517/56	Ø 18 / 15 mm
15-8516/50	Ø 12 / 8 mm
15-8516/51	Ø 13 / 9 mm
15-8516/52	Ø 14 / 10 mm
15-8516/53	Ø 15 / 11 mm
15-8516/54	Ø 16 / 12 mm
15-8516/55	Ø 17 / 13 mm
15-8516/56	Ø 18 / 14 mm
15-8515/50	Ø 12 / 7 mm
15-8515/51	Ø 13 / 8 mm
15-8515/52	Ø 14 / 9 mm
15-8515/53	Ø 15 / 10 mm
15-8515/54	Ø 16 / 11 mm
15-8515/55	Ø 17 / 12 mm
15-8515/56	Ø 18 / 13 mm



PRODUCT LISTING – MEGASYSTEM-C®

Modular stems, cementable, female taper, CoCrMo acc. to ISO 5832-12

Article number	Description
15-8527/40	Ø 12 / 9 mm
15-8527/42	Ø 14 / 11 mm
15-8527/44	Ø 16 / 13 mm
15-8526/40	Ø 12 / 8 mm
15-8526/42	Ø 14 / 10 mm
15-8526/44	Ø 16 / 12 mm
15-8525/40	Ø 12 / 7 mm
15-8525/42	Ø 14 / 9 mm
15-8525/44	Ø 16 / 11 mm



Centralizers, UHMWPE acc. to ISO 5834-2 and ASTM F 648

Article number	Description
15-2975/01	Set Ø 12 mm, Ø 14 mm, Ø 16 mm
15-2975/12	Ø 12 mm
15-2975/14	Ø 14 mm
15-2975/16	Ø 16 mm



Patella components, UHMWPE acc. to ISO 5834-2 and ASTM F 648



Article number	Description
318-401/25	Ø 25 mm / 7 mm
318-401/28	Ø 28 mm / 8 mm
318-401/31	Ø 31 mm / 9 mm
318-401/34	Ø 34 mm / 10 mm

