


Broncho-Fiberscopes







Special Features:

- Large viewing angle and movable distal tip facilitates orientation
- Working channel for the use of operating instruments
- Functional: simultaneous suction and application of medication via removable suction valve
- Waterproof, fully immersible for cleaning and disinfection
- Simple leakage test takes only a few minutes and requires no additional accessories
- Gas-sterilizable with EtO and FO gas, Steris® and Sterrad®
- Recommended for use in conjunction with KARL STORZ ENDOVISION® TELECAM SL II PDD SCB System
- Exceptional optical quality of both lens and fiber optic image transmission bundle
- Resistant construction and robust mechanical components ensure long life of the instrument



5-041

Broncho-Fiberscopes

Broncho-Fiberscopes	Art. No.		Deflection up/down	Direction of view	Angle of view	
6.4 mm x 54 cm Broncho-Fiberscope	11004 BC			0°	110°	
5.6 mm x 54 cm Broncho-Fiberscope	11009 BC1			0°	110°	
5 mm x 54 cm Broncho-Fiberscope for Adults	11001 BN1			0°	110°	
3.7 mm x 54 cm Broncho-Fiberscope for Children	11002 BD			0°	90°	
2.8 mm x 54 cm Broncho-Fiberscope	11003 BC			0°	90°	
2.8 mm x 70 cm Broncho-Fiberscope, for examining segmental bronchi	11005 BC			0°	90°	

Broncho-Fiberscopes for Autofluorescence see chapter 13, FLUORESCENCE
Accessories included in delivery and optional accessories see pages 634-639




	Working length	Total length	Working channel inner diameter	Distal tip outer diameter	Accessories (included in delivery)						
					Case	Pressure Comp. Cap	Leakage Tester	Mouth Piece	Cleaning Brush	Biopsy Forceps	Grasping Forceps
	54 cm	82 cm	2.8 mm	6.4 mm	27677 BB	11025 E	13242 XL	13272	27651 C	11001 KL	11002 KS
	54 cm	82 cm	2.6 mm	5.5 mm	27677 BB	11025 E	13242 XL	13272	27651 C	11001 KL	11002 KS
	54 cm	82 cm	2.3 mm	5.2 mm	27677 BB	11025 E	13242 XL	13272	27651 B	11001 KL	11002 KS
	54 cm	82 cm	1.5 mm	3.6 mm	27677 BB	11025 E	13242 XL	13272	27651 AL	11003 MA	11003 MB
	54 cm	82 cm	1.2 mm	2.5 mm	27677 BB	11025 E	13242 XL	13272	27651 AK	11003 MA	11003 MB
	70 cm	98 cm	1.2 mm	2.5 mm	27677 BB	11025 E	13242 XL	13272	27651 AL	11003 MA	11003 MB

11-981

1 Geräteabbildungen

1 Photographs of the unit

1 Imágenes del equipo





2 Bedienungselemente

Anschlüsse, Zubehör und Ihre Funktion

495F	Lichtkabeladapter für Wolf
495G	Lichtkabeladapter für KARL STORZ, Olympus, Winter & Ibe
11025E	Druckausgleichskappe (rot)
11301CA	Lippenventil für Einmalgebrauch, Packung mit 20 Stück
13242XA	Adapter für Dichtigkeitstest in Reinigungs- und Desinfektionsmaschinen (grün)
29100	Stopfen für Instrumentenkanal, Packung mit 10 St., wiederverwendbar
11301CB	Absaugventileinsatz, wiederverwendbar
5917800	Dichtungsring (Absaugventileinsatz)
6885391	Kappe (Absaugventileinsatz)
5923110	Feder (Absaugventileinsatz)
6927791	Gehäuse (Absaugventileinsatz)
8567290	Stößel (Absaugventileinsatz)
11301CE	Absaugventileinsatz für Einmalgebrauch, Packung mit 20 Stück
11301D1	LED-Batterielichtquelle mit Feinschraubgewinde
11301D3	LED-Batterielichtquelle mit Schnellschraubgewinde
6927691	Dreiwege Doppelhahn-Adapter mit LUER-Lock
6011590	LUER-Verschlusskappe
600007	Schlaucholive dünn mit LUER-Lock

2 Controls

Connectors, accessories and their uses

495F	Light cable adaptor for Wolf
495G	Light cable adaptor for KARL STORZ, Olympus, Winter & Ibe
11025E	Pressure compensation cap (red)
11301CA	Lip valve, disposable version, pack of 20
13242XA	Adaptor for leakage test in cleaning and disinfection machines (green)
29100	Plug for instrument channel, pack of 10, reusable
11301CB	Suction valve insert, reusable version
5917800	Seal ring (suction valve insert)
6885391	Cap (suction valve insert)
5923110	Spring (suction valve insert)
6927791	Housing (suction valve insert)
8567290	Plunger (suction valve insert)
11301CE	Suction valve insert, disposable version, pack of 20
11301D1	LED battery-powered light source with fine screw thread
11301D3	LED battery-powered source with quick-release thread
6927691	Three-way double stopcock adaptor with LUER-Lock
6011590	LUER cap
600007	Barbed tube, thin, with LUER-Lock

2 Elementos de mando


Conexiones, accesorios y sus funciones

495F	Adaptador para cable de luz Wolf
495G	Adaptador p/ cable de luz KARL STORZ, Olympus, Winter & Ibe
11025E	Caperuza compens. presión (roja)
11301CA	Válvula de labios desechable, envase de 20 unidades
13242XA	Adapt. p/verif. estanqueidad en máq. p/limpieza y desinfección (verde)
29100	Tapón p/canal de instrumento, envase de 10 unidades, reutilizable
11301CB	Suplemento para válvula succión, reutilizable
5917800	Anillo obtur. (supl. p/válv. suc.)
6885391	Caperuza (supl. p/válv. succión)
5923110	Muelle (suplem. p/válv. succión)
6927791	Carcasa (supl. p/válv. succión)
8567290	Taqué (supl. p/válv. succión)
11301CE	Suplem. p/válvula de succión desechable, envase de 20 unidades
11301D1	Fuente de luz a pila con diodo luminoso, con rosca fina
11301D3	Fuente de luz a pila con diodo luminoso, con rosca de conexión rápida
6927691	Adapt. p/llave doble de 3 vías con cierre LUER
6011590	Caperuza de cierre LUER
600007	Oliva delgada p/tubo flex. c/cierre

Bedienungselemente

Controls

Elementos de mando



13242XL	Dichtigkeitstester	13242XL	Leakage tester	13242XL	Verificador de estanqueidad
13272	Beißschutzring	13272	Mouth piece	13272	Protección para la dentadura
11301CF	Tubushalter nach LIPP	11301CF	LIPP tube holder	11301CF	Soporte p/tubo según LIPP
11301BM	Adapter für Dichtigkeitstest in Belimed Reinigungsmaschinen	11301BM	Adaptor for leakage test in Belimed cleaning machines	11301BM	Adaptador p/verificac. de estanqueidad en máq. de limpieza Belimed
11301CD	Adapter zur Reinigung des Arbeitskanals in Reinigungsmaschinen (grün)	11301CD	Adaptor for machine cleaning the working channel (green)	11301CD	Adapt. p/limpieza canal de trabajo en máquina de limpieza (verde)
11301HH	Adapter für Dichtigkeitstest in BHT-Reinigungsmaschinen	11301HH	Adaptor for leakage test in BHT cleaning machines	11301HH	Adaptador p/verif. de estanqueidad en máquina de limpieza BHT
11301FF2	Adapter für Dichtigkeitstest in ETD2/ETD3-Reinigungsmaschinen mit Rückschlagventil	11301FF2	Adaptor for leakage test in ETD2/ETD3 cleaning machines with nonreturn valve	11301FF2	Adaptador p/verif. de estanqueidad en máquina de limpieza ETD2/ETD3 con válvula de retención
11301GG2	Adapter zur Reinigung des Arbeitskanals in ETD2/ETD3-Reinigungsmaschinen	11301GG2	Adaptor for cleaning the working channel in ETD2/ETD3 machines	11301GG2	Adaptador p/limpieza canal de trabajo en máquina de limpieza ETD2/ETD3
11301KK2	Verbindungsadapter zur Reinigung des Arbeitskanals in ETD3-Reinigungsmaschinen	11301KK2	Connecting adaptor for cleaning the working channel in ETD3 cleaning machines	11301KK2	Adaptador p/limpieza canal de trabajo en máquina de limpieza ETD3
6011590	LUER-Verschlusskappe	6011590	LUER cap	6011590	Caperuza de cierre LUER
11301 GG2					



Proximal end



Distal end



Cleaning Brushes, for working channel sizes 2 – 2.3 mm:

- | | |
|-----------|--|
| 110940-50 | Cleaning Brush , with double-sided brush, length 90 cm, brush diameter 2.6 mm, unsterile, for single use, package of 50, for use with flexible endoscopes with working channel diameters 2 – 2.3 mm |
| 110941-50 | Same , length 120 cm |
| 110942-50 | Same , length 160 cm |

Cleaning Brushes, for working channel sizes 2.6 – 3 mm:

- | | |
|-----------|---|
| 110950-50 | Cleaning Brush , with double-sided brush, length 120 cm, brush diameter 3.2 mm, unsterile, for single use, package of 50, for use with flexible endoscopes with working channel diameters 2.6 – 3 mm |
| 110951-50 | Same , length 165 cm |
| 110952-50 | Same , length 250 cm |

Cleaning Brushes, for working channel sizes 3.2 – 4.2 mm:

- | | |
|-----------|---|
| 110960-50 | Cleaning Brush , with double-sided brush, length 140 cm, brush diameter 4.5 mm, unsterile, for single use, package of 50, for use with flexible endoscopes with working channel diameters 3.2 – 4.2 mm |
| 110961-50 | Same , length 190 cm |
| 110962-50 | Same , length 230 cm |



110380-10 **Biopsy Forceps Type Alligator**, coated, diameter 1.8 mm, working length 120 cm, sterile, for single use, package of 10, for use with flexible endoscopes with working channels as of diameter 2 mm

110381-10 **Biopsy Forceps Type Alligator**, coated, diameter 2.4 mm, working length 160 cm, sterile, for single use, package of 10, for use with flexible endoscopes with working channels as of diameter 2.8 mm



110274-10 **Biopsy Forceps**, with oval jaws, working length 120 cm, sterile, for single use, package of 10, for use with flexible endoscopes with working channels as of diameter 2 mm

110272-10 **Biopsy Forceps**, with oval jaws, working length 180 cm, sterile, for single use, package of 10, for use with flexible endoscopes with working channels as of diameter 2.8 mm

110273-10 **Same**, working length 230 cm



110270-10 **Biopsy Forceps**, with oval jaws and spike, working length 180 cm, sterile, for single use, package of 10, for use with flexible endoscopes with working channels as of diameter 2.8 mm

110271-10 **Same**, working length 230 cm

Cold Light Fountains

Components / Spare Parts

Catalog Page

TL 300 Cold Light Fountain POWER LED 300 SCB

141

400 A **Mains Cord**, length 300 cm



Components / Spare Parts

Catalog Page

20161401-1 Cold Light Fountain Power LED 175 SCB

142

400 A **Mains Cord**, length 300 cm

20090170 **SCB Connecting Cable**, length 100 cm



Spare Parts



2108191
Light Cable Adaptor,
HALOGEN, 150/250 W

Components / Spare Parts

Catalog Page

20161201 Cold Light Fountain LED NOVA 150

90, 142

400 A **Mains Cord**, length 300 cm



Components / Spare Parts

Catalog Page

20133101-1 Cold Light Fountain XENON 300 SCB

143

400 A **Mains Cord**, length 300 cm

20090170 **SCB Connecting Cable**, length 100 cm



Spare Parts



20133028
XENON Spare Lamp,
300 W, 15 V



20133027
XENON Spare Lamp
Module, 300 W, 15 V



2108191
Light Cable Adaptor,
HALOGEN, 150/250 W