


IQView E4521 GEN2


Interactive 4K Document Camera
With 10x optical zoom



IQView **E4521 GEN2** is a versatile and compact 4K document camera with optimized connectivity and enhanced card-free operation for smoother classroom deployment. With IQView Software, it enables interactive teaching, MP4 video and audio recording, free annotation, and writing, making it ideal for displaying high-definition physical content to students in in-class, remote, or hybrid learning environments.



Built-in Temporary
Storage



Matrix Switch



4K Camera



10x Optical Zoom
10x Digital Zoom



HDMI&USB
Dual Stream



A3 Shooting Area



Built-in Mic




Folding Design

Features

NEW

No TF Card or USB Storage Required

Freeze, synchronized comparison, and picture-in-picture functions now operate without inserting a TF card or USB drive. Built-in temporary storage allows instant image capture during lessons, with automatic data clearance after power-off for security.



NEW

MP4 Recording & Playback

Record classroom demonstrations or micro lectures in MP4 format and replay instantly for review, discussion, or sharing.



4K Cam & 10x Optical Zoom

The 8 megapixel camera puts out 4K video and the 10x optical zoom showcases vivid details and unparalleled clarity of documents or physical objects to students.



Extra Large Coverage

The camera supports the lens with 90 degrees rotation and A3 size shooting range, which allows you to capture and share large documents and objects like never before!

Easy Connectivity for Display

Connect with the plug and play simplicity of HDMI, USB and VGA output to any classroom displays, such as an interactive flat panel, projector, interactive whiteboard, or computer.




Dual Image Comparison

Capture and display two images simultaneously through IQView Software, enabling clear side-by-side comparison for teaching. Ideal for evaluating student work against reference materials or highlighting differences in real time.

Matrix Switch

Integrating matrix switch module, the visualizer makes it easy to switch the images in real time from three input sources such as courseware, physical object demonstration, and more.




Extremely Compact Design

With its fully folding and compact design, the 4k doc cam is suitable for space-constrained classrooms. You can easily store or take it away to anywhere in a school.

Interactive Whiteboard Access

E4521 GEN2 visualizer provides multiple ways to access the powerful interactive whiteboard software for your education enhancement.



Connect HDMI Out to the display, and the mouse to USB port for built-in whiteboard software access.



Use IQView software through the connection of USB port to PC.

Specifications

Model	E4521 GEN2
Pixel	8.0MP
Sensor	1/2.8" Sony CMOS
Resolution	3840*2160
Sensor Frame Rate	Up to 30fps
Zoom	10x Optical Zoom, 10x Digital Zoom
Focus	Automatic / Manual
Shooting Range	A3
Image Adjustment	Brightness, sharpness, contrast, saturation
LED Light	3-level Adjustment
MIC	Yes
Physical Button	Power, Switch, Rotate, Light, ZOOM In&Out, Brightness Up&Down, AF
Interface	VGA OUT*1, HDMI IN*1, HDMI OUT*1, USB MUOSE *1, AUDIO IN*1, AUDIO OUT*1,USB 2.0*1, USB Storage*1, TF card*1, Lock *1,DC(12V)*1,TYPE-C *1(for DC 5V 2A charging only)
Resolution and Video Output	HDMI OUT: 3840*2160@30Hz(MAX), VGA OUT:1920*1080@30Hz(MAX), USB OUT:3840*2160@15Hz(MAX)
Native Annotation Function (by mouse operation)	Real-time annotation, auto focus, zoom in, zoom out, photo, video, video playback, on-screen comparison, picture-in-picture, freeze, title freeze, rotate, image, text and other functions
Humidity Range	Operating: 10% to 80% relative humidity, Storage: 5% to 90% relative humidity
Size	Folded: 373.5*110*160mm , Expanded: 448*385*160mm
Weight	2.8kg

*Specifications are subject to change without notice. *All dimensions±1cm.

Returnstar Interactive Technology Group CO., LTD.

6th Bldg. High-Tech Base. Fuzhou Fujian Prov. China

IQBoard.net 0086-591-38202660

IQBoard@IQBoard.net 0086-591-38203003

