



Version:12/2018-500

 **Trust.Afford.Benefit**

JIANGSU ULTRACARE MEDICAL DEVICE TECHNOLOGY CO.,LTD
No.80 Wujin West Avenue, Wujin Hi-Tech Industrial Zone,
213164, Changzhou City, Jiangsu Province, P.R.of China
Tel: +86 519 86488559
Fax: +86 519 86487089
Email: sales11@jsawk.com
For more information visit www.jsawk.com



CATALOGUE
ULTRACARE MEDICAL

CONTENT

Small Fragment Locking Compression Plate System	1-21
Large Fragment Locking Compression Plate System	22-34
Mini Locking Compression Plate System	35-38
Pelvis Reconstruction Plate System	39-40
Proximal Femoral Intertrochanteric Antegrade Nail System	41-43
Proximal Femoral Nail Anti-rotation System	44-45
Femoral Nail (Expert) System	46-48
Tibial Nail (Expert) System	49-53
Hindfoot Fusion Nail System	54
Universal Spine System	55-58
Cemented Spine System	59-60
MIS Spine System	61-62
Anterior Cervical Plate System	63-64
PEEK Cage System	65-66
External Fixator System	67-73

Metaphyseal Locking Plate I

Thickness: 3 mm
Width: 10.5 mm
Hole Spacing: 13 mm
Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	Length
12803060	TA3	6	86
12803070	TA3	7	99
12803080	TA3	8	112
12803090	TA3	9	125
12803010	TA3	10	138
12803011	TA3	11	151
12803013	TA3	13	177
12803015	TA3	15	203

Clavicle Locking Plate I

Thickness: 2.6 mm
Width: 10 mm
Hole Spacing: 12 mm
Matching: Φ 3.5 locking screws



P/N	Material	Holes	L/R	Length
12804061	TA3	6	L	45
12804071	TA3	7	L	57
12804081	TA3	8	L	69
12804091	TA3	9	L	81
12804101	TA3	10	L	93
12804111	TA3	11	L	105
12804121	TA3	12	L	117
12804062	TA3	6	R	45
12804072	TA3	7	R	57
12804082	TA3	8	R	69
12804092	TA3	9	R	81
12804102	TA3	10	R	93
12804112	TA3	11	R	105
12804122	TA3	12	R	117

Clavicle Locking Plate II

Thickness: 2.8 mm
Width: 10 mm
Hole Spacing: 12 mm
Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	L/R	Length
12805071	TA3	7	L	86
12805081	TA3	8	L	98
12805091	TA3	9	L	110
12805101	TA3	10	L	122
12805072	TA3	7	R	86
12805082	TA3	8	R	98
12805092	TA3	9	R	110
12805102	TA3	10	R	122

3.5mm Anterior Clavicle Locking Plate, Medial

Thickness: 2.7 mm
Width: 10.3 mm
Hole Spacing: 11.8 mm
Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	Length
12842060	TA3	6	79
12842070	TA3	7	91
12842080	TA3	8	102

Clavicle Hook Locking Plate

Thickness: 3.7 mm
Width: 11 mm
Hole Spacing: 16 mm
Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	L/R	Length
12806041	TA3	4	L	70.2
12806051	TA3	5	L	86.2
12806061	TA3	6	L	102.2
12806071	TA3	7	L	118.2
12806042	TA3	4	R	70.2
12806052	TA3	5	R	86.2
12806062	TA3	6	R	102.2
12806072	TA3	7	R	118.2

3.5mm Superior Anterior Clavicle Locking Plate with Lateral Extension

Thickness: 3.3 mm
Width: 22.4 mm
Hole Spacing: 11 mm
Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	L/R	Length
12807031	TA3	3	L	74
12807041	TA3	4	L	85
12807051	TA3	5	L	96
12807061	TA3	6	L	107
12807071	TA3	7	L	118
12807081	TA3	8	L	129
12807032	TA3	3	R	74
12807042	TA3	4	R	85
12807052	TA3	5	R	96
12807062	TA3	6	R	107
12807072	TA3	7	R	118
12807082	TA3	8	R	129

2.7mm/3.5mm Anterior Clavicle Locking Plate,

Variable Angle

Thickness: 2.7 mm
Width: 10 mm
Hole Spacing: 11.7 mm
Matching: Φ 2.7 variable angled locking screws
 Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	Length
12843070	TA3	7	76.7
12843090	TA3	9	88.4
12843100	TA3	10	100.1
12843110	TA3	11	111.8
12843120	TA3	12	123.5

Proximal Humeral Locking Plate II

Thickness: 3 mm
Width: 12 mm
Hole Spacing: 12 mm
Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	Length
12808020	TA3	2	87.7
12808030	TA3	3	99.7
12808040	TA3	4	111.7
12808050	TA3	5	123.7
12808060	TA3	6	135.7
12808070	TA3	7	147.7
12808080	TA3	8	159.7
12808090	TA3	9	171.7
12808100	TA3	10	183.7
12808110	TA3	11	195.7
12808120	TA3	12	207.7

Proximal Humeral Locking Plate III

Thickness: 3 mm

Width: 12 mm

Hole Spacing: 18 mm

Matching: Φ 2.7/ Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	Length
12809020	TA3	2	39.7
12809030	TA3	3	57.7
12809040	TA3	4	75.7
12809050	TA3	5	93.7
12809060	TA3	6	111.7
12809070	TA3	7	129.7
12809080	TA3	8	147.7
12809090	TA3	9	165.7
12809100	TA3	10	183.7
12809110	TA3	11	201.7
12809120	TA3	12	219.7

Distal Posterior/Lateral Humeral Plate II

Thickness: 3 mm

Width: 11 mm

Hole Spacing: 13 mm

Matching: Φ 2.7/ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	L/R	Length
12810041	TA3	4	L	77
12810061	TA3	6	L	103
12810081	TA3	8	L	129
12810101	TA3	10	L	155
12810121	TA3	12	L	181
12810042	TA3	4	R	77
12810062	TA3	6	R	103
12810082	TA3	8	R	129
12810102	TA3	10	R	155
12810122	TA3	12	R	181

Olecranon Locking Plate II

Thickness: 3 mm

Width: 10 mm

Hole Spacing: 13 mm

Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	L/R	Length
12812041	TA3	4	L	103
12812061	TA3	6	L	129
12812081	TA3	8	L	155
12812101	TA3	10	L	181
12812121	TA3	12	L	207
12812141	TA3	14	L	233
12812042	TA3	4	R	103
12812062	TA3	6	R	129
12812082	TA3	8	R	155
12812102	TA3	10	R	181
12812122	TA3	12	R	207
12812142	TA3	14	R	233

Olecranon Locking Plate I

Thickness: 3 mm

Width: 10 mm

Hole Spacing: 18 mm

Matching: Φ 3.5 cortex screws/ Φ 3.5 locking screws



P/N	Material	Holes	Length
12813030	TA3	3	62
12813040	TA3	4	80
12813050	TA3	5	98

T-Locking Plate I

Thickness: 1.5 mm

Width: 11 mm

Hole Spacing: 9 mm

Matching: $\Phi 3.5$ locking screws/ $\Phi 3.5$ cortex screws



P/N	Material	Holes	Head Holes	Length
12814030	TA3	3	3	41.5
12814040	TA3	4	3	50.5
12814050	TA3	5	3	59.5
12814060	TA3	6	3	68.5
12814070	TA3	7	3	77.5
12814080	TA3	8	3	86.5

T-Locking Plate III

Thickness: 1.5 mm

Width: 11 mm

Hole Spacing: 11 mm

Matching: $\Phi 3.5$ locking screws/ $\Phi 3.5$ cortex screws



P/N	Material	Holes	Head Holes	Length
12815030	TA3	3	4	45
12815040	TA3	4	4	56
12815050	TA3	5	4	67
12815060	TA3	6	4	78
12815070	TA3	7	4	89
12815080	TA3	8	4	100

T-Locking Plate Oblique Angled

Thickness: 1.5 mm

Width: 10 mm

Hole Spacing: 11 mm

Matching: $\Phi 3.5$ locking screws/ $\Phi 3.5$ cortex screws



P/N	Material	Holes	L/R	Length
12816031	TA3	3	L	59
12816041	TA3	4	L	70
12816051	TA3	5	L	81
12816061	TA3	6	L	92
12816071	TA3	7	L	103
12816081	TA3	8	L	114
12816032	TA3	3	R	59
12816042	TA3	4	R	70
12816052	TA3	5	R	81
12816062	TA3	6	R	92
12816072	TA3	7	R	103
12816082	TA3	8	R	114

2.4mm Two-Column Volar Distal Radius

Locking Plate, Variable Angle

Thickness: 2 mm

Width: 25.06 mm

Hole Spacing: 9 mm

Matching : $\Phi 2.4$ variable angled locking screws
 $\Phi 2.4$ cortex screws/ $\Phi 2.7$ cortex screws



P/N	Material	Holes	L/R	Length
12817021	TA3	2	L	48.5
12817031	TA3	3	L	57.5
12817041	TA3	4	L	66.5
12817051	TA3	5	L	75.5
12817022	TA3	2	R	48.5
12817032	TA3	3	R	57.5
12817042	TA3	4	R	66.5
12817052	TA3	5	R	75.5

Distal Radius Locking Plate II

Thickness: 2 mm
Width: 8 mm
Hole Spacing: 9 mm
Matching: Φ 2.7 locking screws/ Φ 2.7 cortex screws



P/N	Material	Holes	L/R	Length
12818041	TA3	4	L	70.5
12818051	TA3	5	L	79.5
12818071	TA3	7	L	97.5
12818042	TA3	4	R	70.5
12818052	TA3	5	R	79.5
12818072	TA3	7	R	97.5

Volar Column Distal Radius Locking Plate

Thickness: 2 mm
Width: 9 mm
Hole Spacing: 9 mm
Matching: Φ 2.4/ Φ 2.7 locking screws/ Φ 2.7 cortex screws



P/N	Material	Holes	L/R	Length
12819031	TA3	3	L	51
12819041	TA3	4	L	60
12819051	TA3	5	L	69
12819032	TA3	3	R	51
12819042	TA3	4	R	60
12819052	TA3	5	R	69

Volar Distal Radius Locking Plate

Variable Angle

Thickness: 2 mm
Width: 26.96 mm
Hole Spacing: 8 mm
Matching: Φ 2.4 variable locking screw/ Φ 2.4 locking screws
 Φ 2.4 cortex screw/ Φ 2.7 cortex screw



P/N	Material	Head Holes	L/R	Length
12850061	TA3	6	L	57
12850062	TA3	6	R	57
12850071	TA3	7	L	57
12850072	TA3	7	R	57

Volar Distal Radius Locking Plate

5 Holes Head

Thickness: 1.7 mm
Width: 7.3 mm
Hole Spacing: 9 mm
Matching: Φ 2.4 locking screws/ Φ 2.7 cortex screws



P/N	Material	Holes	L/R	Length
12821031	TA3	3	L	43.5
12821041	TA3	4	L	52.5
12821051	TA3	5	L	61.5
12821032	TA3	3	R	43.5
12821042	TA3	4	R	52.5
12821052	TA3	5	R	61.5

Distal Radius L-Locking Plate

Thickness: 1.6 mm
Width: 6.2 mm
Hole Spacing: 9 mm
Matching: Φ 2.7 locking screws



P/N	Material	Holes	L/R	Length
12822031	TA3	3	L	42
12822041	TA3	4	L	51
12822032	TA3	3	R	42
12822042	TA3	4	R	51

Distal Radius L-Locking Plate, Oblique Angled

Thickness: 1.6 mm
Width: 6.2 mm
Hole Spacing: 9 mm
Matching: Φ 2.7 locking screws/ Φ 2.7 cortex screws



P/N	Material	Holes	L/R	Length
12821031	TA3	3	L	45
12821041	TA3	4	L	54
12821032	TA3	3	R	45
12821042	TA3	4	R	54

Volar Distal Radius Locking Plate

4 Holes Head

Thickness: 2 mm
Width: 9 mm
Hole Spacing: 9 mm
Matching: Φ 2.4 locking screws/ Φ 2.7 cortex screws



P/N	Material	Holes	HeadHoles	L/R	Length
12824031	TA3	3	4	L	21.5
12824041	TA3	4	4	L	30.5
12824051	TA3	5	4	L	39.5
12824032	TA3	3	4	R	21.5
12824042	TA3	4	4	R	30.5
12824052	TA3	5	4	R	39.5

Volar Distal Radius Locking Plate

5 Holes Head

Thickness: 2 mm
Width: 9 mm
Hole Spacing: 9 mm
Matching: Φ 2.4 locking screws/ Φ 2.7 cortex screws



P/N	Material	Holes	Head Holes	L/R	Length
12825031	TA3	3	5	L	49.4
12825041	TA3	4	5	L	58.4
12825051	TA3	5	5	L	67.4
12825032	TA3	3	5	R	49.4
12825042	TA3	4	5	R	58.4
12825052	TA3	5	5	R	67.4

2.4mm Dorsal Distal Lateral Radius Locking Plate

Thickness: 2 mm

Width: 6 mm

Hole Spacing: 7.3 mm

Matching: Φ 2.4 variable angled locking screws/ Φ 2.4 locking screws
 Φ 2.4 cortex screws

P/N	Material	Holes	L/R	Length
12826051	TA3	5	L	47.8
12826061	TA3	6	L	55.1
12826052	TA3	5	R	47.8
12826062	TA3	6	R	55.1



2.4mm Dorsal Distal Medial Radius Locking Plate

Thickness: 2 mm

Width: 2 mm

Hole Spacing: 7.3 mm

Matching: Φ 2.4 variable angled locking screws / Φ 2.4 locking screws
 Φ 2.4 cortex screws

P/N	Material	Holes	L/R	Length
12827031	TA3	3	L	38.7
12827041	TA3	4	L	46
12827032	TA3	3	R	38.7
12827042	TA3	4	R	46



Distal Fibular Locking Plate

Thickness: 3 mm

Width: 10 mm

Hole Spacing: 13 mm

Matching: Φ 2.7 locking screws/ Φ 3.5 cortex screws

P/N	Material	Holes	L/R	Length
12828031	TA3	3	L	72.5
12828041	TA3	4	L	85.5
12828051	TA3	5	L	98.5
12828061	TA3	6	L	111.5
12828071	TA3	7	L	124.5
12828081	TA3	8	L	137.5
12828091	TA3	9	L	150.5
12828101	TA3	10	L	163.5
12828111	TA3	11	L	176.5
12828121	TA3	12	L	189.5
12828032	TA3	3	R	72.5
12828042	TA3	4	R	85.5
12828052	TA3	5	R	98.5
12828062	TA3	6	R	111.5
12828072	TA3	7	R	124.5
12828082	TA3	8	R	137.5
12828092	TA3	9	R	150.5
12828102	TA3	10	R	163.5
12828112	TA3	11	R	176.5
12828122	TA3	12	R	189.5



Distal Fibular Locking Plate I

Thickness: 2.5 mm

Width: 9.5 mm

Hole Spacing: 13 mm

Matching: Φ 2.7 locking screws (head) / Φ 3.5 locking screws
 Φ 3.5 cortex screws



P/N	Material	Holes	L/R	Length
12829031	TA3	3	L	73
12829041	TA3	4	L	86
12829051	TA3	5	L	99
12829061	TA3	6	L	112
12829071	TA3	7	L	125
12829081	TA3	8	L	138
12829091	TA3	9	L	151
12829101	TA3	10	L	164
12829111	TA3	11	L	177
12829121	TA3	12	L	190
12829032	TA3	3	R	73
12829042	TA3	4	R	86
12829052	TA3	5	R	99
12829062	TA3	6	R	112
12829072	TA3	7	R	125
12829082	TA3	8	R	138
12829092	TA3	9	R	151
12829102	TA3	10	R	164
12829112	TA3	11	R	177
12829122	TA3	12	R	190

Posterior/Lateral Distal Fibular Locking Plate

Thickness: 1.8 mm

Width: 8.7 mm

Hole Spacing: 13 mm

Matching: Φ 3.5 locking screws/ Φ 2.7 locking screws



P/N	Material	Holes	L/R	Length
12829031	TA3	3	L	76
12829041	TA3	4	L	89
12829051	TA3	5	L	102
12829061	TA3	6	L	115
12829032	TA3	3	R	76
12829042	TA3	4	R	89
12829052	TA3	5	R	102
12829062	TA3	6	R	115

2.4mm Locking Screws

Diameter: 2.4 mm

Head diameter: 3.0 mm



P/N	Material	Length
23703006	TC4	6
23703007	TC4	7
23703008	TC4	8
23703009	TC4	9
23703010	TC4	10
23703011	TC4	11
23703012	TC4	12
23703013	TC4	13
23703014	TC4	14
23703016	TC4	16
23703018	TC4	18
23703020	TC4	20
23703022	TC4	22
23703024	TC4	24
23703026	TC4	26
23703028	TC4	28
23703030	TC4	30
23703032	TC4	32
23703034	TC4	34

2.4mm Variable Angled Locking Screws

Stardive

Diameter: 2.4 mm

Head diameter: 3 mm



P/N	Material	Length
23704006	TC4	6
23704007	TC4	7
23704008	TC4	8
23704009	TC4	9
23704010	TC4	10
23704011	TC4	12
23704012	TC4	13
23704013	TC4	11
23704014	TC4	14
23704016	TC4	16
23704018	TC4	18
23704020	TC4	20
23704022	TC4	22
23704024	TC4	24
23704026	TC4	26
23704028	TC4	28
23704030	TC4	30
23704032	TC4	32
23704034	TC4	34

2.4mm Cortex Screws

Diameter: 2.4 mm
Head diameter: 5.0 mm



P/N	Material	Length
23505006	TC4	6
23505008	TC4	8
23505010	TC4	10
23505012	TC4	12
23505014	TC4	14
23505016	TC4	16
23505018	TC4	18
23505020	TC4	20
23505022	TC4	22
23505024	TC4	24
23505026	TC4	26
23505028	TC4	28
23505030	TC4	30
23505032	TC4	32
23505034	TC4	34
23505036	TC4	36
23505038	TC4	38
23505040	TC4	40

2.7mm Locking Screws, Self-tapping, Stardrive

Diameter: 2.7 mm
Head diameter: 3.5 mm



P/N	Material	Length
23705010	TC4	10
23705012	TC4	12
23705014	TC4	14
23705016	TC4	16
23705018	TC4	18
23705020	TC4	20
23705022	TC4	22
23705024	TC4	24
23705026	TC4	26
23705028	TC4	28
23705030	TC4	30
23705032	TC4	32
23705034	TC4	34
23705036	TC4	36
23705038	TC4	38
23705040	TC4	40
23705042	TC4	42
23705044	TC4	44
23705046	TC4	46
23705048	TC4	48
23705050	TC4	50
23705055	TC4	55
23705060	TC4	60

2.7 mm Variable Angled Locking Screws, Stardrive

Diameter: 2.7 mm
Head diameter: 3.5 mm



P/N	Material	Length
23706010	TC4	10
23706012	TC4	12
23706014	TC4	14
23706016	TC4	16
23706018	TC4	18
23706020	TC4	20
23706022	TC4	22
23706024	TC4	24
23706026	TC4	26
23706028	TC4	28
23706030	TC4	30
23706032	TC4	32
23706034	TC4	34
23706036	TC4	36
23706038	TC4	38
23706040	TC4	40
23706042	TC4	42
23706044	TC4	44
23706046	TC4	46
23706048	TC4	48
23706050	TC4	50
23706055	TC4	55
23706060	TC4	60

2.7mm Cortex Screws

Diameter: 2.7 mm
Head diameter: 5.0 mm



P/N	Material	Length
23507006	TC4	6
23507008	TC4	8
23507010	TC4	10
23507012	TC4	12
23507014	TC4	14
23507016	TC4	16
23507018	TC4	18
23507020	TC4	20
23507022	TC4	22
23507024	TC4	24
23507026	TC4	26
23507028	TC4	28
23507030	TC4	30
23507032	TC4	32
23507034	TC4	34
23507036	TC4	36
23507038	TC4	38
23507040	TC4	40

3.5mm Locking Screws, Self-tapping, Stardrive


Diameter: 3.5 mm
Head diameter: 4.0 mm



P/N	Material	Length
22601010	TC4	10
22601012	TC4	12
22601014	TC4	14
22601016	TC4	16
22601018	TC4	18
22601020	TC4	20
22601022	TC4	22
22601024	TC4	24
22601026	TC4	26
22601028	TC4	28
22601030	TC4	30
22601035	TC4	35
22601040	TC4	40
22601045	TC4	45
22601050	TC4	50
22601055	TC4	55
22601060	TC4	60
22601065	TC4	65

3.5mm Cortex Screws

Diameter: 3.5 mm
Head diameter: 6.0 mm



P/N	Material	Length
22602010	TC4	10
22602012	TC4	12
22602014	TC4	14
22602016	TC4	16
22602018	TC4	18
22602020	TC4	20
22602022	TC4	22
22602024	TC4	24
22602026	TC4	26
22602028	TC4	28
22602030	TC4	30
22602032	TC4	32
22602034	TC4	34
22602036	TC4	36
22602038	TC4	38
22602040	TC4	40
22602042	TC4	42
22602044	TC4	44
22602046	TC4	46
22602048	TC4	48
22602050	TC4	50

4.0mm Cancellous Screws, Partially Threaded


Diameter: 4.0 mm
Head diameter: 6.0 mm



P/N	Material	Length
22503010	TC4	10
22503012	TC4	12
22503014	TC4	14
22503016	TC4	16
22503018	TC4	18
22503020	TC4	20
22503022	TC4	22
22503024	TC4	24
22503026	TC4	26
22503028	TC4	28
22503030	TC4	30
22503032	TC4	32
22503034	TC4	34
22503038	TC4	38
22503040	TC4	40
22503042	TC4	42
22503044	TC4	44
22503046	TC4	46
22503048	TC4	48
22503050	TC4	50
22503052	TC4	52
22503054	TC4	54
22503056	TC4	56
22503058	TC4	58
22503060	TC4	60

4.0mm Cancellous Screws , Fully Threaded

Diameter: 4.0 mm
Head diameter: 6.0 mm



P/N	Material	Length
22504010	TC4	10
22504012	TC4	12
22504014	TC4	14
22504016	TC4	16
22504018	TC4	18
22504020	TC4	20
22504022	TC4	22
22504024	TC4	24
22504026	TC4	26
22504028	TC4	28
22504030	TC4	30
22504032	TC4	32
22504034	TC4	34
22504036	TC4	36
22504038	TC4	38
22504040	TC4	40
22504042	TC4	42
22504044	TC4	44
22504046	TC4	46
22504048	TC4	48
22504050	TC4	50
22504052	TC4	52
22504054	TC4	54
22504070	TC4	70
22504080	TC4	80
22504090	TC4	90

Femur LC-DCP

Thickness: 5.7 mm
Width: 17.5 mm
Hole Spacing: 18 mm
Matching: Φ 5.0 locking screws/ Φ 4.5 cortex screws



P/N	Material	Holes	Length
23833060	TA3	6	136
23833070	TA3	7	154
23833080	TA3	8	172
23833090	TA3	9	190
23833100	TA3	10	208
23833110	TA3	11	226
23833120	TA3	12	244
23833130	TA3	13	262
23833140	TA3	14	280
23833150	TA3	15	298
23833160	TA3	16	316
23833170	TA3	17	334
23833180	TA3	18	352

Proximal Medial Tibial Locking Plate

Thickness: 3.7 mm
Width: 13.5 mm
Hole Spacing: 18mm
Matching: Φ 5.0 locking screws/ Φ 4.5 cortex screws



P/N	Material	Holes	L/R	Length
23835041	TA3	4	L	107
23835051	TA3	5	L	125
23835061	TA3	6	L	143
23835071	TA3	7	L	161
23835081	TA3	8	L	179
23835042	TA3	4	R	107
23835052	TA3	5	R	125
23835062	TA3	6	R	143
23835072	TA3	7	R	161
23835082	TA3	8	R	179

Posterior/Medial Proximal Tibial Locking Plate

Thickness: 3.5 mm

Width: 11 mm

Hole Spacing: 13 mm

Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	Length
23836050	TA3	5	105
23836060	TA3	6	118
23836080	TA3	8	144
23836100	TA3	10	170
23836120	TA3	12	196
23836140	TA3	14	222

Proximal Lateral Tibial Locking Plate I

Thickness: 4 mm

Width: 14 mm

Hole Spacing: 18 mm

Matching: Φ 5.0 locking screws



P/N	Material	Holes	L/R	Length
23837091	TA3	9	L	211
23837101	TA3	10	L	229
23837111	TA3	11	L	247
23837121	TA3	12	L	265
23837131	TA3	13	L	283
23837141	TA3	14	L	301
23837151	TA3	15	L	319
23837092	TA3	9	R	211
23837102	TA3	10	R	229
23837112	TA3	11	R	247
23837122	TA3	12	R	265
23837132	TA3	13	R	283
23837142	TA3	14	R	301
23837152	TA3	15	R	319

Proximal Lateral Tibial Locking Plate II

Thickness: 4.8mm

Width: 16 mm

Hole Spacing: 20 mm

Matching: Φ 5.0 locking screws/ Φ 4.5 cortex screws



P/N	Material	Holes	L/R	Length
23838051	TA3	5	L	146
23838071	TA3	7	L	186
23838091	TA3	9	L	226
23838111	TA3	11	L	266
23838052	TA3	5	R	146
23838072	TA3	7	R	186
23838092	TA3	9	R	226
23838112	TA3	11	R	266

Proximal Lateral Tibial Locking Plate III

Thickness: 3.7 mm

Width: 11 mm

Hole Spacing: 13 mm

Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	L/R	Length
23839041	TA3	4	L	81
23839051	TA3	5	L	94
23839061	TA3	6	L	107
23839071	TA3	7	L	120
23839081	TA3	8	L	133
23839042	TA3	4	R	81
23839052	TA3	5	R	94
23839062	TA3	6	R	107
23839072	TA3	7	R	120
23839082	TA3	8	R	133

Distal Medial Tibial Locking Plate I

Thickness: 3.8 mm

Width: 11 mm

Hole Spacing: 16 mm

Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	L/R	Length
23840061	TA3	6	L	150
23840071	TA3	7	L	166
23840081	TA3	8	L	182
23840091	TA3	9	L	198
23840101	TA3	10	L	214
23840111	TA3	11	L	230
23840121	TA3	12	L	246
23840131	TA3	13	L	262
23840141	TA3	14	L	278
23840062	TA3	6	R	150
23840072	TA3	7	R	166
23840082	TA3	8	R	182
23840092	TA3	9	R	198
23840102	TA3	10	R	214
23840112	TA3	11	R	230
23840122	TA3	12	R	246
23840132	TA3	13	R	262
23840142	TA3	14	R	278

Distal Medial Tibial Locking Plate II

Thickness: 3.8mm

Width: 14 mm

Hole Spacing: 14 mm

Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	L/R	Length
23841061	TA3	6	L	140
23841081	TA3	8	L	168
23841101	TA3	10	L	196
23841121	TA3	12	L	224
23841141	TA3	14	L	252
23841062	TA3	6	R	140
23841082	TA3	8	R	168
23841102	TA3	10	R	196
23841122	TA3	12	R	224
23841142	TA3	14	R	252

Distal Medial Tibial Locking Plate

Thickness: 3 mm

Width: 16 mm

Hole Spacing: 16 mm

Matching: Φ 5.0 locking screws



P/N	Material	Holes	L/R	Length
23851051	TA3	5	L	108
23851071	TA3	7	L	140
23851091	TA3	9	L	172
23851111	TA3	11	L	204
23851131	TA3	13	L	236
23851052	TA3	5	R	108
23851072	TA3	7	R	140
23851092	TA3	9	R	172
23851112	TA3	11	R	204
23851132	TA3	13	R	236

Distal Lateral Tibial Locking Plate

Thickness: 3 mm

Width: 16 mm

Hole Spacing: 16 mm

Matching: Φ 5.0 locking screws



P/N	Material	Holes	L/R	Length
23852061	TA3	6	L	124
23852071	TA3	7	L	140
23852081	TA3	8	L	156
23852091	TA3	9	L	172
23852101	TA3	10	L	188
23852111	TA3	11	L	204
23852121	TA3	12	L	220
23852131	TA3	13	L	236
23852141	TA3	14	L	252
23852062	TA3	6	R	124
23852072	TA3	7	R	140
23852082	TA3	8	R	156
23852092	TA3	9	R	172
23852102	TA3	10	R	188
23852112	TA3	11	R	204
23852122	TA3	12	R	220
23852132	TA3	13	R	236
23852142	TA3	14	R	252

Distal Lateral Tibial Locking Plate

Thickness: 3 mm
Width: 16 mm
Hole Spacing: 16 mm
Matching: Φ 5.0 locking screws



P/N	Material	Holes	L/R	Length
23853051	TA3	5	L	121.7
23853071	TA3	7	L	137.7
23853091	TA3	9	L	153.7
23853111	TA3	11	L	169.7
23853131	TA3	13	L	185.7
23853052	TA3	5	R	121.7
23853072	TA3	7	R	137.7
23853092	TA3	9	R	153.7
23853112	TA3	11	R	169.7
23853132	TA3	13	R	185.7

Distal Posterior Tibial Locking Plate

Thickness: 2.5mm
Width: 12 mm
Hole Spacing: 13.8 mm
Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	L/R	Length
23854051	TA3	5	L	90
23854071	TA3	7	L	103.8
23854052	TA3	5	R	90
23854072	TA3	7	R	103.8

Distal Tibial Compression Locking Plate

Thickness: 3.7 mm
Width: 11 mm
Hole Spacing: 13 mm
Matching: Φ 3.5 locking screws/ Φ 3.5 cortex screws



P/N	Material	Holes	Length
23855050	TA3	5	121
23855060	TA3	6	134
23855070	TA3	7	147
23855080	TA3	8	160
23855090	TA3	9	173
23855100	TA3	10	186
23855110	TA3	11	199
23855120	TA3	12	212
23855130	TA3	13	225

Proximal Femoral Locking Plate

Thickness: 5.6 mm
Width: 20 mm
Hole Spacing: 18 mm
Matching: Φ 5.0/ Φ 6.5 locking screws



P/N	Material	Holes	L/R	Length
23856041	TA3	4	L	144
23856051	TA3	5	L	162
23856061	TA3	6	L	180
23856071	TA3	7	L	198
23856081	TA3	8	L	216
23856091	TA3	9	L	234
23856101	TA3	10	L	252
23856111	TA3	11	L	270
23856121	TA3	12	L	288
23856131	TA3	13	L	306
23856141	TA3	14	L	324
23856042	TA3	4	R	144
23856052	TA3	5	R	162
23856062	TA3	6	R	180
23856072	TA3	7	R	198
23856082	TA3	8	R	216
23856092	TA3	9	R	234
23856102	TA3	10	R	252
23856112	TA3	11	R	270
23856122	TA3	12	R	288
23856132	TA3	13	R	306
23856142	TA3	14	R	324

Curved LCP, Broad

Thickness: 5.8 mm

Width: 17.5 mm

Hole Spacing: 18 mm

Matching: Φ 5.0 locking screws/ Φ 4.5 cortex screws



P/N	Material	Holes	Length
23857060	TA3	6	150
23857070	TA3	7	168
23857080	TA3	8	186
23857090	TA3	9	204
23857100	TA3	10	222
23857110	TA3	11	240
23857120	TA3	12	258
23857130	TA3	13	276
23857140	TA3	14	294
23857150	TA3	15	312
23857160	TA3	16	330
23857170	TA3	17	348
23857180	TA3	18	366

Distal Lateral Femoral Supracondylar

Locking Plate

Thickness: 4mm

Width: 16 mm

Hole Spacing: 20 mm

Matching: Φ 6.5/ 5.0 locking screws/ Φ 4.5 cortex screws



P/N	Material	Holes	L/R	Length
23858051	TA3	5	L	150
23858071	TA3	7	L	190
23858091	TA3	9	L	230
23858111	TA3	11	L	270
23858131	TA3	13	L	310
23858052	TA3	5	R	150
23858072	TA3	7	R	190
23858092	TA3	9	R	230
23858112	TA3	11	R	270
23858132	TA3	13	R	310

4.5mm Cortex Screws

Diameter: 4.5mm


Head diameter: 8 mm



P/N	Material	Length
22501010	TC4	10
22501012	TC4	12
22501014	TC4	14
22501016	TC4	16
22501018	TC4	18
22501020	TC4	20
22501022	TC4	22
22501024	TC4	24
22501026	TC4	26
22501028	TC4	28
22501030	TC4	30
22501032	TC4	32
22501034	TC4	34
22501036	TC4	36
22501038	TC4	38
22501040	TC4	40
22501042	TC4	42
22501044	TC4	44
22501046	TC4	46
22501048	TC4	48
22501050	TC4	50
22501052	TC4	52
22501054	TC4	54
22501070	TC4	70
22501080	TC4	80
22501090	TC4	90

5.0mm Locking Screws, Self-tapping, Stardrive

Diameter: 5.0 mm
Head diameter: 5.5 mm



P/N	Material	Length
21601014	TC4	14
21601016	TC4	16
21601018	TC4	18
21601020	TC4	20
21601022	TC4	22
21601024	TC4	24
21601026	TC4	26
21601028	TC4	28
21601030	TC4	30
21601032	TC4	32
21601034	TC4	34
21601036	TC4	36
21601038	TC4	38
21601040	TC4	40
21601042	TC4	42
21601044	TC4	44
21601046	TC4	46
21601048	TC4	48
21601050	TC4	50
21601055	TC4	55
21601060	TC4	60
21601065	TC4	65
21601070	TC4	70
21601075	TC4	75
21601080	TC4	80
21601085	TC4	85
21601090	TC4	90

5.0mm Locking Screws, Self-tapping, Self-drilling Stardrive

Diameter: 5.0 mm
Head diameter: 5.5 mm



P/N	Material	Length
21602018	TC4	18
21602020	TC4	20
21602022	TC4	22
21602024	TC4	24
21602026	TC4	26
21602028	TC4	28
21602030	TC4	30
21602032	TC4	32
21602034	TC4	34
21602038	TC4	38
21602040	TC4	40
21602045	TC4	45
21602050	TC4	50
21602055	TC4	55
21602060	TC4	60
21602065	TC4	65
21602070	TC4	70
21602075	TC4	75
21602080	TC4	80
21602085	TC4	85
21602090	TC4	90

5.0mm Locking Spacer

Diameter: 5.0 mm
Head diameter: 5.5 mm



P/N	Material	Length
21603002	TC4	2
21603004	TC4	4
21603006	TC4	6
21603008	TC4	8
21603010	TC4	10
21603012	TC4	12
21603014	TC4	14
21603016	TC4	16
21603018	TC4	18

6.5mm Cancellous Screw, Partially Threaded

Diameter: 6.5 mm
Head diameter: 8 mm



P/N	Material	Length
21504050	TC4	50
21504055	TC4	55
21504060	TC4	60
21504065	TC4	65
21504070	TC4	70
21504075	TC4	75
21504080	TC4	80
21504085	TC4	85
21504090	TC4	90
21504095	TC4	95
21504100	TC4	100
21504105	TC4	105
21504110	TC4	110
21504115	TC4	115
21504120	TC4	120

6.5mm Cancellous Screw, Fully Threaded


Diameter: 6.5 mm
Head diameter: 8 mm



P/N	Material	Length
21505030	TC4	30
21505035	TC4	35
21505040	TC4	40
21505045	TC4	45
21505050	TC4	50
21505055	TC4	55
21505060	TC4	60

6.5mm Cannulated Locking Screw, Stardrive

Diameter: 6.5 mm
Head diameter: 7 mm



P/N	Material	Length
21604035	TC4	35
21604040	TC4	40
21604045	TC4	45
21604050	TC4	50
21604055	TC4	55
21604060	TC4	60
21604065	TC4	65
21604070	TC4	70
21604075	TC4	75
21604080	TC4	80
21604085	TC4	85
21604090	TC4	90
21604095	TC4	95
21604100	TC4	100
21604105	TC4	105
21604110	TC4	110
21604115	TC4	115
21604120	TC4	120

6.5mm Locking Spacer

Diameter: 6.5 mm
Head diameter: 7 mm



P/N	Material	Length
21605002	TC4	2
21605004	TC4	4
21605006	TC4	6
21605008	TC4	8
21605010	TC4	10
21605012	TC4	12
21605014	TC4	14
21605016	TC4	16
21605018	TC4	18

2.7 Mini Locking Plate I

Thickness: 1.3 mm
Width: 4 mm
Hole Spacing: 5 mm
Matching: Φ 2.7 locking screws



P/N	Material	Holes	Length
13701030	TA3	3	34
13701040	TA3	4	39
13701050	TA3	5	44
13701060	TA3	6	49
13701070	TA3	7	54
13701080	TA3	8	59

2.0 Mini T Locking Plate

Thickness: 1.6/ 1.3 mm
Width: 5 mm
Hole Spacing: 7 mm
Matching: Φ 2.0 locking screws/ Φ 2.0 cortex screws



P/N	Material	Holes	Length
13703070	TA3	7	53

2.7 Mini Locking Plate II

Thickness: 1.3 mm
Width: 5 mm
Hole Spacing: 6.8 mm
Matching: Φ 2.7 locking screws/ Φ 2.7 cortex screws



P/N	Material	Holes	Length
13702030	TA3	3	25
13702040	TA3	4	31.8
13702050	TA3	5	38.6
13702060	TA3	6	45.4
13702070	TA3	7	52.2
13702080	TA3	8	59

2.0 Mini Y Locking Plate

Thickness: 1.6 mm
Width: 6.4 mm
Hole Spacing: 7 mm
Matching: Φ 2.0 locking screws/ Φ 2.0 cortex screws



P/N	Material	Holes	Length
13704070	TA3	7	54

2.7 Mini T Locking Plate

Thickness: 1.5 mm
Width: 7 mm
Hole Spacing: 7.5 mm
Matching: Φ 2.7 locking screws



P/N	Material	Holes	Length
13705030	TA3	3	43.5
13705040	TA3	4	51
13705050	TA3	5	58.5
13705060	TA3	6	66
13705070	TA3	7	73.5
13705080	TA3	8	81

2.7 Mini Arc T Locking Plate

Thickness: 1.5 mm
Width: 7 mm
Hole Spacing: 7.5 mm
Matching: Φ 2.7 mmlocking screws



P/N	Material	Holes	L/R	Length
13707031	TA3	3	L	39
13707041	TA3	4	L	46.5
13707051	TA3	5	L	54
13707032	TA3	3	R	39
13707042	TA3	4	R	46.5
13707052	TA3	5	R	54

2.7 Mini L Locking Plate

Thickness: 1.5 mm
Width: 7 mm
Hole Spacing: 7.5 mm
Matching: Φ 2.7 locking screws



P/N	Material	Holes	L/R	Length
13706021	TA3	2	L	15
13706031	TA3	3	L	22.5
13706041	TA3	4	L	30
13706051	TA3	5	L	37.5
13706061	TA3	6	L	45
13706071	TA3	7	L	52.5
13706081	TA3	8	L	60
13706022	TA3	2	R	15
13706032	TA3	3	R	22.5
13706042	TA3	4	R	30
13706052	TA3	5	R	37.5
13706062	TA3	6	R	45
13706072	TA3	7	R	52.5
13706082	TA3	8	R	60

Reconstruction Locking Plate

Thickness: 3 mm
Width: 10 mm
Hole Spacing: 12 mm
Matching: $\Phi 3.5$ locking screws



P/N	Material	Holes	Length
12870040	TA3	4	48
12870050	TA3	5	60
12870060	TA3	6	72
12870070	TA3	7	84
12870080	TA3	8	96
12870090	TA3	9	108
12870100	TA3	10	120
12870110	TA3	11	132
12870120	TA3	12	144
12870140	TA3	14	168
12870160	TA3	16	192
12870180	TA3	18	216
12870200	TA3	20	240
12870220	TA3	22	264

Pelvic Reconstruction Locking Plate

Thickness: 3.6 mm
Width: 10 mm
Hole Spacing: 12 mm
Matching: $\Phi 2.7$ locking screws



P/N	Material	Holes	Length
12871060	TA3	6	72.7
12871080	TA3	8	95.8
12871100	TA3	10	117.4
12871120	TA3	12	137.7

Reconstruction Locking Plate, Combi-holes

Thickness: 3.1 mm
Width: 11 mm
Hole Spacing: 14 mm
Matching: $\Phi 3.5$ locking screws/ $\Phi 3.5$ cortex screws



P/N	Material	Holes	Length
12872060	TA3	6	117
12872070	TA3	7	131
12872080	TA3	8	145
12872090	TA3	9	159
12872100	TA3	10	173
12872110	TA3	11	187
12872120	TA3	12	201
12872140	TA3	14	229
12872160	TA3	16	257
12872180	TA3	18	285

Proximal Femoral Inter-trochanteric Antegrade Nail

Diameter: 9.5 mm/ 10 mm/ 11.5mm

Material: TC4



P/N	Material	Size	L/R
26168180	TC4	φ10×180×130°	standard
26169180	TC4	φ11.5×180×130°	standard
26168200	TC4	φ10×200×130°	standard
26169200	TC4	φ11.5×200×130°	standard
26167341	TC4	φ9.5×340×130°	L
26167361	TC4	φ9.5×360×130°	L
26167381	TC4	φ9.5×380×130°	L
26167401	TC4	φ9.5×400×130°	L
26167421	TC4	φ9.5×420×130°	L
26167342	TC4	φ9.5×340×130°	R
26167362	TC4	φ9.5×360×130°	R
26167382	TC4	φ9.5×380×130°	R
26167402	TC4	φ9.5×400×130°	R
26167422	TC4	φ9.5×420×130°	R
26168341	TC4	φ10×340×130°	L
26168361	TC4	φ10×360×130°	L
26168381	TC4	φ10×380×130°	L
26168401	TC4	φ10×400×130°	L
26168421	TC4	φ10×420×130°	L
26168342	TC4	φ10×340×130°	R
26168362	TC4	φ10×360×130°	R
26168382	TC4	φ10×380×130°	R
26168402	TC4	φ10×400×130°	R
26168422	TC4	φ10×420×130°	R
26169341	TC4	φ11.5×340×130°	L
26169361	TC4	φ11.5×360×130°	L
26169381	TC4	φ11.5×380×130°	L
26169401	TC4	φ11.5×400×130°	L
26169421	TC4	φ11.5×420×130°	L
26169342	TC4	φ11.5×340×130°	R
26169362	TC4	φ11.5×360×130°	R
26169382	TC4	φ11.5×380×130°	R
26169422	TC4	φ11.5×420×130°	R
26169402	TC4	φ11.5×400×130°	R

Lag Screw

Diameter: 10.6 mm

Material: TC4



P/N	Material	Diameter	Length
26171080	TC4	10.6	80
26171085	TC4	10.6	85
26171090	TC4	10.6	90
26171095	TC4	10.6	95
26171100	TC4	10.6	100
26171105	TC4	10.6	105
26171110	TC4	10.6	110
26171115	TC4	10.6	115
26171120	TC4	10.6	120

Compression Screw

Diameter: 7 mm

Material: TC4



P/N	Material	Diameter	Length
26172075	TC4	7	75
26172080	TC4	7	80
26172085	TC4	7	85
26172090	TC4	7	90
26172095	TC4	7	95
26172100	TC4	7	100
26172105	TC4	7	105
26172110	TC4	7	110
26172115	TC4	7	115

HA5 Locking Bolt

Diameter: 4.8 mm
Material: TC4



P/N	Material	Diameter	Length
26173025	TC4	10.6	25
26173030	TC4	10.6	30
26173035	TC4	10.6	35
26173040	TC4	10.6	40
26173045	TC4	10.6	45

End Cap

Diameter: 5.5 mm
Material: TC4



P/N	Material	Diameter
26174000	TC4	5.5

Proximal Femoral Nail Anti-rotation

Diameter: 10 mm/ 11 mm/ 12 mm
Material: TC4



P/N	Material	Size
26248170	TC4	φ10×170×121°
26249170	TC4	φ11×170×121°
26250170	TC4	φ12×170×121°
26248200	TC4	φ10×200×121°
26249200	TC4	φ11×200×121°
26250200	TC4	φ12×200×121°
26268170	TC4	φ10×170×126°
26269170	TC4	φ11×170×126°
26270170	TC4	φ12×170×126°
26268200	TC4	φ10×200×126°
26269200	TC4	φ11×200×126°
26270200	TC4	φ12×200×126°

HA5 Locking Bolt

Diameter: 4.8 mm
Material: TC4



P/N	Material	Diameter	Length
26272026	TC4	4.8	26
26273028	TC4	4.8	28
26273030	TC4	4.8	30
26273032	TC4	4.8	32
26273034	TC4	4.8	34
26272036	TC4	4.8	36
26273038	TC4	4.8	38
26273040	TC4	4.8	40
26273042	TC4	4.8	42
26273044	TC4	4.8	44
26273046	TC4	4.8	46
26273048	TC4	4.8	48

Lag Screw

Diameter: 10.6 mm
Material: TC4



P/N	Material	Diameter	Length
26271080	TC4	10.6	80
26271085	TC4	10.6	85
26271090	TC4	10.6	90
26271095	TC4	10.6	95
26271100	TC4	10.6	100
26271105	TC4	10.6	105
26271110	TC4	10.6	110
26271115	TC4	10.6	115
26271120	TC4	10.6	120

End Cap

Diameter: 10 mm
Material: TC4



P/N	Material	Diameter	Length
26274000	TC4	10	12/3

Femoral Nail (Expert Series)

Diameter: 9.5 mm/ 10 mm/ 11 mm/ 12 mm
Material: TC4



P/N	Material	Size	L/R
26367341	TC4	9.5×340	L
26367361	TC4	9.5×360	L
26367381	TC4	9.5×380	L
26367401	TC4	9.5×400	L
26367421	TC4	9.5×420	L
26367342	TC4	9.5×340	R
26367362	TC4	9.5×360	R
26367382	TC4	9.5×380	R
26367402	TC4	9.5×400	R
26367422	TC4	9.5×420	R
26368341	TC4	10×340	L
26368361	TC4	10×360	L
26368381	TC4	10×380	L
26368401	TC4	10×400	L
26368421	TC4	10×420	L
26368342	TC4	10×340	R
26368362	TC4	10×360	R
26368382	TC4	10×380	R
26368402	TC4	10×400	R
26368422	TC4	10×420	R
26369341	TC4	11×340	L
26369361	TC4	11×360	L
26369381	TC4	11×380	L
26369401	TC4	11×400	L
26369421	TC4	11×420	L
26369342	TC4	11×340	R
26369362	TC4	11×360	R
26369382	TC4	11×380	R
26369402	TC4	11×400	R
26369422	TC4	11×420	R
26370341	TC4	12×340	L
26370361	TC4	12×360	L
26370381	TC4	12×380	L
26370401	TC4	12×400	L
26370421	TC4	12×420	L
26370342	TC4	12×340	R
26370362	TC4	12×360	R
26370382	TC4	12×380	R
26370402	TC4	12×400	R
26370422	TC4	12×420	R

Φ5.0 Locking Screw

Diameter: 5.0 mm
Material: TC4



P/N	Material	Length
26372032	TC4	32
26372034	TC4	34
26372036	TC4	36
26372038	TC4	38
26372040	TC4	40
26372042	TC4	42
26372044	TC4	44
26372046	TC4	46
26372048	TC4	48
26372050	TC4	50
26372052	TC4	52
26372054	TC4	54
26372056	TC4	56
26372058	TC4	58
26372060	TC4	60
26372062	TC4	62
26372064	TC4	64
26372066	TC4	66
26372068	TC4	68
26372070	TC4	70
26372072	TC4	72
26372074	TC4	74
26372076	TC4	76
26372078	TC4	78
26372080	TC4	80
26372082	TC4	82
26372084	TC4	84
26372086	TC4	86
26372088	TC4	88
26372090	TC4	90
26372092	TC4	92
26372094	TC4	94
26372096	TC4	96
26372098	TC4	98
26372100	TC4	100

Φ6.5 Locking Screw

Diameter: 6.5 mm
Material: TC4



P/N	Material	Length
2673080	TC4	80
2673085	TC4	85
2673090	TC4	90
2673095	TC4	95
2673100	TC4	100

End Cap

Diameter: 10 mm
Material: TC4



P/N	Material	Diameter	Length
26374019	TC4	10	19
26374024	TC4	10	24
26374029	TC4	10	29

Tibial Nail (Expert Series)

Diameter: 9.5 mm/ 10 mm/ 11 mm/ 12 mm
Material: TC4



P/N	Material	Size	L/R
26566261	TC4	8.5×260	L
26566281	TC4	8.5×280	L
26566301	TC4	8.5×300	L
26566321	TC4	8.5×320	L
26566341	TC4	8.5×340	L
26566361	TC4	8.5×360	L
26566262	TC4	8.5×260	R
26566282	TC4	8.5×280	R
26566302	TC4	8.5×300	R
26566322	TC4	8.5×320	R
26566342	TC4	8.5×340	R
26566362	TC4	8.5×360	R
26567261	TC4	9×260	L
26567281	TC4	9×280	L
26567301	TC4	9×300	L
26567321	TC4	9×320	L
26567341	TC4	9×340	L
26567361	TC4	9×360	L
26567262	TC4	9×260	R
26567282	TC4	9×280	R
26567302	TC4	9×300	R
26567322	TC4	9×320	R
26567342	TC4	9×340	R
26567362	TC4	9×360	R
26568261	TC4	10×260	L
26568281	TC4	10×280	L
26568301	TC4	10×300	L
26568321	TC4	10×320	L
26568341	TC4	10×340	L
26568361	TC4	10×360	L
26568262	TC4	10×260	R
26568282	TC4	10×280	R
26568302	TC4	10×300	R
26568322	TC4	10×320	R
26568342	TC4	10×340	R
26568362	TC4	10×360	R

Φ4.5 Locking Screw I

Diameter: 4.5 mm
Material: TC4



P/N	Material	Length
26572028	TC4	28
26572030	TC4	30
26572032	TC4	32
26572034	TC4	34
26572036	TC4	36
26572038	TC4	38
26572040	TC4	40
26572042	TC4	42
26572044	TC4	44
26572046	TC4	46
26572048	TC4	48
26572050	TC4	50
26572052	TC4	52
26572054	TC4	54
26572056	TC4	56
26572058	TC4	58
26572060	TC4	60
26572062	TC4	62
26572064	TC4	64
26572066	TC4	66
26572068	TC4	68
26572070	TC4	70
26572072	TC4	72
26572074	TC4	74
26572076	TC4	76
26572080	TC4	78
26572078	TC4	80

Φ4.5 Locking Srew II

Diameter: 4.5 mm
Material: TC4



P/N	Material	Length
26572027	TC4	27
26572029	TC4	29
26572031	TC4	31
26572033	TC4	33
26572035	TC4	35
26572037	TC4	37
26572039	TC4	39
26572041	TC4	41
26572043	TC4	43
26572045	TC4	45
26572047	TC4	47
26572049	TC4	49
26572051	TC4	51
26572053	TC4	53
26572055	TC4	55
26572057	TC4	57
26572059	TC4	59
26572061	TC4	61
26572063	TC4	63
26572065	TC4	65
26572067	TC4	67
26572069	TC4	69
26572071	TC4	71
26572073	TC4	73
26572075	TC4	75
26572077	TC4	77
26572079	TC4	79

Φ5.0 Locking Srew I

Diameter: 5.0 mm
Material: TC4



P/N	Material	Length
26575032	TC4	32
26575034	TC4	34
26575036	TC4	36
26575038	TC4	38
26575040	TC4	40
26575042	TC4	42
26575044	TC4	44
26575046	TC4	46
26575048	TC4	48
26575050	TC4	50
26575052	TC4	52
26575054	TC4	54
26575056	TC4	56
26575058	TC4	58
26575060	TC4	60
26575062	TC4	62
26575064	TC4	64
26575066	TC4	66
26575068	TC4	68
26575070	TC4	70
26575072	TC4	72
26575074	TC4	74
26575076	TC4	76
26575078	TC4	78
26575080	TC4	80
26575082	TC4	82
26575084	TC4	84
26575086	TC4	86
26575088	TC4	88
26575090	TC4	90

Φ5.0 Locking Screw (II)

Diameter: 5.0 mm
Material: TC4



P/N	Material	Length
26576035	TC4	35
26576039	TC4	39
26576043	TC4	43
26576047	TC4	47
26576051	TC4	51
26576055	TC4	55
26576059	TC4	59
26576063	TC4	63
26576067	TC4	67
26576071	TC4	71
26576075	TC4	75
26576079	TC4	79
26576083	TC4	83
26576087	TC4	87
26576091	TC4	91
26576095	TC4	95

End Cap

Diameter: 10 mm
Material: TC4



P/N	Material	Diameter	Length
26574000	TC4	10	0
26574005	TC4	10	5
26574010	TC4	10	10

Hindfoot Fusion Nail

Diameter: 10 mm/ 11.5 mm
Material: TC4



P/N	L/R	Diameter	Length
26668161	L	10	160
26668162	R	10	160
26668201	L	10	200
26668202	R	10	200
26668251	L	10	250
26668252	R	10	250
26669161	L	11.5	160
26669162	R	11.5	160
26669201	L	11.5	200
26669202	R	11.5	200
26669251	L	11.5	250
26669252	R	11.5	250

Internal Hex Captured Locking Screw

Diameter: 5 mm
Material: TC4



P/N	Material	Length
26673025	TC4	25
26673030	TC4	30
26673035	TC4	35
26673040	TC4	40
26673045	TC4	45
26673050	TC4	50
26673055	TC4	55
26673060	TC4	60
26673065	TC4	65
26673070	TC4	70
26673075	TC4	75
26673080	TC4	80
26673085	TC4	85
26673090	TC4	90
26673095	TC4	95
26673100	TC4	100
26673105	TC4	105
26673110	TC4	110

Monoaxial Pedicle Screw



P/N	Material	Size
25020040	TC4	φ4.0×40
25020045	TC4	φ4.0×45
25021040	TC4	φ4.5×40
25021045	TC4	φ4.5×45
25022040	TC4	φ5.0×40
25022045	TC4	φ5.0×45
25023040	TC4	φ5.5×40
25023045	TC4	φ5.5×45
25023050	TC4	φ5.5×50
25024040	TC4	φ6.0×40
25024045	TC4	φ6.0×45
25024050	TC4	φ6.0×50
25024055	TC4	φ6.0×55
25025040	TC4	φ6.5×40
25025045	TC4	φ6.5×45
25025050	TC4	φ6.5×50
25025055	TC4	φ6.5×55
25026040	TC4	φ7.0×40
25026045	TC4	φ7.0×45
25026050	TC4	φ7.0×50
25026055	TC4	φ7.0×55

Polyaxial Pedicle Screw



P/N	Material	Size
25010040	TC4	φ4.0×40
25010045	TC4	φ4.0×45
25011040	TC4	φ4.5×40
25011045	TC4	φ4.5×45
25012040	TC4	φ5.0×40
25012045	TC4	φ5.0×45
25013040	TC4	φ5.5×40
25013045	TC4	φ5.5×45
25013050	TC4	φ5.5×50
25014040	TC4	φ6.0×40
25014045	TC4	φ6.0×45
25014050	TC4	φ6.0×50
25014055	TC4	φ6.0×55
25015040	TC4	φ6.5×40
25015045	TC4	φ6.5×45
25015050	TC4	φ6.5×50
25015055	TC4	φ6.5×55
25016040	TC4	φ7.0×40
25016045	TC4	φ7.0×45
25016050	TC4	φ7.0×50
25016055	TC4	φ7.0×55

Long Arm Monoaxial Pedicle Screw



P/N	Material	Size
25040040	TC4	φ4.0×40
25040045	TC4	φ4.0×45
25041040	TC4	φ4.5×40
25041045	TC4	φ4.5×45
25042040	TC4	φ5.0×40
25042045	TC4	φ5.0×45
25043040	TC4	φ5.5×40
25043045	TC4	φ5.5×45
25043050	TC4	φ5.5×50
25044040	TC4	φ6.0×40
25044045	TC4	φ6.0×45
25044050	TC4	φ6.0×50
25044055	TC4	φ6.0×55
25045040	TC4	φ6.5×40
25045045	TC4	φ6.5×45
25045050	TC4	φ6.5×50
25045055	TC4	φ6.5×55
25046040	TC4	φ7.0×40
25046045	TC4	φ7.0×45
25046050	TC4	φ7.0×50
25046055	TC4	φ7.0×55

Long Arm Polyaxial Pedicle Screw



P/N	Material	Size
25030040	TC4	φ4.0×40
25030045	TC4	φ4.0×45
25031040	TC4	φ4.5×40
25031045	TC4	φ4.5×45
25032040	TC4	φ5.0×40
25032045	TC4	φ5.0×45
25033040	TC4	φ5.5×40
25033045	TC4	φ5.5×45
25033050	TC4	φ5.5×50
25034040	TC4	φ6.0×40
25034045	TC4	φ6.0×45
25034050	TC4	φ6.0×50
25034055	TC4	φ6.0×55
25035040	TC4	φ6.5×40
25035045	TC4	φ6.5×45
25035050	TC4	φ6.5×50
25035055	TC4	φ6.5×55
25036040	TC4	φ7.0×40
25036045	TC4	φ7.0×45
25036050	TC4	φ7.0×50
25036055	TC4	φ7.0×55

Transconnector I

P/N	Size	Length
25131050	φ5.5	50
25131055	φ5.5	55
25131060	φ5.5	60
25131065	φ5.5	65
25131070	φ5.5	70
25131075	φ5.5	75
25131080	φ5.5	80



Adjustable Transconnector I

P/N	Size
25132040	32~40
25132048	42~48
25132065	50~65



5.5mm Rod

P/N	Material	Size
25133050	TC4	φ5.5×50
25133060	TC4	φ5.5×60
25133070	TC4	φ5.5×70
25133080	TC4	φ5.5×80
25133090	TC4	φ5.5×90
25133100	TC4	φ5.5×100
25133200	TC4	φ5.5×200
25133300	TC4	φ5.5×300
25133320	TC4	φ5.5×320
25133340	TC4	φ5.5×340
25133360	TC4	φ5.5×360
25133380	TC4	φ5.5×380
25133400	TC4	φ5.5×400
25133420	TC4	φ5.5×420




Set Screw

P/N	Size
25030000	B8.8×1.3



Cemented Monoaxial Pedicle Screw

P/N	Material	Size
25120040	TC4	φ4.0×40
25120045	TC4	φ4.0×45
25121040	TC4	φ4.5×40
25121045	TC4	φ4.5×45
25122040	TC4	φ5.0×40
25122045	TC4	φ5.0×45
25123040	TC4	φ5.5×40
25123045	TC4	φ5.5×45
25123050	TC4	φ5.5×50
25124040	TC4	φ6.0×40
25124045	TC4	φ6.0×45
25124050	TC4	φ6.0×50
25124055	TC4	φ6.0×55
25125040	TC4	φ6.5×40
25125045	TC4	φ6.5×45
25125050	TC4	φ6.5×50
25125055	TC4	φ6.5×55
25126040	TC4	φ7.0×40
25126045	TC4	φ7.0×45
25126050	TC4	φ7.0×50
25126055	TC4	φ7.0×55



Cemented Polyaxial Pedicle Screw

P/N	Material	Size
25110040	TC4	φ4.0×40
25110045	TC4	φ4.0×45
25111040	TC4	φ4.5×40
25111045	TC4	φ4.5×45
25112040	TC4	φ5.0×40
25112045	TC4	φ5.0×45
25113040	TC4	φ5.5×40
25113045	TC4	φ5.5×45
25113050	TC4	φ5.5×50
25114040	TC4	φ6.0×40
25114045	TC4	φ6.0×45
25114050	TC4	φ6.0×50
25114055	TC4	φ6.0×55
25115040	TC4	φ6.5×40
25115045	TC4	φ6.5×45
25115050	TC4	φ6.5×50
25115055	TC4	φ6.5×55
25116040	TC4	φ7.0×40
25116045	TC4	φ7.0×45
25116050	TC4	φ7.0×50
25116055	TC4	φ7.0×55



Transconnector I

P/N	Size	Length
25131050	φ5.5	50
25131055	φ5.5	55
25131060	φ5.5	60
25131065	φ5.5	65
25131070	φ5.5	70
25131075	φ5.5	75
25131080	φ5.5	80




Adjustable Transconnector

P/N	Size
25132040	32~40
25132048	42~48
25132065	50~65



5.5mm Rod

P/N	Material	Size
25133050	TC4	φ5.5×50
25133060	TC4	φ5.5×60
25133070	TC4	φ5.5×70
25133080	TC4	φ5.5×80
25133090	TC4	φ5.5×90
25133100	TC4	φ5.5×100
25133200	TC4	φ5.5×200
25133300	TC4	φ5.5×300
25133320	TC4	φ5.5×320
25133340	TC4	φ5.5×340
25133360	TC4	φ5.5×360
25133380	TC4	φ5.5×380
25133400	TC4	φ5.5×400
25133420	TC4	φ5.5×420



Set Screw

P/N	Size
25130000	B8.8×1.3



MIS Monoaxial Pedicle Screw



P/N	Material	Size
25320040	TC4	φ4.0×40
25320045	TC4	φ4.0×45
25321040	TC4	φ4.5×40
25321045	TC4	φ4.5×45
25322040	TC4	φ5.0×40
25322045	TC4	φ5.0×45
25323040	TC4	φ5.5×40
25323045	TC4	φ5.5×45
25323050	TC4	φ5.5×50
25324040	TC4	φ6.0×40
25324045	TC4	φ6.0×45
25324050	TC4	φ6.0×50
25324055	TC4	φ6.0×55
25325040	TC4	φ6.5×40
25325045	TC4	φ6.5×45
25325050	TC4	φ6.5×50
25325055	TC4	φ6.5×55
25326040	TC4	φ7.0×40
25326045	TC4	φ7.0×45
25326050	TC4	φ7.0×50
25326055	TC4	φ7.0×55

5.5 mm Rod, Curved



P/N	Material	Size
25331040	TC4	φ5.5×40×150°
25331050	TC4	φ5.5×50×150°
25331060	TC4	φ5.5×60×150°
25331070	TC4	φ5.5×70×150°
25331080	TC4	φ5.5×80×150°
25331090	TC4	φ5.5×90×150°
25331100	TC4	φ5.5×100×150°
25331110	TC4	φ5.5×110×150°
25331120	TC4	φ5.5×120×150°
25331130	TC4	φ5.5×130×150°
25331140	TC4	φ5.5×140×150°
25331150	TC4	φ5.5×150×150°

MIS Polyaxial Pedicle Screw



P/N	Material	Size
25310040	TC4	φ4.0×40
25310045	TC4	φ4.0×45
25311040	TC4	φ4.5×40
25311045	TC4	φ4.5×45
25312040	TC4	φ5.0×40
25312045	TC4	φ5.0×45
25313040	TC4	φ5.5×40
25313045	TC4	φ5.5×45
25313050	TC4	φ5.5×50
25314040	TC4	φ6.0×40
25314045	TC4	φ6.0×45
25314050	TC4	φ6.0×50
25314055	TC4	φ6.0×55
25315040	TC4	φ6.5×40
25315045	TC4	φ6.5×45
25315050	TC4	φ6.5×50
25315055	TC4	φ6.5×55
25316040	TC4	φ7.0×40
25316045	TC4	φ7.0×45
25316050	TC4	φ7.0×50
25316055	TC4	φ7.0×55

Set Screw



P/N	Material	Size
25330000	TC4	B8.8×1.3

Anterior Cervical Plate

P/N	Material	Holes	Length
25610300	TA3	4	30
25610390	TA3	6	39
25610680	TA3	8	68
25610880	TA3	10	88



4.0mm Fixed Angle Screw

P/N	Material	Diameter	Length
25611012	TC4	4.0	12
25611014	TC4	4.0	14
25611016	TC4	4.0	16
25611018	TC4	4.0	18
25611020	TC4	4.0	20



4.0mm Variable Angle Screw

P/N	Material	Diameter	Length
25612012	TC4	4.0	12
25612014	TC4	4.0	14
25612016	TC4	4.0	16
25612018	TC4	4.0	18
25612020	TC4	4.0	20



4.5mm Emergency Fixed Angle Screw

P/N	Material	Diameter	Length
25613012	TC4	4.5	12
25613014	TC4	4.5	14
25613016	TC4	4.5	16
25613018	TC4	4.5	18
25613020	TC4	4.5	20



4.5mm Emergency Variable Angle Screw

P/N	Material	Diameter	Length
25614012	TC4	4.5	12
25614014	TC4	4.5	14
25614016	TC4	4.5	16
25614018	TC4	4.5	18
25614020	TC4	4.5	20



Cervical Cage

P/N	Material	Size
45810005	PEEK	5*15 3*13
45810006	PEEK	6*15 3*13
45810007	PEEK	7*15 3*13
45810008	PEEK	8*15 3*13
45810009	PEEK	9*15 3*13
45810010	PEEK	10*15 3*13
45810011	PEEK	11*15 3*13
45810012	PEEK	12*15 3*13



Thoracic-Lumbar Cage I

P/N	Material	Size
45830007	PEEK	7*22*10
45830008	PEEK	8*22*10
45830009	PEEK	9*22*10
45830010	PEEK	10*22*10
45830011	PEEK	11*22*10
45830012	PEEK	11*22*10



Transforaminal Lumbar Interbody Fusion Cage, TLIF

P/N	Material	Size
45820007	PEEK	7*28*14
45820008	PEEK	8*28*14
45820009	PEEK	9*28*14
45820010	PEEK	10*28*14
45820011	PEEK	11*28*14
45820012	PEEK	12*28*14



Thoracic-Lumbar Cage II

P/N	Material	Size
45840007	PEEK	7*28*10
45840008	PEEK	8*28*10
45840009	PEEK	9*28*10
45840010	PEEK	10*28*10
45840011	PEEK	11*28*10
45840012	PEEK	12*28*10



External Fixator for Angle

P/N	Size
57010270	Φ32×270



Limb Reconstruction System Fixator(LRS)

P/N	Size
57011300	Φ32×300
57011400	Φ32×400



External Fixator for Pelvis

P/N	Size
57012230	Φ32×230



External Fixator for Wrist

P/N	Size
57013200	Φ16×200



Metacarpale Fixator

P/N	Size
57014070	Φ6×70



External Fixator for Phalange

P/N	Size
57015070	Φ10×70



Scanz Screw

P/N	Size
57016060	Φ2×60
57016065	Φ2.5×60
57016080	Φ4×80



Pin to Rod Clamp

P/N	Size
57050080	Φ8



Rod to Rod Clamp

P/N	Size
57051080	Φ8×Φ8



Pin Clamp

P/N	Size
57052080	Φ8



PEEK Connecting Rod

P/N	Size
57053200	Φ8×200
57053280	Φ8×280
57053300	Φ8×300



Pin

P/N	Size
57054180	Φ5×180
57054150	Φ5×150
57054120	Φ5×120



Semi-Circular Curved Rod

P/N	Size
57055160	Φ8×160
57055180	Φ8×180
57055200	Φ8×200



Straight Post

P/N	Size
57056065	Φ8×65



30° Angled Post

P/N	Size
57057080	Φ8×80



Pin to Rod Clamp

P/N	Size
57060050	Φ5



Rod to Rod Clamp

P/N	Size
57061050	Φ5×Φ5



Pin Clamp φ5

P/N	Size
57062050	Φ5



Pin Clamp φ5-T

P/N	Size
57062055	Φ5-T



PEEK Connecting Rod

P/N	Size
57063120	Φ5×120
57063150	Φ5×150
57063180	Φ5×180
57063200	Φ5×200



Pin

P/N	Size
57063080	Φ3×80



Semi-Circular Curved

P/N	Size
57065110	Φ5×110
57065140	Φ5×140



Straight Post

P/N	Size
57066050	Φ5





P/N	Size
57069000	/

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

