

SPECIFICAȚII TEHNICE (F4.1)

Numărul licitației: ocds-b3wdp1-MD-154044411995						26.11.2018
Denumirea licitației: Tehnica de calcul						
Codul CPV	Denumirea bunurilor și/sau a serviciilor	Modelul articolului	Tara de origine	Producătorul	Specificarea tehnică deplină solicitată	Specificarea tehnică deplină propusă de către ofertant
Lotul #7 Sistem Sonor de Traducere Simultana și Tabla Interactiva						
30213100-6	Translation System		CH	GONSIN	Sistem Sonor de Traducere În conformitate cu specificațiile pentru Lotul #7	Infrared Translation System Type: infrared interpretation system Number of listeners: 22 Number of translator: 2 IR Transmitter: Frequency Range 2.0 - 6.0 Mhz; 6 channels w/ channel level indication; privacy protection system; compatibility w/ wired interpretation system; frequency stability - 10 PPM; ALC automatic level control; Multiple audio input up to 12 channels simultaneously IR Receivers: 22x IRR and additional 2x Spare IRR (infrared; Frequency range 2.0-6.0 MHz; Li-Ion battery with battery life up to 30 hours; LCD Panel with indication channel number, battery level, signal strength, volume and language name; up to 270° wide reception angle; Headphone detection function) IR Radiator: 2x IR Radiators (Frequency range 2.0 - 6.0 MHz; IR output power for coverage min. 40m; Angle of half intensity min. ±20°; Compliant with IEC 60914 /IEC 61603; support system for eliminates disturbance from high frequency lighting systems; Standby/Working indication; Signal delay adjustment function; Synchronization ON/OFF with transmitter; Temperature control; support Multi-channels use for the same radiator) Interpreter Console: 2x Interpreter Console and additional 1x Spare (Channel separation > 85 dB; Built-in speaker 2W; 2× Microphone/2× Record/2× Headphone interfaces; Frequency response 40Hz to 18kHz; LCD screen; 6 channel; Support direct interpretation and relay interpretation; Automatic channel interlocking; Support dual mic relay interpretation; Microphone selection function; 3x pre-select incoming channels; Personal volume adjustment and automatic feedback eliminator function; MUTE key to enable a brief muting of the microphone; Electret cardioid microphone with indicator ring) Interpreter Headset: 2x Headset and additional 1x Spare (Adjustable headband with closed ear cushions; Omni-directional dynamic microphone; Volume control on the cord; 3.5mm connector; 20-20kHz; 2m cord length) Stereo Headphone: 22x Headphones and additional 3x Spare (Adjustable headband; 3.5mm connector; 20-20kHz) Hall sound system: 10x Loudspeakers; 1x Mixer Amplifier; 2x Professional Microphone for speakers Accessories, materials and installation: installation and all necessary materials for the installation of the system included
	Interactive Board	DVTTN100	CN	IQ	Tabla Interactiva	IQBoard DVT TN100 Type: Interactive Board with Ultra Short Throw projector, Mobile Stand and sound system Diagonal size/ Active Diagonal size: 101" / 96" Technology: IR Cell Optical LED Aspect Ratio: 16:9 Surface coating: Ceramic-Steel or Pre-painted Steel; Anti-scratch and Anti-reflection cover Ambient light reflection: 0 Contact Points: 2/4/6/10 independent points; Finger / Marker Touch Multi-Touch: up to 10-points Features: Customizable toolbar; Drawing / writing tools with simultaneous writing and deleting; Recognition of gestures and handwriting; automatic detection markers and colors; Automatic calibration function; Writing surface with whiteboard marker; Easy cleaning; support up to 10 users which can write simultaneously with different colors; Integrated Internet browser; Integrated videoplayer; support and integration with MS Office formats; Built-in virtual keyboard Interfaces: USB 2.0; WiFi Board Pens: min. 4 colors

Standarde de referință

	Projector	VPL631	CH	Sony	UST Projector	<p>Audio System: built-in speakers with 20W RMS per channel Stand: Mobile stand with electrical height-adjustable (up to 50 cm) functionality for interactive board and projector <u>Sony VPL631 Ultra Short Throw Projector</u> Display System: 3 LCD Screen size support: up to 110" Throw Distance: 0,4m - 0,6m Contrast ratio: min. 3000:1 Brightness: min. 3300 lm Lamp Life: up to 10k hours in ECO Mode Interfaces: HDMI; RJ45; input RGB / Y PB PR; input/output VGA; USB Type-B and USB Type-A; S-Video; 2 Audio ports Warranty: 3Years (NBD) warranty</p>	
--	-----------	--------	----	------	----------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Semnat:

În calitate de: Director General

Ofertantul: **Fors-Computer SRL**

Adresa: mun. Chisinau, str. Sfatul Tsarii, 18