



Patient Circuits

Multi-purpose patient circuits for use with the SLE6000 ventilator



SLE6000 Patient Circuits




Designed and tested for use with the SLE6000 ventilator in all modes

Features	BC6188/15	BC6188/ DHW/07	BC6288/ DHW/15
Number in pack	15	7	15
15mm conical connector - fresh gas outlet for SLE6000 ¹	✓	✓	✓
Right-angled exhalation connector ^{2, 6}	✓	✓	✓
135° connector ³ onto inspiratory limb	✓	✓	✓
Water trap on expiratory limb	✓	No	No
SLE yellow neonatal restrictor ⁴	✓	✓	✓
Rotating wye connectors ⁵	✓	✓	✓
Auto-fill humidifier chamber	Order separately	✓	Order separately
Heated inspiratory limb	✓	✓	✓
Heated expiratory limb	No	✓	✓
Colour-coded limbs	✓	✓	✓
Use with HF Cannula ⁷	✓	✓	✓
Use with SLE1000 Generator/Infant Flow ⁸	✓	✓	✓
Use with SLE Miniflow ⁹	✓	✓	✓

All three of these circuits have been designed for use with the SLE6000 ventilator and are suitable for conventional ET ventilation, high frequency oscillation ventilation, oxygen therapy ⁷ and non-invasive ventilation in single-limb mode (e.g. SLE1000 Generator ⁸ or Infant Flow[®]) and dual-limb mode (e.g. SLE Miniflow ⁹).


Each circuit is for use on a single patient, and come packed clean and ready-to-use.

All circuits include rotating patient wyes⁵, SLE's unique yellow neonatal restrictor⁴, 135° connectors to a humidifier chamber³ and additional accessories that allow them to be adapted for use in single or dual limb mode.




BC6188/15

- Pack of 15
- 10 mm tubing
- Single heated wire
- Water trap



BC6188/DHW/07


- Pack of 7
- 10/15 mm tubing
- Dual heated wire
- Humidifier chamber



BC6288/DHW/15

- Pack of 15
- 10/15 mm tubing
- Dual heated wire

As BC6188/DHW/07 (above),
but supplied in box of 15,
without humidifier chambers





SLE Limited
Twin Bridges Business Park
232 Selsdon Road
South Croydon
Surrey
CR2 6PL
UK



Distributed by:

When the smallest thing matters

+44 (0)20 8681 1414

+44 (0)20 8649 8570

sales@sle.co.uk

www.sle.co.uk