

## Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, iar de către autoritatea contractantă – în coloanele 1, 2, 6, 8]

Numărul procedurii de achiziție: <a href="#">ocds-b3wdp1-MD-1620976813255</a> din 14.05.2021							
Denumirea procedurii de achiziție: Echipamente IT pentru necesitățile proiectului “Stabilirea instrumentelor și a obiectivelor de revizuire pentru educația medicală/ Setting peer review instruments and goals for medical (health) education (SPRING)”							
Cod CPV	Denumirea bunurilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	8
<b>Lot 2 Imprimanta laser</b>							
<b>30232110-8</b>	Imprimantă laser (Imprimantă multifuncțională A3)	MFP Canon iR-ADV C3530i III	China	Canon	<p><b>Imprimantă AIO</b>            Tip: A3 Colour Laser All-In-One (Print/Copy/Scan/Fax) cu DADF.            Timp de încălzire: max 10 sec. de la pornire;            Panou de control: min. 10”, TFT LCD WSVGA Colour Touch panel;            RAM: 3.0GB, HDD: 1 TB;  <b>Imprimare:</b>  <b>Tip:</b> Suport automat duplex print;            Viteza: A3-15ppm, A4-30ppm; (BW/CL)            Rezoluție: 1200x1200dpi;  <i>Limbaje de imprimare suportate:</i>            PCL6, Adobe PostScript.            Caracteristici avansate de imprimare: Remote UI and Web Access; Print from USB memory key (JPEG, TIFF, PDF, EPS, XPS); Google Cloud Print; iOS AirPrint; Android Mopria; Suspend Job Timeout; Profile Settings; Secured Print; Watermark; Header/Footer Page Layout; Two-sided Printing; Collating; Booklet Printing; Grouping; Mixed Paper Sizes/</p>	<p>MFP Canon iR-ADV C3530i III,Color Printer/Copier/Color Scanner/Duplex,Net, DADF(100-sheet), A3-15ppm, A4-30ppm, 25–400% step 1%,RAM 3Gb,HDD 1Tb,2x550-sheet Cassette,52-220g/m2.            Not in set - Toner C-EXV49Black_36000 pag., Color_19000 pag.            EXV49BK            EXV49C            EXV49M            EXV49Y</p> <p><b>Main Unit</b>            Standard: 3.0GB RAM            Interface Connection NETWORK            Standard: 1000Base-T/100Base-TX/10Base-T, Wireless LAN (IEEE 802.11 b/g/n);            Optional: NFC, Bluetooth Low Energy  <b>Print</b>            Print Speed (BW/CL)</p>	

				<p>Orientations; Offsetting; Front/Back Covers; Toner Reduction; Poster Printing; Forced Hold Printing.</p> <p><b>Copiere:</b>  <b>Tip:</b> Suport automatic duplex copy; Prima copie (FCOT) (BW/CL): - max. 6/9 sec. (A4).  Viteza: Singură parte - 30 ppm (A4), 15 ppm (A3)  Rezoluție: 600x600dpi.  Moduri de copiere: Text, Text/Photo (Default),Text/Photo (High Quality), Photo.</p> <p><i>Caracteristici avansate de copiere:</i>  Copiere față-verso - 2-sided to 2-sided (Automat); Copii multiple - 999 copies; Micșorare/Mărire - 25-400% in 1% increments; Book to Two Pages; Two-sided Original; Finishing; Booklet; Job Build; N on 1; Add Cover; Insert Sheets; Different Size Originals; Density Adjustment; Original Type Selection; Transparency Cover Sheets; Page Numbering; Copy Set Numbering; Sharpness; Erase Frame; Secure Watermark; Print Date; Shift; Gutter; Print &amp; Check; Negative/Positive; Repeat Images; Job Done Notice; Mirror Image; Copy ID Card; Skip Blank Pages; Detect Feeder Multi Sheet Feed; Free Size Original.</p> <p><b>Scanare:</b>  <i>Tip:</i> Colour, Platen, DADF (2-sided to 2-sided) Automatic;  Dimensiuni media: DADF: A3, A4,</p>	<p>30 ppm (A4), 15 ppm (A3), 20 ppm (A4R), 30 ppm (A5R/A5/A6R)  Print Resolution (dpi)  600 ×600, 1200 ×1200</p> <p><b>Copy</b>  Copy speed (BW/CL)  30 ppm (A4), 15 ppm (A3), 20 ppm (A4R), 30 ppm (A5R/A5/A6R)  First-Copy-Out Time (A4) (BW/CL)  Approx. 5.9/8.2 seconds or less</p> <p>Copy resolution (dpi)  Reading: 600 x 600  Printing: Up to 2,400 equivalent × 600</p> <p>Multiple Copies  Up to 999 copies</p> <p><b>Scan</b>  Scan Speed (ipm: BW/CL, A4)  SINGLE PASS DADF-B1:  1-sided Scanning: 80 /80 (300dpi), 51 /51 (600 dpi)  2-sided Scanning: 160 /160 (300dpi), 51 /51 (600 dpi)  DADF-AV1:  1-sided Scanning: 70 /70 (300dpi), 51 /51 (600 dpi)  2-sided Scanning: 35 /35 (300dpi), 25.5 /25.5 (600 dpi)  <i>Scan Resolution (dpi)</i>  600 x 600, 400 x 400, 300 x 300, 200 x 400, 200 x 200, 200 x 100i, 150 x 150, 100 x 100  Garantie 24 luni</p>	
--	--	--	--	---	---	--

				<p>A5, B4, B5, B6.</p> <p>Capacitatea de hârtie pentru alimentator: 100 foi;</p> <p><i>Viteza:</i> Singură parte BW/CL- 70 /70 imp (300dpi), 51 /51imp (600 dpi)</p> <p>Două părți BW/CL- 35 /35 imp (300dpi), 25 /25 imp (600 dpi)</p> <p><i>Rezoluție și culori:</i> Optică - 600x600dpi;</p> <p><i>Protocoale de scanare suportate:</i> TWAIN, WIA.</p> <p>Caracteristici avansate de scanare: Scan to E-mail, PC, USB memory key, FTP (TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Encrypted PDF, PDF with Digital signature); Optimize for Web; Scan to Cloud (TIFF, JPEG, PDF).</p> <p><b>Fax:</b></p> <p><i>Viteza de transmitere:</i> 33Kbps (3 sec/page).</p> <p><i>Rezoluție:</i> 400x400dpi.</p> <p>Transmitere: A3, A4;</p> <p><i>Memorare și transmitere:</i> FAX memory - 30,000 pages; Speed dials - 200 dials; Group dials/destinations - 199 dials / 256 destinations; Sequential broadcast - 256 destinations; Memory backup - Permanent fax memory backup.</p> <p><b>Alimentarea cu hârtie:</b></p> <p><i>Intrare:</i> Total 1.200 sheets: 2 x 550-sheet cassettes, 100-sheet multi-purpose tray (A4, 80 gsm).</p> <p><i>Ieșire:</i> 250 foi (A4, 80 gsm).</p> <p><i>Tip medii de printare:</i> Thin, Plain, Recycled, Thick, Colour, Transparency, Bond, Pre-punched;</p>	
--	--	--	--	---	--

				<p>Paper Size: A3, A4, A5, B4, B5  <i>Greutate mediilor de printare:</i>  Cassette 52 to 220 gsm, Multi-purpose tray: 52 to 300 gsm, Duplex: 52 to 220 gsm.</p> <p><b>Interfețe și Software:</b>  <i>Interfețe prezente:</i> USB 2.0 (Host) x1, USB 3.0 (Host) x1, USB 2.0 (Device) x1;  1000Base-T/100Base-TX/10Base-T, Wireless LAN (IEEE 802.11 b/g/n).  <i>Protocoale de rețea suportate:</i>  IP/Mac Address Filtering, IPSEC, TLS Encrypted Communication, SNMP V3.0, IEEE 802.1X, IPv6, SMTP Authentication, POP Authentication before SMTP, S/MIME.</p> <p><b>Compatibilitatea cu sistemele de Operare:</b> Windows 10/8.1/7, Windows Server 2016/2012/2008, Mac OS X, Linux.</p> <p><b>Printer management:</b> Remote User; Organization units ID Management; Toner status; Manager for sign in; Management Console (Software de tip server-based pentru managementul centralizat și servicii de mentenanță ca: contor cu înregistrare, management automat pentru consumabile și diagnostică la distanță), Solutie de management de tip cloud gratuită de la producător, suport de instalare (conectare directă) și posibilitatea de management prin card-reader di tip – <i>MiCard (optional)</i>.</p>	
--	--	--	--	--	--

					<p><b>Specificații de performanță și accesorii:</b>  <i>Power Consumption:</i> max - 1,500W (o mie cinci sute), Standby max - 40W, Sleep mode max - 1W.  <i>Resursă/Capacitate Cartuș:</i> standard min – 1xnegru 36,000 (treizeci și șase mii) pagini, 3xcolor 19,000 (nouăsprezece mii) pagini fiecare.  <b>Accesorii incluse în set:</b> ADF, 2xMedia Tray/Cassette Feeder (2x550 foi (A4)), Set de cartridge standard: 1xnegru 36,000 (treizeci și șase mii) pagini, 3xcolor 19,000 (nouăsprezece mii) pagini fiecare – 1xset(4 cartușe).   <b>Garanție:</b> 2 ani, fără a păstra ambalajul, cu talon unic de garanție cu indicarea S/N.</p>	
--	--	--	--	--	--	--

Semnat: \_\_\_\_\_ Numele, Prenumele: Constantin Alexandru  
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16

În calitate de: director