

EU DECLARATION OF CONFORMITY

1. Personal protective equipment cat. 2:

ULM SC-02-001 - 02010146

2a. Name and address of the manufacturer:

CERVA GROUP a.s.
Průmyslová 483, 252 61 Jeneč, Czech Republic

3. This declaration of conformity is issued under the sole responsibility of the manufacturer:

CERVA GROUP a.s.

4. Object of the declaration:

Low shoes FF ULM

5. The object of the declaration described in point 4 is in conformity with the relevant Union harmonisation legislation:

Regulation (EU) 2016/425 of the Parliament and of the Council


6. Harmonised standards in relation to which conformity is declared:

EN ISO 20345:2022 (S1 FO SR)

7. The notified body 0075 CTC, Parc Scientifique Tony Garnier – 4 rue Hermann Frenkel – 69367 LYON CEDEX 07, France performed the EU type-examination (Module B) and issued the type-examination certificate 0075/2305/161/10/24/2492ext01/10/24 on Oct 25, 2024

Signed for and on behalf of:

Jeneč October 25, 2024
CERVA GROUP a.s.
Petr Pípal
certification manager



ULM SC-02-001 S1 SRC low Low shoes

02010146



NORM SPECIFICATION

EN ISO 20345:2022 (S1 FO SR)

Personal protective equipment - Safety footwear

DESCRIPTION

• classic safety shoes with a steel toe cap, which protects against compression with a force of up to 15 kN or a load weighing up to 20 kg from a height of 1 m • the antistatic outsole made of two-density polyurethane guarantees not only comfort but also safety thanks to the anti-slip properties of the sole, which is also resistant to oils and abrasion • the upper of the shoe is made of natural split leather and the inner lining of breathable polyester • thanks to the excellent price / quality ratio, this model is very popular among customers for whom price is one of the main criteria when purchasing safety shoes • the classic design will fit perfectly with most Fridrich & Fridrich workwear collections

PRODUCT CODE - 02010146 XX YYY

Colours - XX

60 - black, red

Sizes - YYY

035 - 35	036 - 36
037 - 37	038 - 38
039 - 39	040 - 40
041 - 41	042 - 42
043 - 43	044 - 44
045 - 45	046 - 46
047 - 47	048 - 48

COLOUR VARIANTS



60 - black, red

MATERIALS

Upper material: leather
Toe cap material: steel
Outsole material: double density polyurethane
Lining material: polyester mesh

FEATURES

Industry: Automotive, Transport and storage
Features: Energy absorption in heel area - E, Antislip outsole - SR,
Metallic safety toe cap - S, Breathable upper, Fuel and oil resistant
outsole - FO, Antistatic shoes - A
Item weight: 540 g

PACKAGING

Packaging type	Pieces in packaging	Size	Volume	Weight
CTN	10 PR	35.5 x 45 x 62 cm	99.045 dm³	13 kg
Pair	1 PR	0 x 0 x 0 cm	9904.5 cm³	1.3 kg

SIZE TABLES

Scan or Tap



DECLARAȚIE DE CONFORMITATE UE

1. Echipament individual de protecție cat. 2:

ULM SC-02-001 - 02010146

2a. Numele și adresa producătorului:

CERVA GROUP as
Průmyslová 483, 252 61 Jeneč Čechia

3. Această declarație de conformitate este emisă sub responsabilitatea exclusivă a producătorului:

CERVA GROUP as

4. Obiectul declarației:

Pantofi joase FF ULM

5. Obiectul declarației descrise la punctul 4 este în conformitate cu legislația relevantă de armonizare a Uniunii:

Regulamentul (UE) 2016/425 al Parlamentului și al Consiliului

6. Standarde armonizate în legătură cu care se declară conformitatea:

EN ISO 20345:2022 (S1 FO SR)

7. Organismul notificat 0075 CTC, Parc Scientifique Tony Garnier – 4 rue Hermann Frenkel – 69367 LYON CEDEX 07, Franța a efectuat examinarea UE de tip (Modulul B) și a eliberat certificatul de examinare de tip 0075/2305/161/10/10/24/24/2004. 2024

Semnat pentru și în numele:

Jeneč 25 octombrie 2024
GRUPUL CERVA ca

Petr Pípal
manager de certificare



ULM SC-02-001 S1 SRC scăzut
Pantofi joase

02010146



SPECIFICAȚII NORMALE

EN ISO 20345:2022 (S1 FO SR)

Echipament individual de protecție - Incaltăminte de protecție

DESCRIERE

• pantofi de siguranță clasici cu vârf de oțel, care protejează împotriva compresiei cu o forță de până la 15 kN sau a unei sarcini de până la 20 kg de la o înălțime de 1 m • talpa exterioară antistatică din poliuretan cu două densități garantează nu numai confort, ci și siguranță datorită proprietăților anti-alunecare ale tălpii, care este, de asemenea, rezistentă la uleiuri și la abraziune; poliester respirabil • datorită raportului excelent preț/calitate, acest model este foarte popular în rândul clienților pentru care prețul este unul dintre criteriile principale la achiziționarea pantofilor de siguranță • designul clasic se va potrivi perfect cu majoritatea colecțiilor de îmbrăcăminte de lucru Fridrich & Fridrich

COD PRODUS - 02010146 XX AAA

Culori - XX

60 - negru, roș u

Dimensiuni - YYY

035 - 35	036 - 36
037 - 37	038 - 38
039 - 39	040 - 40
041 - 41	042 - 42
043 - 43	044 - 44
045 - 45	046 - 46
047 - 47	048 - 48

VARIANTE DE CULOARE



60 - negru, roș u

MATERIALE

Material superior: piele
Material capac: otel
Material talpă: poliuretan cu dublă densitate
Material căptuș eală: plasă de poliester

CARACTERISTICI

Industrie: Auto, Transport și depozitare
Caracteristici: Absorbție de energie în zona călcăului - E, Talpă anti-alunecare - SR,
Capuță metalică de siguranță - S, partea superioară respirabilă, rezistentă la combustibil și ulei
talpă exterioară - FO, pantofi antistatici - A
Greutate articol: 540 g

AMBALARE

Tip ambalaj	Piese in ambalaj	Dimensiune	Volum	Greutate
CTN	10 PR	35,5 x 45 x 62 cm	99.045 dm³	13 kg
Pereche	1 PR	0 x 0 x 0 cm	9904,5 cm³	1,3 kg

DIMENSIUNE
TABELE

Scanați sau Atingeți



[illegible]