

580 THREADED ROD, SLOTTED

CODE	SIZE (mm)
580.075	75
580.100	100
580.125	125
580.150	150



Code No: 580

584 CARTICOTOME

CODE	SIZE (mm)
584.005	5
584.007	7
584.010	10
584.015	15



Code No: 584

585 TELESCOPIC ROD S.S.

CODE	SIZE (mm)
585.010	100
585.015	150
585.020	200
585.025	250
585.030	300



Code No: 585

586 TELESCOPIC ROD, GRADUATED S.S.

CODE	SIZE (mm)
586.010	100
586.015	150
586.020	200



Code No: 586

098 FRONT THREADED PIN (SCHANK SCREW) S.S.

WZ. 5.1-5.3



Code No: 098

CODE	Wire Ø mm	Total Length (mm)	Thread Length (mm)
098.15.08.14	1.5	75	14
098.20.08.14	2.0	75	14
098.25.10.14	2.5	100	14
098.35.13.14	3.5	125	14 (Shaft 4.0mm)
098.35.13.20	3.5	125	20 (Shaft 4.0mm)
098.35.13.18	3.5	125	18 (Shaft 4.5mm)
098.35.13.22	3.5	125	22 (Shaft 4.5mm)
098.40.13.18	4.0	125	18
098.40.18.25	4.0	175	25
098.45.15.18	4.5	150	18
098.45.15.25	4.5	150	25

CODE	Wire Ø mm	Total Length (mm)	Thread Length (mm)
098.45.18.18	4.5	175	18
098.45.18.25	4.5	175	25
098.45.18.32	4.5	175	32
098.45.18.40	4.5	175	40
098.45.20.25	4.5	200	25
098.45.20.32	4.5	200	32
098.45.20.40	4.5	200	40
098.45.23.25	4.5	225	25
098.45.23.32	4.5	225	32
098.45.23.40	4.5	225	40
098.45.15.18	4.5	150	18

098 FRONT THREADED PIN (SCHANZ SCREW) S.S. (CONTD...)

107.5.1-5.3

CODE	Wire Ø mm	Total Length (mm)	Thread Length (mm)
098.50.15.25	5.0	150	25
098.50.18.18	5.0	175	18
098.50.18.25	5.0	175	25
098.50.18.32	5.0	175	32
098.50.18.40	5.0	175	40
098.50.20.25	5.0	200	25
098.50.20.32	5.0	200	32

CODE	Wire Ø mm	Total Length (mm)	Thread Length (mm)
098.50.20.40	5.0	200	40
098.50.23.25	5.0	225	25
098.50.23.32	5.0	225	32
098.50.23.40	5.0	225	40
098.60.23.32	6.0	225	32
098.60.23.40	6.0	225	40

099 CANCELLOUS FRONT THREADED PIN Ø6.5mm

CODE	Total Length (mm)	Thread Length (mm)
099.001	225	16
099.002	225	32
099.003	225	50



Code No: 099

589 S.S. RODS


CODE	SIZE (mm)
586.010	100
586.015	150
586.020	200



Code No: 589

NEW

590 CARBON RODS



Code No: 590

NEW

LENGTH (mm)	CODE								
	DIA. 4.0mm	DIA. 6.3mm	DIA. 8.0mm	DIA. 9.5mm	DIA. 11.0mm	DIA. 16mm	DIA. 1/8 in.	DIA. 3/16 in.	DIA. 5/16 in.
50		590.63.050		590.95.050					
75							590.18.075		
80	590.04.080								
100	590.04.100	590.63.100	590.080.100	590.95.100	590.11.100		590.18.100	590.31.100	590.51.100
125	590.04.125					590.16.125			
150	590.04.150	590.63.150	590.080.150	590.95.150	590.11.150	590.16.150	590.18.150	590.31.150	590.51.150
160	590.04.160								
175	590.04.175					590.16.175			

558
TUBULAR ROD Ø 11mm
poz. 5.5

LENGTH (mm)	CODE	
	STAINLESS STEEL	ALUMINIUM ALOY
100	558.100	558.100A
150	558.150	558.150A
200	558.200	558.200A
250	558.250	558.250A
300	558.300	558.300A
350	558.350	558.350A
400	558.400	558.400A
450	558.450	558.450A
500	558.500	558.500A



Code No: 558
559
CONNECTING ROD
poz. 5.4

LENGTH (mm)	CODE		
	Ø4.0mm	Ø5.0mm	Ø8.0mm
100	559.410	559.510	559.810
150	559.415	559.515	559.815
200	559.420	559.520	559.820
250	559.425	559.525	559.825
300	559.430	559.530	559.830


Code No: 559

560 EXTERNAL FIXATOR FOR FOREARM & METACARPALS (CONTD...)


MULTIAXIS L CLAMP 5 PIN FOR 8MM FRACTURE FIXATION AL.



Code No: 560.029A

NEW

MULTIAXIS Z CLAMP BIG FOR 8MM DOUBLE ROD FIXATION



Code No: 560.033

NEW

EXTERNAL FIXATOR -TUBE TO TUBE 8 X 8MM S.S.



Code No: 560.034S

NEW

noz. 5.6; 5.7; 5.9

EXTERNAL FIXATOR -TUBE TO TUBE 8 X 8mm AL



Code No: 560.034A

NEW

STRAIGHT-POST-8.0mm



Code No: 560.035

NEW

30° ANGLED POST-8.0mm



Code No: 560.036

NEW

COMPRESSION DISTRACTION DEVICE, SMALL



Code No: 563.001

T-WRENCH 8mm



Code No: 658.008


SPANNER 8mm



Code No: 655.008

561 CLAMP & OTHER EXTERNAL FIXATOR (CONTD...)


SINGLE PIN CLAMP



Code No: 561.024

102.5.8

DOUBLE PIN CLAMP



Code No: 561.025

SELF-HOLDING CLAMP




Code No: 561.026

TRANSVERS CLAMP




Code No: 561.027

TUBE TO TUBE CLAMP



Code No: 561.028

WIRE TENSIONER
DYNAMOMETER



Code No: 561.030

HINGE JOINT



Code No: 561.034

HINGE MALE



Code No: 561.035

HINGE FEMALE



Code No: 561.036