



ISO 13485: 2016 REGISTERED FIRM



SCW MEDICATH LTD.

Manufacture Add: No.4 Baolong 6th Road, Baolong Industrial Town, Longgang District, Shenzhen 518116, P.R. China

Tel: 0086 755 89312160 / 89312258

Fax: 0086 755 89312239

Email: sales@scwmed.com

[Http://www.scwmed.com](http://www.scwmed.com)



Version Number: En.A1.0.2



Anesthesiology &
Critical care
Products Catalogue

Since 1996





Contents

03	HEMODIALYSIS CATHETERIZATION KITS	15	GENERAL PURPOSE TEMPERATURE MONITORING PROBE
05	CENTRAL VENOUS CATHETER KITS	16	DISPOSABLE INFUSION PUMPS
07	DISPOSABLE PRESSURE TRANSDUCERS	17	TRACHEOSTOMY TUBE KITS
08	BLOOD SAMPLING SYSTEM	18	MANIFOLDS
11	CABLES	19	CONNECTING TUBINGS
13	PRESSURE INFUSION BAG	21	STOPCOCKS
14	ORGANIZER & HOLDER	22	INFUSION SET WITH NEEDLELESS ADAPTERS

Introduction

Used to establish a safe and convenient central venous access, to facilitate clinical first aid, intensive care and surgical process of medication, blood transfusion and parenteral nutrition supply, and can be used in conjunction with blood pressure sensors to monitor the central venous pressure.



Single Lumen

Product No.	Size(Fr.)	length(cm)	Product No.	Size(Fr.)	length(cm)	Product No.	Size(Fr.)	length(cm)
41.02.10109	8.0	10	41.02.10107	8.0	16	41.02.10110	8.0	30
41.02.10106	8.0	13	41.02.10108	8.0	20			

HEMODIALYSIS CATHETERIZATION KITS



Features

- Soft-tip designed to reduce vessel trauma during insertion
 - Medical grade material ensures the highest level of safety
 - Catheter softens at body temperature and provide excellent ease of insertion
 - Features radiopaque materials that enable quick visualization and correct placement of the catheter tip
 - Optional kink-resistant guidewire that increases clinician confidence
- ★ We can supply kink resistance nitinol guide wire to increase clinician confidence

Contents

Catheter	Dilator
Guidewire	Clamp
Injection cap	Syringe
Introducer needle	Scalpel

DOUBLE LUMEN

Product No.	Size(F)	Extension Line	Length(cm)	Product No.	Size(F)	Extension Line	Length(cm)	Product No.	Size(F)	Extension Line	Length(cm)
41.02.20205	8	Straight	13	41.02.20112	11.5	Curved	16	41.02.20310	12.0	Straight	16
41.02.20206	8	Curved	13	41.02.20114	11.5	Straight	20	41.02.20312	12.0	Curved	16
41.02.20207	8	Straight	15	41.02.20116	11.5	Curved	20	41.02.20314	12.0	Straight	20
41.02.20208	8	Curved	15	41.02.20407	11.5	Straight	30	41.02.20316	12.0	Curved	20
41.02.20103	11.5	Straight	13	41.02.20408	11.5	Curved	30	41.02.20319	12.0	Straight	30
41.02.20104	11.5	Curved	13	41.02.20302	12.0	Straight	13	41.02.20320	12.0	Curved	30
41.02.20106	11.5	Straight	15	41.02.20304	12.0	Curved	13				
41.02.20108	11.5	Curved	15	41.02.20306	12.0	Straight	15				
41.02.20110	11.5	Straight	16	41.02.20308	12.0	Curved	15				

Colored connector

TRIPLE LUMEN


Product No.	Size(F)	Extension Line	Length(cm)	Product No.	Size(F)	Extension Line	Length(cm)	Product No.	Size(F)	Extension Line	Length(cm)
41.02.31002	11.5	Straight	13	41.02.31011	11.5	Straight	30	41.02.32009	12.0	Curved	16
41.02.31007	11.5	Curved	13	41.02.31012	11.5	Curved	30	41.02.32006	12.0	Straight	20
41.02.31004	11.5	Straight	16	41.02.32002	12.0	Straight	13	41.02.32011	12.0	Curved	20
41.02.31009	11.5	Curved	16	41.02.32012	12.0	Curved	13	41.02.32013	12.0	Straight	30
41.02.31006	11.5	Straight	20	41.02.32004	12.0	Straight	16	41.02.32014	12.0	Curved	30
41.02.31010	11.5	Curved	20								

Colored connector

CENTRAL VENOUS CATHETER KITS

Features

- Soft-tip designed to reduce vessel trauma during insertion
 - Medical grade material ensures the highest level of safety
 - Catheter softens at body temperature and provide excellent ease of insertion
 - Features radiopaque materials that enable quick visualization and correct placement of the catheter tip
 - Optional kink-resistant guidewire that increases clinician confidence
- * We can supply kink resistance nitinol guide wire to increase clinician confidence



Contents

- | | |
|-------------------|---------|
| Catheter | Dilator |
| Guidewire | Clamp |
| Injection cap | Syringe |
| Introducer needle | Scalpel |

Single Lumen

Product No.	Size(Ga)	length(cm)	Product No.	Size(Ga)	length(cm)	Product No.	Size(Ga)	length(cm)	Product No.	Size(Ga)	length(cm)
41.01.10103	14.0	15	41.01.10202	16.0	20	41.01.10206	16.0	60	41.01.10401	20.0	13
41.01.10101	14.0	20	41.01.10203	16.0	30	41.01.10303	18.0	13	41.01.10402	20.0	15
41.01.10102	14.0	30	41.01.10204	16.0	35	41.01.10301	18.0	15	41.01.10403	20.0	20
41.01.10201	16.0	15	41.01.10205	16.0	45	41.01.10302	18.0	20			

Double Lumen

Product No.	Size(F)	length(cm)	Product No.	Size(F)	length(cm)	Product No.	Size(F)	length(cm)	Product No.	Size(F)	length(cm)
41.01.20101	4.0	8	41.01.20201	5.0	8	41.01.20301	7.0	15	41.01.20401	8.0	20
41.01.20102	4.0	13	41.01.20202	5.0	13	41.01.20302	7.0	20	41.01.20402	8.0	30
41.01.20103	4.0	20	41.01.20203	5.0	20	41.01.20303	7.0	30			

Triple Lumen

Product No.	Size(F)	length(cm)	Product No.	Size(F)	length(cm)	Product No.	Size(F)	length(cm)	Product No.	Size(F)	length(cm)
41.01.30101	5.5	8	41.01.30201	7.0	15	41.01.30203	7.0	30	41.01.30302	8.5	20
41.01.30102	5.5	13	41.01.30202	7.0	20	41.01.30301	8.5	15	41.01.30303	8.5	30
41.01.30103	5.5	15									

Quard Lumen

Product No.	Size(F)	length(cm)	Product No.	Size(F)	length(cm)	Product No.	Size(F)	length(cm)	
41.01.40101	8.5	15	41.01.40102	8.5	20	41.01.40103	8.5	30	

DISPOSABLE PRESSURE TRANSDUCERS

Features

- Accurate and consistent real-time invasive blood pressure measurement
- Compatible with wide range of monitors
- Clear fluid pathway enables priming during monitoring
- Versatile and easy to use Snap-Tab flush device

Contents

- Transducer with flush
Stopcock
Caps
- Pressure Monitoring Line
Patient Card
IV.Line



Product No. Single channel kit	Description
41.04.12000	with Bax connector
41.04.15000	with Uta connector
41.04.16000	with Abb connector

Product No. Double channel kit	Description
41.04.22000	with Bax connector
41.04.25000	with Uta connector
41.04.26000	with Abb connector

BLOOD SAMPLING SYSTEM

Features

- Give clinician complete confidence throughout the monitoring process
- Excellent safety protection for clinician and patient
- Kit configurations for adult and neonatal/pediatric patients



Product No. Single channel kit	Description
41.04.42000	With Bax connector
41.04.45000	With Uta connector
41.04.46000	With Abb connector

Product No. Single channel kit	Description
41.04.57001	with Bax connector
41.04.58001	with Uta connector
41.04.59001	with Abb connector



BLOOD SAMPLING SYSTEM

Features

- Designed to reduce infection and blood waste associated with traditional blood sampling.
- Designed for safe and convenient blood sampling in environments where close proximity to the patient is desired
- For use with disposable pressure transducers and for connection to central line catheters and arterial catheters
- sample port reduces blood buildup for collection of undiluted samples and improves infection control compared to traditional sampling methods


For Adult

Products No Single Channel Kit	Description
41.04.45006	With Uta Connector
41.04.46004	With Abb Connector
41.04.42003	With Bax Connector

Products No Double Channel Kit	Description
41.04.65004	With Uta Connector
41.04.66004	With Abb Connector
41.04.62003	With Bax Connector

For Pediatrics

Products No Single Channel Kit	Description
41.04.45007	With Uta Connector
41.04.46005	With Abb Connector
41.04.42004	With Bax Connector



CABLES

Features

- Compatible with wide range of monitors
- Durable construction that ensures consistent connection



Model No.	Monitor Description	Connector
650-209	SPACELABS 700R, Alpha 9/14 Alpha Surgical(w/Cardules)	5 Pins
650-224	LITTON/DATAMEDIX/B-DELECTRODYNE,PR-18PR-5 Modules,Statix ST521 [Stat-ScopeII],Guardian (Viking Connector) OHIO MEDICAL 0309-3202-300 OHMEDA Multitrak 3000	9Pins
650-226	NIHON KOHDEN 2301K,BSM-73	14Pins

Model No.	Monitor Description	Connector
650-201	ARIES,700 Balloon Pump(No Cal) CRITICARE SYSTEMS,Vital Signs 1100 CRITIKON Dynamap 8720,8781 plus DRAGER Vitalert2000 JOHNSON&JOHNSON Dynamap 9720 or select MENNEN400,500,600,700,900,XL series,Solo/Micro-solo,Horizon2000,9000,MR1200,1400,Alpha-PC(NO Cal) NORTH AMERICAN DRAGER Vitalert2000 CSI8100	6 Pins
650-202	HP TWTN 5uV/VmmHg,Standard8805B,8805D,78205A-D w/Twinax	5 Sockets
650-203	SIEMENS Sirecust 400,630,700 Series,961,1241,1280,1281,SC6000 uses a SIEMENS p/n 336838E530U SIEMENS SC 7000	10 Pins
650-204	AMERICAN OPTICAL(PICKET/PIONEER)1131 Module(Alternate Connection)DATASCOPE System 80,82,83,90,90T,95,97,I ABP,850,870,2000,2000A,2001,2002,3000,Passport,KAAP(Transport Balloon Pump),Point of View(POV 21R,requires"18"jumper cable-Datascope p/n0012000866) GEA-3100,A3124AF GRASS 7R1,7P122 Polygraph(No Cal)HP Sandborn INEX KONTRON(ROUCHE)2106,7320,7324,(BP Module for 7046,7048) MARQUETTE,GE3100 Series NIPPON COLIN BP408/BP508 SMEC 1300M(Balloon Pump)	6 Sockets
650-206	HP 12Pin 5uV/VmmHg Option 006 78205A-D,78341,78342,78345,78346,78353,78354,783510,78551,78553,78801,7883,78834,Merlin1300 Series switches automatically from 5uV to 40uV.(i.e.:Model#Omnicare) M1006Ato M1176A Press M1006B HP M4 12Pin HP M1205A 12Pin Hewlett Packard MINDRAY PM6000 PHILIPS MP50/V24	12 Pins
650-208	GENERA710C HP5uV (Option 002)8805,78205 IVY BIOMEDICAL 700,400 SeriesIVY 706 OMNI-TRAK4000 INVIVO PROTOCOL SYSTEMS Propeq 102,104,106Acuity SIEMENS 610,620(PROTOCOL Proaq) TEKTRONIX VITATEK SPACELABS 300,400,500,600 Alpha7,Alpha PC (90300,90400,90600 Series),PC Express,700 Surgical Series,Tel/Vitatak,Scout TPc(No Cal) Goldway UT4000	6 Pins
650-217	AIR-SHIELD(NARCO) AS-100(141 Module)AS-441 BURDICK(KONE)M5000 Series M544 Module(M560/M565/M575 Mainframe) CARDIL-CAP CC/CCI 104 DEXTER INSTRUMENTS CC-104,CCI-104,Cardio-Cap CM-104,Cardio-Cap I SIMONSON&WEIL AS100 Series,Athena,System8000 Quadrascope Diascope Travller	10 Sockets
650-225	NIHON KOHDEN Lifescope 6 ,9,11,12,14,BSM-2100(transport)	5 Pins
650-230	KONTRON Minimom,Supermon,Fetaimon 2B,Fetalogic 4000,K2000balloon Pump,7000Series MINIMON,SU-PERMON FETALMON,FETALOGIC,K2000 BALLOON PUMP	12 Pins
650-236	MARQUETTE Eagle,Tram Scope 100-800,Aor L Series,8000 Series(Solar) *Some monitors have been customized to a HP connector GE Dash 3000/GE 4000	11 Pins
650-239	HELLIGE 5th Generation Monitor SMU 610,611,612,613,639 HONEYWELL/PPG SMU&VICOM Series PPG(See HONEYWELL) VITATEK(See SPACELABS 500Series) TEKTRONIX(See SPACELABS 400Series) STATHAM(See Gould) SANDBORN(See HP) RM-300 HELLIGE SMK260 BRUSH(GOULD)	10 Pins
650-251	ARIES,700 Balloon Pump(w/Cal) PYSIO-CONTROL VSM-1,VSM-4,VSM-5(5uV) (w/Cal) MINDRAY PM-7000,PM-8000,PM-9000	6 Pins
650-299-62	DRAGER PM8014 & PM8060	10 Pins
650-299-72	PHYSIOCARD, SM785 (Bruker)	4 Pins
650-X		6 Pins
650-Stocker		4 Pins

PRESSURE INFUSION BAG

Description

Using the product's own pressure in the airbag to squeeze blood and medicines (soft-type packaging) in airbag into patient's blood vessels in order to achieve the objectives of rapid response and quick transfusion.

Product Usage

Ideal for the emergency infusion and blood transfusion for patients in the emergency, critical care, anesthesia and other clinical departments.

Product Composition

This product consists of air bag/pressure gauge /valve/rubber ball/ connecting tube etc



Product No.	Description	Product No.	Description
41.99.01001	500ml	41.99.01000	1000ml

HOLDER & ORGANIZER



Product Name	Product No.	Product No.	Description
Holder	44.99.05003	Organizer	44.99.11001

GENERAL PURPOSE TEMPERATURE MONITORING PROBE

Features

- Versatile core temperature monitoring that works with esophageal, nasopharyngeal or rectal placement
- Accurate and consistent measurement that increases clinician confidence



Product No.	Size	Product No.	Size
41.12.10001	10F	41.12.10002	7F

DISPOSABLE INFUSION PUMPS

Features

- Two reservoir sizes: 60 mL and 100mL
- Three fixed basal rates
- Optional parallel bolus that provides uninterrupted continuous infusion during bolus usage
- Rigid and clear housing



Product No.	Volume (ml)	Flow Rating (ml/hr)	Controlling		Product No.	Volume (ml)	Flow Rating (ml/hr)	Controlling	
41.03.12100	100	2.0	0.5ml/15min	PCA	41.03.22200	100	2.0	Continuous	Without PCA
41.03.13100	275	2.0	0.5ml/15min	PCA	41.03.22400	100	5.0	Continuous	Without PCA
41.03.13200	275	5.0	0.5ml/15min	PCA	41.03.23100	275	2.0	Continuous	Without PCA
					41.03.23300	275	5.0	Continuous	Without PCA

TRACHEOSTOMY TUBE KITS

Features

- Ergonomic design provides secure positioning and minimizes tube movement
- Tapered arc tip is designed to help placement and removal of both the tracheostomy tube and inner cannula with minimal disruption to the patient’ s airway.
- Permanently attached 15mm connector on the tube that assist connection to anesthetic and ventilator breathing circuits.
- Radiopaque material making the tube entirely x-ray visible for correct tube positioning



Individual package

Single	Double	Triple	Size
41.07.11001	41.07.22001	41.07.32001	7.0
41.07.11002	41.07.22002	41.07.32002	7.5
41.07.11003	41.07.22003	41.07.32003	8.0
41.07.11004	41.07.22004	41.07.32004	8.5
41.07.11005	41.07.22005	41.07.32005	9.0

Complex Kit

Single	Double	Triple	Size
41.07.14001	41.07.20005	41.07.33001	7.0
41.07.14002	41.07.20006	41.07.33002	7.5
41.07.14003	41.07.20007	41.07.33003	8.0
41.07.14004	41.07.20008	41.07.33004	8.5
41.07.14005	41.07.20009	41.07.33005	9.0

MANIFOLDS

Features

- Leak proof design with easy to use turn dial
- Eliminates stopcock handles
- Maximize fluid flow and drug delivery
- Compatible with wide range of infusion pumps
- Stop retrograde fluid up the IV line

Product No.	Description
41.06.40001	Three Way




CONNECTING TUBINGS

Features

- Tubing Material: PVC material(DEHP Free)
- Male to Female Lure Lock

Product No.				Flow Rating (ml/hr)
75cm	90cm	120cm	150cm	
41.10.11006	41.10.11007	41.10.11009	41.10.11010	0.08
41.10.11002	41.10.11008	41.10.11003	41.10.11004	0.12
41.10.12002	41.10.12003	41.10.12004	41.10.12005	0.15



23

CONNECTING TUBINGS (light-resistant)

Features

- Tubing Material: Black LDPE
- Light-resistant, specially designed to infuse Light Sensitivity Drug

Product No.				Flow Rating (ml/hr)
75cm	90cm	120cm	150cm	
41.10.11011	41.10.11012	41.10.11013	41.10.11014	0.08



CONNECTING TUBING WITH STOPCOCK

Features

- Different specifications are available

Product No.				Flow Rating (ml/hr)
15cm	30cm	60cm	90cm	
41.10.21002	41.10.21003	41.10.21004	41.10.21005	0.08
41.10.21013	41.10.21006	41.10.21007	41.10.21008	0.12
41.10.21009	41.10.21010	41.10.21011	41.10.21012	0.15



STOPCOCKS

Two way Product No.	Three way Product No.	Color
41.11.21005	41.11.21002	White
41.11.21006	41.11.21003	Red
41.11.21007	41.11.21004	Yellow
41.11.21008	41.11.21001	Blue



INJECTION CAP

Features

- Latex free plug with leakage free material fitting for effective flushing of catheter and drawing of blood samples.

Product No.	Description
41.13.10001	transparent



INFUSION SET WITH NEEDLELESS ADAPTERS

Features

- Eliminates retrograde fluid up the IV line
- Designed for general I.V. Therapy, Anesthesia Cardiovascular, ICU & CCU, Recovery & Oncology
- Safe for infusion IV medication including most high risk anti-neoplastic, or aspirating blood without risk of hemolysis



Product No.	Description
41.05.20003	One way
41.05.20002	Two way
41.05.20001	Three way
41.05.30001	Y type with filter







Enterprise introduction

Headquartered in Shenzhen, a southern city next to Hong Kong, SCW MEDICATH LTD is a leading manufacturer of disposable medical device in China. The company has 500 employees with over 500,000 square feet of the standardized manufacturing and modernized office space. Since 1996, SCW has been specialized in the field of anesthesiology, critical care and angiographic accessory products. Our guiding principle is to provide cost-effective customer solutions with SCW brand name products that match the quality of market leaders by innovative design and cost-effective manufacturing.

With skilled development team and cost-effective manufacturing process, SCW offers its products to OEM markets and welcomes joined efforts with medical device providers to design and manufacture new devices.



◆ Corporate environment



◆ Lecture



◆ Product seminar



◆ Product line



◆ Quality control



◆ Product sterilization



◆ Warehouse