

## Specificații tehnice

[Acest tabel va fi completat de către ofertant în coloanele 2, 3, 4, 6, 7, iar de către autoritatea contractantă – în coloanele 1, 5,]

| Numărul procedurii de achiziție ocds-b3wdp1-MD-1669908609726 din 09/12/2022 |                                         |                 |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                        |
|-----------------------------------------------------------------------------|-----------------------------------------|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Obiectul achiziției: _ Echipament audio                                     |                                         |                 |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                        |
| Denumirea bunurilor/serviciilor                                             | Denumirea modelului bunului/serviciului | Țara de origine | Producătorul | Specificarea tehnică deplină solicitată de către autoritatea contractantă                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Specificarea tehnică deplină propusă de către ofertant                                                                                                                                                                                                                                                                                                                                                                                                                                               | Standarde de referință |
| 1                                                                           | 2                                       | 3               | 4            | 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 7                      |
| Bunuri/servicii                                                             |                                         |                 |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                        |
| lot 1                                                                       |                                         |                 |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                        |
| Boxă audio                                                                  | jmaxx112A                               | China           | FBT          | <b>Boxa activă cu accesorii</b> (equivalent FBT jmaxx112A)<br>Equipment: 12" and 1" speakers<br>Biamped switching power supply amplifier with 700 Watt LF+200 Watt HF RMS Class-D<br>Frequency range: 48 - 20,000 Hz<br>Beam angle: 90° x 60°<br>Maximum SPL cont / peak: 125 / 131 dB<br>Integrated DSP with 4 switchable EQ presets<br>Monitor angle : 12°, 40° and 55°<br>Mic Line Switch<br>HP filters<br>XLR input and output<br>Volume controller<br>Plastic housing<br>2x M10 flying points<br>35 mm Flange for uprights | <b>Boxa activă cu accesorii</b><br>Equipment: 12" and 1" speakers<br>Biamped switching power supply amplifier with 700 Watt LF+200 Watt HF RMS Class-D<br>Frequency range: 48 - 20,000 Hz<br>Beam angle: 90° x 60°<br>Maximum SPL cont / peak: 125 / 131 dB<br>Integrated DSP with 4 switchable EQ presets<br>Monitor angle : 12°, 40° and 55°<br>Mic Line Switch<br>HP filters<br>XLR input and output<br>Volume controller<br>Plastic housing<br>2x M10 flying points<br>35 mm Flange for uprights |                        |
| Lot 2                                                                       |                                         |                 |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                        |
| Condenser Microphone                                                        | C451B                                   | China           | AKG          | <b>Condenser Microphones</b> (Equivalent AKG C451B)<br>Ideal for overhead, hihat, percussion, acoustic guitar<br><b>General Specifications</b>                                                                                                                                                                                                                                                                                                                                                                                  | <b>Condenser Microphones</b> (Equivalent AKG C451B)<br>Ideal for overhead, hihat, percussion, acoustic guitar<br><b>General Specifications</b>                                                                                                                                                                                                                                                                                                                                                       |                        |

|                      |      |       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
|----------------------|------|-------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|                      |      |       |            | <p>Audio frequency bandwidth 20 – 20000 Hz<br/> Equivalent noise level 18 dB-A<br/> Sensitivity 9 mV/Pa<br/> Signal to Noise 76 dB-A<br/> Preattenuation Pad -10; -20 dB<br/> Bass cut filter 75; 150 Hz<br/> Electrical impedance 200 Ohms<br/> Recommended load impedance 1000 Ohms<br/> Polar Pattern Cardioid</p> <p><b>Powering Interface</b><br/> Voltage 9 to 52 V<br/> Current 2 mA</p> <p><b>Audio Output</b><br/> Type Balanced XLR<br/> Gender Male<br/> Contacts 3-pin<br/> -CK 1 capsule<br/> -Includes windshield W90 and stand adapter SA60</p> | <p>Audio frequency bandwidth 20 – 20000 Hz<br/> Equivalent noise level 18 dB-A<br/> Sensitivity 9 mV/Pa<br/> Signal to Noise 76 dB-A<br/> Preattenuation Pad -10; -20 dB<br/> Bass cut filter 75; 150 Hz<br/> Electrical impedance 200 Ohms<br/> Recommended load impedance 1000 Ohms<br/> Polar Pattern Cardioid</p> <p><b>Powering Interface</b><br/> Voltage 9 to 52 V<br/> Current 2 mA</p> <p><b>Audio Output</b><br/> Type Balanced XLR<br/> Gender Male<br/> Contacts 3-pin<br/> -CK 1 capsule<br/> -Includes windshield W90 and stand adapter SA60</p> |  |
| Lot 5                |      |       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| Lavalier Microphone  | ME 2 | China | Sennheiser | <p><b>Omnidirectional Lavalier Microphone with Locking 3.5mm Connector</b> (Equivalent Sennheiser ME 2)<br/> Form Factor - Lavalier<br/> Sound Field - Mono<br/> Capsule - Electret Condenser<br/> Polar Pattern - Omnidirectional<br/> Windscreen - Built-In<br/> Output Connectors - 1 x 3.5 mm TRS Male (Lockable, on Attached Cable)<br/> Cable Length - 1.6 m<br/> Operating Voltage 7.5 V<br/> Color - Black<br/> Mounting - Alligator Clip (Included)</p>                                                                                               | <p><b>Omnidirectional Lavalier Microphone with Locking 3.5mm Connector</b><br/> Form Factor - Lavalier<br/> Sound Field - Mono<br/> Capsule - Electret Condenser<br/> Polar Pattern - Omnidirectional<br/> Windscreen - Built-In<br/> Output Connectors - 1 x 3.5 mm TRS Male (Lockable, on Attached Cable)<br/> Cable Length - 1.6 m<br/> Operating Voltage 7.5 V<br/> Color - Black<br/> Mounting - Alligator Clip (Included)</p>                                                                                                                            |  |
| Lot 6                |      |       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| Broadcast Microphone | SM7B | China | Shure      | <p>Broadcast Microphone (Equivalent Shure SM7B)<br/> Microphone Type: Dynamic<br/> Polar Pattern: Cardioid<br/> Frequency Response: 50Hz-20kHz<br/> Output Impedance: 150 ohms<br/> Sensitivity: -59 dBV/Pa<br/> Low Cut Filter: Bass Roll off<br/> Color: Black</p>                                                                                                                                                                                                                                                                                           | <p>Broadcast Microphone<br/> Microphone Type: Dynamic<br/> Polar Pattern: Cardioid<br/> Frequency Response: 50Hz-20kHz<br/> Output Impedance: 150 ohms<br/> Sensitivity: -59 dBV/Pa<br/> Low Cut Filter: Bass Roll off<br/> Color: Black</p>                                                                                                                                                                                                                                                                                                                   |  |

|                      |           |       |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
|----------------------|-----------|-------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|                      |           |       |     | Shielding against electromagnetic interference<br>Swivel mount<br>Connector: XLR<br>Included Accessories: Windscreen, Switch Cover Plate                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Shielding against electromagnetic interference<br>Swivel mount<br>Connector: XLR<br>Included Accessories: Windscreen, Switch Cover Plate                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
| Lot 7                |           |       |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
| Studio Microphone    | 3000      | China | AKG | <b>Studio Microphone</b> (Equivalent AKG 3000)<br>Ransducer - Condenser<br>Polar Pattern - Cardioid<br>Frequency Response - 20Hz to 20kHz<br>Sensitivity - 20 mV/Pa (-32 dBV)<br>Signal-to-Noise Ratio - 80dB (A-Weighted)<br>Equivalent Noise Level: - 14dB-A<br>Maximum Input Sound Level - 140/150 dB (k=0.5%)<br>Power Requirements - Phantom 9 - 52V to IEC 61938<br>Powering - < 2mA<br>Output Impedance - 200 Ohms<br>Recommended Load: - > 1000 ohms<br>Output Connectors - XLR-3M Type<br>Pad - -10dB<br>Low Frequency Roll-Off - 500Hz                                                                                                | <b>Studio Microphone</b><br>Ransducer - Condenser<br>Polar Pattern - Cardioid<br>Frequency Response - 20Hz to 20kHz<br>Sensitivity - 20 mV/Pa (-32 dBV)<br>Signal-to-Noise Ratio - 80dB (A-Weighted)<br>Equivalent Noise Level: - 14dB-A<br>Maximum Input Sound Level - 140/150 dB (k=0.5%)<br>Power Requirements - Phantom 9 - 52V to IEC 61938<br>Powering - < 2mA<br>Output Impedance - 200 Ohms<br>Recommended Load: - > 1000 ohms<br>Output Connectors - XLR-3M Type<br>Pad - -10dB<br>Low Frequency Roll-Off - 500Hz                                                                                                                                                                               |  |
| Lot 10               |           |       |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
| Condenser microphone | C414 XLII | China | AKG | <b>Condenser Microphone</b> (equivalent AKG C414 XLII)<br><b>Microphone</b><br>Frequency Range - 20 Hz to 20 kHz<br>Primary Applications - Live Sound, Studio Recording<br>Form Factor - Large Diaphragm Mic / Stand/Boom Mount<br>Intended Sound Sources - Vocals, Instrument<br>Sound Field - Mono<br>Operating Principle - Pressure Gradient<br>Capsule - Condenser<br>Diaphragm - 1" / 25.4 mm<br>Polar Pattern - Cardioid, Figure-8, Hypercardioid, Omnidirectional, Subcardioid/Wide Cardioid<br>Pattern Selection - Switched (Adjustable on Mic)<br>Orientation - Side Address<br>Circuitry - Solid-State<br>Pad - -6 dB, -12 dB, -18 dB | <b>Condenser Microphone</b><br><b>Microphone</b><br>Frequency Range - 20 Hz to 20 kHz<br>Primary Applications - Live Sound, Studio Recording<br>Form Factor - Large Diaphragm Mic / Stand/Boom Mount<br>Intended Sound Sources - Vocals, Instrument<br>Sound Field - Mono<br>Operating Principle - Pressure Gradient<br>Capsule - Condenser<br>Diaphragm - 1" / 25.4 mm<br>Polar Pattern - Cardioid, Figure-8, Hypercardioid, Omnidirectional, Subcardioid/Wide Cardioid<br>Pattern Selection - Switched (Adjustable on Mic)<br>Orientation - Side Address<br>Circuitry - Solid-State<br>Pad - -6 dB, -12 dB, -18 dB<br>High-Pass Filter - 40 Hz, 12 dB/Octave, 80 Hz, 12 dB/Octave, 160 Hz, 6 dB/Octave |  |

|                                   |        |       |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
|-----------------------------------|--------|-------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|                                   |        |       |        | High-Pass Filter - 40 Hz, 12 dB/Octave, 80 Hz, 12 dB/Octave, 160 Hz, 6 dB/Octave<br>Indicators - 13 x Single LED (Status)<br>On-Board Controls - High-Pass Filter, Pad, Polar Pattern<br>Windscreen - Foam (Included)<br>Output Connectors (Analog) - 1 x XLR 3-Pin Male (on Mic)<br>Mounting - Shockmount (Included)<br>Included Case - Hard Case<br>Included Filters - Pop Filter<br>Construction Material - Metal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Indicators - 13 x Single LED (Status)<br>On-Board Controls - High-Pass Filter, Pad, Polar Pattern<br>Windscreen - Foam (Included)<br>Output Connectors (Analog) - 1 x XLR 3-Pin Male (on Mic)<br>Mounting - Shockmount (Included)<br>Included Case - Hard Case<br>Included Filters - Pop Filter<br>Construction Material - Metal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| Lot 11                            |        |       |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
| Portable recorder and accessories | DR-07X | China | TASCAM | <b>Portable Audio Recorder with Onboard Adjustable Stereo Microphone</b> (equivalent TASCAM DR-07X)<br>Portable Recorder<br>Recording Media - microSD card (64MB to 3GB), microSDHC card (4GB to 32GB), microSDXC card (up to 128GB)<br>File System - FAT16/32, exFAT<br>Recording File Format - WAV / BWF<br>Sampling Frequency - 44.1k / 48k / 96k Hz<br>Bit-depth - 16 / 24-bit<br>MP3 Sampling Frequency - 44.1k / 48k Hz<br>Bit-rate for recording - 32k / 64k / 96k / 128k / 192k / 256k / 320k bps<br>Playback Bit-rate - 32k to 320k bps, VBR, ID3TAG Ver. 2.4<br>Number of Channels - 2-channel (Stereo) / 1-channel (Mono)<br>Playback speed control - 0.5 to 2.0 times (in 0.1 increments) * 44.1k/48kHz only<br>Built-in Microphone - Unidirectional, Stereo (switchable between A-B and X-Y positions)<br>MIC/EXT IN<br>Connector 1/8" (3.5mm) Stereo Mini jack (Unbalanced, Plug-in Power)<br>Nominal Input Level -20dBV<br>Maximum Input Level -4dBV<br>Input Impedance 18kΩ or more (PLUG IN PWR: OFF)<br>2kΩ or more (PLUG IN PWR: ON) | <b>Portable Audio Recorder with Onboard Adjustable Stereo Microphone</b><br>Portable Recorder<br>Recording Media - microSD card (64MB to 3GB), microSDHC card (4GB to 32GB), microSDXC card (up to 128GB)<br>File System - FAT16/32, exFAT<br>Recording File Format - WAV / BWF<br>Sampling Frequency - 44.1k / 48k / 96k Hz<br>Bit-depth - 16 / 24-bit<br>MP3 Sampling Frequency - 44.1k / 48k Hz<br>Bit-rate for recording - 32k / 64k / 96k / 128k / 192k / 256k / 320k bps<br>Playback Bit-rate - 32k to 320k bps, VBR, ID3TAG Ver. 2.4<br>Number of Channels - 2-channel (Stereo) / 1-channel (Mono)<br>Playback speed control - 0.5 to 2.0 times (in 0.1 increments) * 44.1k/48kHz only<br>Built-in Microphone - Unidirectional, Stereo (switchable between A-B and X-Y positions)<br>MIC/EXT IN<br>Connector 1/8" (3.5mm) Stereo Mini jack (Unbalanced, Plug-in Power)<br>Nominal Input Level -20dBV<br>Maximum Input Level -4dBV<br>Input Impedance 18kΩ or more (PLUG IN PWR: OFF)<br>2kΩ or more (PLUG IN PWR: ON)<br>PHONES/LINE OUT |  |

|                    |          |       |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
|--------------------|----------|-------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|                    |          |       |              | <p>PHONES/LINE OUT<br/> Connector 1/8" (3.5mm) Stereo Mini jack<br/> (Unbalanced)<br/> for LINE connection<br/> Nominal Output Level -14dBV (10kΩ load)<br/> Maximum Output Level +2dBV (10kΩ load)<br/> Output Impedance 12Ω<br/> for Headphones connection<br/> Maximum Output Power 20mW + 20mW (32Ω load)<br/> USB<br/> Connector USB Micro B-type<br/> Format USB2.0 HIGH-SPEED<br/> Built-in Speaker 0.3W, Mono<br/> Low-cut Filter 40 / 80 / 120Hz<br/> Chromatic Tuner C1 to B6, A4 = 435Hz to 445Hz<br/> (in 1Hz increments)<br/> Effector 6 presets (Hall 1, Hall 2, Room, Studio, Plate 1, Plate 2)<br/> Tripod attachment screw-hole 1/4" Tripod attachment screw-hole<br/> Power 2 AA Batteries, USB bus power, AC 100 to 240V (optional AC Adapter)<br/> Power Consumption 1.7 W (Max)<br/> Battery Operation Time (Recording)<br/> Alkaline (EVOLTA) approx. 17.5 hours (2ch WAV, 44.1kHz, 16-bit, using Built-in Microphone, JEITA)<br/> Ni-MH (eneloop) approx. 15.5 hours (2ch WAV, 44.1kHz, 16-bit, using Built-in Microphone, JEITA)<br/> Include Accessory Pack for DR Series Audio Recorders (equivalent AK-DR11G MKIII)<br/> Include microSDHC card minimum 4GB</p> | <p>Connector 1/8" (3.5mm) Stereo Mini jack<br/> (Unbalanced)<br/> for LINE connection<br/> Nominal Output Level -14dBV (10kΩ load)<br/> Maximum Output Level +2dBV (10kΩ load)<br/> Output Impedance 12Ω<br/> for Headphones connection<br/> Maximum Output Power 20mW + 20mW (32Ω load)<br/> USB<br/> Connector USB Micro B-type<br/> Format USB2.0 HIGH-SPEED<br/> Built-in Speaker 0.3W, Mono<br/> Low-cut Filter 40 / 80 / 120Hz<br/> Chromatic Tuner C1 to B6, A4 = 435Hz to 445Hz<br/> (in 1Hz increments)<br/> Effector 6 presets (Hall 1, Hall 2, Room, Studio, Plate 1, Plate 2)<br/> Tripod attachment screw-hole 1/4" Tripod attachment screw-hole<br/> Power 2 AA Batteries, USB bus power, AC 100 to 240V (optional AC Adapter)<br/> Power Consumption 1.7 W (Max)<br/> Battery Operation Time (Recording)<br/> Alkaline (EVOLTA) approx. 17.5 hours (2ch WAV, 44.1kHz, 16-bit, using Built-in Microphone, JEITA)<br/> Ni-MH (eneloop) approx. 15.5 hours (2ch WAV, 44.1kHz, 16-bit, using Built-in Microphone, JEITA)<br/> Include Accessory Pack for DR Series Audio Recorders (equivalent AK-DR11G MKIII)<br/> Include microSDHC card minimum 4GB</p> |  |
| Lot 12             |          |       |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
| Monitor Headphones | DT-770 M | China | Beyerdynamic | <p><b>Monitor Headphones</b> (equivalent DT-770 M)<br/> TECHNICAL SPECIFICATIONS<br/> Transducer type - Dynamic<br/> Operating principle - Closed<br/> Nominal frequency response - 5 - 30,000 Hz<br/> Nominal impedance - 80-250 Ω per cartridge<br/> Nominal SPL - 105 dB SPL<br/> Nominal T.H.D. - &lt; 0.2%<br/> Power handling capacity - 100 mW</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <p><b>Monitor Headphones</b><br/> TECHNICAL SPECIFICATIONS<br/> Transducer type - Dynamic<br/> Operating principle - Closed<br/> Nominal frequency response - 5 - 30,000 Hz<br/> Nominal impedance - 80-250 Ω per cartridge<br/> Nominal SPL - 105 dB SPL<br/> Nominal T.H.D. - &lt; 0.2%<br/> Power handling capacity - 100 mW</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |

|                          |          |       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
|--------------------------|----------|-------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|                          |          |       |            | Sound coupling to ear - Circumaural<br>Ambient noise isolation - approx. 35 dB(A)<br>Nominal headband pressure - approx. 6.5 N<br>Weight (without cable) - 350 g<br>Length and type of cable - 3 m / straight cable<br>Cable with in-line volume control<br>Connection - Gold plated mini stereo jack plug (3.5 mm) and 1/4" adapter (6.35 mm)                                                                                                                                                     | Sound coupling to ear - Circumaural<br>Ambient noise isolation - approx. 35 dB(A)<br>Nominal headband pressure - approx. 6.5 N<br>Weight (without cable) - 350 g<br>Length and type of cable - 3 m / straight cable<br>Cable with in-line volume control<br>Connection - Gold plated mini stereo jack plug (3.5 mm) and 1/4" adapter (6.35 mm)                                                                                                                            |  |
| Lot 13                   |          |       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Headphone USB Microphone | HLC 660U | China | Behringer  | <b>Headphone</b> (equivalent Behringer HLC 660U)<br>Suitable for podcasts, games, and conferences<br>Over ear<br>Closed-back design<br>Plug-and-play<br>53 mm Dynamic drivers<br>Impedance: 32 Ohm<br>Sensitivity: 96 dB ( $\pm 3$ dB)<br>Microphone sensitivity: -40 dB ( $\pm 3$ dB) at 1 kHz (0 dB = 1 V / Pa)<br>Microphone frequency response: 30 - 15,000 Hz<br>Omnidirectional<br>USB Type-A plug<br>2 m Cable with volume control and microphone mute switch                               | <b>Headphone</b><br>Suitable for podcasts, games, and conferences<br>Over ear<br>Closed-back design<br>Plug-and-play<br>53 mm Dynamic drivers<br>Impedance: 32 Ohm<br>Sensitivity: 96 dB ( $\pm 3$ dB)<br>Microphone sensitivity: -40 dB ( $\pm 3$ dB) at 1 kHz (0 dB = 1 V / Pa)<br>Microphone frequency response: 30 - 15,000 Hz<br>Omnidirectional<br>USB Type-A plug<br>2 m Cable with volume control and microphone mute switch                                      |  |
| Lot 15                   |          |       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| In-Ear System            | XSW IEM  | China | Sennheiser | <b>Wireless UHF In-Ear System</b> (equivalent XSW IEM Set)<br>Consisting of transmitter and pocket receiver<br>Transmitter power: 30 mW<br>Frequency range: 45 - 15,000 Hz<br>Switching bandwidth up to 24 MHz<br>EQ<br>Limiter<br>Frequency Presets<br>Focus Mode<br>Infrared Sync<br>Operating time: approx. 6 hours - depending on the volume setting<br>Transmitter connections: 6.3 mm headphone output, 2x combined input sockets<br>Receiver connections: 3.5 mm mini jack headphone output | <b>Wireless UHF In-Ear System</b><br>Consisting of transmitter and pocket receiver<br>Transmitter power: 30 mW<br>Frequency range: 45 - 15,000 Hz<br>Switching bandwidth up to 24 MHz<br>EQ<br>Limiter<br>Frequency Presets<br>Focus Mode<br>Infrared Sync<br>Operating time: approx. 6 hours - depending on the volume setting<br>Transmitter connections: 6.3 mm headphone output, 2x combined input sockets<br>Receiver connections: 3.5 mm mini jack headphone output |  |

|                        |            |       |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|------------------------|------------|-------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|                        |            |       |                | Transmitter dimensions (W x D x H): 200 x 128 x 42 mm<br>Receiver dimensions (W x D x H): 95 x 70 x 26 mm<br>Transmitter weight: 700 g<br>Receiver weight: 110 g<br>Incl. Sennheiser IE 4 in-ear headphones, XSW rackmount kit, power supply (NT 12-5 CW), 1x BNC omnidirectional antenna                                                                                                                                                                                                                                                                                                                                                                                                                                   | Transmitter dimensions (W x D x H): 200 x 128 x 42 mm<br>Receiver dimensions (W x D x H): 95 x 70 x 26 mm<br>Transmitter weight: 700 g<br>Receiver weight: 110 g<br>Incl. Sennheiser IE 4 in-ear headphones, XSW rackmount kit, power supply (NT 12-5 CW), 1x BNC omnidirectional antenna                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Lot 17                 |            |       |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Wireless Camera System | EW 112P G4 | China | Sennheiser     | <b>UHF Wireless Camera System</b> (equivalent EW 112P G4)<br>Consists of SK 100 G4 bodypack transmitter, EK 100 G4 pocket receiver and ME 2 condenser lavalier microphone<br>Polar pattern: Omnidirectional<br>42 MHz switching bandwidth<br>20 Channel banks each with up to 12 presets<br>Up to 20 compatible channels<br>Frequency range: 25 - 18.000 Hz<br>Frequency transmission via infrared interface<br>Pilot tone<br>Autotune for finding free frequencies<br>Audio Gain includes 60 dB<br>4-Digit battery indicator on the transmitter and receiver<br>HDX compander<br>LCD display with NF level and channel display<br>10 mW transmission power<br>Includes CL100 cable, CL 1 cable and CA 2 flash unit adapter | <b>UHF Wireless Camera System</b><br>Consists of SK 100 G4 bodypack transmitter, EK 100 G4 pocket receiver and ME 2 condenser lavalier microphone<br>Polar pattern: Omnidirectional<br>42 MHz switching bandwidth<br>20 Channel banks each with up to 12 presets<br>Up to 20 compatible channels<br>Frequency range: 25 - 18.000 Hz<br>Frequency transmission via infrared interface<br>Pilot tone<br>Autotune for finding free frequencies<br>Audio Gain includes 60 dB<br>4-Digit battery indicator on the transmitter and receiver<br>HDX compander<br>LCD display with NF level and channel display<br>10 mW transmission power<br>Includes CL100 cable, CL 1 cable and CA 2 flash unit adapter |  |
| Lot 18                 |            |       |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Headphones             | ATH-PRO5 X | China | Audio-Technica | <b>Headphones</b> (equivalent ATH-PRO5 X)<br>Circumaural<br>40 mm Drivers<br>Swiveling earcups<br>Maximum input: 1500 mW<br>Removable cable with lock system<br>Includes 1.2 m - 3 m spiral cable with 3.5 mm and 6.3 mm screwable adapter and 1.2 m straight cable                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>Headphones</b> (equivalent ATH-PRO5 X)<br>Circumaural<br>40 mm Drivers<br>Swiveling earcups<br>Maximum input: 1500 mW<br>Removable cable with lock system<br>Includes 1.2 m - 3 m spiral cable with 3.5 mm and 6.3 mm screwable adapter and 1.2 m straight cable                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
| Lot 19                 |            |       |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |

|              |                 |       |        |                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                         |  |
|--------------|-----------------|-------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Controller   | Stream Deck XL  | China | Elgato | <b>DAW Controller</b> (equivalent Stream Deck XL)<br>USB 3.0 controller with 32 customisable LCD buttons<br>Ideal for controlling DAWs via short cut occupancy<br>Completely customisable with own or ready-made icons<br>Includes magnetic stand, USB-C to USB-A cable For Windows 10 (64-bit) and macOS 10.13 or later                | <b>DAW Controller</b> (equivalent Stream Deck XL)<br>USB 3.0 controller with 32 customisable LCD buttons<br>Ideal for controlling DAWs via short cut occupancy<br>Completely customisable with own or ready-made icons<br>Includes magnetic stand, USB-C to USB-A cable For Windows 10 (64-bit) and macOS 10.13 or later                |  |
| Lot 20       |                 |       |        |                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                         |  |
| Controller   | Stream Deck MK2 | China | Elgato | <b>DAW Controller</b> (equivalent Stream Deck MK2)<br>With 15 customizable LCD buttons<br>Ideal for controlling DAWs via short cut assignment<br>Fully customizable with own or predefined icons<br>Scenes can be changed at the touch of a button<br>A removable front panel<br>Suitable for Windows 10 (64-bit), macOS 10.13 or newer | <b>DAW Controller</b> (equivalent Stream Deck MK2)<br>With 15 customizable LCD buttons<br>Ideal for controlling DAWs via short cut assignment<br>Fully customizable with own or predefined icons<br>Scenes can be changed at the touch of a button<br>A removable front panel<br>Suitable for Windows 10 (64-bit), macOS 10.13 or newer |  |
| <b>TOTAL</b> |                 |       |        |                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                         |  |

Semnat: \_\_\_\_\_Numele, Prenumele: Constantin Alexandru În calitate de: director  
 Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16

Anexa nr.23  
la Documentația standard nr. \_\_\_\_\_  
din “ \_\_\_\_ ” \_\_\_\_\_ 20 \_\_\_\_

### Specificații de preț

[Acest tabel va fi completat de către ofertant în coloanele 5,6,7,8 și 11 la necesitate, iar de către autoritatea contractantă – în coloanele 1,2,3,4,9,10]

|         | Numărul procedurii de achiziție ocde-b3wdp1-MD-1669908609726 din 09/12/2022 |                    |            |                        |                      |               |             |                                                      |                              |            |
|---------|-----------------------------------------------------------------------------|--------------------|------------|------------------------|----------------------|---------------|-------------|------------------------------------------------------|------------------------------|------------|
|         | Obiectul achiziției: Echipament audio                                       |                    |            |                        |                      |               |             |                                                      |                              |            |
| Cod CPV | Denumirea bunurilor/serviciilor                                             | Unitatea de măsură | Cantitatea | Preț unitar (fără TVA) | Preț unitar (cu TVA) | Suma fără TVA | Suma cu TVA | Termenul de livrare/prestare                         | Clasificație bugetară (IBAN) | Discount % |
| 1       | 2                                                                           | 3                  | 4          | 5                      | 6                    | 7             | 8           | 9                                                    | 10                           | 11         |
|         | <b>Bunuri/servicii</b>                                                      |                    |            |                        |                      |               |             |                                                      |                              |            |
|         | Lot 1                                                                       |                    |            |                        |                      |               |             |                                                      |                              |            |
|         | Boxă audio                                                                  | buc                | 4          | 12240,00               | 14688,00             | 48960,00      | 58752,00    | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA     |            |
|         | lot 2                                                                       |                    |            |                        |                      |               |             |                                                      |                              |            |
|         | Condenser Microphone                                                        | buc                | 2          | 6440,00                | 7728,00              | 12880,00      | 15456,00    | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA     |            |
|         | lot 5                                                                       |                    |            |                        |                      |               |             |                                                      |                              |            |
|         | Lavalier Microphone                                                         | buc                | 26         | 2760,00                | 3312,00              | 71760,00      | 86112,00    | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA     |            |

|  |                                  |     |    |          |          |          |          |                                                      |                          |  |
|--|----------------------------------|-----|----|----------|----------|----------|----------|------------------------------------------------------|--------------------------|--|
|  | lot 6                            |     |    |          |          |          |          |                                                      |                          |  |
|  | Broadcast Microphone             | Buc | 2  | 8095,00  | 9714,00  | 16190,00 | 19428,00 | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA |  |
|  | lot 7                            |     |    |          |          |          |          |                                                      |                          |  |
|  | Studio Microphone                | Buc | 2  | 4340,00  | 5208,00  | 8680,00  | 10416,00 | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA |  |
|  | lot 10                           |     |    |          |          |          |          |                                                      |                          |  |
|  | Condenser Microphone             | Buc | 2  | 20090,00 | 24108,00 | 40180,00 | 48216,00 | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA |  |
|  | lot 11                           |     |    |          |          |          |          |                                                      |                          |  |
|  | Portable recorder and accesories | Buc | 10 | 2950,00  | 3540,00  | 29500,00 | 35400,00 | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA |  |
|  | lot 12                           |     |    |          |          |          |          |                                                      |                          |  |
|  | Monitor Headphones               | Buc | 8  | 3425,00  | 4110,00  | 27400,00 | 32880,00 | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA |  |
|  | lot 13                           |     |    |          |          |          |          |                                                      |                          |  |
|  | Headphone USB Microphone         | Buc | 4  | 560,00   | 672,00   | 2240,00  | 2688,00  | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA |  |

|  |                        |     |   |          |          |          |          |                                                      |                          |  |
|--|------------------------|-----|---|----------|----------|----------|----------|------------------------------------------------------|--------------------------|--|
|  | lot 15                 |     |   |          |          |          |          |                                                      |                          |  |
|  | In-Ear System          | Set | 4 | 12450,00 | 14940,00 | 49800,00 | 59760,00 | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA |  |
|  | lot 17                 |     |   |          |          |          |          |                                                      |                          |  |
|  | Wireless Camera System | Buc | 6 | 12890,00 | 15468,00 | 77340,00 | 92808,00 | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA |  |
|  | lot 18                 |     |   |          |          |          |          |                                                      |                          |  |
|  | Headphones             | Buc | 8 | 2090,00  | 2508,00  | 16720,00 | 20064,00 | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA |  |
|  | lot 19                 |     |   |          |          |          |          |                                                      |                          |  |
|  | Controller             | Buc | 4 | 7090,00  | 8508,00  | 28360,00 | 34032,00 | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA |  |
|  | lot 20                 |     |   |          |          |          |          |                                                      |                          |  |
|  | Controller             | Buc | 2 | 3070,00  | 3684,00  | 6140,00  | 7368,00  | în decurs de 40 de zile de la semnarea contractului. | MD54TRPCCC518430A00044AA |  |

Semnat: \_\_\_\_\_ Numele, Prenumele: Constantin Alexandru În calitate de: director

Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16