

PORTABLE FRIDGE/MOBILE COLD CHAIN

MOBILE COLD CHAIN


FAN COOLING

ALG-50F

ALG-40F

AXR-20F

TEMPERATURE CONTROL




Accurate
Temperature


Anti-vibration


Car Home
dual use


Battery Voltage
Protection

MUTE
DESIGN

INNOVA



Wancool/SECOP
High quality compressor

Mute design

**Enjoy peace
And comfort**

STABLE
TEMPERATURE

Car fridge

**Stable cooling
ambient 2°C~8°C**



USB CHARGING

Car fridge 20L

Equipped with USB
port, convenient for
charging



LED LIGHTING

Car fridge 20L

With the door
opened with
angle $>20^{\circ}$
the LED light is on



PORTABLE PULL ROD

Car fridge ALG40F

Labor saving pull
rod design, more
convenient to move



Gear
wheel



Anti-
vibration



Car Home
dual use



Battery Voltage
Protection



PRODUCT DETAILS SHOW



No.1

◀ **Fan forced air circulation**
Exclusive design, beautiful and practical

No.2

Embedded clasp ▶
Strong and practical



PRODUCT SIZE

AXR-20F



ALG-40F



ALG-50F



PRODUCT

PARAMETERS/AXR-20F



Product size	630*364*350mm
Packing size	720*455*444mm
Color	Matte black
N.W.	13.5KG
G.W.	16.0KG
Gross/ Net capacity	20L/19.6L
Storage temperature	-10℃~+70℃
Working temperature	10℃~+43℃ (SN、N、ST、T)
Working humidity	≤75%
Compressor	ACV20JZ/BD35F/QDZH26D
Refrigerant	R134a/35±0.5g
Evaporator	Winding
Condenser	Finned
Foaming agent	C5H10/C-Pentane
Cooling range	2-8℃
Rated Voltage	DC 12V/24V
Power	55W (+20%)
Noise level	≤45dB
Cooling system	DC, Compressor
Material	PP

PRODUCT

PARAMETERS/ALG-40F



Product size	630*404*470mm
Packing size	720*455*564mm
Color	Matte black
N.W.	17.0KG
G.W.	20.0KG
Gross/ Net capacity	40L/33.6L
Storage temperature	-10℃~+70℃
Working temperature	10℃~+43℃ (SN、N、ST、T)
Working humidity	≤75%
Compressor	ACV25FC/BD35F/QDZH26D
Refrigerant	R134a/40±0.5g
Evaporator	Winding
Condenser	Finned
Foaming agent	C5H10/C-Pentane
Cooling range	2-8℃
Rated Voltage	DC 12V/24V
Power	55W (+20%)
Noise level	≤45dB
Cooling system	DC, Compressor
Material	PP

PRODUCT

PARAMETERS/ALG-50F



Product size	630*404*530mm
Packing size	720*455*624mm
Color	Matte black
N.W.	18.0KG
G.W.	21.3KG
Gross/ Net capacity	50L/40.7L
Storage temperature	-10℃~+70℃
Working temperature	10℃~+43℃ (SN、N、ST、T)
Working humidity	≤75%
Compressor	ACV25FC/BD35F/QDZH26D
Refrigerant	R134a/50±0.5g
Evaporator	Winding
Condenser	Finned
Foaming agent	C5H10/C-Pentane
Cooling range	2-8℃
Rated Voltage	DC 12V/24V
Power	55W (+20%)
Noise level	≤45dB
Cooling system	DC, Compressor
Material	PP

PRODUCT

PARAMETERS/PRF-60F



Product size	621*485*569mm
Packing size	718*578*650mm
Color	Dark Gray/Light Gray/White
N.W	23.3kg
G.W	25.4kg
Capacity	60L
Temperature range	2℃~8℃
Working condition	10℃~43℃
Rated Voltage	DC 12V/24V/AC100~240V 50/60Hz
Rated Power	70W(+20%)
Cooling System	Wancool Compressor
Refrigerant	R134a
Forming Vesicant	C5H10/C-Pentane
Noise Level	≤45dB(A)
Cabinet Material	Powder coated galvanized steel/Stainless steel (Optional)
Optional Accessories	Basket

PRODUCT

PARAMETERS/PRF-95F



Product size	811*482*592mm
Packing size	906*575*665mm
Color	Dark Gray/Light Gray/white
N.W	28.4kg
G.W	32.5kg
Capacity	95L
Temperature range	2℃~8℃
Working condition	10℃~43℃
Rated Voltage	DC 12V/24V/AC100~240V 50/60Hz
Rated Power	70W(+20%)
Cooling System	Wancool Compressor
Refrigerant	R134a
Forming Vesicant	C5H10/C-Pentane
Noise Level	≤45dB(A)
Cabinet Material	Powder coated galvanized steel/Stainless steel (Optional)
Optional Accessories	Basket

PRODUCT

PARAMETERS/PRF-115F



Product size	811*482*672mm
Packing size	906*575*745mm
Color	Dark Gray/Light Gray/white
N.W	31.9kg
G.W	36.6kg
Capacity	115L
Temperature range	2℃~8℃
Working condition	10℃~43℃
Rated Voltage	DC 12V/24V/AC100~240V 50/60Hz
Rated Power	70W(+20%)
Cooling System	Wancool Compressor
Refrigerant	R134a
Forming Vesicant	C5H10/C-Pentane
Noise Level	≤45dB(A)
Cabinet Material	Powder coated galvanized steel/Stainless steel (Optional)
Optional Accessories	Basket

RELEVANT ACCESSORIES



AC adapter



AC power line




Battery(optional)



DC power line



Car fridge



Lock(optional)



Secure Quality, Continuous Innovation

INNOVA BIOMED INSTRUMENTS LIMITED

Add: Lucky centre, 165 Wanchai Road, Wanchai, Hong Kong

Qingdao Innova Bio-Meditech Co., Ltd.

Add: No. 11 ZaoYuan Road, 266121, Qingdao, China

Email: info@innobiomed.com

Tel.: +86 532 8789 0634

Website: www.innovabiomed.com