

THE NETHERLANDS
(N E D E R L A N D)**COMMUNICATION**Concerning ⁽¹⁾:

- ~~approval granted~~
- approval extended
- ~~approval refused~~
- ~~approval withdrawn~~
- ~~production definitely discontinued~~

of a type of tyre for motor vehicles pursuant to Regulation number 30.

Approval number: E4*30R02/20*114011*01

1. Manufacturer's name and address : Shandong Longyue Rubber Co., Ltd.
The South of Yalujiang Road Wenzhuang
Village Qinghe Agency of Cao County
Heze City, Shandong Province 274400
China (PRC)
2. Tyre type designation ⁽²⁾ :
- 2.1. Brand-name(s)/trademark(s) : GRENLANDER;ARIVO;T TYRE;
CONSTANCY;ILINK; LUXXAN;RHINO;
CRYSTAL;ROCKBLADE; FRONWAY;
SAILWIN;XBRI;ROADMARCH



- 2.2. Trade description(s)/Commercial name(s) : PRIME UHP 07; Envoy; PRIME UHP 08; DIAS ZERO; ULTRA SPORT ARV7; ULTRA SPORTLINE C7; SPEEDKING 07; EURUS 07; VENUSATR 07; SPORTLINE; INSPIRER S6; ROCK 535; ENRI U08; ULTRA ARZ4; FOUR; THUNDER U09; LY169; EURUS 08; VENUSATR 08;SPORT+2; INSPIRER S8; ROCK 525; LY566; L-ZEAL56; ULTRA ARZ5; INSPIRER S4; EMOTION; Drift;TEN; SPORT+; SPEEDWAY 56; SPORTWAY 56;ROCK 566; Winter GL888; Winter IL888; LY888; ICEPOWER 888; ICEWINNER 888; WINTERCROSS ARW8;ROCK 888S; GREENWING A/S; MULTIMATCH A/S; FRONWING A/S; FREIMATCH A/S; Carlorful A/S; PRIME A/S; FORTY ONE; ROCK A/S ONE; INSPIRER A/S 1; Winter GL868; WINMASTER ARW2; LY868; Winter IL868; SNOWROVER 868; ROCK 868S; ICEPOWER 868; ICEWINNER 868; THIRTY TWO; INSPIRER W20; COLO H01; L-GRIP66; LY168; ECOGREEN 66; VENUSATR 66; PREMIO ARZ1; ECOLOGY; INSPIRER C4; THREE; ROCK 515; PRIMESTAR 66; Energize
3. If applicable, name and address of the manufacturer's representative : N/A
4. Summarised description :
- 4.1. Tyre size designation : 235/55R18
- 4.2. Category of use : ~~normal~~/snow/~~special use~~/temporary use⁽¹⁾
- 4.3. Structure : ~~diagonal/bias belted~~/radial/~~run flat tyre~~⁽¹⁾
- 4.4. Speed category symbol : V
- 4.5. Load-capacity index : 104
5. Technical service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity : CSI S.p.A.
Viale Lombardia 20
20021 Bollate (MI)
Italy
6. Date of report issued by that service : 28/11/2018
18/06/2019
7. Number of report issued by that service : 86-R30-3792/18-00
0124\ISP\OMLS\19_54



8. Reason(s) of extension (if applicable) : Addition of Brand-names
Addition of Trade descriptions
Deletion of Brand-names
Deletion of Trade descriptions
9. Any remarks : Change of technical service
10. Place : Zoetermeer
11. Date : 11 July 2019
12. Signature :



T. Ploshchansky

13. The list of documents in the approval file which are deposited at the administrative service having delivered the approval and which can be obtained upon request.
- Application form relating to ECE approval for a pneumatic tyre pursuant to Regulation number 30.
 - The drawing of the tyre's sidewalls, tread and dimensioned cross-section.
 - The test report as mentioned in item 7.

⁽¹⁾ Strike out what does not apply.

⁽²⁾ A list of Brand name(s)/trademark(s) or Trade description(s)/ Commercial name(s) may be annexed to this communication

RAPPORTO DI PROVA / TEST REPORT

NUMBER

0124\ISP\OMLS\19_54

ISSUE DATE

18/06/2019

DIVISION

AUTOMOTIVE

LABORATORY

Homologation

SPECIMEN DESCRIPTION

Tyre Size

235/55R18**APPROVAL EXTENSION TESTS****MANUFACTURER****Shandong Longyue Rubber Co., Ltd.**

The South of Yalujiang Road Wenzhuang Village Qinghe Agency of Cao County
Heze City, Shandong Province 274400 China (PRC)

REFERENCE STANDARD**Regulation 30/02**

Supplement 20

(E/ECE/324/ Rev.1/Add.29/Rev.3/Amend.6 – E/ECE/TRANS/505/ Rev.1/Add.29/Rev.3/Amend.6)



GENERAL DATA

Test date:	N/A
Test site:	N/A
Sampling:	N/A
Deviation from test methods:	N/A

DECLARATIONS

Test results contained in this test report pertain exclusively to the tested specimen.

This test report cannot be reproduced partially without the consent of the test center managing director.




PRODUCT IDENTIFICATION

Manufacturer's name	Shandong Longyue Rubber Co., Ltd.
Address(es) of Manufacturing plant(s)	The South of Yalujiang Road Wenzhuang Village Qinghe Agency of Cao County Heze City, Shandong Province 274400 China (PRC)
Brand-name(s) / trademark(s)	GRENLANDER;ARIVO;T TYRE; CONSTANCY;ILINK; LUXXAN;RHINO; CRYSTAL;ROCKBLADE; FRONWAY; SAILWIN;XBRI; <u>ROADMARCH</u>
Trade description(s) / Commercial name(s)	<u>PRIME UHP 07; Envoy; PRIME UHP 08; DIAS ZERO; ULTRA SPORT ARV7; ULTRA SPORTLINE C7; SPEEDKING 07; EURUS 07; VENUSATR 07; SPORTLINE; INSPIRER S6; ROCK 535; ENRI U08; ULTRA ARZ4; FOUR; THUNDER U09; LY169; EURUS 08; VENUSATR 08;SPORT+2; INSPIRER S8; ROCK 525; LY566; L-ZEAL56; ULTRA ARZ5; INSPIRER S4; EMOTION; Drift;TEN; SPORT+; SPEEDWAY 56; SPORTWAY 56;ROCK 566; Winter GL888; Winter IL888; LY888; ICEPOWER 888; ICEWINNER 888; WINTERCROSS ARW8;ROCK 888S; GREENWING A/S; MULTIMATCH A/S; FRONWING A/S; FREIMATCH A/S; Carlorful A/S; PRIME A/S; FORTY ONE; ROCK A/S ONE; INSPIRER A/S 1; Winter GL868; WINMASTER ARW2; LY868; Winter IL868; SNOWROVER 868; ROCK 868S; ICEPOWER 868; ICEWINNER 868; THIRTY TWO; INSPIRER W20; COLO H01; L- GRIP66; LY168; ECOGREEN 66; VENUSATR 66; PREMIO ARZ1; ECOLOGY; INSPIRER C4; THREE; ROCK 515; PRIMESTAR 66; Energize</u>
Tyre size designation	235/55R18
Category of use	Snow
Tyre structure	Radial
Speed category symbol	V
Load capacity index	104



TYRE MAIN FEATURES

See attached Technical Sheet.



APPROVAL STATUS

Approval Number: E4*30R02/20*114011*00 First issued on: 15/01/2019

For details, see test reports:

- 86-R30-3792/18-00 issued on 28/11/2018 by TÜV Rheinland Kraftfahrt GmbH

REASON FOR EXTENSION

- Addition of Brand-names
- Addition of Trade descriptions
- Deletion of Brand-names
- Deletion of Trade descriptions



SUMMARY OF TEST RESULTS

The results of the previous tests are still valid as no difference can affect tests already performed and all new variant/versions fulfil the requirements of Regulation ECE 30/02.

Tests and verification		PASS	FAIL	N/A	R
1	Test tyre details	☒	☐	☐	
2	Test results	☒	☐	☐	



RESULTS

Following verification and tests performed, we declare that the products submitted for approval comply with all technical requirements of UNECE Regulation 30/02.

DATA
Date

18/06/2019


Settore Omologazioni
Test Engineer

Luca Bolgiani



Area Omologazioni
Homologation Area

Ing. Daniele Gervasini



Documento firmato digitalmente ai sensi del D. Lgs. N. 82 del 7 Marzo 2005 e successive modifiche
Digitally signed document in accordance with Legislative Decree n. 82 dated March 7th 2005 and subsequent amendments.



APPLICATION FOR APPROVAL OF A TYPE OF PNEUMATIC TYRE ACCORDING TO ECE
REGULATION No. 30, 02 SERIES OF AMENDMENTS

1. Manufacturer's name or trade mark(s) on the tyre type⁽²⁾ : GRENLANDER;ARIVO;T TYRE;CONSTANCY;ILINK; LUXXAN;RHINO;CRYSTAL;ROCKBLADE; FRONWAY;SAILWIN;XBRI;ROADMARCH
2. Tyre type designation by the manufacturer⁽²⁾ : PRIME UHP 07;Envoy;PRIME UHP 08;DIAS ZERO;
ULTRA SPORT ARV7;ULTRA SPORTLINE C7;
SPEEDKING 07;EURUS 07; VENUSATR 07;
SPORTLINE;INSPIRER S6; ROCK 535; ENRI U08;
ULTRA ARZ4;FOUR;THUNDER U09; LY169;
EURUS 08;VENUSATR 08;SPORT+2;INSPIRER S8;
ROCK 525;LY566;L-ZEAL56;ULTRA ARZ5;
INSPIRER S4;EMOTION; Drift;TEN;SPORT+;
SPEEDWAY 56;SPORTWAY 56;ROCK 566;
Winter GL888;Winter IL888;LY888;ICEPOWER 888;
ICEWINNER 888;WINTERCROSS ARW8;ROCK 888S;
GREENWING A/S;MULTIMATCH A/S;
FRONWING A/S;FREIMATCH A/S;Carlorful A/S;
PRIME A/S;FORTY ONE;ROCK A/S ONE;
INSPIRER A/S 1;Winter GL868;WINMASTER ARW2;
LY868;Winter IL868;SNOWROVER 868;
ROCK 868S;ICEPOWER 868;ICEWINNER 868;
THIRTY TWO;INSPIRER W20;COLO H01;
L-GRIP66;LY168;ECOGREEN 66;VENUSATR 66;
PREMIO ARZ1;ECOLOGY;INSPIRER C4;THREE;
ROCK 515;PRIMESTAR 66;Energize
3. Manufacturer's name and address : Shandong Longyue Rubber Co., Ltd.
The South of Yalujiang Road, Wenzhuang Village Qinghe
Agency of Cao County, Heze city, Shandong Province,
P.R.China
4. If applicable, name and address of the manufacturer's representative : N.A.
5. Summarized description
- 5.1. Tyre size designation : 235/55R18
- 5.2. Category of use : ~~normal~~/snow/~~special use~~/temporary use⁽¹⁾
- 5.3. Structure : ~~diagonal/bias-belted~~/radial/~~run-flat~~ tyre⁽¹⁾
- 5.4. Speed category symbol : V
- 5.5. Load-capacity index : 104
6. Overall dimensions : Calculated/~~Annex 5~~⁽¹⁾
overall section width : 240.0; 240.7
outer diameter : 709.8; 710.3
7. Factor 'x' : 0.7
8. Rims on which the tyre can be mounted : 7 1/2J
9. Measuring rim and test rim : See attached test report
10. State whether the tyre is : Tubeless / ~~tube type~~⁽¹⁾
11. State whether the tyre is : ~~Standard~~/ reinforced⁽¹⁾
12. State if special use tyre : N.A.
Professional Off-Road : ~~Yes~~/~~no~~⁽¹⁾
Tread depth : N.A.
Void to fill ratio : N.A.
13. Submitted for approval on (date) : April 11 , 2019



(1) Strike out what does not apply.

(2) Modified points are underlined for extension.

We herewith declare that we have not applied and will not apply for approval with another Contracting Party of the ECE for the same type of product.

MANUFACTURER'S STAMP



Signature :

Ren Hailong

.....



Name: Ren Hailong

THIS APPLICATION IS ACCOMPANIED BY:


- A drawing of the tyre's side wall, tread and dimensioned cross section.
- The test report.



(1) Strike out what does not apply.
(2) Modified points are underlined for extension.



UPPER



LOWER


TREAD PATTERNS



REFER TO ATTACHMENT NO.11

1	GRENLANDER;ARIVO;CONSTANCY;JLINK;LUXXAN;RHINO;CRYSTAL; T TYRE;ROCKBLADE;FRONWAY;SAILWIN;XBRI;ROADMARCH	8	OUTSIDE(LOWER)/INSIDE(UPPER)
2	ENRI U08;EURUS_08;LY169;THUNDER U09;FOUR; VENUSATR_08;ULTRA ARZ4;SPORT+2;INSPIRER S8; ROCK 525;Envoy;PRIME UHP_08	9	ECE APPROVAL MARK
3	MADE IN CHINA	10	DOT 17B LRHBPA XXXX (DATE CODE)
4	MOLD No.	11	TUBELESS
5	EXTRA LOAD	12	STEEL BELTED RADIAL
6	MAX. LOAD 900kg (1984 LBS) MAX. PRESSURE 340kPa (50 PSI)	13	SAFETY WARNING
7	235/55R18 104V M+S	14	TREADWEAR 400 TRACTION A TEMPERATURE A
		15	PLUS:TREAD 2 POLYESTER 2 STEEL 1 NYLON SIDEWALL 2 POLYESTER
		16	DOT 17B LRHBPA
		17	RIM:NOM.WIDTH 7½J


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R18	715	245	190.5	104V	EXTRA LOAD

SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R18 104V





UPPER




LOWER

TREAD PATTERNS



REFER TO ATTACHMENT NO.11

1	GRENLANDER;ARIVO;CONSTANCY;ILINK;LUXXAN;RHINO;CRYSTAL; T TYRE;ROCKBLADE;FRONWAY;SAILWIN;XBRI;ROADMARCH	8	MADE IN CHINA
2	LY566;L-ZEAL56;INSPIRER S4;EMOTION;ULTRA ARZ5;Drift; TEN;SPORTWAY 56;SPORT+;SPEEDWAY 56;ROCK 566	9	PLIES:SIDEWALL 2 POLYESTER TREAD: 2 POLYESTER + 2 STEEL + 1 POLYAMIDE
3	SAFETY WARNING	10	STANDARD RIM:7 1/2J
4	TREADWEAR 300 TRACTION A TEMPERATURE A	11	MOLD No.
5	ECE APPROVAL MARK	12	MAX. LOAD. 900kg (1984 lbs) MAX. PRESS. 340kPa (50 psi)
6	DOT 7BXX XXX XXXX (DATE CODE)	13	OUTSIDE(LOWER)/INSIDE(UPPER)
7	RADIAL TUBELESS STEEL BELTED	14	M+S
		15	235/55R18 104V EXTRA LOAD
		16	DOT 7BXX XXX


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R18	715	245	190.5	104V	EXTRA LOAD



SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R18 104V



UPPER




LOWER

TREAD PATTERNS



REFER TO ATTACHMENT NO.11

1	GRENLANDER;ARIVO;CONSTANCY;ILINK;LUXXAN;RHINO;CRYSTAL; T TYRE;ROCKBLADE;FRONWAY;SAILWIN;XBRI;ROADMARCH	8	MAX. LOAD 900kg (1984 LBS) MAX. PRESS. 340kPa (50PSI)	EXTRA LOAD
2	DIA5 ZERO;ROCK 535;SPEEDKING 07;ULTRA SPORTLINE C7; EURUS 07;VENUSATR 07;SPORTLINE;INSPIRER S6; ULTRA SPORT ARV7;PRIME UHP 07	9	MADE IN CHINA	
3	PLIES:TREAD 2POLYESTER+2STEEL+1NYLON SIDEWALL 2POLYESTER	10	DOT 17B XXXXXX XXXX (DATE CODE)	
4	RIM:7 1/2J	11	ECE APPROVAL MARK	
5	RADIAL TUBELESS	12	TREADWEAR XXX TRACTION X TEMPERATURE X	
6	MOLD No.	13	SAFETY WARNING	
7	235/55R18 104VXL M+S	14	DOT 17B XXXXXX	
		15	ROTATION	


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R18	715	245	190.5	104V	EXTRA LOAD



SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Li Ying	Shen Maoqiao	TITLE	235/55R18 104V



UPPER



LOWER


TREAD PATTERNS



REFER TO ATTACHMENT NO.11

1	GRENLANDER;ARIVO;CONSTANCY;ILINK;LUXXAN;RHINO;CRYSTAL; T TYRE;ROCKBLADE;FRONWAY;SAILWIN;XBRI;ROADMARCH	7	ECE APPROVAL MARK
2	Winter GL888; Winter IL888; LY888; ICEPOWER 888; ICEWINNER 888; WINTERCROSS ARW8; ROCK 888S	8	RADIAL TUBELESS
3	PLIES:TREAD 2POLYESTER 2STEEL 1NYLON SIDEWALL 2POLYESTER	9	DOT 17B XXXXXX
4	MAX. LOAD 900kg (1984 LBS) AT 340kPa (50 PSI) COLD	10	MADE IN CHINA
5	235/55R18 104V EXTRA LOAD	11	MOLD No.
6	M+S	12	RIM:7 1/2J
		13	SAFETY WARNING
		14	DOT 17B XXXXXX XXXX (DATE CODE)
		15	ROTATION


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R18	715	245	190.5	104V	EXTRA LOAD

SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R18 104V





UPPER



LOWER


TREAD PATTERNS



REFER TO ATTACHMENT NO.11

1	GRENLANDER; CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; CRYSTAL; T TYRE; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH	8	ROTATION
2	GREENWING A/S; MULTIMATCH A/S; FRONWING A/S; FREIMATCH A/S; CARLORFUL A/S; PRIME A/S; FORTY ONE; ROCK A/S ONE; INSPIRER A/S 1	9	MAX. LOAD 900kg (1984 LBS) MAX. PRESS. 340 kPa(50 PSI) EXTRA LOAD
3	PLIES:TREAD 2POLYESTER+2STEEL+1NYLON SIDEWALL 2POLYESTER	10	MADE IN CHINA
4	RIM:7 1/2J	11	DOT 17B XXXXXX XXXX (DATE CODE)
5	RADIAL TUBELESS	12	ECE APPROVAL MARK
6	MOLD No.	13	SAFETY WARNING
7	235/55R18 104VXL M+S	14	ALL SEASONS
		15	DOT 17B XXXXXX


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R18	715	245	190.5	104V	EXTRA LOAD

SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R18 104V





UPPER



LOWER


TREAD PATTERNS



REFER TO ATTACHMENT NO.11

1	GRENLANDER; CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; CRYSTAL; T TYRE; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH	8	MAX. LOAD 900kg (1984 LBS) MAX. PRESS. 340 kPa(50 PSI) EXTRA LOAD
2	Winter GL868; WINMASTER ARW2; LY868; Winter IL868; SNOWROVER 868; ROCK 868S; ICEPOWER 868; ICEWINNER 868; THIRTY TWO; INSPIRER W20	9	MADE IN CHINA
		10	DOT 17B XXXXXX XXXX (DATE CODE)
3	PLIES: TREAD 2POLYESTER+2STEEL+1NYLON SIDEWALL 2POLYESTER	11	ECE APPROVAL MARK
4	RIM: 7 1/2J	12	OUTSIDE(LOWER)/INSIDE(UPPER)
5	RADIAL TUBELESS	13	SAFETY WARNING
6	MOLD No.	14	DOT 17B XXXXXX
7	235/55R18 104VXL M+S	15	


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R18	715	245	190.5	104V	EXTRA LOAD

SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R18 104V





UPPER



LOWER


TREAD PATTERNS

REFER TO ATTACHMENT NO.11

1	GRENLANDER; CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; CRYSTAL; T TYRE; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH	8	MAX. LOAD 900kg (1984 LBS) MAX. PRESS. 340kPa (50PSI)	EXTRA LOAD
2	COLO H01; L-GRIP66; LY168; ECOGREEN 66; VENUSATR 66; PREMIO ARZ1; ECOLOGY; INSPIRER C4; THREE; ROCK 515; PRIMESTAR 66; Energize	9	MADE IN CHINA	
3	PLIES: TREAD 2POLYESTER+2STEEL+1NYLON SIDEWALL 2POLYESTER	10	DOT 17B XXXXXX XXXX (DATE CODE)	
4	RIM: 7 1/2J	11	ECE APPROVAL MARK	
5	RADIAL TUBELESS	12	TREADWEAR XXX TRACTION X TEMPERATURE X	
6	MOLD No.	13	SAFETY WARNING	
7	235/55R18 104VXL M+S	14	DOT 17B XXXXXX	


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R18	715	245	190.5	104V	EXTRA LOAD

SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R18 104V




ATTACHMENT NO.11


TIRE SIZE 235/55R18 104V




ENRI U08; EURUS 08;
LY189; THUNDER U09;
FOUR VENUSATR 09;
ULTRA ARZ4; SPORT+2;
INSPIRER S8; ROCK 525;
PRIME UHP 08; Envoy




LY566; SPORTWAY 56;
SPEEDWAY 56;
L-ZEAL56; EMOTION; TEN;
ULTRA ARZ5; SPORT+;
INSPIRER S4; Drift;
ROCK 566




DIAS ZERO; ROCK 535;
SPEEDKING 07;
ULTRA SPORTLINE C7;
EURUS 07; VENUSATR 07;
SPORTLINE; INSPIRER S6;
ULTRA SPORT ARV7;
PRIME UHP 07




Winter GL868; Winter IL868;
LY868; ICEPOWER 868;
ICEWINNER 868; WINMASTER ARW2;
ROCK 868S; SNOWROVER 868;
THIRTY TWO; INSPIRER W20;



GREENWING A/S; FRONWING A/S;
FORTY ONE; FREIMATCH A/S;
Carlouful A/S; PRIME A/S;
ROCK A/S ONE; INSPIRER A/S 1;
MULTIMATCH A/S



COLO H01; L-GRIP66; LY168;
ECOGREEN 66; VENUSATR 66;
Energize; PREMIO ARZ1; THREE;
ECOLOGY; INSPIRER C4;
ROCK 515; PRIMESTAR 66



Winter GL888; Winter IL888;
LY888; ICEPOWER 888;
ICEWINNER 888; ROCK 888S
WINTERCROSS ARW8;



6 TREAD WEAR INDICATORS EQUALLY SPACED

DRAWN BY

Wang Tong

CHECKED BY

Wangshilun

APPROVED BY

Shen Maoqiao

SHANDONG LONGYUE RUBBER TYRE CO.,LTD.