



rompetrol

Not Mundy
Product
Machinery

Statement of Compliance

No:71331 ;Date: 31/12/2025 Time:20:52:59

Manufacturer's name: ROMPETROL RAFINARE S.A.

Manufacturer's address: Navodari, 215 Navodari Boulevard, Administrative Building, Constanta County

Registration No. with the Register of Commerce: J1991000534130

Unique registration Code: 1860712

Hereby duly assure, guarantee, and state that

Name of product: Gasoil EN 590 - 10PPM

of (batch/lot/tank): M92/29 12 2025 10 15-LPP110626-for BARGE JULIER

Transported with: BARGE JULIER

Delivered from: Petromidia Secondary place of business (Navodari City, 1-283 Navodari Boulevard, Constanta County)

Quantity: Kg

Beneficiary: IM ROMPETROL MOLDOVA

Drawn according to standard: ASTM D 4057-2022*

In compliance with:

Specification/Standard/Contract no.: SS-2 6 6 T Title:Euro 5 Diesel Edition/Revision/Date of issuance:

- / 10 / 01/09/2023/

above-described product does not threaten life, health, labor safety and does not have a negative impact upon the environment, are maintaining characteristics if respect the requirements of:

Safety data sheet No. FDS 2.6 T Title: Edition/Revision/Date of issuance: / 11 / 20/11/2025

Derogation: It's not necessary

Validity period: 3 Months Warranty period: 1 month from delivery date

Additional information:

The tests performed are listed in the test report no.: 73227 of date: 31/12/2025 8 49 37PM, in attach.

Certificat RAR nr.2584/valabil pana la 18 08 2026

- Rompetrol Rafinare S.A. has the Quality Environment Health and Occupational Health and Safety Management Integrated System certified by DNV, according to standards ISO 9001, ISO 14001, ISO 45001, ISO 50001.
- Rompetrol Refining has registered/ notified the product, according with the Regulation 1907/2006, REACH
- Rompetrol Rafinare S.A. has empowered Rompetrol Quality Control SRL by a Contract of Representation Mandate to issue on its behalf the Conformity Statement
- Material testing laboratories owned by Rompetrol Quality Control SRL are accredited by RENAR/Romanian Accreditation

For and on behalf of Rompetrol Rafinare SA

Rompertrol Quality Control SRL -

Head of Quality Products Laboratory

Elena Lucia Pop

ROMPETROL RAFINARE S.A.

LPP-RQC Official Test
Irina Rizea

Tel: +(40)241 506 158 244 406 700

Fax: +(40)241 506 916 241 506 929

www.rompetrol-rafinare.ro

www.rompetrol.com

office.rafinare@rompetrol.com

Rev.24 2025

ROMPETROL RAFINARE SA

215 Navodari Blvd. Administrative Building, 905/700 Navodari, Constanta, ROMANIA
fax: +(40) 241 506 930 | phone: +(40) 241 506 207 | email: office.rafinare@rompetrol.com


Testing report no:73227; date:31/12/2025 20:49:33

Customer: ROMPETROL RAFINARE SA
 Sample: Gasoil EN 590 - 10PPM
 Receiving date: 31/12/2025 20:15:00
 Completion date: 31/12/2025
 Sampling method: ASTM D 4057-2022*
 Tanks: M92/29 12.2025 10 15-LPP110626-for BARGE JULIER
 Sampled by: RQC-UTI
 Contract/Order: Contract RR nr 5/ 07 01 2019/ PI- rev 7 RRC P&E
 Ship: BARGE JULIER/LPP111598
 Sample tested: 4L
 Customer address: Navodari B-dul Navodari nr. 215, Pavilion Administrativ Constanta

No.	Property	Test Method	UM	Required value	Determined value	Uncertainty ³⁾
1	Cetane Number	EN ISO 5165:20		min 51.0	51.1	-
2	Cetane Index	EN ISO 4264:2018		min 46.0	50.4	-
3	Density At 15°C	EN ISO 12185:2024	kg/m³	min 815 max 845	841.6	-
4	Polycyclic Aromatic Hydrocarbons	EN 12916:2019+A1:2024	% (m/m)	max 8.0	5.0	-
5	Sulfur Content	EN ISO 20846:20	mg/kg	max 10.0	7.3	-
6	Flash Point, Pm	EN ISO 2719:2016, EN ISO 2719:2016/A1:2021:21	°C	min >55	60.0	-
7	Carbon Residue(In 10% Distillation Residue)	EN ISO 10370:15	% (m/m)	max 0.30	<0.1	-
8	Ash Content	EN ISO 6245:03	% (m/m)	max 0.010	0.001	-
9	Water Content	SR EN ISO 12937:01, SR EN ISO 12937:01/C91:14	% (m/m)	max 0.020	0.010	-
10	Total Contamination	EN 12662:2024	mg/kg	max 24	<12	-
11	Corrosion, Copper Strip (3H At 50°C)	EN ISO 2160:03	evaluation	clasa I	1b	-
12	Fatty Acid-Methyl Ester (FAME) Content	EN 14078:14	% (v/v)	max 7	<0.05	-
13	Oxidation Stability	EN ISO 12205:1999	g/m³	max 25	6.1	-
14	Lubricity, Wear Scar Diameter (Wsd) At 60°C	EN ISO 12156-1:2023	µm	max 450	440	-
15	Viscosity At 40°C	EN ISO 3104:2023	mm²/s	min 2.000 max 4.500	2.821	-
16	%(V/V) Recovered At 250°C	EN ISO 3405:19	% (v/v)	<65	33.9	-
17	%(V/V) Recovered At 350°C	EN ISO 3405:19	% (v/v)	min 85	94.7	-
18	95 %(V/V) Recovered At	EN ISO 3405:19	°C	max 360	351.3	-
19	Cold Filter Plugging Point (Cfpp) Winter Grade, Class E	EN 116:16	°C	max -15	-18	-
20	Manganese(S)	SR EN 16575:15*	mg/l	max 2.0	<0.5	-
21	Cloud Point	EN ISO 23015:19	°C		-6	-

Amendment: not applicable

Remarks: (S) Subcontracted testing to SC TUV AUSTRIA ROMANIA SRL
 Fatty Acid Methyl Ester (EMAG) Content - Test Performed in RQC - Environmental Laboratory



Prepared by: GON...
 Testing specialist: Inna Rizea

1. The Rompetrol Quality Control SRL laboratory is accredited by RENAR for testing activity in compliance with SR EN ISO/CEI 17025:2018 as specified in the accreditation certificate no. LI 333. The tests covered by the accreditation are available at www.renar.ro
2. The marked tests are not covered by the RENAR accreditation.
3. Expanded uncertainty of 95% confidence level with coverage factor k=2
4. The testing report cannot be partially reproduced without explicit written approval of the testing laboratory
5. The testing results refer to the tested sample and not the entire lot
6. The observations contained in this report are not covered by the Renar accreditation

ROMPETROL QUALITY CONTROL SRL

215 Navodari Blvd., 2nd floor, room 220, Navodari - Constanta, Postal Code 905700 ROMANIA
 phone: + (40) 241 50 6700 (fax: + (40) 241 506 915), email: Controlat.RQC@rompetrol.com

cod: F_LPP 02-PG 07

ed 5/rev 4/04 2023