







Wide-ranging options. Clear-cut solutions.

Offering a broad selection of shell and liner configurations, the *Trilogy*® Acetabular System is designed to help restore kinematic function by addressing the challenges associated with primary and revision acetabular reconstruction. The full-hemisphere, modular system builds on the success of the Harris/Galante and HGP II Porous Acetabular Components. The complete range of sizes and options, combined with proven design features, makes it possible to select an acetabular component that meets both patient need and your preference.

Shell options to suit varying case needs.

Trilogy Shells are coated with commercially pure titanium fiber metal, which is clinically proven to enhance fixation through bone ingrowth. ¹⁻¹⁴ It is diffusion-bonded to a *Tivanium*® Ti-6Al-4V Alloy substrate. Some styles are also available with *Calcicoat*® Ceramic Coating (HA/TCP).



Uni-holed shell

designed for nonscrew applications, while allowing visual confirmation that the cup is fully seated in the acetabulum.



Non-holed shell

designed specifically for nonscrew applications.



Cluster-holed shell

designed for screw fixation applications involving a minimum number of screws.



Multi-holed shell

designed for additional screw fixation in varying levels of bone quality.



Spiked shell

designed to provide augmented fixation in nonscrew applications.

Standard Liner

10° Elevated Liner

20° Elevated Liner

7mm Offset Liner

designed to lateralize the center of rotation of the cup.

ORDER INFORMATION

SHELLS

SHELLS ARE AVAILABLE IN 2mm OD INCREMENTS 6200 - SHELL OD - SHELL TYPE

Prod. No.	Description
Spiked	
00-6200-040-23	F/M Acetabular Shell, 40mm OD, Spiked
Through ↓	Through ↓
00-6200-070-23	F/M Acetabular Shell, 70mm OD, Spiked
65-6200-040-23	HA/TCP Acetabular Shell, 40mm OD, Spiked
Through ↓	Through ↓
65-6200-070-23	HA/TCP Acetabular Shell, 70mm OD, Spiked
Non-Holed	
00-6200-040-21	F/M Acetabular Shell, 40mm OD, Solid
Through ↓	Through ↓
00-6200-070-21	F/M Acetabular Shell, 70mm OD, Solid
65-6200-038-21	HA/TCP Acetabular Shell, 38mm OD, Solid
Through ↓	Through ↓
65-6200-070-21	HA/TCP Acetabular Shell, 70mm OD, Solid
Cluster-Holed	
00-6200-048-22	F/M Acetabular Shell, 48mm OD, Cluster
Through ↓	Through ↓
00-6200-070-22	F/M Acetabular Shell, 70mm OD, Cluster
65-6200-048-22	HA/TCP Acetabular Shell, 48mm OD, Cluster
Through ↓	Through ↓
65-6200-070-22	HA/TCP Acetabular Shell, 70mm OD, Cluster
Multi-Holed	
00-6200-036-20	F/M Acetabular Shell, 36mm OD, Multi
Through ↓	Through ↓
00-6200-080-20	F/M Acetabular Shell, 80mm OD, Multi
65-6200-036-20	HA/TCP Acetabular Shell, 36mm OD, Multi
Through ↓	Through ↓
65-6200-080-20	HA/TCP Acetabular Shell, 80mm OD, Multi
Uni-Holed	
00-6200-040-24	F/M Acetabular Shell, 40mm OD, Uni
Through ↓	Through ↓
00-6200-070-24	F/M Acetabular Shell, 70mm OD, Uni

BONE SCREWS

SCREWS ARE AVAILABLE IN 5mm LENGTH INCREMENTS UP TO			
40mm 6250 - SIZE - LENGTH			
Prod. No.	Description		
00-6250-045-15	Bone Screw, 4.5x15mm, Self-Tapping		
Through \downarrow	(Through) \downarrow		
00-6250-045-40	Bone Screw, 4.5x40mm, Self-Tapping		
00-6250-045-50	Bone Screw, 4.5x50mm, Self-Tapping		
00-6250-045-60	Bone Screw, 4.5x60mm, Self-Tapping		
00-6250-065-15	Bone Screw, 6.5x15mm, Self-Tapping		
Through \downarrow	Through \downarrow		
00-6250-065-40	Bone Screw, 6.5x40mm, Self-Tapping		
00-6250-065-50	Bone Screw, 6.5x50mm, Self-Tapping		
00-6250-065-60	Bone Screw, 6.5x60mm, Self-Tapping		
00-6250-065-70	Bone Screw, 6.5x70mm, Self-Tapping		
00-6250-065-80	Bone Screw, 6.5x80mm, Self-Tapping		

WARNING: This device is not approved for screw attachment or fixation to the posterior elements (pedicles) of the cervical, thoracic, or lumbar spine.

LINER THICKNESS

Shell OD		Poly Liner Thickness				
(mm)	22mm	26mm	28mm	32mm	36mm	40mm
38	5.1	_	_	_	_	_
40	6.1	_	_	_	_	_
42	6.1	5.3	_	_	_	_
44	7.1	6.2	5.2	-	-	_
46	8.2	6.3	6.3	-	-	_
48	9.1	7.3	6.2	5.3	-	_
50	10.1	8.2	7.2	6.3	6.8	_
52	10.1	8.2	7.2	6.3	6.8	_
54	10.1	8.2	7.2	6.3	6.8	_
56	11.2	9.3	8.3	6.4	7.9	-
58	12.2	10.3	9.3	7.3	8.9	6.8
60	13.2	11.3	10.3	8.4	9.9	7.9
62	14.2	12.3	11.3	9.3	10.9	8.9
64	15.2	13.3	12.3	10.3	11.9	9.9
66	16.2	14.3	13.3	11.4	12.9	10.9
68	17.2	15.4	14.3	12.4	13.9	11.9
70	18.2	16.3	15.3	13.3	14.9	12.9
72	19.2	17.3	16.3	14.4	15.9	13.9
74	20.2	18.4	17.3	15.4	16.9	14.9
76	21.2	19.3	18.3	16.3	17.9	15.9
78	22.2	20.3	19.3	17.3	18.9	16.9
80	23.2	21.3	20.3	18.3	19.9	17.9

POLYETHYLENE LINERS

Through ↓

LINERS ARE AVAILABLE IN 2mm INCREMENTS SHELL SIZES 50, 52, AND 54 USE THE SAME SIZE LINER Description

1104.110.	Description
Standard	
00-6105-036-22	Poly Liner, 36mm OD x 22mm ID
Through ↓	Through ↓
00-6105-080-22	Poly Liner, 80mm OD x 22mm ID
00-6105-042-26	Poly Liner, 42mm OD x 26mm ID
Through ↓	Through ↓
00-6105-080-26	Poly Liner, 80mm OD x 26mm ID
00-6105-044-28	Poly Liner, 44mm OD x 28mm ID
Through ↓	Through ↓
00-6105-080-28	Poly Liner, 80mm OD x 28mm ID
00-6105-048-32	Poly Liner, 48mm OD x 32mm ID
Through ↓	Through ↓
00-6105-080-32	Poly Liner, 80mm OD x 32mm ID
10° Elevated	
00-6110-036-22	10° Elevated Rim Liner, 36 mm OD x 22 mm ID
Through ↓	Through ↓
00-6110-080-22	10° Elevated Rim Liner, 80 mm OD x 22 mm ID
00-6110-042-26	10° Elevated Rim Liner, 42 mm OD x 26 mm ID
Through ↓	Through ↓
00-6110-080-26	10° Elevated Rim Liner, 80mm OD x 26mm ID
00-6110-044-28	10° Elevated Rim Liner, 44mm OD x 28mm ID
Through ↓	Through ↓
00-6110-080-28	10° Elevated Rim Liner, 80mm OD x 28mm ID
00-6110-048-32	10° Elevated Rim Liner, 48 mm OD x 32 mm ID
Through ↓	Through ↓
00-6110-080-32	10° Elevated Rim Liner, 80mm OD x 32mm ID
20° Elevated	
00-6120-036-22	20° Elevated Rim Liner, 36mm OD x 22mm ID

Through ↓

Through \downarrow Through \downarrow

00-6120-080-22 20° Elevated Rim Liner, 80mm OD x 22mm ID 00-6120-042-26 20° Elevated Rim Liner, 42mm OD x 26mm ID

00-6120-080-26 20° Elevated Rim Liner, 80mm OD x 26mm ID

Prod. No. Description 00-6120-044-28 20° Elevated Rim Liner, 44mm OD x 28mm ID Through ↓ Through ↓ 00-6120-080-28 20° Elevated Rim Liner, 80mm OD x 28mm ID

	(0	Through ↓	Through ↓
mm	40mm	00-6120-080-28	20° Elevated Rim Liner, 80mm OD x 28mm ID
	_	00-6120-048-32	20° Elevated Rim Liner, 48mm OD x 32mm ID
	_	Through ↓	Through ↓
	_	00-6120-080-32	20° Elevated Rim Liner, 80mm OD x 32mm ID
	_	7mm Offset	
	_	00-6141-040-22	7mm Offset, 40mm OD x 22mm ID
_	_	Through ↓	Through ↓
8	_	00-6141-070-22	7mm Offset, 70mm OD x 22mm ID
8	_	00-6141-042-26	7mm Offset, 42mm OD x 26mm ID
8	_	Through ↓	Through ↓
9	_	00-6141-070-26	7mm Offset, 70mm OD x 26mm ID
9	6.8	00-6141-044-28	7mm Offset, 44mm OD x 28mm ID
9	7.9	Through ↓	Through ↓
1.9	8.9	00-6141-070-28	7mm Offset, 70mm OD x 28mm ID
.9	9.9	00-6141-048-32	7mm Offset, 48mm ODx 32mm ID
.9	10.9	Through ↓	Through ↓
1.9	11.9	00-6141-070-32	7mm Offset, 70mm OD x 32mm ID
.9	12.9	Eccentric	·
.9	13.9	00-6151-000-28	Eccentric Liner Set
.9	14.9	00 0191 000 20	(includes all 28mm ID liners listed below)
.9	15.9	00-6151-064-28	Eccentric Liner, 64mm OD x 28mm ID
.9	16.9	Through ↓	Through ↓

00-6151-000-28 Eccentric Liner Set (includes all 28mm ID liners listed below) 00-6151-064-28 Eccentric Liner, 64mm OD x 28mm ID

	Through ↓	Through ↓
	00-6151-080-28	Eccentric Liner, 80mm OD x 28mm ID
	00-6151-000-32	Eccentric Liner Set (includes all 32mm ID liners listed below
	00-6151-064-32	Eccentric Liner, 64mm OD x 32mm ID

Through ↓	Through ↓
00-6151-080-32	Eccentric Liner, 80mm OD x 32mm ID
a	

	Oblique	
	00-6152-000-01	Oblique Liner Set (includes all 22mm liners listed below)
	00-6152-038-22	Oblique Liner, 38mm OD x 22mm ID
	Through \downarrow	Through ↓
	00-6152-048-22	Oblique Liner, 48mm OD x 22mm ID

00-6152-048-22	Oblique Liner, 48mm OD x 22mm ID
00-6152-000-02	Oblique Liner Set (includes all 28mm liners listed below)
00-6152-050-28	Oblique Liner, 50mm OD x 28mm ID
Through ↓	Through ↓
00-6152-062-28	Oblique Liner, 62mm OD x 28mm ID
00-6152-000-03	Oblique Liner Set (includes all 32mm liners listed below)
00-6152-056-32	Oblique Liner 56mm OD x 32mm ID

0-6152-062-32	Oblique Liner, 62mm OD x 32mm ID

LONGEVITY CROSSLINKED

POLYETHYLENE LINERS

Through ↓ Through ↓

INERS ARE AVAILABLE IN 2mm INCREMENTS. HELL SIZES 50, 52 AND 54 USE THE SAME SIZE LINER		
Prod. No.	Description	
Standard		
00-6305-036-22	Poly Liner, 36mm OD x 22mm ID	
Γhrough ↓	Through ↓	
00-6305-080-22	Poly Liner, 80mm OD x 22mm ID	
00-6305-042-26	Poly Liner, 42mm OD x 26mm ID	
Γhrough ↓	Through ↓	
00-6305-080-26	Poly Liner, 80mm OD x 26mm ID	
00-6305-044-28	Poly Liner, 44mm OD x 28mm ID	
Γhrough ↓	Through ↓	
00-6305-080-28	Poly Liner, 80mm OD x 28mm ID	
00-6305-048-32	Poly Liner, 48mm OD x 32mm ID	
Γhrough ↓	Through ↓	
00-6305-080-32	Poly Liner, 80mm OD x 32mm ID	

Prod. No.	Description
00-6305-050-36	Poly Liner, 50mm OD x 36mm ID
Through ↓	Through ↓
00-6305-080-36	Poly Liner, 80mm OD x 36mm 6305-80-36
00-6305-058-40	Poly Liner, 58mm OD x 40mm ID
Through ↓	Through ↓
00-6305-080-40	Poly Liner, 8omm OD x 4omm ID
10° Elevated	
00-6310-036-22	10° Elevated Rim Liner, 36mm OD x 22mm I
Through ↓	Through ↓
00-6310-080-22	10° Elevated Rim Liner, 80mm OD x 22mm I
00-6310-042-26	10° Elevated Rim Liner, 42mm OD x 26mm I
Through ↓	Through ↓

00-6310-042-26	10° Elevated Rim Liner, 42mm OD x 26mm ID
Through ↓	Through ↓
00-6310-080-26	10° Elevated Rim Liner, 80mm OD x 26mm ID
00-6310-044-28	10° Elevated Rim Liner, 44mm OD x 28mm ID
Through ↓	Through ↓
iiiiougii v	illiougii v
00-6310-080-28	10° Elevated Rim Liner, 80mm OD x 28mm ID
J	•

00-6310-080-32 10° Elevated Rim Liner, 80mm OD x 32mm ID 00-6320-036-22 20° Elevated Rim Liner, 36mm OD x 22mm ID

Through ↓	Through ↓
00-6320-080-22	20° Elevated Rim Liner, 80mm OD x 22mm ID
00-6320-042-26	20° Elevated Rim Liner, 42mm OD x 26mm ID
Through ↓	Through ↓

-	•
00-6320-080-26	20° Elevated Rim Liner, 80mm OD x 26mm ID
00-6320-044-28	20° Elevated Rim Liner, 44mm OD x 28mm ID
Through ↓	Through ↓

inrougn ↓	inrougn ↓
00-6320-080-28	20° Elevated Rim Liner, 80mm OD x 28mm ID
00-6320-048-32	20° Elevated Rim Liner, 48mm OD x 32mm ID
Through ↓	Through ↓

00-6320-048-32	20° Elevated Rim Liner, 48mm OD x 32mm ID
hrough ↓	Through ↓
0-6320-080-32	20° Elevated Rim Liner, 80mm OD x 32mm ID

))-	,,
7mm Offset	
00-6341-040-22	7mm Offset, 40mm OD x 2

Through \downarrow	Through ↓
00-6341-070-22	7mm Offset, 70mm OD x 22mm ID
00-6341-042-26	7mm Offset, 42mm OD x 26mm ID

00-6341-042-26	7mm Offset, 42mm OD x 26mm ID
Through ↓	Through ↓
006341-070-26	7mm Offset, 70mm OD x 26mm ID
00-6341-044-28	7mm Offset, 44mm OD x 28mm ID
Through ↓	Through ↓
00-6341-070-28	7mm Offset, 70mm OD x 28mm ID

00-6341-070-28	7mm Offset, 70mm OD x 28mm ID
00-6341-048-32	7mm Offset, 48mm OD x 32mm ID
Through ↓	Through ↓

NON-HOLED INSTRUMENT SET

oo-6341-070-32 7mm Offset, 70mm OD x 32mm ID

Prod. No.	Description
00-6260-099-01	Trilogy Non-holed Instrument Set (includes one each of items below)
00-6260-080-02	Case (includes Base and Lid)
00-6260-030-01	Disassembly Device
00-6260-035-01	Liner Extractor
00-6260-040-00	Liner Elevator
00-6260-018-00	Cup Positioner
00-6260-047-00	Gunsight Alignment Guide
00-5785-079-00	Tibial Alignment Rod



Polyethylene options that meet patient demand.

Acetabular liners for the Trilogy System are available in two types of polyethylene – our high-performing compression-molded standard polyethylene and *Longevity*® Crosslinked Polyethylene. Zimmer has a documented history of more than 20 years of clinical success with compression-molded polyethylene. 15 It addresses the five key factors that impact polyethylene performance: material, processing, design, sterilization, and packaging.

Longevity Crosslinked Polyethylene is produced using high-dose electron-beam radiation and an annealing process — fully crosslinking broken molecular chains so that virtually no free radicals are left. This crosslinking process produces a 10-fold wear rate reduction an average 89 percent reduction of debris generated — when compared to standard polyethylene control samples. 15*

Multiple liner choices for optimal hip kinematics.

Modular liners are designed to minimize wear by achieving maximum congruency and optimum polyethylene thickness without compromising range of motion and metal shell thickness.

Large Inner Diameter Liner

for a greater range of motion and resistance to dislocation.

Oblique Liner

to address joint instability by providing increased lateralization and additional anteversion.



center of rotation when a jumbo Trilogy Shell is used to address superior acetabular defects.

^{*} Wear reduction of 90 and 88 percent for 22mm and 32mm femoral heads, respectively, when compared to standard Zimmer polyethylene. The results of *in vitro* tests have not been shown to correlate with clinical wear mechanisms.

Proven design features. Supported by long-term clinical experience.

Proprietary locking mechanism helps prevent dislocation of the liner from the shell, yet provides easy disassembly, if necessary. and stress.

Full congruency between the liner and shell inhibits micromotion as the liner maintains integrity under load **Anti-rotational tabs**

secure the liner **feature** prevents rim firmly in place. loading and helps to distribute stresses evenly by ensuring uniform metal shell support of the

Bottoming-out

polyethylene liner.

5

Polar boss

minimizes transverse forces and helps prevent micromotion by providing an additional stabilization point.



Results of long-term clinical studies show that Zimmer fiber metal cups have achieved extremely high success rates in the acetabulum. A review of 14 studies revealed a success rate of over 98 percent when considering failure of any kind, including radiographic loosening. These outstanding results involved 14 studies at 11 sites, with over 1,600 arthroplasties included. The average follow-up exceeded eight years. *Trilogy* Shells continue to utilize this extremely well-performing ingrowth material. 1-14

The Trilogy

withstood

the greatest

amount of

force in push-


out testing.

System


Validated by rigorous independent testing. 16,17


Push-out Test:





Micromotion Test: Micromotion testing demonstrated the importance of the Trilogy System's precise machining standards that result in a tight fit between the liner and shell. 16





Lever-out testing proved the Trilogy System's resistance to high-torque exposure.


UHMWPE failure before locking mechanism failure

Instruments that facilitate technique.

A single set of logical instruments is designed to enhance the flow of the surgical technique, and can be used for both primary and revision procedures. The system includes a full set of provisional shells and liners.



Ouick-release locking mechanism allows fast, easy liner removal for intraoperative



flexibility.

Polyethylene liner inserter allows accurate positioning and impaction of liner with one instrument.

HOLED INSTRUMENT SET

Prod. No.	Description
00-6260-99-02	Trilogy Holed Instrument Set
	(includes one each of items below)
00-6260-085-01	Case (includes Base and Lid)
00-6260-002-00	Flex Shaft w/Modular Connector
00-6260-003-01	Drill Bit, 15mm
00-6260-003-02	Drill Bit, 30mm
00-6260-003-03	Drill Bit, 45mm
00-6260-006-00	Drill Guide
00-6260-007-01	Tap, 4.5mm
00-6260-007-02	Tap, 6.5mm
00-6260-008-01	Tap Guide, 4.5mm
00-6260-008-02	Tap Guide, 6.5mm
00-6260-010-00	Tap Handle
00-6260-013-00	Screw Holding Forceps, 15°
00-6260-014-00	Screw Holding Forceps, 45°
00-6260-024-00	Straight Screwdriver
00-6260-025-00	Universal Screwdriver
00-6260-026-00	Modular Universal Handle
00-6611-098-00	Depth Gauge

OPTIONAL/ADDITIONAL INSTRUMENTS

Prod. No.	Description
00-6260-046-00	A-Frame Alignment Guide
00-6611-003-01	Drill Bit, Short-Flexible (HGP II)
00-6611-003-02	Drill Bit, Medium-Flexible (HGP II)
00-6611-003-03	Drill Bit, Long-Flexible (HGP II)
00-6260-015-11	Replaceable Poly Cap (6 ea.)
00-6260-015-12	Replaceable Metal Cap (1 ea.)
00-6260-016-22	Liner Inserter (Vacuum)
00-6260-016-26	Liner Inserter (Vacuum)
00-6260-016-28	Liner Inserter (Vacuum)
00-6260-016-32	Liner Inserter (Vacuum)
00-6260-017-22	Liner Inserter (Mechanical)
00-6260-017-26	Liner Inserter (Mechanical)
00-6260-017-28	Liner Inserter (Mechanical)
00-6260-017-32	Liner Inserter (Mechanical)
00-6260-017-36	Liner Inserter (Mechanical)
00-6260-017-40	Liner Inserter (Mechanical)
00-6611-010-00	HGP II Cup Pusher

ACETABULAR REAMERS

Drod No

Piou. No.	Description
00-1206-090-01	Acetabular Reamer System - Standard Kit (36 - 70mm
00-1206-090-02	Acetabular Reamer System - Jumbo Kit (71- 80mm)

Doccrintion

SHELL PROVISIONALS

Prod. No.	Description
00-6260-099-04	Shell Provisional Set (includes one each of items below)
00-6260-075-01	Case (includes Base and Lid)
00-6240-040-00	Shell Provisional, 40mm OD
Through ↓	Through ↓
00-6240-070-00	Shell Provisional, 70mm OD
00-6260-099-08	Jumbo Shell Provisional Set (includes one each of items below)
00-6260-090-00	Case (includes Base and Lid)
00-6240-072-00	Shell Provisional, 72mm OD
Through ↓	Through ↓
00-6240-080-00	Shell Provisional, 80mm OD

LINER PROVISIONALS

LINER PROVISIONALS ARE AVAILABLE IN 2mm INCREMENTS. SHELL SIZES 50, 52, AND 54 USE THE SAME SIZE PROVISIONAL LINER.

LINER PROVISIONALS 22mm

Prod. No.	Description	
00-6260-099-07	Provisional Liner Set - 22mm	
	(includes one each of items listed below	
00-6260-065-01	Case (includes Base and Lid)	
00-6260-040-22	Standard Provisional Liner, 22mm	
Through ↓	Through ↓	
00-6260-070-22	Standard Provisional Liner, 22mm	
00-6261-040-22	10° Provisional Liner, 22mm	
Through ↓	Through ↓	
00-6261-070-22	10° Provisional Liner, 22mm	
00-6262-040-22	20° Provisional Liner, 22mm	
Through ↓	Through ↓	
00-6222-070-22	20° Provisional Liner, 22mm	
Standard Jumbo		
00-6260-072-22	Standard Provisional Liner, 22mm	
Through ↓	Through ↓	
00-6260-080-22	Standard Provisional Liner, 22mm	
10° Elevated Jumbo		
00-6261-072-22	10° Provisional Liner, 22mm	

Through ↓ Through ↓ 00-6261-080-22 10° Provisional Liner, 22mm

20° Elevated Jumbo

00-6262-072-22 20° Provisional Liner, 22mm Through ↓ Through ↓ 00-6262-080-22 20° Provisional Liner, 22mm

LINER PROVISIONALS 26mm

Prod. No.	Description	
00-6260-099-06	Provisional Liner Set - 26mm	
	(includes one each of items listed below)	
00-6260-065-01	Case (includes Base and Lid)	
00-6260-042-26	Standard Provisional Liner, 26mm	
Through ↓	Through ↓	
00-6260-070-26	Standard Provisional Liner, 26mm	
00-6261-042-26	10° Provisional Liner, 26mm	
Through ↓	Through ↓	
00-6261-070-26	10° Provisional Liner, 26mm	
00-6262-042-26	20° Provisional Liner, 26mm	
Through ↓	Through ↓	
00-6262-070-26	20° Provisional Liner, 26mm	
Standard Jumbo		
00-6260-072-26	Standard Provisional Liners, 26mm	
Through ↓	Through ↓	
00-6260-080-26	Standard Provisional Liners, 26mm	
10° Elevated Jumbo		
00-6261-072-26	10° Provisional Liner, 26mm	
Through ↓	Through ↓	
00-6261-080-26	10° Provisional Liner, 26mm	
20° Elevated Jumbo		
00-6262-072-26	20° Provisional Liner, 26mm	
Through ↓	Through ↓	
00-6262-080-26	20° Provisional Liner, 26mm	
LINER PROVISIONALS 28mm		

LINER PROVISIONALS 28mm	
Prod. No.	Description
00-6260-099-03	Provisional Liner Set - 28mm (includes one each of items listed below)
00-6260-065-01	Case (includes Base and Lid)
00-6260-044-28	Standard Provisional Liner, 28mm
Through ↓	Through ↓
00-6260-070-28	Standard Provisional Liner, 28mm

Prod. No. 00-6261-044-28	Description 10° Provisional Liner, 28mm	
Through ↓	Through ↓	
00-6261-070-28	10° Provisional Liner, 28mm	
00-6262-044-28	20° Provisional Liner, 28mm	
Through ↓	Through ↓	
00-6262-070-28	20° Provisional Liner, 28mm	
Standard Jumbo		
00-6260-072-28	Standard Provisional Liner, 28mm	
Through ↓	Through ↓	
00-6260-080-28	Standard Provisional Liner, 28mm	
10° Elevated Jumbo		
00-6261-072-28	10° Provisional Liner, 28mm	
Through ↓	Through ↓	
00-6261-080-28	10° Provisional Liner, 28mm	
20° Elevated Jumb	00	
00-6262-072-28	20° Provisional Liner, 28mm	
Through ↓	Through ↓	
00-6262-080-28	20° Provisional Liner, 28mm	

LINER PROVISIONALS 32mm

Prod. No.	Description
00-6260-099-05	Provisional Liner Set - 32mm (includes one each of items listed below)
00-6260-065-01	Case (includes Base and Lid)
00-6260-048-32	Standard Provisional Liner, 32mm
Through ↓	Through ↓
00-6260-070-32	Standard Provisional Liner, 32mm
00-6261-048-32	10° Provisional Liner, 32mm
Through ↓	Through ↓
00-6261-070-32	10° Provisional Liner, 32mm
00-6262-048-32	20° Provisional Liner, 32mm
Through ↓	Through ↓
00-6262-070-32	20° Provisional Liner, 32mm
Standard Jumbo	
00-6260-072-32	Standard Provisional Liner, 32mm
Through ↓	Through ↓
00-6260-080-32	Standard Provisional Liner, 32mm
10° Elevated Jumb	00
00-6261-072-32	10° Provisional Liner, 32mm
Through ↓	Through ↓
00-6261-080-32	10° Provisional Liner, 32mm
20° Elevated Jumb	00
00-6262-072-32	20° Provisional Liner, 32mm
Through ↓	Through ↓
00-6262-080-32	20° Provisional Liner, 32mm

LINER PROVISIONALS/ **INSTRUMENTS 36mm**

Prod. No.	Description
00-6260-000-36	Standard Instrument Set - 36mm (includes one each of items below)
00-6261-090-00	Case (includes Base and Lid)
00-6260-050-36	Standard Provisional Liner, 36mm
Through ↓	Through ↓
00-6260-080-36	Standard Provisional Liner, 36mm
00-7695-036-01	6° Femoral Head Provisional
Through ↓	Through ↓
00-7695-036-05	6° Femoral Head Provisional
00-7895-036-01	12/14 Femoral Head Provisional
Through ↓	Through ↓
00-7895-036-05	12/14 Femoral Head Provisional
00-6260-017-36	Liner Inserter

LINER PROVISIONALS/ INSTRUMENTS 40mm

Prod. No.	Description
00-6270-098-40	Standard Liner Instrument Set - 40mm (includes one each of items below)
00-6270-002-00	Case (includes Base and Lid)
00-6270-058-40	Standard Provisional Liner, 40mm
Through ↓	Through ↓
00-6270-080-40	Standard Provisional Liner, 40mm
00-6261-000-40	Standard Instrument Set - 40mm (includes one each of items below)
00-6270-003-00	Case (includes Base and Lid)
00-6270-058-40	Standard Provisional Liner, 40mm
Through ↓	Through ↓
00-6270-080-40	Standard Provisional Liner, 40mm
00-7895-040-01	12/14 Femoral Head Provisional
Through ↓	Through ↓
00-7895-040-05	12/14 Femoral Head Provisional
00-6260-017-40	Liner Inserter

^{*} This set is used to convert an old instrument set to the neutral 40mm liner provisionals.

LINER PROVISIONALS 7mm OFFSET

	Olivies / IIIIII Oli I Sel
Prod. No.	Description
00-6265-000-22	7mm Offset Provisional Liner Set - 22mm (includes one each of items below)
00-6265-040-22	7mm Offset Provisional Liner, 22mm
Through ↓	Through ↓
00-6265-070-22	7mm Offset Provisional Liner, 22mm
00-6265-000-26	7mm Offset Provisional Liner Set - 26mm (includes one each of items below)
00-6265-042-26	7mm Offset Provisional Liner, 26mm
Through ↓	Through ↓
00-6265-070-26	7mm Offset Provisional Liner, 26mm
00-6265-000-28	7mm Offset Provisional Liner Set - 28mm (includes one each of items below)
00-6265-044-28	7mm Offset Provisional Liner, 28mm
Through ↓	Through ↓
00-6265-070-28	7mm Offset Provisional Liner, 28mm
00-6265-000-32	7mm Offset Provisional Liner Set - 32mm
	(includes one each of items below)
00-6265-048-32	7mm Offset Provisional Liner, 32mm
Through ↓	Through ↓
00-6265-070-32	7mm Offset Provisional Liner, 32mm
00-6260-093-00	Case (includes Base and Lid)

LINER PROVISIONALS - ECCENTRIC

Prod. No.	Description
00-6161-000-28	Eccentric Provisional Liner Set - 28mm
	(includes one each of items below)
00-6161-064-28	Eccentric Provisional Liner, 28mm
Through ↓	Through ↓
00-6161-080-28	Eccentric Provisional Liner, 28mm
00-6161-000-32	Eccentric Provisional Liner Set - 32mm
	(includes one each of items below)
00-6161-064-32	Eccentric Provisional Liner, 32mm
Through ↓	Through ↓
00-6161-080-32	Eccentric Provisional Liner, 32mm
00-6260-019-00	Eccentric Liner Inserter Handle
00-6260-019-28	Eccentric Liner Inserter Head, 28mm
00-6260-019-32	Eccentric Liner Inserter Head, 32mm
00-6260-093-00	Case (includes Base and Lid)

LINER PROVISIONALS - OBLIQUE

Prod. No.	Description
00-6162-000-01	Oblique Provisional Liner Set - 22mm (includes one each of items below)
00-6162-038-22 Through ↓	Oblique Provisional Liner, 22mm Through ↓
00-6162-048-22	Oblique Provisional Liner, 22mm
00-6162-000-02	Oblique Provisional Liner Set - 28mm (includes one each of items below)
00-6162-050-28 Through ↓	Oblique Provisional Liner, 28mm Through ↓
00-6162-062-28	Oblique Provisional Liner, 28mm
00-6162-000-03	Oblique Provisional Liner Set - 32mm (includes one each of items below)
00-6162-056-32 Through ↓	Oblique Provisional Liner, 32mm Through \downarrow
00-6162-062-32	Oblique Provisional Liner, 32mm
00-6260-093-00	Case (includes Base and Lid)

REFERENCES

- 1. Bohm P, Boshche R. Survivorship analysis of the Harris-Galante acetabular cup. *JBJS* [BR]. 1997; 79-B: Supp II.
- Latimer HA, Lachiewicz PF. Porous-coated acetabular components with screw fixation: five- to ten-year results. JBJS. 1996; 78-A; 7: 975-981.
- Berger RA, Jacobs JJ, Quigley LR, et al. Primary cementless acetabular reconstruction in patients younger than 50 years old: 7- to 11-year results. Clin Orthop Rel Res. 1997; 344: 216-226.
- 4. Tompkins GS, Jacobs JJ, Kull LR, Rosenberg AG, Galante JO. Primary total hip arthroplasty with a porous-coated acetabular component: seven- to ten-year results. JBJS. 1997; 79-A; 2: 169-176.
- Dunkley A, Eldridge JDJ, Lee MB. Replacement of the acetabulum with the Harris-Galante Porous Cup in the under fifties: 5-10 Year Results. JBJS [BR]. 1997; 79-B: Supp II.
- 6. Clohisy JC, Harris WH. Primary hybrid total hip replacement at ten year follow-up. Presented at Harvard Hip Course; September 24-27, 1997.
- Silverton CD, Rosenberg AG, Sheinkop MB, et al. Revision
 of the acetabular component without cement after total
 hip arthroplasty: a follow-up note regarding results at
 seven to eleven years. *IBJS*. 1996; 78-A; 9: 1366-1370.
- Lachiewicz PF, Poon ED. Revision of a total hip arthroplasty with a Harris-Galante porous-coated acetabular component inserted without cement: a follow-up note on the results at five to twelve years. *JBJS*. 1998; 80-A: 980-984.
- 9. Dearborn JT, Harris WH. Acetabular revision after failed total hip arthroplasty in patients with congenital hip dislocation and dysplasia: results after a mean of 8.6 years. *JBJS*. 2000; 82-A: 1146-1153.
- Goldberg VM, Ninomiya J, Kelly G, Kraay M. Hybrid total hip arthroplasty: a 7- to 11-year follow-up. *Clin Orthop Rel Res.* 1996: 333: 147-154.
- Callaghan JJ, Ghassan ST, Olejniczak JP, et al. Primary hybrid total hip arthroplasty: an interim follow-up. Clin Orthop Rel Res. 1996; 333: 118-125.
- 12. Berger RA, Kull MS, Rosenberg AG, Galante JO. Hybrid total hip arthroplasty: 7- to 10-year results. *Clin Orthop Rel Res.* 1996; 333: 134-146.
- Clohisy JC, Harris WH. Primary hybrid total hip replacement, performed with insertion of the acetabular component without cement and a precoat femoral component with cement: an average ten-year follow-up study. JBJS.1999;81-A; 2: 247-255.
- 14. Ragab AA, Kraay MJ, Goldberg VM. Clinical and radiographic outcomes of total hip arthroplasty with insertion of an anatomically designed femoral component without cement for the treatment of primary osteoarthritis: a study with a minimum of six years of follow-up. JBJS. 1999; 81-A: 210-218.
- 15. Data on file at Zimmer.
- Doehring TC, Saigal S, Shanbag AS, Rubash HE. Micromotion of acetabular liners: measurements comparing the effectiveness of locking mechanisms. Orthopaedic Research Society, 42nd Annual Meeting, 1996.
- 17. Postak PD, Tradonsky S, Froimson AI, Greenwald AS. Performance characteristics of two-piece acetabular cups, series II. Orthopaedics Research Laboratories, Mount Sinai Medical Center, Cleveland, Ohio. AAOS paper, 1992.

Contact your Zimmer representative or visit us at www.zimmer.com



