





CODE: EMP.BEH.30

Thermostatic control.
Power: 220 V 50 Hz
Stainless steel well
Water draigene valve
Led lighting
Optional wooden front surface.
Stainless steel body


Top



Front



Side



R-Resistance

E-Electrical Inlet

D- Water draine

Main information

Length	1500 mm
Depth	790 mm
Height	850 mm
m ³	0.95
Packed length	1600 mm
Packed depth	930 mm
Packed height	1220/1520 mm
Packed weight	234 kg


capacity	4 GN 1/1
Total power	3.5 Kw

Optional accessories


EMP.BEH.30.BC.T

Convex glass difference - whole glass
Dimensions 1500x665x440 mm

side



front




L-led lighting


EMP.BEH.30.BC.Y

Convex glass difference- half glass
DIMENSIONS: 1500x665x440 mm

Side



front



L-led lighting

Wooden decor colour options

Wooden decor model 1



Wooden decor model 2



Wooden decor model 3



Wooden decor model 4



Optional accessories


EMP.BEH.30.USC.Y

Smooth glass difference - whole glass


Dimensions: 1500x440x375 mm



side



front



L-led lighting


EMP.BEH.30.USC.T

Smooth glass difference - whole glass


Dimensions: 1500x440x375 mm



side



front



L-led lighting


EMP.BEH.30.TK

Tray sliding stand


dimensions: 800x665x440 mm



side



Top



EMP.BEH.30.GT

Granit Table

Standard: Star galaxy





EMP.BEH.30.AD

Wooden decor difference

Model.1

Model.2



Wooden thickness 20 mm



CODE : EMP.BEH.10

6 position switches



- Electric Input: 400V AC 3N PE

- Cable Cross Section (mm): 5x2,5

- Stainless steel

Main information

Length	1200mm
Depth	790 mm
Height	850 mm
m ³	0.8
Packed length	1350 mm
Packed depth	930 mm
packed height	1220/1520 mm
packed weight	120 kg
Total Power	6 KW





PRODUCT CODE: EMP.BSS.20

- Working range; $+0^{\circ}\text{C}$, $+8^{\circ}\text{C}$ (tropical 43°C)
- 220 V-240 V -1 +N -50 60 Hz electrical power.
- R134 A refrigerant gas - 40 kg/m³ density.
- Electronic, temperature and defrost controlled display.
- Automatic evaporation of water during defrosting.
- Detachable ventilated compressor.
- 48 mm thick "ozone friendly" polyurethane insulation.
- spring action door hinge
- Evaporator with aluminum panels and copper pipes.
- Adjustable, stainless steel shelf slots, plastic coated inner shelf.
- Optional front wood cladding.
- LED lighting.
- Stainless steel body.
- Fan cooling.

Basic knowledge


Product length	1250mm
Product depth	790mm
Product height	850mm
Product Net Weight	86kg
m ³	0.8
Packed length	1350mm
Packed depth	930mm
Packed height	1220/1520mm
Packaged weight	215kg
Capacity	3GN 1/1
Total power	0.32 kW

Optional Accessories


EMP.BSS.20.BC.T

Difference of curved glass - Full glass
Product Dimension: 1250x665x440 mm

Side



Front




L - LED Lighting

EMP.BSS.20.BC.Y

Difference of curved glass - Half glass
Product Dimension: 1250x665x440 mm

Side




Front




L - LED Lighting


Top



Front



Side



E - Electrical input

ET - Ground screw

D - Drainage Water drain

Wood Decor Color Options

Wood veneer model 1



Wood veneer model 2



Wood veneer model 3



Wood veneer model 4



Optional Accessories


EMP.BSS.20.USC.Y

Flat glass difference - Half glass


Product Dimension: 1250x440x375 mm



Side



Front



L - LED Lighting

EMP.BSS.20.USC.T

Flat glass difference - Full glass


Product Dimension: 1250x440x375 mm



Side



Front




L - LED Lighting

EMP.BSS.20.TK


Tray Slide stand



Side



Top



EMP.BSS.20.GT

Granite Table


Standard: Star galaxy




EMP.BSS.20.AD

Wooden decor difference

Model.1



Model.2



Wood thickness 20mm





CODE : EMP.BEH.40

6 position switches

- Electric Input: 400V AC 3N PE

- Cable Cross Section (mm): 5x2,5

- Stainless steel



Main information


Length	1500mm
Depth	790 mm
Height	850 mm
m ³	0.8
Packed length	1350 mm
Packed depth	930 mm
packed height	1220/1520 mm
packed weight	160 kg
Total Power	9 KW




PRODUCT CODE: EMP.NS.50

- Adjustable Feet.
- Optional front wooden coverage.
- Led lighting.
- Stainless steel body.

Side



Side



Main Information

Lenght	1150 mm
Depth	790 mm
Height	850 mm
m ³	0.8
Packed Lenght	1350 mm
Packed Depth	930 mm
Packed Height	1220/1520 mm
Packed Weight	188 kg


Optinal Accessories

EMP.NS.50.BC.T


Convex Glass Difference - Full Glass

Dimensions: 1150x665x440 mm

Side



Front




L - Led Lighting

EMP.NS.50.BC.Y


Convex Glass Difference - Half Glass

Dimensions: 1150x665x440 mm

Side



Front



L - Led Lighting

R - Resistance
E - Electric Inlet
D - Water Drain

Wooden Decor Color Choises

EMP.NS.50.AD

Wooden Cover model 1



Wooden Cover model 2



Wooden Cover model 3



Wooden Cover model 4



Front



Side



Optional Accessories


EMP.NS.50.USC.Y

Flat Glass Difference - Half Glass


Dimensions: 1150x440x375 mm



Side



Front



L - Led Lighting


EMP.NS.50.USC.T

Flat Glass Difference - Full Glass


Dimensions: 1150x440x375 mm



Side



Front




L - Led Lighting

EMP.NS.50.TK


Tray Sliding Stand



Side



Upside



EMP.NS.50.GT

Granite Table

Standart: Star galaxy

Front



Side






COVER UNIT




PRODUCT CODE: EMP.BKU.10

- Stainless steel bread tray
- Optional wooden body.
- With service shelf
- With cutlery and cutlery compartment
- With tray slide stand


Top



Front



Side



TK - Tray shift

AD - Wooden decor

Basic knowledge

Product length	800mm
Product depth	790mm
Product height	850mm
Height including shelf	1350mm
m ³	1.8
Packed length	930mm
Packed depth	900mm
Packed height	1220/1520mm
Packaged weight	103kg


Optional Accessories

Wood veneer model 1

1 Koyu Eskiitme
Dark Brown

Wood veneer model 2

2 Açık Eskiitme
Light Brown

	COVER UNIT
	Optional Accessories Wood veneer model 3  3 Venge Venge Wood veneer model 4  4 Mahon Rusty EMP.BKU.10.GT Granite table addition Standard: Star galaxy  EMP.BKT.10.TK tray slide stand 

ATTESTATION OF COMPLIANCE UYGUNLUK ONAYI

Numara: **GYC-KD-2431912**
Number:

Sertifika Sahibi:
Owner of Certificate:

ERSÖZ-GONCA MUTFAK MAKİNE VE EKİPMANLARI SAN. TİC. A.Ş.
Konya Organize Sanayi Bölgesi Büyük Kayacık Mah. 9. Sokak No:20
Selçuklu / KONYA

İşletme Yeri ve Adresi:
Location:

ERSÖZ-GONCA MUTFAK MAKİNE VE EKİPMANLARI SAN. TİC. A.Ş.
Konya Organize Sanayi Bölgesi Büyük Kayacık Mah. 9. Sokak No:20
Selçuklu / KONYA

Ürün ve Açıklama:
Products and Description:

VİTRİN TİP BUZDOLABI
SHOW TYPE REFRIGERATOR

Ticari Markalar:
Trademark/s:

EMPERO

Seri ve Modelleri:
Series and Models:

Ek l'e bakınız.
See annex I.

Referans Standart(lar):
Reference Standard(s):

IEC 60335-1:2020/COR1:2021 & IEC 60335-2
89:2019/COR1:2019/COR2:2021/COR3:2023

Test Raporları:
Test Reports:

ELK24T280-11 Numaralı ve 08/11/2024 Tarihli Test Raporu
Test Report No. ELK24T280-11, Dated 08/11/2024

İncelemenin sonucu ve bu doküman SZUTEST' e sözleşme kapsamında sunulan herhangi bir doküman değişmediği sürece, bu sözleşme kurallarının ve sözleşmenin kendisinin geçerli olduğu sürece ve aşağıda belirtilen geçerlilik tarihine kadar geçerlidir. Ürünler için üretici iç üretim ve kalite kontrolleri gerçekleştirmeli, Temel Güvenlik gereklilikleri için yeterli çözümler üretmeli ve uygunluk beyanı sağlamalıdır. SZUTEST, yukarıda belirtilen üreticinin referans edilen teknik dosyasının 3'üncü taraf incelemesinin gönüllü talebe istinaden yapıldığını beyan eder. 2014/35/AB Belirli Gerilim Sınırları İçin Tasarlanan Elektrikli Ekipman ile ilgili Yönetmeliğine uyum tamamiyle üreticinin sorumluluğundadır ve bu doküman herhangi bir yasal gerekliliğe uyumun kanıtı için kullanılamaz. Bu doküman bu gerekliliklerin yerini alamaz ve üreticinin ürünlerini pazara sunmadan önce sağlaması gereken gerekliliklere uyuduğunu göstermek için kullanılamaz. Bu notifikasyon dışı inceleme herhangi bir Avrupa Yönetmeliği çerçevesinde alınmış herhangi bir notifikasyonla ilgili ve SZUTEST' in notifikasyon kapsamında yapılmış bir inceleme değildir. Sertifikanın güncel geçerlilik durumu SZUTEST'in web sitesinden kontrol edilmelidir.

The results of the review and this document report can only be valid unless no document under the scope of signed agreement submitted to SZUTEST has been changed, if the agreement terms and the agreement itself remains valid and until the date of validity stated below. For devices, the manufacturer must perform internal manufacturing and quality controls, when necessary, provide proper solutions for essential safety requirements and must provide a declaration of conformity. SZUTEST declares that the aforementioned manufacturer's third-party review of referenced technical file is performed upon voluntary request. It is the manufacturer's sole responsibility to conform to the requirements of 2014/35/EU Low Voltage Directive and this document cannot be used a legal document to claim any type of conformity. This document cannot replace any of these requirements and cannot be used to claim conformance to the requirements of the manufacturer before placing the products on the market. This non-notified review is not a part of any type of notification for EU Regulations and is not related with the notification scope of SZUTEST. The current validity of the certificate shall be checked from SZUTEST's website.

Certification Date / Belge Tarihi: 14/11/2024
Validity Date / Geçerlilik Tarihi: 13/11/2027



Department Manager

ANNEX I

ÜRÜN MODELLERİ	
EMP.MZ.100.A.BC	EMP.150.70.01-PSY
EMP.MZ.100.P.BC	EMP.200.70.01-PSY
EMP.MZ.150.A.BC	EMP.150.80.01-PSY
EMP.MZ.150.P.BC	EMP.200.80.01-PSY
EMP.MZ.200.A.BC	EMP.150.80.01-PSYG
EMP.MZ.200.P.BC	EMP.200.80.01-PSYG
EMP.MZ.100.A.DC	EMP.210.80.01-ORI-MC
EMP.MZ.100.P.DC	EMP.265.80.01-ORI-MC
EMP.MZ.150.A.DC	EMP.210.80.01-ORI
EMP.MZ.150.P.DC	EMP.265.80.01-ORI
EMP.MZ.200.A.DC	EMP.BSSD.10S
EMP.MZ.200.P.DC	EMP.BSSD.50S
EMP.DT.100.S	EMP.BSSD.90S
EMP.DT.130.S	EMP.BSS.20
EMP.DT.160.S	EMP.BSS.40
EMP.DT.200.S	EMP.BSS.60
EMP.VT.B.100.S	EMP.BSS.80
EMP.VT.B.130.S	EMP.BSSO.MC.10
EMP.VT.B.160.S	EMP.BSSO.MC.20
EMP.VT.B.200.S	EMP.BSSO.10
EMP.VT.D.100.S	EMP.BSSO.20
EMP.VT.D.130.S	EMP.255.70.01-PSO-L-O
EMP.VT.D.160.S	EMP.160
EMP.VT.D.200.S	EMP.210
EMP.BC.100.S	EMP.150.70.01-PSO
EMP.BC.130.S	EMP.200.70.01-PSO
EMP.BC.160.S	EMP.150.70.01-PS
EMP.BC.200.S	EMP.200.70.01-PS
EMP.SB.03	EMP.150.70.01-PSY
EMP.SB.04	EMP.200.70.01-PSY
EMP.SB.05	EMP.150.70.01-PS
EMP.SB.06	EMP.200.70.01-PS
EMP.160.80.01	EMP.160.80.02
EMP.210.80.01	EMP.210.80.02

SZUTEST



T.C.
KONYA VALİLİĞİ
Çevre, Şehircilik ve İklim Değişikliği İl Müdürlüğü



Sayı : E-47342952-220.03-13082661

21.07.2025

Konu : ÇED Kapsam Dışı

ERSÖZ & GONCA MUTFAK MAK. VE EKİP. SAN. TİC. A.Ş. NE
Büyükkayacık Mahallesi Organize Sanayi Bölgesi 9. nolu Sokak 4. No:20 Selçuklu/KONYA

İlgi : a) Enviro Müh. Med. İnş. Kauç. ve Mad. San. Tic. LTD. Şti.'nün 16.07.2025 tarihli ve 153 sayılı yazısı.

b) 21.07.2025 tarihli ve 218778 Referans no'lu başvuru.

İlimiz Selçuklu İlçesi, Büyükkayacık Mahallesi 9 nolu Sokak 4. No:20 adresinde, toplam alanda Ersöz-Gonca Mutfak Makine ve Ekipmanları San. ve Tic. A.Ş. olarak "mutfak makinaları ve madeni eşya üretimi" faaliyeti yapıldığı, Çevresel Etki Değerlendirme (ÇED) Yönetmeliği kapsamında değerlendirme yapılması talep edilmektedir.

Müdürlüğümüz kayıtlarında yapılan inceleme sonucunda; belirtilen adreste gerçekleştirilmesi planlanan proje ile ilgili, 17/07/2008 tarih ve 26939 Sayılı Resmi Gazete yayımlanarak yürürlüğe giren ÇED Yönetmeliğinin Ek-2 listesi 17. maddesi (beyaz eşya üretimi veya boyamasının yapıldığı tesisler) kapsamına göre 07/04/2010 tarihli ve 588/2698 numaralı ÇED Gerekli Değildir Belgesi verildiği, belgeye esas proje tanıtım dosyasında tesiste, mutfak makinaları ve madeni eşya üretimi faaliyeti olarak 2900 yıl/adet olarak planlandığı ve 29/11/2026 tarihine kadar geçerli kapasite raporuna göre de 3700 adet/yıl üretimi olduğu anlaşılmıştır.

İlgi (a) başvurunuz, ilgi (b) referans numarası ile çevrimiçi ÇED süreci Yönetim sistemine kayıt edilmiş olup, başvurunuzun incelenmesi neticesinde; belirtilen adreste yapılması düşünülen "mutfak makinaları ve madeni eşya üretimi (yüzet temizleme ve kapalama yapılmaması kaydıyla)" projesi, 29.07.2022 tarih ve 31907 Sayılı Resmi Gazete'de yayımlanarak yürürlüğe giren ÇED Yönetmeliği Listelerinde yer almadığından kapsam dışı olarak değerlendirilmiştir.

Bununla birlikte planlanan yatırım ile ilgili olarak 2872 sayılı Çevre Kanunu ile bu Kanuna istinaden çıkarılan Yönetmeliklerin ilgili hükümlerine uyulması, mer'i mevzuat uyarınca ilgili kurum/kuruluşlardan gerekli izinlerin alınması, ekolojik dengenin bozulmaması, çevrenin korunması ve geliştirilmesine yönelik tedbirlere riayet edilmesi ve projede yapılacak yönetmeliğe tabi değişiklikler öncesinde Bakanlığımıza veya Valiliğimize (Çevre, Şehircilik ve İklim Değişikliği İl Müdürlüğü) başvurulması hususunda;

Bilgilerinizi ve gereğini rica ederim.

Özgür SOMUNCU
Vali a.
İl Müdür Yardımcısı

Dağıtım:

Gereği:

Bilgi:

Bu belge, güvenli elektronik imza ile imzalanmıştır.

Doğrulama Kodu: D198C318-7E65-4E40-B4E0-BD75E0A1B0E8

Doğrulama Adresi: <https://www.turkiye.gov.tr>

Horoğluhan Mahallesi Ankara Caddesi 145/2 Selçuklu/ KONYA

Tel : (332)2239000 Faks: (332)2239313

e-Posta: konya@csb.gov.tr <https://konya.csb.gov.tr>

KEP Adresi : konyacevrevesehirclik@hs01.kon.tr

Bilgi için: Cem CANBAZ

Mühendis



19.08.2025

CONFORMITY DECLARATION

We declare that all the goods and the materials are suitable to the contact with the food products.

They meet the following laws:

- Law 1935/2004/CE regarding the materials destined to the contact of food products.
- Law 2023/2006/CE regarding the good manufacture operations of the materials destined to the contact of food products.
- 2020/1245 UE regarding plastic materials and articles intended to come into contact with
- DM 21/03/73 and further updates and modification. Hygienically and sanitary protocols for the packaging, containers and utensils destined to the contact food products or personal use products.
- DPR 777/82 and further updates and modifications, Relization of Directive (CEE) n76/893 relative to materials destined to the contact of food products.

If the instructions in the user manual are followed and the maintenance is carried out,

Our products are manufactures with following raw material:

Stainless steel Aisi 304, Aisi 430;

Aluminazed aluminum sheets (LS)

ERSÖZ - GONCA

Mutfak Makine ve Ekipmanları Sanayi Ticaret A.Ş.

Konya Organize San. Bölgesi Büyük Kayacık

Mah. 9 Nolu Sk. No: 20 Selçuklu / KONYA

Tel: 0.332.239 18 10-239 18 11 • Fax: 239 22 32

Selçuk V. D.: 370 011 2665 T.Sicil No: 22066

Order No./Sipariş No. : Z7S2042022

PO No./PO NO. : TR0042502

Supplier : APERAM PASLANMAZ CELIK SAN. VE TIC. /Tedarikçi Firma : A.S. Commodity : STS CR AP COIL /Ürün adı

Customer : APERAM PASLANMAZ CELIK SAN. VE TIC. A.S. /Müşteri Spec & Type : EN10088-2-1.4016 /Spesifikasyon

Surface Finish : NO.2B
/Yüzey

Size/Ebat (mm)	Product No. /Ürün no.	Quantity /Miktar	Weight /Ağırlık (kg)	Heat No. /Çelik yapım No.	Position	Tensile Test		Hardness /Sertlik HV	Division	Chemical Composition/Kimyasal Kompozisyon					
						YS 0.2% (MPa)	TS EL (%)			C (%)	Si (%)	Mn (%)	P (%)	S (%)	Cr (%)
0.6x1000xC	Z7YA5878AA	1	8,808	43S7A6545	T	372	537 25	144.0	L	0.0325	0.228	0.360	0.0236	0.0021	16.140
0.6x1000xC	Z7YA5878AC	1	8,663	43S7A6545	T	334	516 25	143.0	L	0.0325	0.228	0.360	0.0236	0.0021	16.140
*** Sub Total ***		2	17,471 (kg)												
1x1250xC	Z7YB2313AA	1	11,339	4CS7B1386	T	292	466 30	140.0	L	0.0347	0.262	0.390	0.0255	0.0053	16.170
*** Sub Total ***		1	11,339 (kg)												
1.5x1250xC	Z7YB2318AA	1	10,450	SG87871_4	T	280	482 26	139.0	L	0.0598	0.272	0.589	0.0192	0.0008	16.114
*** Sub Total (150) ***		1	10,450 (kg)												
*** Grade Total ***		4	39,260 (kg)												
*** Grand Total ***		4	39,260 (kg)												
=== Last Item ===															

CE EN 10088-4
305/2011/EU (19) 2354 2022/2921* Position - T : Top, M : Middle, B : Bottom
* Tensile Test Direction : Transversal, Gauge Length : 80 mm (Rectangular),
YP Method : 0.2 % off-set
* Division - L : Ladle AnalysisWe hereby certify that the material herein has been in accordance with; EN10088-2, TS EN ISO 9445-2, ASTM A240/A240M, ASTM A480/A480M, POSCO ASSAN TST is ISO 9001:2015 & ISO 14001:2015 Certified, NACE MR0175 and MR0103, ASME SA 240 / SA 240M, ASME SA 480, EN10088-4, ISPM 15 Certified
Test Certificate is issued according to ISO 10474/EN 10204 3.1
This product includes all requirements of TS EN 10028-7 standard.

Legal sanction can be imposed on forging. Improper use of product can cause safety issues.

Surveyor To :

Order No./Sipariş No. : Z7S2042532
Supplier : APERAM PASLANMAZ ÇELİK SAN. VE TİC. /Ürün adı : STS CR AP COIL
/Tedarikçi Firma : A.S.
Customer : APERAM PASLANMAZ ÇELİK SAN. VE TİC. A.S. Spec & Type : EN10088-2-1.4016
/Müşteri /Spesifikasyon :

Size/Ebat (mm)	Product No. /Ürün no.	Quantity /Miktar	Weight /Ağırlık (kg)	Heat No. /Çelik yapım No.	Position	Tensile Test			Hardness /Sertlik	0893475	Division	Chemical Composition/Kimyasal Kompozisyon						
						YS 0.2% (MPa)	TS	EL (%)	HV				C (%)	Si (%)	Mn (%)	P (%)	S (%)	Cr (%)
0.8x1000xC	Z7YB3423AB	1	9,761	SG88737_5	T	280	479	29	137.0			L	0.0609	0.293	0.681	0.0161	0.0006	16.127
*** Sub Total (110) ***		1	9,761 (kg)															
*** Grade Total ***		1	9,761 (kg)															

0893475

CE EN 10088-4
305/2011/EU (19) 2354 2022/2921

* Position - T : Top, M : Middle, B : Bottom
* Tensile Test Direction : Transversal, Gauge Length : 80 mm (Rectangular),
YP Method : 0.2 % off-set
* Division - L : Ladle Analysis

We hereby certify that the material herein has been in accordance with; EN10088-2, TS EN ISO 9445-2, ASTM A240/A240M, ASTM A480/A480M, POSCO ASSAN TST is ISO 9001:2015 & ISO 14001:2015 Certified, NACE MR0175 and MR0103, ASME SA 240 / SA 240M, ASME SA 480, EN10088-4, ISPM 15 Certified
Test Certificate is issued according to ISO 10474/EN 10204 3.1.
This product includes all requirements of TS EN 10028-7 standard.

Legal sanction can be imposed on forging. Improper use of product can cause safety issues.

Surveyor To :

Order No./Sipariş No. : Z7S2042022

PO No./PO NO. : TR0042502

Supplier : APERAM PASLANMAZ CELIK SAN. VE TIC. /Tedarikçi Firma : A.S. /Ürün adı : STS CR AP COIL

Customer : APERAM PASLANMAZ CELIK SAN. VE TIC. A.S. /Müşteri : EN10088-2-1.4016
Spec & Type : EN10088-2-1.4016 /SpesifikasyonSurface Finish : NO.2B
/Yüzey : NO.2B

Size/Ebat (mm)	Product No. /Ürün no.	Quantity /Miktar	Weight /Ağırlık (kg)	Heat No. /Çelik yapım No.	Position	Tensile Test YS 0.2% (MPa)	TS (MPa)	EL (%)	Hardness /Sertlik HV	Division	Chemical Composition/Kimyasal Kompozisyon C (%) Si (%) Mn (%) P (%) S (%) Cr (%)
0.8x1500xC *** Sub Total ***	Z7YB2524AB (110) ***	1 1	10,183 10,183 (kg)	49S7A9968	T	309	473	27	145.0	L	0.0342 0.264 0.451 0.0246 0.0042 16.140
1.5x1250xC *** Sub Total *** *** Grade Total *** *** Grand Total ***	Z7YB2318AB (150) ***	1 1 2 2	10,095 10,095 (kg) 20,278 (kg) 20,278 (kg)	SG87871_4	T	280	482	26	139.0	L	0.0598 0.272 0.589 0.0192 0.0008 16.114
=== Last Item ===											

CE EN 10088-4
305/2011/EU (19) 2354 2022/2921* Position - T : Top, M : Middle, B : Bottom
* Tensile Test Direction : Transversal, Gauge Length : 80 mm (Rectangular),
YP Method : 0.2 % off-set
* Division - L : Ladle AnalysisWe hereby certify that the material herein has been in accordance with; EN10088-2, TS EN ISO 9445-2, ASTM A240/A240M, ASTM A480/A480M, POSCO ASSAN TST is ISO 9001:2015 & ISO 14001:2015 Certified, NACE MR0175 and MR0103, ASME SA 240 / SA 240M, ASME SA 480, EN10088-4, ISPM 15 Certified
Test Certificate is issued according to ISO 10474/EN 10204 3.1.
This product includes all requirements of TS EN 10028-7 standard.

Legal sanction can be imposed on forging. Improper use of product can cause safety issues.

Surveyor To :

Mill Test Certificate

Customer: SARITAS CELIK SANAYI VE TICARET ANONIM SIRKETI		Product: Cold rolled stainless steel coil		
Purchaser:		Condition of Supply: 2B;Solid solution;Pickling;C		
Specification EN10028-7:2016,EN10088-2:2014 EN10088-4:2009 ASTM A240M-19 ASME SA-240M-2019 ASTM A480/A480M(2019) ASME SA480/SA480M(2019)	Grade 1.4307/1.4301/304L/304	Mill'S No. LBB9T00601	Certificate No. 0044967901998704	
		Customer Order No. CTHB2209SAR01-SAR	Consignment No. CTHB221778A	
		Mark Of Manufacturer: 	Melting furnace EAF+AOD	
		Heat Treatment Temperature Solution 1040-1100°C Quenching in water		

No.	Material No.	Heat No.	Dimensions (mm)	Quantity	Weight (Kg)	 0035-CPR-A210 EN10088-4
1	FA21017260N00	A0203683	4*1250	1	19881	
2	FA21017270N00	A0203683	4*1250	1	20011	
3	FA21021780N00	A0203727	4*1250	1	18962	
Acceptable Visual And Dimensions:OK			Total	3	58854	

No.	Max. Min.	C%	Si%	Mn%	P%	S%	Cr%	Ni%	N%
1	H	0.020	0.53	1.56	0.036	0.006	18.0	8.0	0.05
2	H	0.020	0.53	1.56	0.036	0.006	18.0	8.0	0.05
3	H	0.023	0.54	1.57	0.035	0.001	18.2	8.0	0.05

No.	P.D.	Y.S. Rp0.2 Mpa Room	Y.S. Rp1.0 Mpa Room	T.S. Rm Mpa Room	EL. A5 % Room	EL. A50 % Room	Hardness HRB Room	Hardness HRB Room	I G C
1	2	270	309	651	58.0	60	81.0	81.5	OK
2	1								OK
2	2	266	304	648	56.0	60	81.5	82.0	OK
3	1								OK
3	2	276	315	654	62.0	58	83.0	83.5	OK
	1								OK

Notes	C=Cutting edge; H=Heat analysis; P=Product analysis; D=Electroslag remelting; P.D.=Position and Direction; Y.S.=Yield Strength; Room = Normal Temperature (Room Temperature); T.S.=Tensile Strength; EL.=Elongation; A5:Lo=5.65SQRT(So); A50:Lo=50mm; 2=横向 Transverse; 1=纵向 Longitudinal;	Corrosion Methods EN ISO 3651-2 A 16%的硫酸/硫酸铜测试, ASTM A262 E
-------	---	--

Remarks	1.The quality management system is in conformity with ISO9001:2015 standard and ISO14001:2015. 2.No weld repair; Free of mercury;No radiation contamination. 3.PED 2014/68/EU 4.EN ISO 9445-2 5.AD2000 W2-AD2000 W10 6.NACE MR 0175/ISO15156-1/ 7.ISO15156-3-NACE MR0103	  NAN HAI
---------	--	---

DECLARATION OF PERFORMANCE

No.:0044967901998704-00

1、 product, finish

Cold rolled stainless steel coil,2B

2、 Type, batch or serial number:

Grade	Heat No.	Material No.
1.4307/1.4301/304L/304	A0203683	FA21017260N00
1.4307/1.4301/304L/304	A0203683	FA21017270N00
1.4307/1.4301/304L/304	A0203727	FA21021780N00

3、 specification,use

EN 10088-4(2009),use for construction product.

4、 Name, registered trade name

SHANXI TAIGANG STAINLESS STEEL CO.,LTD.



5、 systems of assessment

System 2+

6、 harmonised standard, name and identification number of the notified body, if relevant

EN 10088-4(2009), TÜV Rheinland industrie Service GmbH, (NoBo, 0035)

7、 Declared performance

Essential characteristics	performance	specification
Dimensions	PASS	EN 10088-4(2009)
Elongation	≥45 %	
Tensile strength	540 ~ 700	
Yield strength Rp0.2	≥230 MPa	
Impact strength	NPD	
Weldability	NPD	
Durability	NPD	
Fracture toughness/brittle strength	NPD	
Cold formability	NPD	

8、 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Signature:

NAN HAI

Date:

2022-11-22



Mill Test Certificate

Customer: SARITAS CELIK SANAYI VE TICARET ANONIM SIRKETI		Product: Cold rolled stainless steel coil		
Purchaser:		Condition of Supply: 2B;Annealing;Pickling;M		
Specification EN10088-2:2014 EN10088-4:2009 ASTM A240M-19 ASME SA-240M-2019 ASTM A480/A480M-19 ASME SA480/SA480M-2019	Grade 1.4016/430	Mill'S No. LBC1T00483	Certificate No. 0044978224880557	
		Customer Order No. CTHB2301SAR02-SAR	Consignment No. CTHB230651A	
		Mark Of Manufacturer: 		
		Heat Treatment Temperature Solution 750-850 °C Quenching in water		

No.	Material No.	Heat No.	Dimensions (mm)	Quantity	Weight (Kg)	CE 0035-CPR-A210 EN10088-4
1	FM30254310Q20	A1300547	0.8*1500	1	16997	
Acceptable Visual And Dimensions:OK			Total	1	16997	

No.	Max. Min.	C%	Si%	Mn%	P%	S%	Cr%	Ni%
1	H	0.04	0.34	0.21	0.028	0.002	16.2	0.10

No.	P.D.	Y.S. Rp0.2 Mpa Room	T.S. Rm Mpa Room	EL. A50 % Room	EL. A80 % Room	Bend α=180° d=a	Hardness HRB Room	Hardness HRB Room
1	2 1	310 292	500 464	33	28.0 28.5	OK	79.0	79.0

Notes	M=Not cutting edge; H=Heat analysis; P=Product analysis; D=Electroslag remelting; P.D.=Position and Direction; Y.S.=Yield Strength; Room = Normal Temperature (Room Temperature); T.S.=Tensile Strength; EL.=Elongation; A50:Lo=50mm; A80:Lo=80mm; 2=横向Transverse; 1=纵向 Longitudinal;
-------	---

Remarks	1.The quality management system is in conformity with ISO9001:2015 standard and ISO14001:2015. 2.No weld repair; Free of mercury;No radiation contamination. 3.NACE MR0103	  NAN HAI
---------	--	---

Issued by Manufacturer.

We hereby certify that material described herein has manufactured and tested with satisfactory results in accordance with the requirements of the above material specification.



Manufacturer:SHANXI TAIGANG STAINLESS STEEL CO.,LTD.

Jiancaoping,Taiyuan,Shanxi,P.R. China. zip code 030003

After-sale Service:800-806-1998, 400-653-1998

Quality Manager

DECLARATION OF PERFORMANCE

No.:0044978224880557-00

1、 product, finish

Cold rolled stainless steel coil,2B

2、 Type, batch or serial number:

Grade
1.4016/430

Heat No.
A1300547

Material No.
FM30254310Q20

3、 specification,use

EN 10088-4(2009),use for construction product.

4、 Name, registered trade name

SHANXI TAIGANG STAINLESS STEEL CO.,LTD.



5、 systems of assessment

System 2+

6、 harmonised standard, name and identification number of the notified body, if relevant

EN 10088-4(2009), TÜV Rheinland industrie Service GmbH, (NoBo, 0035)

7、 Declared performance

Essential characteristics	performance	specification
Dimensions	PASS	EN 10088-4(2009)
Elongation	≥28 %	
Tensile strength	450 ~ 999	
Yield strength Rp0.2	≥205 MPa	
Impact strength	NPD	
Weldability	NPD	
Durability	NPD	
Fracture toughness/brittle strength	NPD	
Cold formability	NPD	

8、 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Signature:

NAN HAI

Date:

2023-04-07





KALİTE YÖNETİM SİSTEMİ BELGESİ

QUALITY MANAGEMENT SYSTEM CERTIFICATE



TÜRK STANDARDLARI ENSTİTÜSÜ
bu belge ile

ERSÖZ-GONCA MUTFAK MAKİNA VE
EKİPMANLARI SAN. VE TİC. A.Ş.
KONYA OSB BÜYÜK KAYACIK MAH. 9
NOLU SOK. NO:20 SELÇUKLU -
KONYA / TÜRKİYE

kuruluşunun TS EN ISO 9001:2015 şartlarına uygun bir KALİTE
YÖNETİM SİSTEMİNE sahip olduğunu onaylar.

Belge kapsamı Ek'te verilmiştir

Bu belge belgelendirme şartlarına
uygunluk sağlandığı sürece geçerlidir.



TÜRK STANDARDLARI ENSTİTÜSÜ
TURKISH STANDARDS INSTITUTION

Konya Bölge Koordinatörü V.
Konya Regional Coordinator A.

[Signature]
İzzet ŞEN

Türk Standardları Enstitüsü Türk Akreditasyon Kurumu TÜRKAK tarafından akredite edilmiştir.
Turkish Standards Institution, has been accredited by the Turkish Accreditation Agency TÜRKAK.

TURKISH STANDARDS INSTITUTION
hereby certifies that the organization

ERSÖZ-GONCA MUTFAK MAKİNA VE
EKİPMANLARI SAN. VE TİC. A.Ş.
KONYA OSB BÜYÜK KAYACIK MAH. 9 NOLU
SOK. NO:20 SELÇUKLU -
KONYA / TÜRKİYE

has a QUALITY MANAGEMENT SYSTEM which fulfills
the requirements of the TS EN ISO 9001:2015

Scope of the certificate is given in annex

Belge No / Certificate No

KY-1970-03/KG-02/09-R15

Belge Tarihi / Date of Certificate

13.07.2024

Geçerlilik Tarihi / Valid Until

13.07.2027

Revizyon Tarihi / Date of Revision

23.07.2024

İlk Belge Tarihi / Initial Certification Date

09.07.2002

This certificate is valid provided that compliance
with the certification requirement is maintained



KALİTE YÖNETİM SİSTEMİ BELGESİ

QUALITY MANAGEMENT SYSTEM CERTIFICATE

EK / APPENDIX



Belge No / Certificate No: **KY-1970-03/KG-02/09-R15**

Belgeli Kuruluş Adı, Adresi:

Name and Address of the Certified Organization:

Belge Kapsamı:

TS EN ISO 9001:2015

- MUTFAK EKİPMANLARI
- GIDA SANAYİ ALET VE MAKİNALARI
- SOĞUTUCU EKİPMANLARI
- TİCARİ SOĞUTUCU DOLAPLAR

TASARIM VE ÜRETİMİ

K - Q
TSE-ISO-EN
9001

Belge Tarihi / Date of Certificate: **13.07.2024**

ERSÖZ-GONCA MUTFAK MAKİNA VE
EKİPMANLARI SAN. VE TİC. A.Ş.
KONYA OSB BÜYÜK KAYACIK MAH. 9
NOLU SOK. NO:20 SELÇUKLU -
KONYA / TÜRKİYE

Scope of the Certificate:

TS EN ISO 9001:2015

DESIGN AND PRODUCTION OF

- KITCHEN EQUIPMENTS
- TOOLS AND MACHINES FOR FOOD INDUSTRY
- REFRIGERATING EQUIPMENTS
- COMMERCIAL REFRIGERATING CABINETS

Certificate

TSE has issued an IQNet recognized certificate that the organization:

**ERSÖZ-GONCA MUTFAK MAKİNA VE EKİPMANLARI SAN. VE TİC.
A.Ş.**

KONYA OSB BÜYÜK KAYACIK MAH. 9 NOLU SOK. NO:20 SELÇUKLU -
KONYA / TÜRKİYE

has implemented and maintains a
QUALITY MANAGEMENT SYSTEM
for the following scope:

Scope of the certificate is given in annex

which fulfills the requirements of the following standard:

TS EN ISO 9001:2015

Issued on: 13-07-2024

First Issued on: 09-07-2002

Expires on: 13-07-2027

Registration Number : TR-KY-1970-03/KG-02/09-R15



Alex Stoichitoiu
President of IQNet



İzzet ŞEN
Konya Regional Coordinator A.



This attestation is directly linked to the IQNet Member's original certificate and shall not be used as a stand-alone document.

IQNet Members:*

AENOR Spain AFNOR Certification France APCER Portugal CISQ Italy CQC China CQM China CQS Czech Republic
Cro Cert Croatia DQS Holding GmbH Germany EAGLE Certification Group USA FCAV Brazil FONDONORMA Venezuela
ICONTEC Colombia ICS Bosnia and Herzegovina INTECO Costa Rica IRAM Argentina JQA Japan
KFQ Korea LSQA Uruguay MIRTEC Greece MSZT Hungary Nemko AS Norway NSAI Ireland NYCE Mexico PCBC Poland
Quality Austria Austria SII Israel SIQ Slovenia SIRIM QAS International Malaysia SQS Switzerland SRAC Romania TSE Türkiye YUQS Serbia

Certificate

Annex to IQNET Certificate Number :TR-KY-1970-03/KG-02/09-R15

Name and Address of the certified organization

**ERSÖZ-GONCA MUTFAK MAKİNA VE EKİPMANLARI SAN. VE TİC.
A.Ş.**

KONYA OSB BÜYÜK KAYACIK MAH. 9 NOLU SOK. NO:20 SELÇUKLU - KONYA / TÜRKİYE

Scope of the Certificate

DESIGN AND PRODUCTION OF

- KITCHEN EQUIPMENTS
- TOOLS AND MACHINES FOR FOOD INDUSTRY
- REFRIGERATING EQUIPMENTS
- COMMERCIAL REFRIGERATING CABINETS

This annex is only valid in connection with the original certificate number mentioned above.

JS
IQNet Members*:

AENOR Spain AFNOR Certification France APCER Portugal CISQ Italy CQC China CQM China CQS Czech Republic
Cro Cert Croatia DQS Holding GmbH Germany EAGLE Certification Group USA FCAV Brazil FONDONORMA Venezuela
ICONTEC Colombia ICS Bosnia and Herzegovina INTECO Costa Rica IRAM Argentina JQA Japan
KFQ Korea LSQA Uruguay MIRTEC Greece MSZT Hungary Nemko AS Norway NSAI Ireland NYCE México PCBC Poland
Quality Austria Austria SII Israel SIQ Slovenia SIRIM QAS International Malaysia SQS Switzerland SRAC Romania TSE Türkiye YUQS Serbia



ENERJİ YÖNETİM SİSTEMİ BELGESİ ENERGY MANAGEMENT SYSTEM CERTIFICATE



TÜRK STANDARDLARI ENSTİTÜSÜ
bu belge ile

ERSÖZ-GONCA MUTFAK MAKİNA VE
EKİPMANLARI SAN. VE TİC. A.Ş.
KONYA OSB BÜYÜK KAYACIK MAH. 9
NOLU SOK. NO:20 SELÇUKLU -
KONYA / TÜRKİYE

kuruluşunun TS EN ISO 50001:2018 şartlarına uygun bir
ENERJİYÖNETİM SİSTEMİ'ne sahip olduğunu onaylar.

TURKISH STANDARDS INSTITUTION
hereby certifies that the organization

ERSÖZ-GONCA MUTFAK MAKİNA VE
EKİPMANLARI SAN. VE TİC. A.Ş.
KONYA OSB BÜYÜK KAYACIK MAH. 9 NOLU
SOK. NO:20 SELÇUKLU -
KONYA / TÜRKİYE

has a ENERGY MANAGEMENT SYSTEM CERTIFICATE
which fulfills the requirements of the TS EN ISO 50001:2018



Belge kapsamı Ek'te verilmiştir

TÜRK STANDARDLARI ENSTİTÜSÜ
TURKISH STANDARDS INSTITUTION

Scope of the certificate is given in annex



Bu belge belgelendirme şartlarına
uygunluk sağlandığı sürece geçerlidir.

Konya Belgelendirme Müdürü
Konya Certification Manager

Türk Standardları Enstitüsü Türk Akreditasyon Kurumu TÜRKAK tarafından akredite edilmiştir.
Turkish Standards Institution, has been accredited by the Turkish Accreditation Agency TÜRKAK.

Belge No / Certificate No

EYB-266/23

Belge Tarihi / Date of Certificate

06.10.2023

Geçerlilik Tarihi / Valid Until

06.10.2026

Revizyon Tarihi / Date of Revision

06.10.2023

İlk Belge Tarihi / Initial Certification Date

06.10.2023

This certificate is valid provided that compliance
with the certification requirement is maintained.



ENERJİ YÖNETİM SİSTEMİ BELGESİ
ENERGY MANAGEMENT SYSTEM CERTIFICATE
EK / ANNEX



Belge No / Certificate No: EYB-266/23

Belgeli Kuruluş Adı, Adresi:

Name and Address of the Certified Organization:

Belge Kapsamı:

TS EN ISO 50001:2018

-ENDÜSTRİYEL MUTFAK EKİPMANLARI
ÜRETİMİ

TSE
TS - EN - ISO
50001

Belge Tarihi / Date of Certificate: 06.10.2023

ERSÖZ-GONCA MUTFAK MAKİNA VE
EKİPMANLARI SAN. VE TİC. A.Ş.
KONYA OSB BÜYÜK KAYACIK MAH. 9
NOLU SOK. NO:20 SELÇUKLU -
KONYA / TÜRKİYE

Scope of the Certificate:

TS EN ISO 50001:2018

-PRODUCTION OF
INDUSTRIAL KITCHEN EQUIPMENT



Certificate

TSE has issued an IQNet recognized certificate that the organization:

**ERSÖZ-GONCA MUTFAK MAKİNA VE EKİPMANLARI SAN. VE TİC.
A.Ş.**

KONYA OSB BÜYÜK KAYACIK MAH. 9 NOLU SOK. NO:20 SELÇUKLU -
KONYA / TÜRKİYE

has implemented and maintains a
ENERGY MANAGEMENT SYSTEM
for the following scope:

Scope of the certificate is given in annex

which fulfills the requirements of the following standard:


TS EN ISO 50001:2018

Issued on: 06-10-2023


First Issued on: 06-10-2023

Expires on: 06-10-2026

Registration Number : TR-EYB-266/23



Alex Stoichitoiu
President of IQNet



İzzet ŞEN
Konya Certification Manager



This attestation is directly linked to the IQNet Member's original certificate and shall not be used as a stand-alone document.

IQNet Members*:

AENOR Spain AFNOR Certification France APCER Portugal CISQ Italy CQC China CQM China CQS Czech Republic
Cro Cert Croatia DQS Holding GmbH Germany EAGLE Certification Group USA FCAV Brazil FONDONORMA Venezuela
ICONTEC Colombia ICS Bosnia and Herzegovina INTECO Costa Rica IRAM Argentina JQA Japan
KFQ Korea LSQA Uruguay MIRTEC Greece MSZT Hungary Nemko AS Norway NSAI Ireland NYCE Mexico PCBC Poland
Quality Austria Austria SII Israel SIQ Slovenia SIRIM QAS International Malaysia SQS Switzerland SRAC Romania TSE Türkiye YUQS Serbia

* The list of IQNet Members is valid at the time of issue of this certificate. Updated information is available under www.iqnet-certification.com

Certificate

Annex to IQNET Certificate Number :TR-EYB-266/23

Name and Address of the certified organization

**ERSÖZ-GONCA MUTFAK MAKİNA VE EKİPMANLARI SAN. VE TİC.
A.Ş.**

KONYA OSB BÜYÜK KAYACIK MAH. 9 NOLU SOK. NO:20 SELÇUKLU - KONYA / TÜRKİYE

Scope of the Certificate

-PRODUCTION OF
INDUSTRIAL KITCHEN EQUIPMENT

This annex is only valid in connection with the original certificate number mentioned above.

IQNet Members*:

AENOR Spain **AFNOR Certification** France **APCER** Portugal **CISQ** Italy **CQC** China **CQM** China **CQS** Czech Republic
Cro Cert Croatia **DQS Holding GmbH** Germany **EAGLE Certification Group** USA **FCAV** Brazil **FONDONORMA** Venezuela
ICONTEC Colombia **ICS** Bosnia and Herzegovina **INTECO** Costa Rica **IRAM** Argentina **JQA** Japan
KFQ Korea **LSQA** Uruguay **MIRTEC** Greece **MSZT** Hungary **Nemko AS** Norway **NSAI** Ireland **NYCE** Mexico **PCBC** Poland
Quality Austria Austria **SII** Israel **SIQ** Slovenia **SIRIM QAS International** Malaysia **SQS** Switzerland **SRAC** Romania **TSE** Türkiye **YUQS** Serbia