



Urology

Marflow AG
Soodstrasse 57
8134 Adliswil/Zurich
Switzerland
Tel. +41 44 709 01 01
Fax +41 44 710 21 36
marflow@marflow.ch
www.marflow.ch

MarFlow[®]
SWITZERLAND

Marflow AG

a CE and ISO13485 certified company,
based in Adliswil-Zurich-Switzerland,
specialized in manufacturing top
quality medical products
in Urology and Gastroenterology.


Index

Page	Article
4	Ureter Stents
11	Steerable Pusher
12	Grasping Forceps
14	Guidewires
16	Ureter Catheter
18	Stone Baskets
22	Nephrostomy Drainage
31	Nephrostomy working channel, Mini PCNL
32	Nephrostomy working channel, Access Sheath
33	Initial Puncture Needles
34	Ureter working channel, Access Sheath
36	Fascial Dilators
37	Ureter Dilator Set
38	Ureter Balloon Dilator
39	Inflation Device
40	Suprapubic Drainage
43	Semi-Automatic Biopsy-Gun
44	TUR Electrodes
47	Bladder Irrigation Set
48	2-way Balloon Catheter
50	2 and 3-way Haematuria Catheter
52	Urethra (Penis) Dilator Set
53	Uterine Insemination Catheter
54	Bladder Evacuator ELLICK / Urine Bag
55	Dialysis Catheter

Ureter Stents

- **Standard Double-J**
- **Multiloop**

Made of Polyurethane
Tecoflex® USA
Laying time up to 30 days



Ureter Stents

Set consists of stent, pusher, suture and clamp.

Standard Double-J

One side open	Both sides open	Stent Ø (Fr/CH)	Length without J (cm)	recommended Guidewire Ø
SS-4716	SOT-4716	4.7	16	0.032"
SS-4724	SOT-4724	4.7	24	0.032"
SS-4726	SOT-4726	4.7	26	0.032"
SS-4728	SOT-4728	4.7	28	0.032"
SS-4730	SOT-4730	4.7	30	0.032"
SS-516	SOT-516	5	16	0.035"
SS-524	SOT-524	5	24	0.035"
SS-526	SOT-526	5	26	0.035"
SS-528	SOT-528	5	28	0.035"
SS-530	SOT-530	5	30	0.035"
SS-616	SOT-616	6	16	0.035"
SS-624	SOT-624	6	24	0.035"
SS-626	SOT-626	6	26	0.035"
SS-628	SOT-628	6	28	0.035"
SS-630	SOT-630	6	30	0.035"
SS-716	SOT-716	7	16	0.038"
SS-724	SOT-724	7	24	0.038"
SS-726	SOT-726	7	26	0.038"
SS-728	SOT-728	7	28	0.038"
SS-730	SOT-730	7	30	0.038"
SS-826	SOT-826	8	26	0.038"
SS-828	SOT-828	8	28	0.038"
SS-830	SOT-830	8	30	0.038"

Multiloop

SS-47ML+ML	SOT-47ML+ML	4.7	Multiloop 24-30	0.032"
SS-5ML+ML	SOT-5ML+ML	5	Multiloop 24-30	0.035"
SS-6ML+ML	SOT-6ML+ML	6	Multiloop 24-30	0.035"
SS-7ML+ML	SOT-7ML+ML	7	Multiloop 24-30	0.038"
SS-8ML+ML	SOT-8ML+ML	8	Multiloop 24-30	0.038"

Set with stainless steel guidewire add +G (for example SS-4716+G).


Set with nitinol guidewire add +GTHS (for example SS-4716+GTHS).

Stent hydrophilic coated add: Art. No. +H

Ureter Stents Longlife Stents

**Longlife Stents
Carbothane®**
Tecoflex® USA

**Longlife Stents
100% medical Silicone**
Tecoflex® USA



Set consists of stent, pusher, suture and clamp.

Longlife Stents Carbothane®

Art. No.	Stent Ø (Fr/CH)	Length without J (cm)	recommended Guidewire Ø
SOT-PRO-4826	4.8	26	0.032"
SOT-PRO-4828	4.8	28	0.032"
SOT-PRO-626	6	26	0.035"
SOT-PRO-628	6	28	0.035"
SOT-PRO-726	7	26	0.038"
SOT-PRO-728	7	28	0.038"

Longlife Stents 100% Silicone

SOT-S-526	5	26	0.032"
SOT-S-528	5	28	0.032"
SOT-S-626	6	26	0.035"
SOT-S-628	6	28	0.035"
SOT-S-726	7	26	0.038"
SOT-S-728	7	28	0.038"

Set with stainless steel guidewire add +G (for example SOT-S-526+G).
Set with nitinol guidewire add +GTHS (for example SOT-S-526+GTHS).

Stent hydrophilic coated add: Art. No. +H

Ureter Stents

- Tumor Stents Polyurethane
- Tumor Stents 100% Silicone

Reinforced with metal spring




Tumor Stents Carbothane
Tecoflex® USA

Reinforced with metal spring



Tumor Stents 100% Silicone



Set consists of stent, pusher, suture and clamp.
Stents both sides open

Tumor Stents Carbothane®

Art. No.	Stent Ø (Fr/CH)	Length without J (cm)	recommended Guidewire Ø
TS-624	6	24	0.035"
TS-626	6	26	0.035"
TS-628	6	28	0.035"
TS-724	7	24	0.038"
TS-726	7	26	0.038"
TS-728	7	28	0.038"

Tumor Stents 100% Silicone

STS-624	6	24	0.035"
STS-626	6	26	0.035"
STS-628	6	28	0.035"
STS-724	7	24	0.038"
STS-726	7	26	0.038"
STS-728	7	28	0.038"


Set with stainless steel guidewire add +G (for example TS-624+G).
Set with nitinol guidewire add +GTHS (for example TS-624+GTHS).

Stent hydrophilic coated add: Art. No. +H

Ureter Stents

- Paediatric
- Renal Transplant
- Intra Operative

Made of Polyurethane
Tecoflex® USA
Laying time up to
30 days



Ureter Stents

Set consists of stent, pusher, suture and clamp.

Paediatric Stents

One side open	Both sides open	Stent Ø (Fr/CH)	Length without J (cm)	recommended Guidewire Ø
PS-310	POS-310	3	10	0.018"
PS-312	POS-312	3	12	0.018"
PS-314	POS-314	3	14	0.018"
PS-316	POS-316	3	16	0.018"
PS-410	POS-410	4	10	0.025"
PS-412	POS-412	4	12	0.025"
PS-414	POS-414	4	14	0.025"
PS-416	POS-416	4	16	0.025"

Set with stainless steel guidewire add +G (for example PS-310+G).

Renal Transplant Stents

	RS-612	6	12	0.035"
	RS-614	6	14	0.035"
	RS-616	6	16	0.035"
	RS-712	7	12	0.038"
	RS-714	7	14	0.038"
	RS-716	7	16	0.038"
	RS-812	8	12	0.038"
	RS-814	8	14	0.038"
	RS-816	8	16	0.038"

Set with stainless steel guidewire add +G (for example RS-612+G).

Intra Operative Stents both sides closed

Ø Fr/CH 4.7	Ø Fr/CH 5	Ø Fr/CH 6	Ø Fr/CH 7	Ø Fr/CH 8	Length without J (cm)
SSI-4716	SSI-516	SSI-616	SSI-716	SSI-816	16
SSI-4724	SSI-524	SSI-624	SSI-724	SSI-824	24
SSI-4726	SSI-526	SSI-626	SSI-726	SSI-826	26
SSI-4728	SSI-528	SSI-628	SSI-728	SSI-828	28
SSI-4730	SSI-530	SSI-630	SSI-730	SSI-830	30

Set with stainless steel guidewire, no pusher, no clamp

Stent hydrophilic coated add: Art. No. +H

Ureter Stents

- Mono-J Stents
- Blue Stents via Ureterorenoscope

Mono-J Luer-Lock connector



70 cm

Made of Polyurethane
Tecoflex® USA
Laying time up to 30 days

Set consists of stent, pusher, suture and clamp.

Mono-J Stents

One side open	Both sides open	Stent Ø (Fr/CH)	Length without J (cm)	empfohlener Guidewire Ø
MJC-4770	MJO-4770	4.7	70	0.032"
MJC-670	MJO-670	6	70	0.035"
MJC-770	MJO-770	7	70	0.038"
MJC-870	MJO-870	8	70	0.038"

Blue Stents via Ureterorenoscope

SSU-4716	SOU-4716	4.7	16	0.032"
SSU-4724	SOU-4724	4.7	24	0.032"
SSU-4726	SOU-4726	4.7	26	0.032"
SSU-4728	SOU-4728	4.7	28	0.032"
SSU-4730	SOU-4730	4.7	30	0.032"
SSU-47ML+ML	SOU-47ML+ML	4.7	24-32	0.032"


With 70 cm Pusher

Set with stainless steel guidewire add +G (for example SSU-4716+G).
Set with nitinol guidewire add +GTHS (for example SSU-4716+GTHS).


Stent hydrophilic coated add: Art. No. +H

Steerable Pusher

Steerable upwards,
downwards and turnable 360°



Easy connection




Art. No.	Stent Ø (Fr/CH)	Steerable pusher for
LSDS 6	6	Double J Stents
LSDS 7	7	Double J Stents

Grasping Forceps flexible

3-Prong, single use

To remove implanted stents or foreign bodies
Raw material: Nitinol and Nylon66




Art. No.	Prongs	Stent Ø (Fr/CH)	Length (cm)
GF-3-3-70	3	3	70
GF-3-3-90	3	3	90
GF-3-3-120	3	3	120
GF-3-4-70	3	4	70
GF-3-4-90	3	4	90
GF-3-4-120	3	4	120

Grasping Forceps

metallic-stiff

2-Prong, reusable

To remove implanted stents or foreign bodies
 Made of stainless steel SS304



Art. No.	Prongs	Size (Fr/CH)	Length (cm)
GF 2-40	2	6	40
GF 2-60	2	6	60


reusable-autoclavable 134°C

Stainless Steel Guidewires

PTFE coated

one tip stiff - one tip flexible
 Colour: PTFE dark green
 Made of stainless steel SS304

Art. No.	Length (cm)	Ø	Tip
SFT 150-32	150	0.032"	straight
SFT 150-35	150	0.035"	straight
SFT 150-38	150	0.038"	straight
JFT 150-32	150	0.032"	angled
JFT 150-35	150	0.035"	angled
JFT 150-38	150	0.038"	angled




Nitinol Super Guidewires

Hydrophilic coated

one tip stiff - one tip flexible
 Colour: black
 Made of Nitinol

Art. No.	Length (cm)	Ø	Tip
GTHS 150-32	150	0.032"	straight
GTHS 150-35	150	0.035"	straight
GTHA 150-32	150	0.032"	angled
GTHA 150-35	150	0.035"	angled




Super flexible tip

Cobra Nitinol Guidewires

Hydrophilic coated

one tip stiff - one tip flexible
 Colour: black and yellow stripes
 Made of Nitinol




Super flexible tip

Art. No.	Length (cm)	Ø	Tip
CKS 150-32	150	0.032"	straight
CKS 150-35	150	0.035"	straight
CKS 150-38	150	0.038"	straight
CKA 150-32	150	0.032"	angled
CKA 150-35	150	0.035"	angled
CKA 150-38	150	0.038"	angled

Ureter Catheter

To inject contrast liquid

With stylet
 Made of PEBA
 Tecoflex[®] USA



Straight tip open

Art. No.	Catheter Ø (Fr/CH)	Length (cm)
UC-O-3	3	70
UC-O-4	4	70
UC-O-5	5	70
UC-O-6	6	70
UC-O-7	7	70


Straight tip closed

UC-R-3	3	70
UC-R-4	4	70
UC-R-5	5	70
UC-R-6	6	70
UC-R-7	7	70

Ureter Catheter

To inject contrast liquid

With stylet
 Made of PEBAX
 Tecoflex® USA



Angled tip open (Tiemann)

Art. No.	Catheter Ø (Fr/CH)	Length (cm)
UC-A0-3	3	70
UC-A0-4	4	70
UC-A0-5	5	70
UC-A0-6	6	70
UC-A0-7	7	70

Angled tip closed (Tiemann)

UC-AR-3	3	70
UC-AR-4	4	70
UC-AR-5	5	70
UC-AR-6	6	70
UC-AR-7	7	70



Cone tip open

UCC-5/8	5	8	70
UCC-6/10	6	10	70
UCC-7/12	7	12	70


Kidney Stone Basket

Standard


Tube made of PTFE
Basket and wire made of Nitinol



Helical
 Add to Art. No. -H
 (Example SE 3-470-H)



Flatwire
 Add to Art. No. -F
 (Example SE 3-470-F)



Tipless
 Add to Art. No. -T
 (Example SE 3-470-T)

Art. No.	Ø (Fr/CH)	Number of wires	Length (cm)
SE 3-470	3	4	70
SE 3-490	3	4	90
SE 3-4120	3	4	120
SE 4-470	4	4	70
SE 4-490	4	4	90
SE 4-4120	4	4	120

+P with Polyamidwire

For flexible Ureterorenoscope

NITI-DIS 1.8-4-120	1.8	4*	120
NITI-DIS 2.4-4-120	2.4	4*	120

Baskets tipless

X-Circle Stone Basket

Nitinol

X-Circle provides a unique net type geometry to capture and extract intact stones and prevent migration.

D-Shape Handle

Add to Art. No. -D
(Example **BUSX2117370-D**)



Fish Type Handle

Add to Art. No. -F
(Example **BUSX2117370-F**)



Scissor Type Handle

Add to Art. No. -S
(Example **BUSX2117370-S**)



Stone Basket (Nitinol-X-Circle)

Art. No.	Ø (Fr/CH)	Number of wires	Length (cm)
BUSX2119370	1.9	12	70
BUSX2122370	2.2	12	70
BUSX2125370	2.5	12	70
BUSX2130370	3.0	12	70
BUSX2119390	1.9	12	90
BUSX2122390	2.2	12	90
BUSX2125390	2.5	12	90
BUSX2130390	3.0	12	90
BUSX2119310	1.9	12	120
BUSX2122310	2.2	12	120
BUSX2125310	2.5	12	120
BUSX2130310	3.0	12	120

G-PAW Stone Basket

Nitinol

G-Paw is designed to offer advantages of both a stone grasper and a stone basket. It allows easy grasp, release and removal of stones of various sizes throughout the urinary tract.

D-Shape Handle

Add to Art. No. -D
(Example **BUSB9117370-D**)



Fish Type Handle

Add to Art. No. -F
(Example **BUSB9117370-F**)



Scissor Type Handle

Add to Art. No. -S
(Example **BUSB9117370-S**)



Stone Basket (Nitinol-G-Paw)

Art. No.	Ø (Fr/CH)	Number of wires	Length (cm)
BUSB9119370	1.9	3	70
BUSB9122370	2.2	3	70
BUSB9125370	2.5	3	70
BUSB9130370	3.0	3	70
BUSB9119390	1.9	3	90
BUSB9122390	2.2	3	90
BUSB9125390	2.5	3	90
BUSB9130390	3.0	3	90
BUSB9119310	1.9	3	120
BUSB9122310	2.2	3	120
BUSB9125310	2.5	3	120
BUSB9130310	3.0	3	120

Kidney Stone Stop

Nitinol

Stone Stop is used to prevent stone migration to the kidney during lithotripsy.




Stone Basket (Stone Stop)

Art. No.	Sheath Ø (Fr/CH)	Basket Ø (mm)	Length (cm)
BUSS0107090	3	7	90
BUSS0110090	3	10	90
BUSS0107110	3	7	110
BUSS0110110	3	10	110
BUSS0107120	3	7	120
BUSS0110120	3	10	120

Nephrostomy Drainage Set with Pigtail Catheter

Made of Polyurethane
Tecoflex® USA



Nephrostomy Drainage Set with Pigtail Catheter

A convenient complete set for percutaneous placement of drainage catheter. Soft polyurethane material provides superior biocompatibility and drainage. Highly radiopaque for precise placement. Laying time up to 30 days

1 Set consists of:

- PIGTAIL – Drainage Catheter 35 cm, usable length 30 cm, plus straightener
- Puncture needle 1,3 mm (18 GA)
- Lunderquist Guidewire 80 cm J-Tip, fixed core, stainless steel, 0.038"
- Fascial Dilators 20 cm, ABS
- Urine Bag connector

Set with PIGTAIL Catheter

Catheter hydrophilic coated


Art. No.	Catheter Ø (Fr/CH)	Fascial Dilators Ø (Fr/CH)
PDS-P6	6	5 – 6 – 7
PDS-P7	7	6 – 7 – 8
PDS-P8	8	7 – 8 – 9
PDS-P9	9	7 – 8 – 9 – 10
PDS-P10	10	6 – 8 – 10 – 12
PDS-P12	12	6 – 8 – 10 – 12
PDS-P14	14	6 – 8 – 12 – 14

PIGTAIL Catheter only

PCN-P6	6
PCN-P7	7
PCN-P8	8
PCN-P9	9
PCN-P10	10
PCN-P12	12
PCN-P14	14

Nephrostomy Drainage Set with Malecot Catheter

Made of Polyurethane
Tecoflex® USA



Nephrostomy Drainage Set with Malecot Catheter

A convenient complete set for percutaneous placement of drainage catheter. Soft polyurethane material provides superior biocompatibility and drainage. Highly radiopaque for precise placement. Laying time up to 30 days

1 Set consists of:

- MALECOT – Drainage Catheter 35 cm, usable length 30 cm, plus straightener
- Puncture needle 1,3 mm (18 GA)
- Lunderquist Guidewire 80 cm J-Tip, fixed core, stainless steel, 0.038"
- Fascial Dilators 20 cm, ABS
- Urine Bag connector

Set with MALECOT Catheter


Catheter hydrophilic coated

Art. No.	Catheter Ø (Fr/CH)	Fascial Dilators Ø (Fr/CH)
PDS-M10	10	6 – 8 – 10 – 12
PDS-M12	12	6 – 8 – 12 – 14
PDS-M14	14	8 – 12 – 14 – 16
PDS-M16	16	8 – 12 – 14 – 16
PDS-M18 / M20 / M22 available		

MALECOT Catheter only

PCN-M10	10
PCN-M12	12
PCN-M14	14
PCN-M16	16
PCN-M18 / M20 / M22 available	

Nephrostomy Drainage Set with 100% Silicone Integral Catheter



Nephrostomy Drainage Set with 100% Silicone Integral Catheter

A convenient complete set for percutaneous placement of a 2-way Silicone Integral Balloon Catheter.

Laying time up to 30 days

1 Set consists of:

- Drainage Catheter 40 cm, usable length 35 cm, plus straightener
- Puncture needle 1,3 mm (18 GA)
- Lunderquist Guidewire 80 cm J-Tip, fixed core, stainless steel, 0.038"
- Fascial Dilators 20 cm, ABS
- Split cannula
- Urine Bag connector

Set with 2-way INTEGRAL Balloon Catheter

Art. No.	Catheter Ø (Fr/CH)	Balloon (cc/ml)	Fascial Dilators Ø (Fr/CH)
CH-PCNL 10	10	1.5	6 – 8 – 10
CH-PCNL 12	12	2	8 – 10 – 12
CH-PCNL 14	14	3	10 – 12 – 14
CH-PCNL 16	16	5	10 – 12 – 14 – 16

INTEGRAL Balloon Catheter only


CH-PCNL 10-S	10	1.5
CH-PCNL 12-S	12	2
CH-PCNL 14-S	14	3
CH-PCNL 16-S	16	5
CH-PCNL 18-S	18	5
CH-PCNL 20-S	20	5

Nephrostomy Drainage Set Direct Puncture

Pigtail Catheter made of Polyurethane
Tecoflex® USA
Laying time up to 30 days



Scalpel



Initial Puncture Needle to be assembled with Pigtail Catheter



Pigtail – Drainage Catheter, Hydrophilic coated

Direct Puncture Set with Pigtail Catheter


Art. No.	Catheter Ø (Fr/CH)	Length (cm)
DPD-7	7	35
DPD-8	8	35
DPD-9	9	35
DPD-10	10	35

Direct Puncture Set with Pigtail Catheter with Locking Mechanism

Art. No.	Catheter Ø (Fr/CH)	Length (cm)
DPD-8-LM	8	40
DPD-9-LM	9	40
DPD-10-LM	10	40
DPD-12-LM	12	40
DPD-14-LM	14	40
DPD-16-LM	16	40

Nephrostomy Drainage Catheter with Locking Mechanism

Catheter made of Polyurethane
Tecoflex® USA
Laying time up to 30 days



Set with Pigtail Catheter with Locking Mechanism

Art. No.	Catheter Ø (Fr/CH)	Length (cm)
PDS-P8-LM	8	40
PDS-P9-LM	9	40
PDS-P10-LM	10	40
PDS-P12-LM	12	40
PDS-P14-LM	14	40
PDS-P16-LM	16	40


Pigtail Catheter with Locking Mechanism single

PCN-P6-LM	6	40
PCN-P7-LM	7	40
PCN-P8-LM	8	40
PCN-P9-LM	9	40
PCN-P10-LM	10	40
PCN-P12-LM	12	40
PCN-P14-LM	14	40

Re-Entry MALECOT Drainage Catheter

Used after PCNL procedure
For Renal Drainage
With Urine Bag connector

Made of Polyurethane
Tecoflex® USA
Laying time up to 30 days



Art. No.	Ø (Fr/CH)
RM 10/6	10
RM 12/6	12
RM 14/6	14
RM 16/8	16
RM 18/8	18

Nephrostomy working channel Mini PCNL

Percutaneous Nephrolithotomy

Dilator made of Teflon/PTFE

Amplatz Sheath

12 Fr, Ø ID 4.1 mm or
14 Fr, Ø ID 4.7 mm or
16 Fr, Ø ID 5.4 mm

Set consists of
1 Screw Dilator
12Fr, 14Fr or 16Fr
Length 30cm
1 Stainless Steel Guidewire
Lunderquist, 80cm, 0,038"
with u-tip
1 2-Part Needle
1 Amplatz Sheath
12Fr, 14Fr or 16Fr
Length 17cm

guidewire PTFE
coated



screw dilator

Art. No.

PCNL-M 12


PCNL-M 14

PCNL-M 16

Nephrostomy working channel Amplatz Renal Dilation Set

Hydrophilic coated

Used for progressive dilation of the nephrostomy tract prior to percutaneous stone removal. Radiopaque dilators.



Guiding Catheter 8 Fr/CH
Length 80 cm

Art. No.	Dilators Ø (Fr/CH)
ARDS 8/30	8 to 30

Amplatz Dilators single

Hydrophilic coated

Used for progressive dilation of the nephrostomy tract prior to percutaneous stone removal. Radiopaque dilators.

Single

Art. No.	Ø (Fr/CH)	Length (cm)
RD 18	18	30
RD 20	20	30
RD 22	22	30
RD 24	24	30
RD 26	26	30
RD 28	28	30
RD 30	30	30

Amplatz Sheaths single

Hydrophilic coated

Used during renal dilatation to provide atraumatic working tracks after removal of the dilator.



Art. No.	Dilators Ø (Fr/CH)	Length (cm)
AM 10	10	30
AM 24	24	17
AM 26	26	17
AM 28	28	17
AM 30	30	17

Initial Puncture Needles


Used for percutaneous Nephrostomy and all other percutaneous applications where a 0.035" guidewire has to be used.

2-Part Puncture Needle, Trocar tip



Art. No.	Needle Ø (GA)	Length (cm)
IPN-18-20-2T	18	20

3-Part Puncture Needle, Bevel tip



Art. No.	Needle Ø (GA)	Length (cm)
IPN-18-20-3B	18	20

Chiba Needles



Art. No.	Needle Ø (GA)	Length (cm)
CH-22-20	22	20
CH-22-28	22	28

Ureter working channel Access Sheath Standard

Made of Polyurethane
Dilator: PEBAX
Tecoflex® USA

Provides **ureteral dilation** and a **continuous working channel** for the introduction of Endoscopes and Instruments during ureteral access procedures.




Art. No.	Sheath Inner Diameter		Sheath Length cm
	Ø (Fr/CH)	= mm	
UAS 10-13	10	= 3.3	13
UAS 10-20	10	= 3.3	20
UAS 10-28	10	= 3.3	28
UAS 10-30	10	= 3.3	30
UAS 10-35	10	= 3.3	35
UAS 10-45	10	= 3.3	45
UAS 12-13	12	= 4	13
UAS 12-20	12	= 4	20
UAS 12-28	12	= 4	28
UAS 12-30	12	= 4	30
UAS 12-35	12	= 4	35
UAS 12-45	12	= 4	45
UAS 14-13	14	= 4.7	13
UAS 14-20	14	= 4.7	20
UAS 14-28	14	= 4.7	28
UAS 14-30	14	= 4.7	30
UAS 14-35	14	= 4.7	35
UAS 14-45	14	= 4.7	45

Ureter working channel Access Sheath Braided

Made of Polyurethane
Dilator: PEBAX
Silver part: Stainless steel, braided tube
Tecoflex® USA

Provides **ureteral dilation** and
a **continous working channel**
for the introduction of Endoscopes
and Instruments during ureteral
access procedures.



Art. No.	Sheath Inner Diameter		Sheath Length cm
	Ø (Fr/CH)	= mm	
UAS-B 10-13	10	= 3.3	13
UAS-B 10-20	10	= 3.3	20
UAS-B 10-28	10	= 3.3	28
UAS-B 10-30	10	= 3.3	30
UAS-B 10-35	10	= 3.3	35
UAS-B 10-45	10	= 3.3	45
UAS-B 12-13	12	= 4	13
UAS-B 12-20	12	= 4	20
UAS-B 12-28	12	= 4	28
UAS-B 12-30	12	= 4	30
UAS-B 12-35	12	= 4	35
UAS-B 12-45	12	= 4	45
UAS-B 14-13	14	= 4.7	13
UAS-B 14-20	14	= 4.7	20
UAS-B 14-28	14	= 4.7	28
UAS-B 14-30	14	= 4.7	30
UAS-B 14-35	14	= 4.7	35
UAS-B 14-45	14	= 4.7	45
UAS-BH hydrophilic coated			

Fascial Dilators

Hydrophilic coated

With female luer-lock
Accepts 0.038" guidewire

Set


Art. No.	Dilators	Ø (Fr/CH)	Length (cm)
FDS 6-10	5	6 - 7 - 8 - 9 - 10	20
FDS 8-16	5	8 - 10 - 12 - 14 - 16	20

Single 20 cm

Art. No.	Ø (Fr/CH)	Length (cm)
FD 4-20	4	20
FD 6-20	6	20
FD 8-20	8	20
FD 10-20	10	20
FD 12-20	12	20
FD 14-20	14	20
FD 16-20	16	20
FD 18-20	18	20
FD 20-20	20	20


Single 30 cm

FD 8	8	30
FD 10	10	30
FD 12	12	30
FD 14	14	30
FD 16	16	30



Ureter Dilator Set

Hydrophilic coated



70 cm

Art. No.

UDS 6/16-70

Ureter Balloon-Dilator



Art. No.	Shaft size (Fr/CH)	Total length	Balloon diam.	Balloon length
BD 5/4	5	70 cm	CH 15/5 mm	40 mm

Accepts 0.035" guidewire, Supplied with stopcock, 18 atm rated burst pressure

TU 4/4	4	70 cm	CH 12/3.5 mm	40 mm
---------------	---	-------	--------------	-------

Provided with stylet, Accepts 0.018" guidewire, Supplied with stopcock
18 atm rated burst pressure

Nephrostomy Track Balloon-Dilator



Art. No.	Balloon diam.	Balloon length	Total length
NT 10/12-AM	30 Fr/CH	120 mm	550 mm with Amplatz Sheath

Accepts 0.035" guidewire, 12 atm rated burst pressure
Supplied with Stopcock and Amplatz Sheath

Inflation Device for BD 5/4

for Inflation of urological balloon dilators, page 38
20 cc capacity
Includes 15 cm Extension tube
With stop-cock and luer-lock



Art. No.

ID 20

Suprapubic Drainage with Balloon Catheter

Set with Balloon Catheter 40 cm


Set consists of: 2-way Suprapubic Catheter,
Scalpel, Trocar and Sleeve

Art. No.	Catheter Ø (Fr/CH)	Catheter Length (cm)
SDS 10	10	40
SDS 12	12	40
SDS 14	14	40
SDS 16	16	40
SDS 18	18	40

Puncture Set without Balloon Catheter

Set consists of: Scalpel, Trocar and Sleeve

Art. No.	Sleeve Ø (Fr/CH)
SPS 10	10
SPS 12	12
SPS 14	14
SPS 16	16
SPS 18	18




Sharp metal tip

Suprapubic Drainage with Pigtail Catheter

Set consists of:

- Trocar
- PTFE coated stainless steel guidewire 0.038", 80cm
- Catheter-Straightener stainless steel
- Pigtail Catheter Polyurethane Tecoflex®




Drainage Set with Pigtail Catheter

Art. No.	Catheter Ø (Fr/CH)
SDS-MP 10	10
SDS-MP 12	12
SDS-MP 14	14

Suprapubic Drainage with metal trocar Integral

Accepts 0.038" guidewire
100% Silicone, transparent



Puncture Set INTEGRAL

Art. No.	Trocar Ø (Fr/CH)	Catheter Length (cm)
SDS-MB 12	12	40
SDS-MB 14	14	40

Set consists of 2-way Suprapubic Catheter with integrated Balloon and Metal Trocar

Exchange Set INTEGRAL

SDS-BX 14	14	40
------------------	----	----

Set consists of 2-way Suprapubic Catheter with integrated Balloon and guidewire

Semi-Automatic Biopsy-Gun

Gun and Needle combined

To take a 10 mm or 20 mm biopsy sample from Prostate

To be seen under fluoroscopy or ultrasound




Art. No.	Needle Ø (GA)	Length (cm)
SEMI 1410	14	10
SEMI 1415	14	15
SEMI 1420	14	20
SEMI 1610	16	10
SEMI 1615	16	15
SEMI 1620	16	20
SEMI 1810	18	10
SEMI 1815	18	15
SEMI 1820	18	20



Pos. 0: Initial position



Pos. 1: for 10 mm sample



Pos. 2: for 20 mm sample

TUR Electrodes (transurethral resection) For Prostate Surgery



Sphere Electrode (5mm Ball)



Cutting Loop for 30° Optic



Necklace Electrode



Cold Knife Electrode



Roller Electrode



Kriloktrode Electrode
(Simultaneous Cutting & Vaporization)



Collins Knife



Spike Roller Electrode

TUR Electrodes MONOPOLAR

STORZ, 2 Stem, 30° Degrees, 24 Fr

Cutting Loop	W-DC-24Fr
Collin's Knife	W-DZ-24Fr
Roller Electrode	W-DR-24Fr
Ball Electrode 3 mm	W-DB-24Fr

Ball Electrode 5 mm	W-DS-24Fr
Kriloktrode	W-DK-24Fr
Cold Knife	W-DP-24Fr
Necklace	W-DN-24Fr

Spike 3 mm	W-DW-24Fr
Spike 5 mm	W-DV-24Fr

STORZ, 1 Stem, 30° Degrees, 24 Fr

Cutting Loop	W-SC-24Fr
Collin's Knife	W-SZ-24Fr
Roller Electrode	W-SR-24Fr
Ball Electrode 3 mm	W-SB-24Fr

Ball Electrode 5 mm	W-SS-24Fr
Kriloktrode	W-SK-24Fr
Cold Knife	W-SP-24Fr
Necklace	W-SN-24Fr

Spike 3 mm	W-SW-24Fr
Spike 5 mm	W-SV-24Fr

OLYMPUS, 1 Stem, 12° Degrees, 24 Fr

Cutting Loop	W-OC-24Fr
Collin's Knife	W-OZ-24Fr
Roller Electrode	W-OR-24Fr

Ball Electrode 3 mm	W-OB-24Fr
Sphere Electrode 5 mm	W-OS-24Fr
Kriloktrode	W-OK-24Fr

OLYMPUS, 1 Stem, 30° Degrees, 24 Fr

Cutting Loop	W-LC-24Fr
Collin's Knife	W-LZ-24Fr
Roller Electrode	W-LR-24Fr

Ball Electrode 3 mm	W-LB-24Fr
Sphere Electrode 5 mm	W-LS-24Fr
Kriloktrode	W-LK-24Fr

WOLF, 1 Stem, 15° Degrees, 24 Fr

Cutting Loop	W-WC-24Fr
Collin's Knife	W-WZ-24Fr
Roller Electrode	W-WR-24Fr

Ball Electrode 3 mm	W-WB-24Fr
Sphere Electrode 5 mm	W-WS-24Fr
Kriloktrode	W-WK-24Fr

ACMI

Cutting Loop	UAC 24
Cutting Loop	UAC 26
Cutting Loop	UAC 28

TUR Electrodes BIPOLAR

STORZ, 2 Stem, 30° Degrees, 24/26 Fr

Cutting Loop **UBSCP**
 Cutting Loop **UBSCP40** (0.40mm wire)

Cutting Loop **UBSC**
 Cutting Loop **UBSC30** (0.30mm wire)
 Cutting Loop **UBSC40** (0.40mm wire)

Cutting Loop **UBSCDV** (small)
 Cutting Loop **UBSCD** (small)
 Cutting Loop **UBSCB** (straight)

STORZ, 2 Stem, 30° Degrees, 24/26 Fr

Coagulation Electrode **UBSCL** (pointed)
 Coagulation Electrode **UBSCLV** (pointed)

Half moon Vaporization
 Electrode, ball-shaped **UBSB**

OLYMPUS, 12° Degrees, 24 Fr

Cutting Loop **UBOC12-S** (small)
 Cutting Loop **UBOC12-M** (medium)

OLYMPUS, 30° Degrees, 24 Fr

Cutting Loop **UBOC30-S** (small)
 Cutting Loop **UBOC30-M** (medium)

OLYMPUS, 12° and 30° Degrees, 24 Fr

Angeled Loop **UBOCA-S** (small)
 Angeled Loop **UBOCA-M** (medium)

OLYMPUS, 12° and 30° Degrees

Roller Electrode **UBOR**
 Loop Electrode **UBOC12-D**, 12° (large)
 Loop Electrode **UBOC30-D**, 30° (large)
 Band Electrode **UBOC12-T**, 12° (large)
 Band Electrode **UBOC30-T**, 30° (large)

OLYMPUS, 12°, 30° and 45° Degrees

Needle,
 Angeled Loop
UBOL

Button for Plasma **UBOB**

Bladder Irrigation Set



30 cm

Drop chamber


Tube 150 cm

Drop regulator

Art. No.

BIS

TUR-Collector



Sieve
Polypropylen

Sieveholder
ABS

Polyester tube 180 cm

Art. No.

TUR-CO

2-Way Balloon Catheter

with 5-15 ml Balloon

Silicone Elastomer


100% Silicone transparent

Nelaton
tip

Tiemann
tip

Nelaton
tip

Suprapubic
tip



2-Way Balloon Catheter

with 5-15 ml Balloon

Longlife Silicone Elastomer, blue

Nelaton tip

Art. No.	Catheter Ø (Fr/CH)	Balloon (cc/ml)	Length (cm)
9385S-0805	8	5	20
9385S-1005	10	5	20
9385S-1210	12	5 to 15	40
9385S-1410	14	5 to 15	40
9385S-1610	16	5 to 15	40
9385S-1810	18	5 to 15	40
9385S-2010	20	5 to 15	40
9385S-2210	22	5 to 15	40
9385S-2410	24	5 to 15	40
9385S-2610	26	5 to 15	40

Tiemann tip

Art. No.	Catheter Ø (Fr/CH)	Balloon (cc/ml)	Length (cm)
9310S-1210	12	5 to 15	40
9310S-1410	14	5 to 15	40
9310S-1610	16	5 to 15	40
9310S-1810	18	5 to 15	40
9310S-2010	20	5 to 15	40

Suprapubic tip

Art. No.	Catheter Ø (Fr/CH)	Balloon (cc/ml)	Length (cm)
9399S-12	12	5 to 15	40
9399S-14	14	5 to 15	40
9399S-16	16	5 to 15	40
9399S-18	18	5 to 15	40
9399S-20	20	5 to 15	40
9399S-22	22	5 to 15	40
9399S-24	24	5 to 15	40

100% Silicone Nelaton, transparent

Nelaton tip

Art. No.	Catheter Ø (Fr/CH)	Balloon (cc/ml)	Length (cm)
9385VS-1010	10	10	40
9385VS-1210	12	10	40
9385VS-1410	14	10	40
9385VS-1610	16	10	40
9385VS-1810	18	10	40
9385VS-2010	20	10	40
9385VS-2210	22	10	40
9385VS-2410	24	10	40

100% Silicone Suprapubic, transparent

Suprapubic tip

Art. No.	Catheter Ø (Fr/CH)	Balloon (cc/ml)	Length (cm)
9399VS-12	12	10	40
9399VS-14	14	10	40
9399VS-16	16	10	40
9399VS-18	18	10	40
9399VS-20	20	10	40
9399VS-22	22	10	40
9399VS-24	24	10	40

Haematuria Catheter


Silicone Elastomer, blue

2- and 3-way for prostate operation
60ml Balloon

Catheter 40 cm

Shaft reinforced
with Nylon Suture
to prevent collapsing

Balloon 60 ml/cc



Nelaton-Standard tip

Couvelaire tip

Dufour tip

Haematuria Catheter

Silicone Elastomer, blue, with 60 ml Balloon

2-way NELATON tip

Art. No.	Catheter Ø (Fr/CH)	Balloon (ml)
9387-1860	18	60
9387-2060	20	60
9387-2260	22	60
9387-2460	24	60

3-way NELATON tip

Art. No.	Catheter Ø (Fr/CH)	Balloon (ml)
9390-1860	18	60
9390-2060	20	60
9390-2260	22	60
9390-2460	24	60

2-way COUVELAIRE tip

9394-1860	18	60
9394-2060	20	60
9394-2260	22	60
9394-2460	24	60

3-way COUVELAIRE tip

9395-1860	18	60
9395-2060	20	60
9395-2260	22	60
9395-2460	24	60

2-way DUFOR tip

9391-1860	18	60
9391-2060	20	60
9391-2260	22	60
9391-2460	24	60

3-way DUFOR tip

9396-1860	18	60
9396-2060	20	60
9396-2260	22	60
9396-2460	24	60

Haematuria Catheter

100% Silicone, transparent, with 30 ml Balloon

3-way Nelaton tip

Art. No.	Catheter Ø (Fr/CH)	Balloon (ml)
9390VS-1630	16	30
9390VS-1830	18	30
9390VS-2030	20	30
9390VS-2230	22	30
9390VS-2430	24	30


Urethra Penis Dilator Set

curved-soft

For the dilation of the urethra (penis)

Set with 3 dilators
12Fr, 16Fr and 20Fr

Available with
open or closed tip



Soft dilators
Made of Polyurethane
Tecoflex® USA

Art. No.	Tip	Length (cm)
URS-C-40	closed	40
URS-O-40	open	40

Intra - Uterine Insemination Catheter

Artificial fertilization

The injection of sperms
into the uterus

Length 17 cm



Art. No.

IUI

Bladder Evacuator

Used to perform irrigation
and tissue collection
during TUR prostate operation

ELICK

Art. No.

EEC



Urine Bag

1500 cc capacity
with 110 cm tube
drop-chamber
anti-bacteria plug
cross-valve



Art. No.

NFUH-20

Dialysis Catheter


With soft Tip and stepper Dilator
For venous blood purification



Straight Dual Lumen

1 Set contents: 1 Flexi-Catheter Dual Lumen,
1 Stepper Dilator, 2 Injection Caps,
1 Introducer Needle, 1 Guidewire

Art. No.	Catheter Ø (Fr/CH)	Length (cm)
DLCS-K 12-13	12	13
DLCS-K 12-16	12	16



Curved Dual Lumen

1 Set contents: 1 Flexi-Catheter Dual Lumen,
1 Stepper Dilator, 2 Injection Caps,
1 Introducer Needle, 1 Guidewire

DLCC-K 12-13	12	13
DLCC-K 12-16	12	16



Marflow AG
Soodstrasse 57
8134 Adliswil/Zurich
Switzerland
Tel. +41 44 709 01 01
Fax +41 44 710 21 36
marflow@marflow.ch
www.marflow.ch

May 2021

MarFlow[®]
SWITZERLAND