

Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, iar de către autoritatea contractantă – în coloanele 1, 2, 6, 8]

Numărul procedurii de achiziție ocds-b3wdp1-MD-1610536428376 din 13.01.2021							
Denumirea procedurii de achiziție: Tehnică de calcul							
Cod CPV	Denumirea bunurilor	Modelul articolului	Țara de origine	Produsul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	8
30213300-8	Lotul 4. Mouse	Mouse Spacer optic led albastru black USB SPMO-080	China	Spacer	Optic, 800dpi, USB	Mouse Spacer optic led albastru black USB SPMO-080 800dpi Garantie 24 luni	
30213300-8	Lotul 10. Router	MERCUSYS MW305R	China	MERCUSYS	Tip conexiune: Wi-Fi Interfata conectare: WAN Standard Wi-Fi: 802.11b Numarul de porturi: 5 Viteza conexiunii fara fir (Mbit/s): 300 Viteza porturilor (Mbit/s): 100	MERCUSYS MW305R 300Mbps Wireless N Router, 1 10/100M WAN + 4 10/100M LAN, 2 fixed antennas Garantie 24 luni	
30213300-8	Lotul 11. SWICH	24-port 10/100Mbps Switch TP-LINK "TL-SF1024M	China	TP-LINK	Standarte – 802.3,802.3u,802.3x, Metoda de comutare – Store-and-Forward, Capacitatea canalului – 3,2 Gbit/s, Indicatoare – 10/100Mbps, Link/ACT.Power , Porturi LAN -24xRJ-45	24-port 10/100Mbps Switch TP-LINK "TL-SF1024M", plastic case Garantie 24 luni	
30213300-8	Lotul 12. SWICH	16-port 10/100Mbps Desktop Switch TP-LINK " TL-SF1016D",	China	TP-LINK	Standarte – 802.3,802.3u,802.3x, Metoda de comutare – Store-and-Forward, Capacitatea canalului – 3,2 Gbit/s, Indicatoare – 10/100Mbps, Link/ACT.Power , Porturi LAN -16xRJ-45	16-port 10/100Mbps Desktop Switch TP-LINK " TL-SF1016D", Plastic Case Complies with IEEE 802.3, IEEE 802.3u standards 16 10/100Mbps Auto-Negotiation RJ45 ports supporting Auto-MDI/MDIX Supports IEEE 802.3x flow control for Full Duplex mode and backpressure for half-duplex mode Supports MAC address auto-learning and auto-aging LED indicators for monitoring power, link, activity	

						Plastic case, desktop or wall-mounting design External Power Adapter supply Garantie 24 luni	
30213300-8	Lotul 13. SWICH	TP-LINK TL-SF1008D	China	TP-LINK	Standarte – 802.3,802.3u,802.3x, Metoda de comutare – Store-and-Forward, Capacitatea canalului – 3,2 Gbit/s, Indicatoare – 10/100Mbps, Link/ACT.Power , Porturi LAN -8xRJ-45	TP-LINK TL-SF1008D 8-port 10/100M mini Desktop Switch, 8 10/100M RJ45 ports, Plastic case Garantie 24 luni	
30213300-8	Lotul 14. SWICH	TP-LINK LS1005	China	TP-LINK	Standarte – 802.3,802.3u,802.3x, Metoda de comutare – Store-and-Forward, Capacitatea canalului – 3,2 Gbit/s, Indicatoare – 10/100Mbps, Link/ACT.Power , Porturi LAN -5xRJ-45	TP-LINK LS1005 5-port 10/100M mini Desktop Switch, 5 10/100M RJ45 ports, Plastic case Garantie 24 luni	
30213300-8	Lotul 15. SSD	2.5" SSD 1.0TB GOODRAM CX400	Polonia	GOODRAM	Form-factor - 2.5" Memorie de stocare - 1.0 TB Viteza citire - 550 MB/s Viteza scriere - 500 MB/s IOMeter - 57K/79K IOPS Interfața unității de stocare - SATA III (6Gb/s) Cablul pentru conectare cu MB	2.5" SSD 1.0TB GOODRAM CX400 Gen.2, SATAIII, Sequential Reads: 550 MB/s, Sequential Writes: 500 MB/s, Maximum Random 4k: Read: 77,500 IOPS / Write: 85,000 IOPS, Thickness- 7mm, Controller Phison PS3111-S11, 3D NAND TLC Garantie 24 luni	
30213300-8	Lotul 16. Placa Video	MSI GT 710 1GD3H LP	China	MSI	Recvența processor - 950 MHz Capacitatea memoriei video - 1 GB Tip memorie video - GDDR3 BUS memorie - 64 bit Frecvența memoriei video - 800 MHz (1600 MHz DDR) Procesoare universale - 192 Conveiere de pixel - 16 (8 blocuri de selectare a texturii) Suport API DirectX 12, OpenGL 4.x Interfețe PCI Express 2.0 Porturi video – VGA, DVI, HDMI	MSI GT 710 1GD3H LP 64 bit, Engine 954MHz, Memory 1600MHz, Active Cooling,VGA*1, DVI-I *1, HDMI *1, Low profile bracket included Garantie 24 luni	
30213300-8	Lotul 17. Modul memorie	4GB DDR4-2400 GOODRAM	Polonia	GOODRAM	Capacitate memorie – 4 GB Tipul de memorie DDR4 Standardul memoriei PC4-24000 Form-factor memorie DIMM Capacitate memorie 4GB Frecvența memorie 2400 MHz CAS-latența CL17 Tensiune electrică 1.2 V	4GB DDR4-2400 GOODRAM, PC19200, CL17, 512x8, 1.2V Garantie 24 luni	

30213300-8	Lotul 18. Modul memorie	8GB DDR3-1600 GOODRAM	Polonia	GOODRAM	Capacitate memorie 8GB Tipul de memorie DDR3 Standardul memoriei PC-12800 Form-factor memorie DIMM Frecvența memorie 1600 MHz CAS-latența CL11 Tensiune electrică 1.35 V	8GB DDR3-1600 GOODRAM, PC12800, CL11 GR1600D364L11/8G Garantie 24 luni	
30213300-8	Lotul 19. Modul memorie	4GB DDR3-1600 GOODRAM	Polonia	GOODRAM	Capacitate memorie 4GB Tipul de memorie DDR3 Standardul memoriei PC3-12800 Form-factor memorie DIMM Frecvența memorie 1600 MHz CAS-latența CL11 Tensiune electrică 1.5 V	4GB DDR3-1600 GOODRAM, PC12800, CL11 SR GR1600D364L11S/4G Garantie 24 luni	
30213300-8	Lotul 21. HDD	Toshiba DT01ACA100 1TB 3.5" 7.2k	China	Toshiba	Memorie de stocare 500 GB Form-factor 3.5" Viteza de rotație 7200 rpm Buffer 16 MB	Toshiba DT01ACA100 1TB 3.5" 7.2k SATA Gb/s 32MB 3.5" 1000 GB Serial ATA III Garantie 24 luni	
30213300-8	Lotul 23. Placa LAN	TP-LINK TG-3468	China	TP-LINK	Conform standartelor 802.1p CoS, 802.1Q VLAN, 802.3 (Ethernet), 802.3ab (1000BASE-T), 802.3u (Fast Ethernet), 802.3x (Flow Control) Indicatoare Link/Power Conectare PCI-E 1x Porturi LAN 1 x RJ-45 (10/100/1000 Mbps) Lungimea maximă a cablului 100 m	10/100/1000M PCI-Express Network Adapter, TP-LINK TG-3468, Realtek RTL8168B chipset Supports 32-bit 33/66MHz PCI Bus Complies with the PCI Revision 2.1/2.2 Complies with the IEEE 802.3 10Base-T, IEEE 802.3u 100Base-TX and IEEE 802.3ab 1000Base-T standard Supports 10/100/1000Mbps Nway Auto-Negotiation Supports 10/100Mbps full and half duplex, 1000Mbps full duplex Supports Full Duplex Flow Control (IEEE 802.3x) Supports IEEE 802.1P, IEEE 802.1Q VLAN tag Supports Jumbo Frame Supports Auto-MDI/MDIX Provides Bootrom slot, supporting remote boot Supports ACPI, PCI power management	

						Contain two large independent receive and transmit FIFOs One STP/UTP connector Provides LEDs to indicate network Link/Activity/Speed/Duplex Plug and Play Garantie 24 luni	
--	--	--	--	--	--	--	--

Semnat: _____ Numele, Prenumele: Constantin Alexandru În calitate de: director
 Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16