

Test Report No.: AJHL241000477801FT Date: OCT 23, 2024 Page 1 of 3

YONGKANG DASHING LEISURE PRODUCTS FACTORY

NO.62 GONGSHAN ROAD, TANGXIAN TOWN, YONGKANG CITY, ZHEJIANG/JINHUA/YONGKANG CITY

Sample Description : CAMPING BED

Manufacturer : YONGKANG DASHING LEISURE PRODUCTS FACTORY
Supplier : YONGKANG DASHING LEISURE PRODUCTS FACTORY

Country of Origin : CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Sample Receiving Date : OCT 17, 2024

Test Performing Date : OCT 17, 2024 to OCT 22, 2024

Test Performed : Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)
1	Refer to EN 581-1:2017	PASS
For f	urther details, please refer to the following page(s)	10.1

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Anji Branch

David Fan Authorized Signatory



Verification: check.sgsonline.com.cn





Test Report No.: AJHL241000477801FT Date: OCT 23, 2024 Page 2 of 3

Test Conducted: Refer to EN 581-1:2017 Outdoor furniture — Seating and tables for camping, domestic and contract use Part 1: General safety requirements

Test Result:

Test Item	Test Method & Test Requirement	Test Result
General (EN 581-1:2017, 5.1)	In order to avoid physical injury when the product is in its intended position of use, all edges and corners shall be rounded, chamfered or otherwise protected. This applies to: — Seating: Edges of the seat, back rest and arm rests and any part of the bottom surface of the seat at a distance less than 120 mm from any edge, where a finger can commonly access; — Tables: Table tops, any part of the underside of the top surface at a distance less than 500 mm from any edge below the table, where a knee and/or an arm can commonly access. All other parts shall be free from burrs, sharp edges and sharp points. Movable and adjustable parts shall be designed so that injuries and inadvertent operation are avoided. It shall not be possible for any load bearing part of the furniture to come loose unintentionally. All parts which are lubricated to assist sliding shall be designed to protect users from lubricant stains when in normal use.	PASS
Tubular components (EN 581-1:2017, 5.2)	There shall be no accessible holes in the ends of tubular components with a diameter between 7 mm to 12 mm and with a depth more or equal to 10 mm. The bottom of tubular legs in contact with the floor shall be closed or capped, however, holes in them are allowed as long as they are not between 7 and 12 mm.	PASS
Shear and squeeze points when erecting, adjusting and folding away (EN 581-1:2017, 5.3.1)	Unless 5.3.2 or 5.3.3 are applicable, shear and squeeze points that are created only during erecting, adjusting or folding away are acceptable providing the user can be assumed to be in control of his/her movements and to be able to cease applying the force immediately on experiencing pain.	PASS
Shear and squeeze points under the influence of powered mechanisms (EN 581-1:2017, 5.3.2)	There shall be no accessible shear and squeeze points created by parts of the furniture operated by powered mechanisms, e.g. mechanical springs and gas lifts.	NA
Shear and squeeze points during use (EN 581-1:2017, 5.3.3)	There shall be no accessible shear and squeeze points created by loads applied during normal use. Shear and squeeze points are not acceptable if there is a risk of injury created by the weight of the user during normal movements and actions, e.g. attempting to move the seating by lifting the seat or by adjusting the backrest.	PASS

Remark:

- 1. NA = Not applicable
- 2. The results show in this test report refer only to the sample(s) tested.
- This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-a-Document.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereen reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgary or faleification of the centent or appearance of this document is unlawful and offenders may be prosecuted to the fullest actient of the Unless otherwise stated the speak and the strength of the strength of the description of the content or appearance of this document unless otherwise stated that the strength of the steet report refer only to the sample(s) lested and such sample(s) are related to the fullest action of the decimant of 30 days only.

Attention: Do have been authenticity of the sample(s) lested and such sample(s) are related to 30 days only.



Test Report No.: AJHL241000477801FT Date: OCT 23, 2024 Page 3 of 3

Photo Appendix





SGS authenticate the photo on original report only ***End of Report***

