

EU DECLARATION OF CONFORMITY

1. Personal protective equipment cat. 2:

HOF SC-03-010 - 02040098

2a. Name and address of the manufacturer:

CERVA GROUP a.s.
Průmyslová 483, 252 61 Jeneč, Czech Republic

3. This declaration of conformity is issued under the sole responsibility of the manufacturer:

CERVA GROUP a.s.

4. Object of the declaration:

High ankle boots FF HOF

5. The object of the declaration described in point 4 is in conformity with the relevant Union harmonisation legislation:

Regulation (EU) 2016/425 of the Parliament and of the Council


6. Harmonised standards in relation to which conformity is declared:

EN ISO 20345:2022 (S3 FO CI SR)

7. The notified body 0075 CTC, Parc Scientifique Tony Garnier – 4 rue Hermann Frenkel – 69367 LYON CEDEX 07, France performed the EU type-examination (Module B) and issued the type-examination certificate 0075/2305/161/10/24/2487 on Oct 25, 2024

Signed for and on behalf of:

Jeneč October 25, 2024
CERVA GROUP a.s.
Petr Pípal
certification manager



HOF SC-03-010 S3 CI SRC high ankle High ankle boots

02040098



NORM SPECIFICATION

EN ISO 20345:2022 (S3 FO CI SR)

Personal protective equipment - Safety footwear

DESCRIPTION

Safety High Ankle shoes – safety steel toe cap and steel insole, PU/PU outsole antistatic and oil resistant, energy absorption in heel area, upper - black buff also print split leather water resistant, lining grey artificial fur.

PRODUCT CODE - 02040098 XX YYY

Colours - XX

60 - black

Sizes - YYY

039 - 39	040 - 40
041 - 41	042 - 42
043 - 43	044 - 44
045 - 45	046 - 46
047 - 47	

COLOUR VARIANTS



MATERIALS

Antipuncture midsole material: steel
Upper material: leather
Toe cap material: steel
Outsole material: double density polyurethane
Lining material: artificial fur

FEATURES

Features: Energy absorption in heel area - E, Antislip outsole - SR, Protection against water penetration and absorption - WPA, Metallic safety toe cap - S, Antiperforation metallic midsole - P, Breathable upper, Protection against cold - CI, Fuel and oil resistant outsole - FO, Antistatic shoes - A, Available in small sizes from 35

PACKAGING

Packaging type	Pieces in packaging	Size	Volume	Weight
Pair	1 PR	0 x 0 x 0 cm	14421.75 cm³	1.6 kg
CTN	10 PR	35 x 67 x 61.5 cm	144.218 dm³	16 kg

SIZE
TABLES

Scan or Tap

