



Technical Data

Egg Yolk Tellurite Emulsion (50 ml/100 ml per vial)

FD046

Sterile stabilized tellurite emulsion of egg yolk recommended for identification of *Staphylococcus* species.

Composition

Ingredients

Egg yolk
Sterile saline
Sterile 3.5% potassium tellurite solution
Final pH (at 25°C)

Concentration

30ml
64ml
6ml
7.6±0.2

Directions:

Warm up the refrigerated Egg Yolk Tellurite Emulsion to 40-45°C. Shake well to attain uniform emulsion (since on refrigeration emulsion has a tendency to form layers or small lumps). Aseptically add 50 ml in 950 ml of sterile, molten, cooled (45-50°C)

Baird Parker Agar Base [M043](#) / [M043S](#) / Baird Parker HiVeg™ Agar Base [MV043](#) / Baird Parker Agar Base w/ Sulpha [M1140](#) / HiCrome Aureus Agar Base [M1468](#) . Mix well and pour into sterile petri plates.

Storage and Shelf Life

Store at 2 - 8°C. Use before expiry date on the label.

Revision : 1 / 2012

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.