



INTRODUCER KITS

ENGINEERED
TO ADDRESS
THE DETAILS

PUSHINGBOUNDARIES

 **TERUMO**
INTERVENTIONAL
SYSTEMS




Vascular access is where complications can and do occur, therefore using the right tool for the right vessel is paramount.

We are committed to helping you achieve improved patient outcomes. Terumo provides products which have been engineered to address the details.

Discover our full line of femoral and radial sheaths, designed to minimise trauma and reduce complications.


RADIFOCUS™ *Introducer II*

Standard Introducer Kit



KEY FEATURES

- **Total Integrated Fit (TIF) tip tapering**
Optimal tapering design at the tip of the sheath and dilator for smooth penetration
- **Cross-cut hemostasis valve**
Effectively protects against blood reflux and air aspiration
- **Thin radiopaque sheath with anti-kinking sleeve**
For excellent catheter handling
- **Snap-on / click-off dilator lock**
Prevents dilator back-out during insertion and allows one-hand unlocking
- **Wide variety of kit variations providing all elements for quick vessel access**
4 - 11 Fr sheaths, 5 - 25 cm lengths
Surflash or micro puncture metal needle



PRODUCT SPECIFICATIONS Radifocus™ Introducer II - Standard

Kit type	Code number	Inner sheath diameter	Sheath length	Compatible guidewire (max)	Mini guidewire type and O.D.	Entry venous catheter	Syringe	Color code	
A-Kit in tray with plastic guidewire + Surfash plastic IV cannula	RS*A40G10SQ	4 Fr	10 cm	0.025"	45 cm Straight, 0.64 mm	20 G x 2"	Yes	Red	
	RS*A40K10AQ	4 Fr	10 cm	0.035"	45 cm Angled, 0.87 mm	18 G x 2 1/2"	Yes	Red	
	RS*A50K10SQ	5 Fr	10 cm	0.035"	45 cm Straight, 0.87 mm	18 G x 2 1/2"	Yes	Grey	
	RS*A50K10AQ	5 Fr	10 cm	0.035"	45 cm Angled, 0.87 mm	18 G x 2 1/2"	Yes	Grey	
	RS*A60K10SQ	6 Fr	10 cm	0.035"	45 cm Straight, 0.87 mm	18 G x 2 1/2"	Yes	Green	
	RS*A60K10AQ	6 Fr	10 cm	0.035"	45 cm Angled, 0.87 mm	18 G x 2 1/2"	Yes	Green	
	RS*A70K10SQ	7 Fr	10 cm	0.035"	45 cm Straight, 0.87 mm	18 G x 2 1/2"	Yes	Blue	
	RS*A80K10SQ	8 Fr	10 cm	0.035"	45 cm Straight, 0.87 mm	18 G x 2 1/2"	Yes	Orange	
	RS*A90K10SQ	9 Fr	10 cm	0.035"	45 cm Straight, 0.87 mm	18 G x 2 1/2"	Yes	Black	
	RS*A10K10SQ	10 Fr	10 cm	0.035"	45 cm Straight, 0.87 mm	18 G x 2 1/2"	Yes	Purple	
	RS*A11K10SQ	11 Fr	10 cm	0.035"	45 cm Straight, 0.87 mm	18 G x 2 1/2"	Yes	Yellow	
B-Kit in tray with plastic guidewire	RS*B40G10SQ	4 Fr	10 cm	0.025"	45 cm Straight, 0.64 mm	No	No	Red	
	RS*B40K10AQ	4 Fr	10 cm	0.035"	45 cm Angled, 0.87 mm	No	No	Red	
	RS*B40K10SQ	4 Fr	10 cm	0.035"	45 cm Straight, 0.87 mm	No	No	Red	
	RS*B50N10AQ	5 Fr	10 cm	0.038"	45 cm Angled, 0.97 mm	No	No	Grey	
	RS*B50N10SQ	5 Fr	10 cm	0.038"	45 cm Straight, 0.97 mm	No	No	Grey	
	RS*B50N25AQ	5 Fr	25 cm	0.038"	80 cm Angled, 0.97 mm	No	No	Grey	
	RS*B60N10SQ	6 Fr	10 cm	0.038"	45 cm Straight, 0.97 mm	No	No	Green	
	RS*B60N25AQ	6 Fr	25 cm	0.038"	80 cm Angled, 0.97 mm	No	No	Green	
	RS*B70N10SQ	7 Fr	10 cm	0.038"	45 cm Straight, 0.97 mm	No	No	Orange	
	RS*B70N25AQ	7 Fr	25 cm	0.038"	80 cm Angled, 0.97 mm	No	No	Orange	
	RS*B80N10SQ	8 Fr	10 cm	0.038"	45 cm Straight, 0.97 mm	No	No	Blue	
	RS*B80N25AQ	8 Fr	25 cm	0.038"	80 cm Angled, 0.97 mm	No	No	Blue	
	RS*B90N10SQ	9 Fr	10 cm	0.038"	45 cm Straight, 0.97 mm	No	No	Black	
	RS*B90N25AQ	9 Fr	25 cm	0.038"	80 cm Angled, 0.97 mm	No	No	Black	
	RS*B11N10SQ	11 Fr	10 cm	0.038"	45 cm Straight, 0.97 mm	No	No	Yellow	
B-Kit in tray with spring double end guidewire	RS*B40K10MQ	4 Fr	10 cm	0.035"	45 cm Spring, J type, 0.89 mm	No	No	Red	
	RS*B50K10MQ	5 Fr	10 cm	0.035"	45 cm Spring, J type, 0.89 mm	No	No	Grey	
	RS*B50N10MQ	5 Fr	10 cm	0.038"	45 cm Spring, J type, 0.97 mm	No	No	Grey	
	RS*B60K10MQ	6 Fr	10 cm	0.035"	45 cm Spring, J type, 0.89 mm	No	No	Green	
	RS*B60N10MQ	6 Fr	10 cm	0.038"	45 cm Spring, J type, 0.97 mm	No	No	Green	
	RS*B70K10MQ	7 Fr	10 cm	0.035"	45 cm Spring, J type, 0.89 mm	No	No	Orange	
	RS*B70N10MQ	7 Fr	10 cm	0.038"	45 cm Spring, J type, 0.97 mm	No	No	Orange	
	RS*B80K10MQ	8 Fr	10 cm	0.035"	45 cm Spring, J type, 0.89 mm	No	No	Blue	
	RS*B80N10MQ	8 Fr	10 cm	0.038"	45 cm Spring, J type, 0.97 mm	No	No	Blue	
	RS*B90K10MQ	9 Fr	10 cm	0.035"	45 cm Spring, J type, 0.89 mm	No	No	Black	
	RS*B90N10MQ	9 Fr	10 cm	0.038"	45 cm Spring, J type, 0.97 mm	No	No	Black	
	RS*B10K10MQ	10 Fr	10 cm	0.035"	45 cm Spring, J type, 0.89 mm	No	No	Purple	
	RS*B10N10MQ	10 Fr	10 cm	0.038"	45 cm Spring, J type, 0.97 mm	No	No	Purple	
	RS*B11K10MQ	11 Fr	10 cm	0.035"	45 cm Spring, J type, 0.89 mm	No	No	Yellow	
	RS*B11N10MQ	11 Fr	10 cm	0.038"	45 cm Spring, J type, 0.97 mm	No	No	Yellow	
B-Kit in pouch with spring double end guidewire	RS*B40K10MRD	4 Fr	10 cm	0.035"	45 cm Spring, J Angled, 0.89 mm	No	No	Red	
	RS*B50N10MRD	5 Fr	10 cm	0.038"	45 cm Spring, J Angled, 0.89 mm	No	No	Grey	
	RS*B60N10MRD	6 Fr	10 cm	0.038"	45 cm Spring, J Angled, 0.89 mm	No	No	Green	
	RS*B70N10MRD	7 Fr	10 cm	0.038"	45 cm Spring, J Angled, 0.89 mm	No	No	Orange	
	RS*B80N10MRD	8 Fr	10 cm	0.038"	45 cm Spring, J Angled, 0.89 mm	No	No	Blue	
	RS*B90N10MRD	9 Fr	10 cm	0.038"	45 cm Spring, J Angled, 0.89 mm	No	No	Black	
	RS*B10N10MRD	10 Fr	10 cm	0.038"	45 cm Spring, J Angled, 0.89 mm	No	No	Purple	
	RS*B11N10MRD	11 Fr	10 cm	0.038"	45 cm Spring, J Angled, 0.89 mm	No	No	Yellow	
C-Kit in pouch without guidewire	RS*C40G10NR	4 Fr	10 cm	0.025"	No mini guidewire	No	No	Red	
	RS*C40K10NR	4 Fr	10 cm	0.035"	No mini guidewire	No	No	Red	
	RS*C40K25NR	4 Fr	25 cm	0.035"	No mini guidewire	No	No	Red	
	RS*C50N10NR	5 Fr	10 cm	0.038"	No mini guidewire	No	No	Grey	
	RS*C60N10NR	6 Fr	10 cm	0.038"	No mini guidewire	No	No	Green	
	RS*C60N25NR	6 Fr	25 cm	0.038"	No mini guidewire	No	No	Green	
	RS*C70N10NR	7 Fr	10 cm	0.038"	No mini guidewire	No	No	Orange	
	RS*C70N25NR	7 Fr	25 cm	0.038"	No mini guidewire	No	No	Orange	
	RS*C80N10NR	8 Fr	10 cm	0.038"	No mini guidewire	No	No	Blue	
	RS*C80N25NR	8 Fr	25 cm	0.038"	No mini guidewire	No	No	Blue	
	RS*C90N10NR	9 Fr	10 cm	0.038"	No mini guidewire	No	No	Black	
	RS*C10N10NR	10 Fr	10 cm	0.038"	No mini guidewire	No	No	Purple	
	RS*C11N10NR	11 Fr	10 cm	0.038"	No mini guidewire	No	No	Yellow	
	R-Kit in tray with spring double end guidewire + metallic needle	RS*R40K10MQ	4 Fr	10 cm	0.035"	45 cm Spring, J Type, 0.89 mm	18 G x 2 3/4"	No	Red
		RS*R50N10MQ	5 Fr	10 cm	0.038"	45 cm Spring, J Type, 0.97 mm	18 G x 2 3/4"	No	Grey
RS*R60N10MQ		6 Fr	10 cm	0.038"	45 cm Spring, J Type, 0.97 mm	18 G x 2 3/4"	No	Green	
RS*R70N10MQ		7 Fr	10 cm	0.038"	45 cm Spring, J Type, 0.97 mm	18 G x 2 3/4"	No	Orange	
RS*R80N10MQ		8 Fr	10 cm	0.038"	45 cm Spring, J Type, 0.97 mm	18 G x 2 3/4"	No	Blue	
RS*R90N10MQ		9 Fr	10 cm	0.038"	45 cm Spring, J Type, 0.97 mm	18 G x 2 3/4"	No	Black	

Radifocus™ Introducer II - For Pediatric Use

Kit type	Code number	Inner sheath diameter	Sheath length	Compatible guidewire (max)	Mini guidewire type and O.D.	Entry needle size	Syringe	Color code
A-Kit in tray with plastic guidewire + Surfash plastic IV cannula	RS*A40G05SQ	4 Fr	5 cm	0.025"	45 cm Straight, 0.64 mm	20 G x 2"	Yes	Red
	RS*A40G07SQ	4 Fr	7 cm	0.025"	45 cm Straight, 0.64 mm	20 G x 2"	Yes	Red
	RS*A50G05SQ	5 Fr	5 cm	0.025"	45 cm Straight, 0.64 mm	20 G x 2"	Yes	Grey
	RS*A50G07SQ	5 Fr	7 cm	0.025"	45 cm Straight, 0.64 mm	20 G x 2"	Yes	Grey
	RS*A60G05SQ	6 Fr	5 cm	0.025"	45 cm Straight, 0.64 mm	20 G x 2"	Yes	Green
	RS*A60G07SQ	6 Fr	7 cm	0.025"	45 cm Straight, 0.64 mm	20 G x 2"	Yes	Green
B-Kit in tray with plastic guidewire	RS*B40G07SQ	4 Fr	7 cm	0.025"	45 cm Straight, 0.64 mm	No	No	Red
	RS*B50G07SQ	5 Fr	7 cm	0.025"	45 cm Straight, 0.64 mm	No	No	Grey
	RS*B60G07SQ	6 Fr	7 cm	0.025"	45 cm Straight, 0.64 mm	No	No	Green

A-Kit includes: introducer sheath, dilator, mini guidewire, entry venous catheter, 2.5 cc syringe

B-Kit includes: introducer sheath, dilator, mini guidewire

C-Kit includes: introducer sheath, dilator


R-Kit includes: introducer sheath, dilator, mini guidewire, 18 G x 2 3/4" entry metallic needle

When the mini guidewire has an angled tip or a J tip, the kit also contains a guide inserter.

Other code numbers are available on special demand. For any further information, please contact your Terumo local representative.

RADIFOCUS™ *Introducer II*

For radial access



KEY FEATURES

- **Optimal tapered dilator equals to each guidewire**
For smooth transitions
- **Micro puncture metal needle with short bevel (22G/21G/20G)**

PRODUCT SPECIFICATIONS

Kit in tray with metal needle and spring mini guidewire.

Code number	Inner sheath diameter	Sheath length	Compatible guidewire (max)	Mini guidewire type and O.D.	Metallic needle size	Color code
RT-R40A07PQ	4 Fr	7 cm	0.018"	45 cm Spring, Straight, 0.46 mm	22 G x 1 3/8" / 0.7 x 35 mm	■
RT-R40A10PQ	4 Fr	10 cm	0.018"	45 cm Spring, Straight, 0.46 mm	22 G x 1 3/8" / 0.7 x 35 mm	■
RT-R40G07PQ	4 Fr	7 cm	0.025"	45 cm Spring, Straight, 0.64 mm	20 G x 1 3/8" / 0.9 x 35 mm	■
RT-R40D10PQ	4 Fr	10 cm	0.021"	45 cm Spring, Straight, 0.53 mm	21 G x 1 3/8" / 0.8 x 35 mm	■
RT-R40G10PQ	4 Fr	10 cm	0.025"	45 cm Spring, Straight, 0.64 mm	20 G x 1 3/8" / 0.9 x 35 mm	■
RT-R50A07PQ	5 Fr	7 cm	0.018"	45 cm Spring, Straight, 0.46 mm	22 G x 1 3/8" / 0.7 x 35 mm	■
RT-R50A10PQ	5 Fr	10 cm	0.018"	45 cm Spring, Straight, 0.46 mm	22 G x 1 3/8" / 0.7 x 35 mm	■
RT-R50D10PQ	5 Fr	10 cm	0.021"	45 cm Spring, Straight, 0.53 mm	21 G x 1 3/8" / 0.8 x 35 mm	■
RT-R50G07PQ	5 Fr	7 cm	0.025"	45 cm Spring, Straight, 0.64 mm	20 G x 1 3/8" / 0.9 x 35 mm	■
RT-R50G10PQ	5 Fr	10 cm	0.025"	45 cm Spring, Straight, 0.64 mm	20 G x 1 3/8" / 0.9 x 35 mm	■
RT-R60A07PQ	6 Fr	7 cm	0.018"	45 cm Spring, Straight, 0.46 mm	22 G x 1 3/8" / 0.7 x 35 mm	■
RT-R60A10PQ	6 Fr	10 cm	0.018"	45 cm Spring, Straight, 0.46 mm	22 G x 1 3/8" / 0.7 x 35 mm	■
RT-R60D10PQ	6 Fr	10 cm	0.021"	45 cm Spring, Straight, 0.53 mm	21 G x 1 3/8" / 0.8 x 35 mm	■
RT-R60G07PQ	6 Fr	7 cm	0.025"	45 cm Spring, Straight, 0.64 mm	20 G x 1 3/8" / 0.9 x 35 mm	■
RT-R60G10PQ	6 Fr	10 cm	0.025"	45 cm Spring, Straight, 0.64 mm	20 G x 1 3/8" / 0.9 x 35 mm	■
RT-R70D10PQ	7 Fr	10 cm	0.021"	45 cm Spring, Straight, 0.53 mm	21 G x 1 3/8" / 0.8 x 35 mm	■

RADIFOCUS™ *Introducer II Mcoat*™


Hydrophilic Coated Introducer Sheath



KEY FEATURES

- **Mcoat hydrophilic coating on the sheath surface**

Minimising spasm and patient discomfort¹



- **10, 16 and 25 cm lengths available**

PRODUCT SPECIFICATIONS

Mcoat A-Kit

Contains scalpel, sheath, dilator, plastic mini guidewire, plastic IV cannula, 2.5 mL syringe. A-Kit in tray with plastic guidewire.

Code number	Inner sheath diameter	Sheath length	Compatible guidewire (max)	Mini guidewire type and O.D.	Entry needle	Color code
RM*AF5G10HQW	5 Fr	10 cm	0.025"	45 cm Plastic, straight, 0.64 mm	20 G x 1 1/4" (0.9 x 32 mm)	■
RM*AF5J10SQW	5 Fr	10 cm	0.025"	45 cm Plastic, straight, 0.64 mm	20 G x 1 1/4" (0.9 x 32 mm)	■
RM*AF5J16SQW	5 Fr	16 cm	0.025"	80 cm Plastic, straight, 0.64 mm	20 G x 1 1/4" (0.9 x 32 mm)	■
RM*AF5J25SQW	5 Fr	25 cm	0.025"	80 cm Plastic, straight, 0.64 mm	20 G x 1 1/4" (0.9 x 32 mm)	■
RM*AF6G10HQW	6 Fr	10 cm	0.025"	45 cm Plastic, straight, 0.64 mm	20 G x 1 1/4" (0.9 x 32 mm)	■
RM*AF6J10SQW	6 Fr	10 cm	0.025"	45 cm Plastic, straight, 0.64 mm	20 G x 1 1/4" (0.9 x 32 mm)	■
RM*AF6J16SQW	6 Fr	16 cm	0.025"	80 cm Plastic, straight, 0.64 mm	20 G x 1 1/4" (0.9 x 32 mm)	■
RM*AF6J25SQW	6 Fr	25 cm	0.025"	80 cm Plastic, straight, 0.64 mm	20 G x 1 1/4" (0.9 x 32 mm)	■

Mcoat R-Kit

Contains sheath, dilator, spring mini guidewire and metallic entry needle. R-Kit in tray with spring wire.

Code number	Inner sheath diameter	Sheath length	Compatible guidewire (max)	Mini guidewire type and O.D.	Entry needle	Color code
RM*RF5F10PQ	5 Fr	10 cm	0.021"	45 cm Spring, straight, 0.54 mm	21 G x 1 2/5" (0.8 x 36 mm)	■
RM*RF5F16PQ	5 Fr	16 cm	0.021"	80 cm Spring, straight, 0.54 mm	21 G x 1 2/5" (0.8 x 36 mm)	■
RM*RF5F25PQ	5 Fr	25 cm	0.021"	80 cm Spring, straight, 0.54 mm	21 G x 1 2/5" (0.8 x 36 mm)	■
RM*RF5J10PQ	5 Fr	10 cm	0.025"	45 cm Spring, straight, 0.64 mm	20 G x 1 2/5" (0.9 x 36 mm)	■
RM*RF5J16PQ	5 Fr	16 cm	0.025"	80 cm Spring, straight, 0.64 mm	20 G x 1 2/5" (0.9 x 36 mm)	■
RM*RF5J25PQ	5 Fr	25 cm	0.025"	80 cm Spring, straight, 0.64 mm	20 G x 1 2/5" (0.9 x 36 mm)	■
RM*RF6F10PQ	6 Fr	10 cm	0.021"	45 cm Spring, straight, 0.54 mm	21 G x 1 2/5" (0.8 x 36 mm)	■
RM*RF6F16PQ	6 Fr	16 cm	0.021"	80 cm Spring, straight, 0.54 mm	21 G x 1 2/5" (0.8 x 36 mm)	■
RM*RF6F25PQ	6 Fr	25 cm	0.021"	80 cm Spring, straight, 0.54 mm	21 G x 1 2/5" (0.8 x 36 mm)	■
RM*RF6J10PQ	6 Fr	10 cm	0.025"	45 cm Spring, straight, 0.64 mm	20 G x 1 2/5" (0.9 x 36 mm)	■
RM*RF6J16PQ	6 Fr	16 cm	0.025"	80 cm Spring, straight, 0.64 mm	20 G x 1 2/5" (0.9 x 36 mm)	■
RM*RF6J25PQ	6 Fr	25 cm	0.025"	80 cm Spring, straight, 0.64 mm	20 G x 1 2/5" (0.9 x 36 mm)	■

¹ Kiemeneij F et al. Hydrophilic coating aids radial sheath withdrawal and reduces patient discomfort following transradial coronary intervention: a randomized double-blind comparison of coated and uncoated sheaths. *Catheter Cardiovasc Interv* 2003;59:161-164


Glidesheath Slender™

Transradial Introducer Kit



Glidesheath Slender offers true minimal invasive radial access for procedures requiring 5, 6, and 7 Fr sheaths.

Proprietary thin-wall technology reduces the outside diameter of the introducer sheath by 1 Fr whilst maintaining a larger inner-diameter equivalent.



KEY FEATURES

- **Ultra thin-wall technology, resulting in 1 Fr size outer diameter reduction while keeping a larger inner diameter equivalent**
Reduced chance of spasm, radial injury and delayed radial artery occlusion¹
- **Terumo Hydrophilic Mcoat**
For ease of insertion and removal

PRODUCT SPECIFICATIONS

Glidesheath Slender is available in 5, 6 and 7 Fr sizes, 10 and 16 cm lengths, with plastic IV catheter or metallic entry needles included in the kits. No syringe included.

Code number	Inner sheath diameter	Sheath length	Entry needle	Mini guidewire type and O.D.	Color code on valve and dilator	Color code sheath support
RM*ESSJ10SQ	5 Fr	10 cm	Plastic entry needle, 20G(0.9mm)x51mm	45cm Plastic straight, 0.64mm	■	■
RM*ES5F10SQR	5 Fr	10 cm	Plastic entry needle, 22G(0.7mm)x32mm	45cm Plastic straight, 0.53mm	■	■
RM*RS5J10PQ	5 Fr	10 cm	Metallic entry needle, 20G(0.9mm)x35mm	45cm Spring straight, 0.64mm	■	■
RM*RS5F10PQ	5 Fr	10 cm	Metallic entry needle, 21G(0.8mm)x35mm	45cm Spring straight, 0.53mm	■	■
RM*RS5F16PQ	5 Fr	16 cm	Metallic entry needle, 21G(0.8mm)x35mm	80cm Spring straight, 0.53mm	■	■
RM*RS5C10PQ	5 Fr	10 cm	Metallic entry needle, 22G(0.7mm)x35mm	45cm Spring straight, 0.46mm	■	■
RM*ES6J10SQ	6 Fr	10 cm	Plastic entry needle, 20G(0.9mm)x51mm	45cm Plastic straight, 0.64mm	■	■
RM*ES6J16SQ	6 Fr	16 cm	Plastic entry needle, 20G(0.9mm)x51mm	80cm Plastic straight, 0.64mm	■	■
RM*ES6J10PQ	6 Fr	10 cm	Plastic entry needle, 20G(0.9mm)x51mm	45cm Spring straight, 0.64mm	■	■
RM*ES6J16PQ	6 Fr	16 cm	Plastic entry needle, 20G(0.9mm)x51mm	80cm Spring straight, 0.64mm	■	■
RM*ES6J10HQS	6 Fr	10 cm	Plastic entry needle, 20G(0.9mm)x32mm	45cm Plastic shortangle, 0.64mm	■	■
RM*ES6J16HQS	6 Fr	16 cm	Plastic entry needle, 20G(0.9mm)x32mm	80cm Plastic shortangle, 0.64mm	■	■
RM*ES6F10SQR	6 Fr	10 cm	Plastic entry needle, 22G(0.7mm)x32mm	45cm Plastic straight, 0.53mm	■	■
RM*ES6F10SQ	6 Fr	10 cm	Plastic entry needle, 22G(0.7mm)x25mm	45cm Plastic straight, 0.53mm	■	■
RM*RS6C10PQ	6 Fr	10 cm	Metallic entry needle, 22 G (0.7mm)x35mm	45cm Spring straight, 0.46mm	■	■
RM*RS6J10PQ	6 Fr	10 cm	Metallic entry needle, 20G(0.9mm)x35mm	45cm Spring straight, 0.64mm	■	■
RM*RS6J16PQ	6 Fr	16 cm	Metallic entry needle, 20G(0.9mm)x35mm	80cm Spring straight, 0.64mm	■	■
RM*RS6F10PQ	6 Fr	10 cm	Metallic entry needle, 21G(0.8mm)x35mm	45cm Spring straight, 0.53mm	■	■
RM*RS6F16PQ	6 Fr	16 cm	Metallic entry needle, 21G(0.8mm)x35mm	80cm Spring straight, 0.53mm	■	■
RM*ES7J10SQ	7 Fr	10 cm	Plastic entry needle, 20G(0.9mm)x51mm	45cm Plastic straight, 0.64mm	■	■
RM*ES7J16HQS	7 Fr	16 cm	Plastic entry needle, 20G(0.9mm)x32mm	80cm Plastic shortangle, 0.64mm	■	■
RM*ES7F10SQR	7 Fr	10 cm	Plastic entry needle, 22G(0.7mm)x32mm	45cm Plastic straight, 0.53mm	■	■
RM*ES7F16SQR	7 Fr	16 cm	Plastic entry needle, 22G(0.7mm)x32mm	80cm Plastic straight, 0.53mm	■	■
RM*RS7J10PQ	7 Fr	10 cm	Metallic entry needle, 20G(0.9mm)x35mm	45cm Spring straight, 0.64mm	■	■
RM*RS7J16PQ	7 Fr	16 cm	Metallic entry needle, 20G(0.9mm)x35mm	80cm Spring straight, 0.64mm	■	■
RM*RS7F10PQ	7 Fr	10 cm	Metallic entry needle, 21G(0.8mm)x35mm	45cm Spring straight, 0.53mm	■	■
RM*RS7F16PQ	7 Fr	16 cm	Metallic entry needle, 21G(0.8mm)x35mm	80cm Spring straight, 0.53mm	■	■



RADIFOCUS™ *Introducer II*

Introducer Kit with Radiopaque Marker

KEY FEATURES

- **Platinum-iridium radiopaque marker band at the sheath tip**
Great visibility for precise positioning
- **Radiopaque marker welded into the wall of the sheath**
Reduces friction



PRODUCT SPECIFICATIONS

B-Kit

Contains sheath, dilator, spring mini guidewire, guide inserter.

Code number	Inner sheath diameter	Sheath length	Compatible guidewire (max)	Mini guidewire type and O.D.	Color code
RB*B4SK06MC	4 Fr	6 cm	0.035"	45 cm Spring, J Angled, 0.89 mm	■
RB*B4SK10MC	4 Fr	10 cm	0.035"	45 cm Spring, J Angled, 0.89 mm	■
RB*B5SN06MC	5 Fr	6 cm	0.038"	45 cm Spring, J Angled, 0.97 mm	■
RB*B5SN10MC	5 Fr	10 cm	0.038"	45 cm Spring, J Angled, 0.97 mm	■
RB*B6SN06MC	6 Fr	6 cm	0.038"	45 cm Spring, J Angled, 0.97 mm	■
RB*B6SN10MC	6 Fr	10 cm	0.038"	45 cm Spring, J Angled, 0.97 mm	■
RB*B7SN06MC	7 Fr	6 cm	0.038"	45 cm Spring, J Angled, 0.97 mm	■
RB*B7SN10MC	7 Fr	10 cm	0.038"	45 cm Spring, J Angled, 0.97 mm	■
RB*B8SN06MC	8 Fr	6 cm	0.038"	45 cm Spring, J Angled, 0.97 mm	■
RB*B8SN10MC	8 Fr	10 cm	0.038"	45 cm Spring, J Angled, 0.97 mm	■
RB*B9SN06MC	9 Fr	6 cm	0.038"	45 cm Spring, J Angled, 0.97 mm	■
RB*B9SN10MC	9 Fr	10 cm	0.038"	45 cm Spring, J Angled, 0.97 mm	■

C-Kit

Contains sheath, dilator.

Code number	Inner sheath diameter	Sheath length	Compatible guidewire (max)	Color code
RB*C4SK06NC	4 Fr	6 cm	0.035"	■
RB*C4SK10NC	4 Fr	10 cm	0.035"	■
RB*C4SK25NC	4 Fr	25 cm	0.035"	■
RB*C5SN06NC	5 Fr	6 cm	0.038"	■
RB*C5SN10NC	5 Fr	10 cm	0.038"	■
RB*C5SN25NC	5 Fr	25 cm	0.038"	■
RB*C6SN06NC	6 Fr	6 cm	0.038"	■
RB*C6SN10NC	6 Fr	10 cm	0.038"	■
RB*C6SN25NC	6 Fr	25 cm	0.038"	■
RB*C7SN06NC	7 Fr	6 cm	0.038"	■
RB*C7SN10NC	7 Fr	10 cm	0.038"	■
RB*C7SN25NC	7 Fr	25 cm	0.038"	■
RB*C8SN10NC	8 Fr	10 cm	0.038"	■
RB*C8SN25NC	8 Fr	25 cm	0.038"	■
RB*C9SN10NC	9 Fr	10 cm	0.038"	■
RB*C9SN25NC	9 Fr	25 cm	0.038"	■

ACCESSORIES

RADIFOCUS™ *Obturator*

For support of the wall of the introducer sheath without a catheter in place.

KEY FEATURES

- The hub is made of polypropylene and the tube is made of polyester elastomer, containing bismuth and has a rounded tip
- Snap-on connection to sheath hub
- High flexibility and kink-resistance
- Color coded



PRODUCT SPECIFICATIONS

Code number	Description	Compatible sheath size	Length	Color code
XX*RF050410M	OBTURATOR for 4 Fr x 10 cm Sheath	4 Fr	10 cm	■
XX*RF050510M	OBTURATOR for 5 Fr x 10 cm Sheath	5 Fr	10 cm	■
XX*RF050525M	OBTURATOR for 5 Fr x 25 cm Sheath	5 Fr	25 cm	■
XX*RF050610M	OBTURATOR for 6 Fr x 10 cm Sheath	6 Fr	10 cm	■
XX*RF050625M	OBTURATOR for 6 Fr x 25 cm Sheath	6 Fr	25 cm	■
XX*RF050710M	OBTURATOR for 7 Fr x 10 cm Sheath	7 Fr	10 cm	■
XX*RF050725M	OBTURATOR for 7 Fr x 25 cm Sheath	7 Fr	25 cm	■
XX*RF050810M	OBTURATOR for 8 Fr x 10 cm Sheath	8 Fr	10 cm	■
XX*RF050825M	OBTURATOR for 8 Fr x 25 cm Sheath	8 Fr	25 cm	■
XX*RF050910M	OBTURATOR for 9 Fr x 10 cm Sheath	9 Fr	10 cm	■

RADIFOCUS™ *Vessel Dilator*

For predilatation of the puncture site.



PRODUCT SPECIFICATIONS

Code number	Description	Length	Outer Diameter	Compatible guidewire	Color code
RF*VD40K10M	4 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.035" guidewire	15.5 cm	4 Fr	0.035" / 0.89 mm	■
RF*VD50K10M	5 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.035" guidewire	15.5 cm	5 Fr	0.035" / 0.89 mm	■
RF*VD50N10M	5 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.038" guidewire	15.5 cm	5 Fr	0.038" / 0.97 mm	■
RF*VD60K10M	6 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.035" guidewire	15.5 cm	6 Fr	0.035" / 0.89 mm	■
RF*VD60N10M	6 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.038" guidewire	15.5 cm	6 Fr	0.038" / 0.97 mm	■
RF*VD70K10M	7 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.035" guidewire	15.5 cm	7 Fr	0.035" / 0.89 mm	■
RF*VD70N10M	7 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.038" guidewire	15.5 cm	7 Fr	0.038" / 0.97 mm	■
RF*VD80K10M	8 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.035" guidewire	15.5 cm	8 Fr	0.035" / 0.89 mm	■
RF*VD80N10M	8 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.038" guidewire	15.5 cm	8 Fr	0.038" / 0.97 mm	■
RF*VD90K10M	9 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.035" guidewire	15.5 cm	9 Fr	0.035" / 0.89 mm	■
RF*VD90N10M	9 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.038" guidewire	15.5 cm	9 Fr	0.038" / 0.97 mm	■
RF*VD10K10M	10 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.035" guidewire	15.5 cm	10 Fr	0.035" / 0.89 mm	■
RF*VD11K10M	11 Fr x 15.5 cm VESSEL DILATOR, compatible with 0.035" guidewire	15.5 cm	11 Fr	0.035" / 0.89 mm	■

Terumo Interventional Systems offers you
leading edge vascular access systems.

Discover also

Destination[™]
Guiding Sheath

on www.terumo-europe.com



Terumo Corporation
+81 3 3374 8111

Terumo Europe NV
+32 16 38 12 11

**Terumo
Interventional Systems EMEA**
+33 1 47 16 09 30

EMEA Sales Offices

**Terumo Europe NV
Africa Business Division**
+32 16 38 13 08

**Terumo Europe NV
Benelux Sales Division**
Belgium:
0800 14468
The Netherlands:
0800 0231938

**Terumo Europe NV
Emerging Market Division**
+32 16 38 12 11

Terumo Deutschland GmbH
+49 6196 8023 0

**Terumo Deutschland GmbH
Österreich**
+43 2236 378020

**Terumo Deutschland GmbH
Switzerland**
+41 56 419 10 10

Terumo Europe España SL
+34 902 10 12 98

Terumo France S.A.S.
+33(0) 800 90 50 42

Terumo Italia S.r.l.
+39 06 94 80 28 00

Terumo Russia LLC
+7 495 988 4740

Terumo Sweden AB
+46 3174 85 880

Terumo Middle East FZE
+971 4 292 0200

Terumo UK Ltd
+44 1276 480440

**Terumo BCT Tıbbi Cihazlar Dağıtım
ve Hizmetleri A.Ş.**
+90 216 645 92 00

Terumo Poland Sp. z o.o.
+48 22 120 16 00