




MGB 120 CL  
DIN VERSION



## TECHNICAL DATA

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Volume (L):                         | 120.00                                                                                                             |
| Curb weight approx. (kg):           | 8.00                                                                                                               |
| Permissible total weight max. (kg): | 60.00                                                                                                              |
| Material:                           | HDPE, UV-stabilized                                                                                                |
| Wheels:                             | 2 rubber wheels Ø 200 mm<br>corrosion free steel axle                                                              |
| Lid / Container:                    | 2 hinge pins<br>continuous handle: approx. Ø 27 mm<br>Lid with continuous lip handle and additional<br>bow handles |
| Certification:                      | EN 840, RAL GZ 951/1                                                                                               |

## OPTIONS

- Locking versions
- Lid apertures
- Hood apertures
- Security insert / CD insert
- Markings / Identification
- Clip-Variants
- Noise reduction
- Volume reduction
- Bio features
- Special features / Accessories

The products do not contain any substances on the SVHC list of the European Chemicals Agency (ECHA).

## Options

### Locking versions



Gravity Lock 2/4W




Preparation for  
Padlock



Triangular Lock 2/4W

### Lid apertures



Packaging 155x255  
rubber ring 2W CL SL



Small LiL rectangular  
2W



Glass 152 rubber ring  
2W CL SL



Glass 152 rubber 2W  
CL SL



Small LiL Glass 2W

### Hood apertures



Paper Hood 2W

### Security insert / CD insert



CD insert 2W



Security Insert 2W

## Markings / Identification



Individual  
Identification 2/4W



RFID Transponder  
2/4R




Notches

## Clip-Variants




CL Clip


## Noise reduction



Noise reduction  
closing lid 2/4W



Noise reduction open  
lid



Noise reduction  
wheels 2W

## Volume reduction



VR Insert 40L 120 CL



VR Insert 60L 120 CL

## Bio features




BIO SELECT - Lateral  
hole pattern



BIO SELECT - lateral  
sieves



BIO SELECT Filter lid



BIO SELECT - Biogrid

## Special features / Accessories



Highway post 2W/3W