

Certificate of Quality System Approval

This is to certify that the product listed below conforms to the requirements of the

Pressure Equipment Directive 2014/68/EU

Annex III Module H

Certificate Number 1984-PED-0016

Date of Issue 08.08.2022

Date of Expiry 07.08.2025

Manufacturer

ÖNLÜSOY YAPI MALZEMELER SANAYİ VE TİCARET LTD. ŞTİ.

Factory1: Sanayi Mah. 104.Cad. No:111 Eğridir Yolu 1.km
Isparta, Turkey,

Factory2: İzmir Pancar Organize Sanayi Bölgesi (IPOSB) 10.
Cadde No: 2 Pancar, 35860 Torbalı, İzmir Turkey

**Description of
Pressure
Equipment**

Solid fuel boilers for hot water heating system
Volume range: listed on the schedule to this certificate

**Equipment
Identification**

CE date plate

Standards Applied EN 303-5:2012, TS 497:2015

Report Reference R-PED-0016

This approval is subject to annual surveillance audits and verifications by Kiwa as required by the relevant conformity assessment module of the Pressure Equipment Directive, and may be subject to such audits being unannounced. This Certificate is valid in any European Economic Area Member State. This certificate has been issued by Kiwa which is a body notified to the European Commission according to the provisions of the Pressure Equipment Directive (Notified Body number 1984).

This certificate is issued following the assessment of the documentation and implementation of the Quality System in accordance with the provisions of the quoted Conformity Assessment module of the above Directive. The CE Mark may be affixed to the pressure equipment within the scope of approval as described above once the EU Declaration of Conformity has been made by the responsible person. The number '1984', being Kiwa's Notified Body number, should also be placed on the equipment dataplate.



PED-1984-2200467


Head of Notified Body



Notified Body number 1984
Kiwa Belgelendirme Hizmetleri A.Ş.
ITOSB 9. Cadde No 15 Tepeören Tuzla - İstanbul - Turkey
Tel.: +90 216 593 25 75 , Fax: +90 216 593 25 74
Web: www.kiwa.com, e-mail: posta@kiwa.com



CERTIFICATE



PEO-1984-220497



Type	Model	Capacity		Working Pressure	Standard	volume	Production factory
		kW	kcal/h	bar		Liter	
	ÜKY/D3 60	70	60.000	3-4-5	EN 303-5	130	Izmir
	ÜKY/D3 80	93	80.000	3-4-5	EN 303-5	200	Izmir
	ÜKY/D3 100	116	100.000	3-4-5	EN 303-5	240	Izmir
	ÜKY/Y-D2 25	29	25.000	3-4-5	EN 303-5	70	Izmir
	ÜKY/Y-D2 34	40	34.000	3-4-5	EN 303-5	85	Izmir
	ÜKY/Y-D2 45	52	45.000	3-4-5	EN 303-5	107	Izmir
	ÜKY/Y-D2 60	70	60.000	3-4-5	EN 303-5	130	Izmir
	ÜKY/Y-D2 80	93	80.000	3-4-5	EN 303-5	200	Izmir
	ÜKY/Y-D2 100	116	100.000	3-4-5	EN 303-5	240	Izmir
	ÜKY/W 25	25	21.500	3-4-5	EN 303-5	97	Izmir
	ÜKY/W 35	35	30.100	3-4-5	EN 303-5	110	Izmir
	ÜKY/W 45	45	38.700	3-4-5	EN 303-5	255	Izmir
	ÜKY/W 60	60	51.600	3-4-5	EN 303-5	290	Izmir
	ÜKY/GSF 25	25	21.500	3-4-5	EN 303-5	97	Izmir
	ÜKY/GSF 40	40	34.400	3-4-5	EN 303-5	110	Izmir
	ÜKY/GSF 60	60	51.600	3-4-5	EN 303-5	255	Izmir
	ÜKY/GSF 80	80	68.800	3-4-5	EN 303-5	290	Izmir
Hand-loaded, three-pass, prismatic	ÜKYP 130	151	130.000	3-4-5-6	EN 303-5	320	Izmir
	ÜKYP 160	186	160.000	3-4-5-6	EN 303-5	400	Izmir
	ÜKYP 180	209	180.000	3-4-5-6	EN 303-5	480	Izmir
	ÜKYP 200	233	200.000	3-4-5-6	EN 303-5	560	Izmir
	ÜKYP 250	291	250.000	3-4-5-6	EN 303-5	640	Izmir
	ÜKYP 300	349	300.000	3-4-5-6	EN 303-5	890	Isparta
	ÜKYP 350	407	350.000	3-4-5-6	EN 303-5	925	Isparta
	ÜKYP 400	465	400.000	3-4-5-6	EN 303-5	1.240	Isparta
Auto-load, three-pass, prismatic	ÜKYP 450	523	450.000	3-4-5-6	TS 497	1.195	Isparta
	ÜKYP 500	582	500.000	3-4-5-6	TS 497	1.505	Isparta
	ÜKYP 600	698	600.000	3-4-5-6	TS 497	1.570	Isparta
	ÜKYP/Y 130	151	130.000	3-4-5-6	EN 303-5	320	Izmir
	ÜKYP/Y 160	186	160.000	3-4-5-6	EN 303-5	400	Izmir
	ÜKYP/Y 180	209	180.000	3-4-5-6	EN 303-5	480	Izmir
	ÜKYP/Y 200	233	200.000	3-4-5-6	EN 303-5	560	Izmir
	ÜKYP/Y 250	291	250.000	3-4-5-6	EN 303-5	640	Izmir
	ÜKYP/Y 300	349	300.000	3-4-5-6	EN 303-5	890	Isparta
	ÜKYP/Y 350	407	350.000	3-4-5-6	EN 303-5	925	Isparta
Auto-load, three-pass, prismatic	ÜKYP/Y 400	465	400.000	3-4-5-6	TS 497	1.240	Isparta
	ÜKYP/Y 450	523	450.000	3-4-5-6	TS 497	1.195	Isparta
	ÜKYP/Y 500	582	500.000	3-4-5-6	TS 497	1.505	Isparta
	ÜKYP/Y 600	698	600.000	3-4-5-6	TS 497	1.570	Isparta
	ÜKYP/YP 130	130	111.500	3-4-5-6	EN 303-5	320	Isparta
	ÜKYP/YP 160	160	137.500	3-4-5-6	EN 303-5	400	Isparta
	ÜKYP/YP 180	180	155.000	3-4-5-6	EN 303-5	480	Isparta
	ÜKYP/YP 200	200	172.000	3-4-5-6	EN 303-5	560	Isparta
	ÜKYP/YP 250	250	215.000	3-4-5-6	EN 303-5	640	Isparta
	ÜKYP/YP 300	300	258.000	3-4-5-6	EN 303-5	890	Isparta
	ÜKYP/YP 350	350	301.000	3-4-5-6	EN 303-5	925	Isparta
	ÜKYP/YP 400	400	344.000	3-4-5-6	EN 303-5	1.240	Isparta
Hand-loaded, three-pass,	ÜKYP/YP 450	450	387.000	3-4-5-6	EN 303-5	1.195	Isparta
	ÜKYP/YP 500	500	430.000	3-4-5-6	TS 497	1.505	Isparta
	ÜKYP/YP 600	600	516.000	3-4-5-6	TS 497	1.570	Isparta
	ÜKYS/3G 120	140	120.000	3-4-5-6	EN 303-5	720	Isparta
Hand-loaded, three-pass,	ÜKYS/3G 150	174	150.000	3-4-5-6	EN 303-5	794	Isparta
	ÜKYS/3G 180	209	180.000	3-4-5-6	EN 303-5	894	Isparta

Notified Body number 1984

Kiwa Belgelendirme Hizmetleri A.Ş.

İTOB 9. Cadde No 15 Tepeören Tuzla - İstanbul - Turkey

Tel.: +90 216 593 25 75 , Fax: +90 216 593 25 74

Web: www.kiwa.com, e-mail: posta@kiwa.com



AT UYGUNLUK BEYANI

EC DECLARATION of CONFORMITY



**Basınçlı Ekipmanlar Yönetmeliği 2014/68/AB ve
Makina Emniyet Yönetmeliği 2006/42/AT'ya göre
According to Pressure Equipment Directive 2014/68/EU and
Machine Safety Directive 2006/42/EU**

Yukarıda belirtilen yönetmeliğe göre aşağıda ayrıntısı verilen ürünlerin uygunluk şartlarına tabi olarak üretildiğini beyan ederiz.

We hereby declare that in compliance with above directive, the products detailed below are manufactured in accordance with conformity assessment.

İmalatçı Manufacturer	: Ünlüsoy Yapı Malzemeleri Sanayi ve Ticaret Limited Şirketi
Adres Şube/Merkez Address Branch Office/Central Office	Şube/Branch Office: İzmir Pancar Organize Sanayi Bölgesi, 10. Cadde No:2 Torbalı, İzmir/TURKEY Merkez/Central Office: Sanayi Mahallesi 104. Cadde, No: 111, Merkez, Isparta/TURKEY
Ticari Marka Trade Mark	: ÜNMAK
Ürün Açıklaması Product Description	: Ek listede verilmiştir Given in the annex
Yetkilendirilmiş Kuruluş Notified Body	: Kiwa
Yetkilendirilmiş Kuruluş Numarası Notified Body Number	:
Sertifika Türü Certificate Type	: Modül H – Ek: III Annex III Module H
Sertifika Numarası Certificate Number	: 1984-PED-0016
Uygulanan Standartlar Applied Standards	: TS EN 303-5:2012, TS 497:2015 EN 303-5:2012, TS 497:2015

Üretici firma olarak CE ile işaretlenmiş ürünlerimizin, bu belgede belirttiğimiz direktif ve standartlara uygun olduğunu beyan ederiz.

As manufacturer company we declare that our products with CE label are in conformity with the standards and directives mentioned in this declaration.

Yer ve Tarih Place and Date	: 08.08.2022
Yetkili Adı Authorized Person	: Mehmet ÜNLÜSOY
Yetkili Görevi Position of Authorized Person	: Genel Müdür/ General Manager
Yetkili İmzası ve Kaşe Signature of Authorized Person and Stamp	:

Type	Model	Capacity		Working Pressure	Standard	volume	Production factory
		kW	kcal/h	bar		Liter	
	ÜKY/Y-KB 60	70	60.000	3-4-5	TS EN 303-5	138	İzmir
	ÜKY/Y-KB 80	93	80.000	3-4-5	TS EN 303-5	206	İzmir
	ÜKY/Y-KB 100	116	100.000	3-4-5	TS EN 303-5	249	İzmir
	ÜKY/DUO 25	29	25.000	3-4-5	TS EN 303-5	80	İzmir
	ÜKY/DUO 40	47	40.000	3-4-5	TS EN 303-5	115	İzmir
	ÜKY/DUO 60	70	60.000	3-4-5	TS EN 303-5	150	İzmir
	ÜKY/DUO 80	93	80.000	3-4-5	TS EN 303-5	210	İzmir
	ÜKY/DUO 100	116	100.000	3-4-5	TS EN 303-5	255	İzmir
	ÜKY/DUOPEL 25	25	21.500	3-4-5	TS EN 303-5	80	İzmir
	ÜKY/DUOPEL 40	40	34.400	3-4-5	TS EN 303-5	115	İzmir
	ÜKY/DUOPEL 60	60	51.600	3-4-5	TS EN 303-5	150	İzmir
	ÜKY/DUOPEL 80	80	68.800	3-4-5	TS EN 303-5	210	İzmir
	ÜKY/DUOPEL 100	100	86.000	3-4-5	TS EN 303-5	255	İzmir
	ÜKY/3K 16	19	16.000	3-4-5	TS EN 303-5	50	İzmir
	ÜKY/3K 25	29	25.000	3-4-5	TS EN 303-5	75	İzmir
	ÜKY/3K 34	40	34.000	3-4-5	TS EN 303-5	85	İzmir
	ÜKY/3K 45	52	45.000	3-4-5	TS EN 303-5	107	İzmir
	ÜKY/3K 60	70	60.000	3-4-5	TS EN 303-5	138	İzmir
	ÜKY/3K 80	93	80.000	3-4-5	TS EN 303-5	206	İzmir
	ÜKY/3K 100	116	100.000	3-4-5	TS EN 303-5	249	İzmir
	ÜKY/D3 25	29	25.000	3-4-5	TS EN 303-5	70	İzmir
	ÜKY/D3 40	47	40.000	3-4-5	TS EN 303-5	100	İzmir
	ÜKY/D3 60	70	60.000	3-4-5	TS EN 303-5	130	İzmir
	ÜKY/D3 80	93	80.000	3-4-5	TS EN 303-5	200	İzmir
	ÜKY/D3 100	116	100.000	3-4-5	TS EN 303-5	240	İzmir
	ÜKY/Y-D2 25	29	25.000	3-4-5	TS EN 303-5	70	İzmir
	ÜKY/Y-D2 34	40	34.000	3-4-5	TS EN 303-5	85	İzmir
	ÜKY/Y-D2 45	52	45.000	3-4-5	TS EN 303-5	107	İzmir
	ÜKY/Y-D2 60	70	60.000	3-4-5	TS EN 303-5	130	İzmir
	ÜKY/Y-D2 80	93	80.000	3-4-5	TS EN 303-5	200	İzmir
	ÜKY/Y-D2 100	116	100.000	3-4-5	TS EN 303-5	240	İzmir
	ÜKY/W 25	25	21.500	3-4-5	TS EN 303-5	97	İzmir
	ÜKY/W 35	35	30.100	3-4-5	TS EN 303-5	110	İzmir
	ÜKY/W 45	45	38.700	3-4-5	TS EN 303-5	255	İzmir
	ÜKY/W 60	60	51.600	3-4-5	TS EN 303-5	290	İzmir
	ÜKY/GSF 25	25	21.500	3-4-5	TS EN 303-5	97	İzmir
	ÜKY/GSF 40	40	34.400	3-4-5	TS EN 303-5	110	İzmir
	ÜKY/GSF 60	60	51.600	3-4-5	TS EN 303-5	255	İzmir
	ÜKY/GSF 80	80	68.800	3-4-5	TS EN 303-5	290	İzmir
Hand-loaded, three-pass, prismatic	ÜKYP 130	151	130.000	3-4-5-6	TS EN 303-5	320	İzmir
	ÜKYP 160	186	160.000	3-4-5-6	TS EN 303-5	400	İzmir
	ÜKYP 180	209	180.000	3-4-5-6	TS EN 303-5	480	İzmir
	ÜKYP 200	233	200.000	3-4-5-6	TS EN 303-5	560	İzmir