

INCERTRANS



S.C. INSTITUTUL DE CERCETĂRI ÎN TRANSPORTURI INCERTRANS S.A.

ORGANISM DE CERTIFICARE INCERTRANS-OC NOTIFIED N° 1833

Calea Griviței, nr. 391-393, Sector 1, București

Transport Research Institute INCERTRANS

Certification Body: INCERTRANS-OC

Calea Grivitei, no. 391-393, district 1, Bucharest

Phone: +40 (21) 316.23.37 E-mail: incertrans@incertrans.ro

Fax: +40 (21) 316.13.70 Web: <http://www.incertrans.ro>

acreditat pentru
CERTIFICARE



SR EN ISO/CEI 17065:2013
CERTIFICAT DE ACREDITARE
ON 068

CERTIFICAT DE CONFORMITATE PENTRU CONTROLUL PRODUCȚIEI ÎN FABRICĂ 1833-CPR-0053

În conformitate cu Regulamentul (UE) nr. 305/2011 al Parlamentului European și al Consiliului din 9 martie 2011 (Regulamentul Produselor pentru Construcții sau CPR), acest certificat se aplică produsului/produselor pentru construcții:

GEOTEXTILE: TERASIN NS®, TERASIN NS® (RDG)

Utilizare preconizată: filtrare; armare; filtrare și separare; armare și separare; filtrare și armare; filtrare, armare și separare la construcția de drumuri și a altor căi de circulație; filtrare; armare; filtrare și separare; armare și separare; filtrare și armare; filtrare, armare și separare în construcția de căi ferate; filtrare; armare; filtrare și separare; armare și separare; filtrare și armare; filtrare, armare și separare la lucrările de terasamente, fundații și structuri de susținere; filtrare; drenaj; filtrare și separare; filtrare și drenaj; filtrare, separare și drenaj în sistemele de drenaj; filtrare; armare; filtrare și separare; armare și separare; filtrare și armare; filtrare, armare și separare în sistemele antiozionale; filtrare; armare; protecție; filtrare și separare; armare și separare; filtrare și armare; armare și protecție; filtrare, armare și separare la construcția de rezervoare și baraje; filtrare; armare; protecție; filtrare și separare; armare și separare; filtrare și armare; armare și protecție; filtrare, armare și separare la construcția de canale; protecție la construcția tunelurilor și structurilor subterane; filtrare; armare; protecție; filtrare și separare; armare și separare; filtrare și armare; armare și protecție; filtrare, armare și separare în proiectele de depozitare a deșeurilor solide.

Parametrii produsului pentru construcții < niveluri și clase de performanță ale produsului GEOTEXTILE: TERASIN NS®, TERASIN NS® (RDG) > după cum sunt definiți de către fabricant pentru declarația de performanță, se regăsesc în addendum (2 pag.), parte integrantă a certificatului.

Introdus pe piață sub numele sau marca comercială a:

S.C. MINET S.A.

Râmnicu Vâlcea, str. Depozitelor, nr. 12, județul Vâlcea

și produs în unitatea de producție:

S.C. MINET S.A.

Râmnicu Vâlcea, str. Depozitelor, nr. 12, județul Vâlcea

Acest certificat atestă faptul că toate prevederile privind evaluarea și verificarea constanței performanței descrise în Anexa ZA a standardului/standardelor:

EN 13249:2016;
EN 13250:2016;
EN 13251:2016;
EN 13252:2016;
EN 13253:2016;
EN 13254:2016;
EN 13255:2016;
EN 13256:2016;
EN 13257:2016;

sub sistemul 2+ sunt aplicate, iar

controlul producției în fabrică este evaluat pentru a fi în conformitate cu cerințele aplicabile.

Acest certificat a fost emis inițial la data: 06.05.2014, este valabil atâta timp cât cerințele stipulate pe verso sunt îndeplinite și rămâne valabil atâta timp cât nici standardul armonizat, produsul pentru construcții, metodele de EVCP și nici condițiile de producție în fabrică nu sunt modificate semnificativ, cu excepția suspendării sau retragerii certificatului de către organismul notificat de certificare a controlului producției în fabrică.

30.06.2021

DIRECTOR TEHNIC INCERTRANS-OC

Ing. Nicoleta IONESCU

[Signature]

Organismul de Evaluare și Verificare a Constanței Performanței INCERTRANS-OC al produsului < GEOTEXTILE: TERASIN NS®, TERASIN NS® (RDG) > utilizat în construcții, își rezervă dreptul de a menține, de a suspenda sau de a retrage valabilitatea prezentului certificat, identificat cu nr. 1833-CPR-0053, dacă constată că fabricantul S.C. MINET S.A. nu respectă/schimbă cerințele privind metodele de încercare și/sau controlul producției în fabrică, incluse în standardul armonizat, utilizate la evaluarea performanței caracteristicilor declarate, iar produsul pentru construcții și condițiile de producție în fabrică sunt modificate semnificativ.

Etape de supraveghere a valabilității certificatului:

Semnătură autorizată
JONESCU MIHAELA
(nume, prenume, calitate în cadrul OC)
Valabil până la data: 30.06.2023

Semnătură autorizată
JONESCU MIHAELA
(nume, prenume, calitate în cadrul OC)
Valabil până la data: 30.06.2024

Semnătură autorizată
.....
(nume, prenume, calitate în cadrul OC)
Valabil până la data:

Etapa I de supraveghere
Programată până la data de 30.06.2022

Etapa II de supraveghere
Programată până la data de 30.06.2023

Etapa III de supraveghere
Programată până la data de 30.06.2024

Istoricul Certificatului

Revizia	Descriere	Data emiterii	Numarul certificatului înlocuit
0	Certificat inițial	06.05.2014	1833-DPC-96/581/EC/0065-2010 1833-DPC-96/581/EC/0066-2010 1833-DPC-96/581/EC/0067-2010 1833-DPC-96/581/EC/0068-2010 1833-DPC-96/581/EC/0069-2010 1833-DPC-96/581/EC/0070-2010 1833-DPC-96/581/EC/0071-2010 1833-DPC-96/581/EC/0072-2010
1	Recertificare I	07.07.2017	1833-CPR-0053 (emis în 06.05.2014)
2	Recertificare II	30.06.2021	1833-CPR-0053 (emis în 07.07.2017)

Declarație de performanță și marcarea produsului

În îndeplinirea condițiilor și termenilor necesari menținerii performanței caracteristicilor declarate, producătorul, va întocmi o declarație de performanță a produsului și va putea aplica legal marcajul CE urmat de numărul de identificare al organismului de certificare INCERTRANS OC – 1833, îndeplinind totodată și prevederile Regulamentului (UE) 305/2011-Anexa III: Declarația de Performanță.

INCERTRANS



S.C. INSTITUTUL DE CERCETĂRI ÎN TRANSPORTURI INCERTRANS S.A.

ORGANISM DE CERTIFICARE INCERTRANS-OC NOTIFIED N° 1833

Calea Griviței, nr. 391-393, Sector 1, București

Transport Research Institute INCERTRANS

Certification Body: INCERTRANS-OC

Calea Grivitei, no. 391-393, district 1, Bucharest

Phone: +40 (21) 316.23.37 E-mail: incertrans@incertrans.ro

Fax: +40 (21) 316.13.70 Web: <http://www.incertrans.ro>

acreditat pentru
CERTIFICARE



SR EN ISO/CEI 17065:2013

CERTIFICAT DE ACREDITARE
ON 068

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

1833-CPR-0053

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product:

GEOTEXTILES: TERASIN NS®, TERASIN NS® (RDG)

Intended use: filtration; reinforcement; filtration and separation; reinforcement and separation; filtration and reinforcement; filtration, separation and reinforcement in the construction of roads and other traffic routes; filtration; reinforcement; filtration and separation; reinforcement and separation; filtration and reinforcement in the construction of railways; filtration; reinforcement; filtration and separation; reinforcement and separation; filtration and reinforcement; filtration, reinforcement and separation earth works, foundations and supporting structures; filtration; drainage; filtration and separation; filtration and drainage; filtration, separation and drainage systems; filtration; reinforcement; filtration and separation; reinforcement and separation; filtration and reinforcement; filtration, reinforcement and erosion separation systems; filtration; reinforcement; protection; filtration and separation; reinforcement and separation; filtration and reinforcement; reinforcement and protection; filtration, separation and reinforcement in the construction of reservoirs and dams; filtration; reinforcement; protection; filtration and separation; reinforcement and separation; filtration and reinforcement; reinforcement and protection; filtration, separation and reinforcement in the construction of canals; protection in the construction of tunnels and underground structures; filtration; reinforcement; protection; filtration and separation; reinforcement and separation; filtration and reinforcement; reinforcement and protection; filtration, reinforcement and separation of solid waste disposal projects.

Construction product parameters: < levels and classes of performance of the construction product GEOTEXTILES: TERASIN NS®, TERASIN NS® (RDG) > as the manufacturer intends for their declaration of performance, with performances presented in the addendum (2 pag.), an integral part of this certificate.

Placed on the market under the name or trade mark of:

S.C. MINET S.A.

Râmnicu Vâlcea, Depozitelor Street, nr. 12, Vâlcea County

and produced in the manufacturing plant:

S.C. MINET S.A.

Râmnicu Vâlcea, Depozitelor Street, nr. 12, Vâlcea County

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s):

EN 13249:2016;
EN 13250:2016;
EN 13251:2016;
EN 13252:2016;
EN 13253:2016;
EN 13254:2016;
EN 13255:2016;
EN 13256:2016;
EN 13257:2016;

under system 2+ are applied and that

the factory production control is assessed to be in conformity with the applicable requirements.

This certificate was first issued on: 06.05.2014 and is valid as long as the conditions stipulated on verso are satisfied, and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the factory production control certification body.

30.06.2021

TECHNICAL MANAGER INCERTRANS-OC

Eng. Nicoleta IONESCU



The body of assessment and verification of performance constancy INCERTRANS-OC of the product < GEOTEXTILES: TERASIN NS®, TERASIN NS® (RDG) > used in construction, reserves itself the right to maintain, suspend or withdraw the validity of this certificate, identified under the no. 1833-CPR-0053, as long as the manufacturer S.C. MINET S.A. applies the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performances of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.

Surveillance steps of the certificate validity:

Autorised signature
IONESCU NICOLETA
 (name, surname, position)
 Valid until: **30.06.2023**

Autorised signature
IOGA MIHAELA
 (name, surname, position)
 Valid until: **30.06.2024**

Autorised signature

 (name, surname, position)
 Valid until:.....

Stage I of the surveillance
 Scheduled until **30.06.2022**

Stage II of the surveillance
 Scheduled until **30.06.2023**

Stage III of the surveillance
 Scheduled until **30.06.2024**

Certificate History

Review	Description	Date issued	Number of the certificate replaced
0	Initial Certificate	06.05.2014	1833-DPC-96/581/EC/0065-2010 1833-DPC-96/581/EC/0066-2010 1833-DPC-96/581/EC/0067-2010 1833-DPC-96/581/EC/0068-2010 1833-DPC-96/581/EC/0069-2010 1833-DPC-96/581/EC/0070-2010 1833-DPC-96/581/EC/0071-2010 1833-DPC-96/581/EC/0072-2010
1	Recertification I	07.07.2017	1833-CPR-0053 (issued on 06.05.2014)
2	Recertification II	30.06.2021	1833-CPR-0053 (issued on 07.07.2017)

Declaration of performance and product marking

In order to meet the conditions and terms required to maintain the declared performance characteristics, the manufacturer shall draw up a declaration of performance of the product and will may legally apply the CE mark followed by the identification number of the certification body INCERTRANS OC – 1833, fulfilling as well the provisions of Regulation (EU) 305/2011-Annex III: Statement of Performance.