

STENTS

Pigtail



PTFE



TPU



With side holes

Article no.	Stent dimension	
	Straight part mm	Total length mm
Ch.8,5 PTFE		
0400803005	50	70
0400803007	70	90
0400803009	90	110
0400803012	120	140

Article no.	Stent dimension	
	Straight part mm	Total length mm
Ch.8,5 TPU		
0400803003W	30	50
0400803004W	40	60
0400803005W	50	70
0400803006W	60	80
0400803007W	70	90
0400803008W	80	100
0400803009W	90	110
0400803010W	100	120
0400803011W	110	130
0400803012W	120	140
0400803013W	130	150
0400803014W	140	160
0400803015W	150	170

STENTS

Pigtail



TPU



Article no.	Stent dimension	
	Straight part mm	Total length mm
Ch.10 TPU		
0401003003W	30	50
0401003004W	40	60
0401003005W	50	70
0401003006W	60	80
0401003007W	70	90
0401003008W	80	100
0401003009W	90	110
0401003010W	100	120
0401003011W	110	130
0401003012W	120	140
0401003013W	130	150
0401003014W	140	160
0401003015W	150	170

Article no.	Stent dimension	
	Straight part mm	Total length mm
Ch.11,5 TPU		
0401103003W	30	50
0401103004W	40	60
0401103005W	50	70
0401103006W	60	80
0401103007W	70	90
0401103008W	80	100
0401103009W	90	110
0401103010W	100	120
0401103011W	110	130
0401103012W	120	140
0401103013W	130	150
0401103014W	140	160
0401103015W	150	170

STENTS

straight, PTFE



Article no.	Stent dimension	
	Length between flaps mm	Total length mm
Ch. 5 PTFE		
0400501003	30	50
0400501005	50	70
0400501007	70	90
0400501010	100	120
0400501013	130	150

Article no.	Stent dimension	
	Length between flaps mm	Total length mm
Ch. 7 PTFE		
0400701003	30	50
0400701004	40	60
0400701005	50	70
0400701006	60	80
0400701007	70	90
0400701008	80	100
0400701009	90	110
0400701010	100	120
0400701011	110	130
0400701012	120	140
0400701013	130	150
0400701014	140	160
0400701015	150	170
0400701016	160	180
0400701018	180	200

Article no.	Stent dimension	
	Length between flaps mm	Total length mm
Ch. 8,5 PTFE		
0400801003	30	50
0400801004	40	60
0400801005	50	70
0400801006	60	80
0400801007	70	90
0400801008	80	100
0400801009	90	110
0400801010	100	120
0400801011	110	130
0400801012	120	140
0400801013	130	150
0400801014	140	160
0400801015	150	170
0400801016	160	180
0400801017	170	190
0400801018	180	200

STENTS

straight, PTFE




Article no.	Stent dimension	
	Length between flaps mm	Total length mm
Ch. 10 PTFE		
0401001003	30	50
0401001004	40	60
0401001005	50	70
0401001006	60	80
0401001007	70	90
0401001008	80	100
0401001009	90	110
0401001010	100	120
0401001011	110	130
0401001012	120	140
0401001013	130	150
0401001014	140	160
0401001015	150	170
0401001016	160	180
0401001017	170	190
0401001018	180	200

Article no.	Stent dimension	
	Length between flaps mm	Total length mm
Ch. 11,5 PTFE		
0401101003	30	50
0401101004	40	60
0401101005	50	70
0401101006	60	80
0401101007	70	90
0401101008	80	100
0401101009	90	110
0401101010	100	120
0401101011	110	130
0401101012	120	140
0401101013	130	150
0401101014	140	160
0401101015	150	170
0401101016	160	180
0401101017	170	190
0401101018	180	200

INTRODUCER SYSTEMS „JET-SET“ AND „QUICK-SET“

2




Article no.	Diameter guiding catheter Ch.	Diameter Pusher Ch.	Length of introducer system cm	Suitable for stents Ch.	Number of platinum rings	Suitable guide wire inch
0409818	5	8,5	190	8,5	1	0.035
0410818*)	5	8,5	205	8,5	3	0.035
0411818*)	5	8,5	230	8,5	1	0.035
0413818*)	5	8,5	260	8,5	3	0.035
0409819	6	10	190	10 / 11,5	1	0.035
0410819*)	6	10	205	10 / 11,5	3	0.035
0411819*)	6	10	230	10 / 11,5	1	0.035

Figure shows article REF 0410819

*) Jet-Set

GUIDE WIRE "SNAP-TIP"

kink-resistant, Nitinol



Article no.	Guide wire tip	Color version coiled	Diameter inch	Length cm
002926	straight, "Snap-Tip"	green-black	0.025	260
002926A	angled, "Snap-Tip"	green-black	0.025	260
002946	straight, "Snap-Tip"	green-black	0.025	460
002946A	angled, "Snap-Tip"	green-black	0.025	460
002955	straight, "Snap-Tip"	green-black	0.025	550
003926	straight, "Snap-Tip"	yellow-black	0.035	260
003926A	angled, "Snap-Tip"	yellow-black	0.035	260
003946	straight, "Snap-Tip"	yellow-black	0.035	460
003946A	angled, "Snap-Tip"	yellow-black	0.035	460
003955	straight, "Snap-Tip"	yellow-black	0.035	550

Figure shows article REF 003946