

Product specification

Cromatec I · Staining system

Item No.: 17000000



Specifications

Nominal voltage	100 – 240 V AC +/- 10%
Nominal frequency	50 / 60 Hz
Max. power draw	250 VA
Max. heat emission	250 J/s
	Protective class 1
	Pollution degree 2
IEC 1010 classification	Overvoltage installation category II
Fuses	2 x T 2,5 A
	Integrated uninterruptable power supply (UPS battery back-up)
Safety	for power failure up to 4 h
Interfaces	USB, RJ45
Operating temperature range	+10 to +35 °C
Operating humidity	max. rel. 80 % non-condensing
Storage temperature range	+5 to +55 °C
Storage humidity	max. rel. 80 % non-condensing
Dimensions (W x D x H)	1560 x 640 x 620 mm
Weight (without accessories)	110 kg
Specimen slide throughput	Up to 1800 slides/h*
Loading capacity	Up to 20 slide racks simultaneously
Slide rack capacity	30 slides



Specifications

Total number of stations	20
Number of washing stations	Max. 6
Reagent / Washing cuvettes volume	400 ml
Water flow regulation for washing stations	0,5 to 2,0 I/min
Load / unload stations	5 each
Programs	20 programs, up to 20 steps each
Incubation time setting	0 sec. up to 59 min., 59 sec.
Exhaust air volume:	Minimum air volume approx. 200 m³/h, required pressure difference of approx. 100 Pascal (Pa), nominal diameter for hose connection on the back is 100 mm
exhaust air volume.	nose connection on the back is 100 mm

^{*}Depending on staining protocol

Standard components

Staining cuvettes (20 pcs.)

Washing cuvettes (6 pcs.)

Heating station (only Cromatec II)

Basket carrier (6 pcs.)

Slide baskets (6 pcs.)

Transport container with lifter

Xylene container insert with cover for unloading station

Supply and drain hose

Mains cable

Manual

Optional accessories Adapter clip for SAKURA basket (20 slides) Further adapters on request



Comments / additional information:

In case of further questions, please feel free to contact us at every time.

SLEE medical GmbH · Am Neuberg 14 55268 Nieder-Olm · Germany www.slee.de

T: +49 (0) 6136 76997-0

M: mail@slee.de









www.slee.de

YouTube

LinkedIn

Instagram