

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

Chemisept MED

Version: 1

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 **Product identifier:** Chemisept MED Other means of identification: UFI: FKTG-EJTK-N006-6HWV Relevant identified uses of the substance or mixture and uses advised against: 1.2 Relevant uses: antiseptic Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: AS Chemi-Pharm Tänassilma tee 11, Tänassilma küla, Saku vald, Harju maakond – Estonia, 76406 Phone.: +3726778806 chemi-pharm@chemi-pharm.com www.chemi-pharm.com

**1.4 Emergency telephone number:** 112

### SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture:

### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Flam. Liq. 2: Flammable liquids, Category 2, H225

Date of compilation: 02.01.2023

### 2.2 Label elements:

#### CLP Regulation (EC) No 1272/2008:





#### Hazard statements:

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

#### Precautionary statements:

P102: Keep out of reach of children.

- P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233: Keep container tightly closed.
- P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substance:

Non-applicable

# 3.2 Mixture:

Chemical description: Solution

### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

- CONTINUED ON NEXT PAGE -



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **Chemisept MED**

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification		Chemical name/Classification	Concentration
	64-17-5	ethanol <sup>(1)</sup>	ATP CLP00	
	200-578-6 603-002-00-5 01-2119457610-43- XXXX	Regulation 1272/2008	Flam. Liq. 2: H225 - Danger	50 - <75 %
	67-63-0	propan-2-ol <sup>(2)</sup>	ATP CLP00	
Index: 603-1	200-661-7 603-117-00-0 01-2119457558-25- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	2,5 - <10 %

<sup>(2)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

This product is not classified as hazardous when in contact with the skin. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

#### By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

#### By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

#### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:



### SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### For emergency responders:

See section 8.

#### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

- D.- Technical recommendations to prevent environmental risks
- It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):



### SECTION 7: HANDLING AND STORAGE (continued)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

#### DNEL (Workers):

	Short exposure		Long exposure		
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	950 mg/m <sup>3</sup>	Non-applicable
propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m <sup>3</sup>	Non-applicable

### DNEL (General population):

		Short	exposure	Long	Long exposure	
Identification		Systemic	Local	Systemic	Local	
ethanol	Oral	Non-applicable	Non-applicable	87 mg/kg	Non-applicable	
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	206 mg/kg	Non-applicable	
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	114 mg/m <sup>3</sup>	Non-applicable	
propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable	
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable	
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m <sup>3</sup>	Non-applicable	

### PNEC:

Identification				
ethanol	STP	580 mg/L	Fresh water	0,96 mg/L
CAS: 64-17-5	Soil	0,63 mg/kg	Marine water	0,79 mg/L
EC: 200-578-6	Intermittent	2,75 mg/L	Sediment (Fresh water)	3,6 mg/kg
	Oral	0,38 g/kg	Sediment (Marine water)	2,9 mg/kg
propan-2-ol	STP	2251 mg/L	Fresh water	140,9 mg/L
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140,9 mg/L
EC: 200-661-7	Intermittent	140,9 mg/L	Sediment (Fresh water)	552 mg/kg
	Oral	0,16 g/kg	Sediment (Marine water)	552 mg/kg

#### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

- C.- Specific protection for the hands
  - Non-applicable
- D.- Eye and face protection

Non-applicable

E.- Body protection



	Non-applicable								
	F Additional emergency measur	res							
	Emergency measure	Standards		Emergency measure	Standards				
	Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 386	64-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011				
	Environmental exposure cont	rols:	L.		I				
	•	y legislation for the pro			nended to avoid environmental spilla				
	Volatile organic compounds:								
	With regard to Directive 2010/75,	/EU, this product has th	e following ch	aracteristics:					
	V.O.C. (Supply):	80,1 % weight							
	V.O.C. density at 20 °C:	Non-applicable							
	Average carbon number:	2,1							
	Average molecular weight:	47,45 g/mol							
CT	FION 9: PHYSICAL AND CHEM	ICAL PROPERTIES							
1	Information on basis physica	and chomical propo	rtioci						
•	Information on basic physical and chemical properties:								
	For complete information see the product datasheet.								
	Appearance:		Liquid						
	Physical state at 20 °C:		Liquid						
	Appearance:		Fluid						
	Colour:		Colourless						
	Odour:		Alcohol						
	Odour threshold:		Non-applicat						
	Volatility:		02.00						
	Boiling point at atmospheric press	sure:	82 °C						
	Vapour pressure at 20 °C:		4942 Pa						
	Vapour pressure at 50 °C:		23742,96 Pa (23,74 kPa) Non-applicable *						
	Evaporation rate at 20 °C:		ivon-applicat						
	Product description:		New !	Ja *					
	Density at 20 °C:		Non-applicable *						
	Relative density at 20 °C:		0,84 - 0,848 Non-applicable *						
	Dynamic viscosity at 20 °C:		Non-applicable *						
	Kinematic viscosity at 20 °C:		Non-applicable *						
	Kinematic viscosity at 40 °C:		Non-applicat						
	Concentration:		Non-applicat	ne *					
	pH: Vanaur dansity at 20.0Ct		5 - 6						
	Vapour density at 20 °C:		Non-applicable *						
	Partition coefficient n-octanol/wa	ter 20 °C:	Non-applicable *						
	Solubility in water at 20 °C:		Non-applicable *						
			Non-applicable *						
	Solubility properties:		• •						
			Non-applicat Non-applicat Non-applicat	ole *					



	Flammability:					
	Flash Point:	21 °C				
	Flammability (solid, gas):	Non-applicable *				
	Autoignition temperature:	399 °C				
	Lower flammability limit:	Not available				
	Upper flammability limit:	Not available				
	Particle characteristics:					
	Median equivalent diameter:	Non-applicable				
9.2	Other information:					
	Information with regard to physical hazard classes:					
	Explosive properties:	Non-applicable *				
	Oxidising properties:	Non-applicable *				
	Corrosive to metals:	Non-applicable *				
	Heat of combustion:	Non-applicable *				
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *				
	Other safety characteristics:					
	Surface tension at 20 °C:	Non-applicable *				
	Refraction index:	Non-applicable *				

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

#### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:



### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.

- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: ethanol (1); propan-2-ol (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Identification		Acute toxicity		
ethanol	LD50 oral	6200 mg/kg	Rat	
CAS: 64-17-5	LD50 dermal	20000 mg/kg	Rabbit	
EC: 200-578-6	LC50 inhalation	n 124,7 mg/L (4 h)	Rat	
propan-2-ol	LD50 oral	5280 mg/kg	Rat	
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat	
EC: 200-661-7	LC50 inhalation	n 72,6 mg/L (4 h)	Rat	

#### 11.2 Information on other hazards:

#### Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.



### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

### Other information

Non-applicable

### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

#### Acute toxicity:

Identification		Concentration	Species	Genus	
ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish	
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 200-578-6	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae	
propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 200-661-7	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae	

Identification		Concentration	Species	Genus
ethanol	NOEC	250 mg/L	Danio rerio	Fish
CAS: 64-17-5 EC: 200-578-6	NOEC	2 mg/L	Ceriodaphnia dubia	Crustacean

### 12.2 Persistence and degradability:

Identification	De	gradability	/ Biodegradability	
ethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 64-17-5	COD	Non-applicable	Period	14 days
EC: 200-578-6	BOD5/COD	Non-applicable	% Biodegradable	89 %
propan-2-ol	BOD5	1,19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2,23 g O2/g	Period	14 days
EC: 200-661-7	BOD5/COD	0,53	% Biodegradable	86 %

### 12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential	
ethanol	BCF	3
CAS: 64-17-5	Pow Log	-0.31
EC: 200-578-6	Potential	Low



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **Chemisept MED**

	Identification			Bioaccumulation potential		
propan-2-ol		В	CF	3		
CAS: 67-63-0	CAS: 67-63-0			0.05		
EC: 200-661-7	EC: 200-661-7			Low		
.4 Mobility in soil:						
Identification	Absorp	Absorption/desorption		Volatility		
ethanol	Кос	1	Henry	4,61E-1 Pa·m³/r	mol	
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes		
EC: 200-578-6	Surface tension	2,339E-2 N/m (25 °C)	Moist soil	Yes		
propan-2-ol	Кос	1.5	Henry	8,207E-1 Pa·m <sup>3</sup>	/mol	
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes		
EC: 200-661-7	Surface tension	2,24E-2 N/m (25 °C)	Moist soil	Yes		
.5 Results of PBT and vPvB assessm	ent:					
Product fails to meet PBT/vPvB criteria	a					
.6 Endocrine disrupting properties:						

Endocrine-disrupting properties: The product fails to meet the criteria.

#### 12.7 Other adverse effects:

Not described

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### **13.1 Waste treatment methods:**

Cod	le	Description	Waste class (Regulation (EU) No 1357/2014)
16 05	08*	discarded organic chemicals consisting of or containing hazardous substances	Dangerous

#### Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

### Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### **Chemisept MED**

	14.1		
	14.1	UN number or ID number:	UN1987
	14.2	UN proper shipping name:	ALCOHOLS, N.O.S. (ethanol)
	14.3	Transport hazard class(es):	3
		Labels:	3
3		Packing group:	II
		Environmental hazards:	No
	14.6	Special precautions for user	274 (01 (400
		Special regulations: Tunnel restriction code:	274, 601, 640D D/E
		Physico-Chemical properties:	see section 9
		Limited quantities:	1 L
	14 7	Maritime transport in bulk	Non-applicable
	14.7	according to IMO instruments:	Νοι-αμμιζασιε
Transport	of dangerou	is goods by sea:	
With regard	to IMDG 40-	20:	
	14.1	UN number or ID number:	UN1987
	14.2	UN proper shipping name:	ALCOHOLS, N.O.S. (ethanol)
, de	14.3	Transport hazard class(es):	3
		Labels:	3
		Packing group:	II
3		Marine pollutant:	No
•	14.6	Special precautions for user	
		Special regulations:	274
		EmS Codes:	F-E, S-D
		Physico-Chemical properties:	see section 9 1 L
		Limited quantities: Segregation group:	Non-applicable
	147		
	14./	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport	of dangerou	is goods by air:	
With regard	to IATA/ICA	0 2022:	
	14.1	UN number or ID number:	UN1987
344	14.2	UN proper shipping name:	ALCOHOLS, N.O.S. (ethanol)
	14.3	Transport hazard class(es):	3
		Labels:	3
		Packing group:	II
		Environmental hazards:	No
	14.6	Special precautions for user	
		Physico-Chemical properties:	see section 9
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable

## SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: ethanol (Product-type 1, 2, 4) ; propan-2-ol (Product-type 1, 2, 4) REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable



#### SECTION 15: REGULATORY INFORMATION (continued) Seveso III: Section Description Lower-tier Upper-tier reauirements requirements P5c FLAMMABLE LIOUIDS 5000 50000 Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....): Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

#### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

#### Texts of the legislative phrases mentioned in section 2:

H225: Highly flammable liquid and vapour.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

STOT SE 3: H336 - May cause drowsiness or dizziness.

#### **Classification procedure:**

Flam. Liq. 2: Calculation method (2.6.4.3)

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

#### Abbreviations and acronyms:



### SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOGPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.