Technical Specifications

HP E24t G5 FHD Touch Monitor




I. Power Button

Front

2. LED Power

Technical Specifications

HP E24t G5 FHD Touch Monitor



- 1. Joypad OSD button
- 2. Security Cable Slot
- 3. Power Connector
- 4. DisplayPort™ 1.2

Back

- **5.** HDMI 1.4 Port
- **6.** USB-B port
- **7.** SuperSpeed USB Type-A 5Gbps signaling rate (2)
- 8 SuperSpeed USB Type-A 5Gbps signaling rate (2) 1 charging

Technical Specifications

Model: 6N6E6AA

Panel Specifications Display Size (Diagonal) 23.8 inch (60.5 cm)

Viewable Diagonal Size 23.8 inch (60.5 cm)

Panel Technology IPS
Max Refresh Rate 75Hz

Native ResolutionFHD (1920 x 1080)Panel Bit Depth8 bit (6 bit + FRC)

Aspect Ratio 16:9
Brightness (Typical) 300 nits
Contrast Ratio (Static) 1000:1
Dynamic Contrast Ratio 8M:1
Flicker Free Yes

Pixel Pitch 0.27 x 0.27 mm

Pixels Per Inch (PPI) 93 PPI

Display ColorsUp to 16.7 million colors supported*

*Number of colors through A-FRC technology.

Backlight Lamp Life Minimum (To Half

Brightness - In Hours)

Backlight Type Edge-lit
Screen Treatment Anti-glare
Hardness 3H

Hardness 3H **Haze** 25%

Response Time (Typical) 5ms GtG (with overdrive)

Horizontal Viewing Angle
(Typical Cr>10)
Vertical Viewing Angle (Typical Cr>10)
178°

Panel Active Area Metric (W X H) 52.70 x 29.65 cm Panel Active Area Imperial (W X H) 20.75 x 11.67 in

NOTE: Performance specifications represent the typical specifications provided by HP's component

manufacturers; actual performance may vary either higher or lower.

Color sRGB 99%

Color Management Color Space/ Subsampling Support RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2

RGB Channel Adjust Yes, Gain
Default Color Temperature Neutral (6500K)

Factory Color Calibrated Yes (Color Temperature)

Factory Color Presets Warm - 5000K, Neutral - 6500K,

Cool - 9300K

Monitor Specifications Bezel Type 3-sided borderless

Color Of Stand Black & Silver

 Color Of Head
 Black

 Tilt
 Yes, -5~+23°

 Swivel
 +-45°

 Pivot
 ±90°

 Height Adjust Range
 150 mm

Technical Specifications

Vesa Mounting100 mm x 100 mmSecurity LockSecurity lock-ready

Detachable Stand Yes

Warranty 3/3/0 for LA, NA, EMEA, APJ (3/3/3 in select APJ Countries)

Low Blue Light

Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution

certified)

Touch TechnologyUp to 10 Point Advanced In-Cell Touch, Self-Capacitive

technology

Management Software HP Display Center, HP Display Manager*

*Host PC requires Windows 10 and above. HP Display Center is

available on the Microsoft store.

On Screen Display (OSD)

On Screen Display Brightness+, Color, Image, Input, Power, Menu,

Management, Information, Exit

Native Resolution FHD (1920 x 1080)

Maximum Resolution FHD (1920 x 1080 @ 75 Hz)

Preset Graphic Modes/Supported 640 x 480 @ 60Hz **Resolutions** 640 x 480 @ 75Hz

720 x 400 @ 70 Hz 800 x 600 @ 60 Hz 800 x 600 @ 75 Hz 1024 x 768 @ 60 Hz 1024 x 768 @75 Hz 1280 x 720 @ 50 Hz 1280 x 720 @ 60 Hz 1280 x 800 @ 60 Hz 1280 x 1024 @ 60 Hz 1280 x 1024 @ 75 Hz

1600 x 900 @ 60 Hz 1680 x 1050 @ 60 Hz 1920 x 1080 @ 50 Hz 1920 x 1080 @ 60 Hz 1920 x 1080 @ 75 Hz

1440 x 900 @ 60 Hz

Minimum Vertical Scan Rate50 HzMaximum Vertical Scan Rate75 HzMinimum Horizontal Scan Rate30.0 kHzMaximum Horizontal Scan Rate85.0 kHzMaximum Pixel Clock180.0 MHzUser-Assignable Function ButtonsYes, 4 (6 options)

11 (English, Spanish, German, French, Italian,

Languages Netherlands, Portuguese, Japanese, T-Chinese, S-Chinese

and Russian)

Connector Types DisplayPort™ 1.2

HDMI 1 HDMI 1.4

HDCP Yes, DisplayPort™ and HDMI

Technical Specifications

4 SuperSpeed USB Type-A 5Gbps signaling rate (1 **USB-A**

charging) **USB-B** 1 USB-B

SWITCH Monitor Power button **Special Features**

> Next Active Input/ Up button Information / Down button Brightness / Left button Color / Right button Menu / Enter button

User Presets 18

Power & Operating

Power Supply Specs

Power Source 100 - 240 VAC 50/60 Hz

Power Consumption- Max 53W **Energy Saving/Stand By Mode** 0.5W **Power Consumption - Typical** 25W

Energy Star Data Operational Mode at 100 VAC 16.5W Operational Mode at 115 VAC 16.48W

Operational Mode at 230 VAC 16.59W

EU Energy Efficiency

On-mode Power Consumption for Class (ErP LOT-5) Standard Dynamic Range (SDR) **ErP LOT5 Energy Efficiency Class for**

Standard Dynamic Range (SDR)

18W

Internal



5°-35°C

Operating Conditions Operating Temperature - Celsius

> 41° - 95°F **Operating Temperature - Fahrenheit** -40° - 65°C Non-Operating Temperature - Celsius Non-Operating Temperature --40° - 149°F

Fahrenheit

Operating Humidity 20 - 80% Relative Humidity (non-condensing)

Non-Operating Humidity 5 - 95%

Operating Altitude 0 – 5,000 m (16,400 ft.) **Non-operating Altitude** 0 - 12,192 m (40,000 ft.)

Certifications and Compliances

Low Halogen Yes*

*External power supplies, WWAN modules, power cords, cables

and peripherals excluded.

Agency Approvals and Certifications WW application

> CE/CB/KC/KCC/NOM/PSB/ICE/TUV-S/ISO 9241-307/cTUVus/GS/ISC/CCC/CEL/CECP/SEPA/TCO/TCO Certified Edge/Hardware Low Blue Light/Energy

Star/ISC/VCCI/FCC/BSMI/BIS/NRCS/UAE/Ukraine/Vietnam

MEPS/Australian-New Zealand MEPS/Ukraine EE/WEEE/TGM/PSE/ E-Standby (Korea MEPS)/EAC

Microsoft WHQL Certification Win 11 (x64 only), Win 10 (x64 only)

ENERGY STAR® Certified Yes



Technical Specificat	ions			
	EPEAT® Registered Regions need to verify by country	EPEAT® Gold in United States	*	
		*Based on US EPEAT® registration 2018 EPEAT®. Status varies by controlled the http://www.epeat.net for more	ountry. Visit	
	China Energy Label	CEL, Grade 2* *Monitors produced from June 2 regulation GB 21520-2023.	024 comply with China	
	TCO Certified Edge	Yes		
	TCO Certified	Yes		
	SmartWay Transport Partnership - NA only	Yes (NA sku)		
Contains Recycled Plastics	Contains Recycled Plastics	Contains Ocean-Bound Plastic*, 80% ITE-derived closed loop plastic**		
		*All plastic parts contain ocean-bound plastic. Percentage of ocean-bound plastic contained in each component varies by product.		
		** ITE Derived Closed Loop Plast definition set in the IEEE 1680.1		
	Recycled Metals	At least 25% recycled metal*		
		*Recycled metal is expressed as of the metal according to ISO 14 over 25 grams.	a percentage of the total weight 021 definitions for metal parts	
	Recyclable Packaging (Box, packing materials)	Outside Box and corrugated or sustainably sourced and recy		
		Molded Paper Pulp Cushion inside box is 100% sustainably sourced and recyclable**		
		*100% outer box packaging and sustainably sourced certified and **Molded pulp cushions are mad fiber and organic materials.		
		<u>Metric</u>	<u>Imperial</u>	
Unit Product/Package Specifications	Product Dimensions (Unpacked with stand) (W x D x H)	53.94 x 21.1 x 50.7 cm	21.24 x 8.31 x 19.96 inch	
Specificacions	Product Dimensions (Packed) (W x D x H)	62.1 x 14 x 40 cm	24.45 x 5.51 x 15.75 inch	
	Display Head Dimensions	53.94x4.7x32.26 cm	21.24x1.85x12.7 inch	
	(Unpacked without stand) (W \times D \times H)	(w/o hinge)	(w/o hinge)	
		53.94x7.5x32.26 cm (w/ hinge)	21.24x2.95x12.7 inch (w/ hinge)	



Base Area Footprint

Bezel Measurements

(Unpacked with stand) **Product Weight**

Product Weight

(w x d mm)

(Packed)

242 x 187 mm

5.77 kg

8.37 kg

Bottom: 18.10 mm

9.53 x 7.36 inch

Bottom: 0.71inch

12.72 lb

18.44 lb

Technical Specifications

 Product Weight
 3.75 kg (w/o hinge)
 8.25 lb (w/o hinge)

 (Head Only)
 4.12 kg (w/ hinge)
 9.08 lb (w/ hinge)

Pallet Information Pallet Dimensions (20' ft/40' ft) Slip Sheet: (20' ft/40' ft) Slip Sheet:

(L x W x H mm) 1126 x 627 x 2025 mm 44.33 x 24.69 x 79.72 inch (20' ft/40' ft) Pallet: (20' ft/40' ft) Pallet:

1126 x 627 x 2145 mm 44.33 x 24.69 x 84.45 inch (40' HQ) Slip Sheet: (40' HQ) Slip Sheet: 44.33 x 24.69 x 95.59 inch

(40' HQ) Pallet: (40' HQ) Pallet:

1126 x 627 x 2548 mm 44.33 x 24.69 x 100.31 inch

Pallet Total Weight Slip Sheet: Slip Sheet:

341.3kg (40' ft&20' ft) 750.86 lb (40' ft&20' ft)

 Slip Sheet:
 Slip Sheet:

 409.5 kg (40' HQ)
 900.9 lb (40' HQ)

Pallet: Pallet:

350.3 kg (40' ft&20' ft) 770.66 lb (40' ft&20' ft)

Pallet: Pallet:

418.5 kg (40' HQ) 920.7 lb (40' HQ)

Pallet Layers 5 layers per pallet(20' ft/40' ft)

6 layers per pallet(40' HQ)

Pallet Product per Layer 8 per layer

Total Products per Pallet

40 sets per pallet(20' ft/40' ft)
48 sets per pallet(40' HQ)

720 sets (slip sheet)
720 sets (pallet)

Container Load, 40-Foot

1520 sets (slip sheet)
1520 sets (pallet)
1824 sets (slip sheet)

Container Load, 40-Foot HighQ 1824 sets (slip sheet) 1824 sets (pallet)

What's in the box? AC power cord (1.83m) 5.9ft

HDMI 1.4 cable (1.8m) 5.9 ft USB 3.0 B-A cable (1.8m) DP 1.2 cable (1.8m)

Container Load, 20-Foot

Warranty

Quick Setup Poster

User Guide Languages Arabic, Bahasa Indonesia, Bulgarian, Chinese-S, Chinese-

T, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Kazakh, Korean, Latvian, Lithuanian,

Norwegian, Polish, Portuguese (Brazilian), Portuguese (Iberian), Romanian, Russian, Serbian, Slovak, Slovenian,

Spanish, Swedish, Thai, Turkey, Ukrainian

Warranty Languages English US (EN), English AP (EN-AP), English LA (EN-LA),

English UK (EN-GB), Arabic (AR) -17x, Bahasa Indonesia (ID), Bosnian (BS), Bulgarian (BG), Chinese-S (CN), Chinese-T (TW), Croatian (HR), Czech (CS), Danish (DA),

User Guide and

Warranty Languages

Technical Specifications

Dutch (NL), Estonian (ET), Finnish (FI), French Canadian (FC), French European (FR), German (DE), Greek (EL), Hebrew (HE), Hungarian (HU), Italian (IT), Japanese (JA), Kazakh (KK), Korean (KO), Latvian (LV), Lithuanian (LT), Norwegian (NO), Polish (PL), Portuguese, Brazilian (BR), Portuguese, Iberian (PT), Romanian (RO), Russian (RU), Serbian (SR), Slovak (SK), Slovenian (SL), Spanish, Castilian (ES-ES), Spanish, Latin America (ES-MX), Swedish (SV), Thai (TH)
Turkish (TR), Ukrainian (UK), Vietnamese (VI)



Technical Specifications

ENVIRONMENTAL DATA

Eco-Label Certifications	This product has received	or is in the process of boing	cortified to the following approvals and may	
Eco-Label Certifications & declarations	This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks: IT ECO declaration US ENERGY STAR® US Federal Energy Management Program (FEMP) EPEAT® Gold registered in the United States. See http://www.epeat.net for registration status in your country. TCO Certified Edge China Energy Conservation Program (CECP) China State Environmental Protection Administration (SEPA) Taiwan Green Mark Korea Eco-label Japan PC Green label*			
Sustainable Impact Specifications	 85% ITE – derived closed loop plastic 25% recycled metal Low halogen Outside Box and corrugated cushions are 100% sustainably sourced and recyclable Molded Paper Pulp Cushion inside box is 100% sustainably sourced and recyclable 			
System Configuration	The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a "Typically Configured Notebook".			
Energy Consumption (in accordance with US ENERGY STAR® test method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz	
Normal Operation (Short idle)	16.33 W	16.44 W	16.35 W	
Normal Operation (Long idle)	16.33 W	16.44 W	16.35 W	
Sleep	0.25 W	0.25 W	0.25 W	
Off	0.17 W	0.17 W	0.17 W	
	NOTE: Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows® operating system.			
Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz	
Normal Operation (Short	55.8 BTU/hr	56.2 BTU/hr	55.9 BTU/hr	
idle)	II .			
idle) Normal Operation (Long idle)	55.8 BTU/hr	56.2 BTU/hr	55.9 BTU/hr	



Technical Specifications

Off	0.6 BT	II/hr	0.6 BTU/hr		0.6 BTU/hr
OII	0.0 01	0/111	0.0 110/111		0.0 10/111
	* NOTE: Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.				
Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the				
	Spare parts are available throughout the warranty period and or for up to "5" years after the end of production.				
Additional Information	 This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC. This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive - 2002/96/EC. This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see www.epeat.net Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043. This product is 98.7% recycle-able when properly disposed of at end of life. 				
Packaging Materials	External:	PAPER/Cor	rugated		777 g
		PAPER/Cor	rugated		440 g
		PAPER/Mol			476 g
	Internal:		<u> </u>	:+\	
			DPE (Polyethylene High Dens terial contains at least 0.0%)	=	42 g
RoHS Compliance	The corrugated paper packaging materials contains at least 92.0% recycled content. HP Inc. complies fully with materials regulations. We were among the first companies to exterestrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam. We believe the RoHS directive and similar laws play an important role in promoting industry-		rst companies to extend the nces (RoHS) Directive to our elopment of related		
	elimination of substances of concern. We have supported the inclusion of additional substance including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrand electronics products.			of additional substances—	
	We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend th scope of the commitment to include further restricted substances as regulations continue to evolve.		ll continue to extend the		
To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position sta			osition statement.		
Material Usage	This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at				



Technical Specifications

	http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html):
	 Asbestos Certain Azo Colorants Certain Brominated Flame Retardants – may not be used as flame retardants in plastics Cadmium Chlorinated Hydrocarbons Chlorinated Paraffins Bis(2-Ethylkexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Dibutyl phthalate (DIBP) Diisobutyl phthalate (DIBP) Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead and Lead compounds Mercuric Oxide Batteries Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. Ozone Depleting Substances Polybrominated Biphenyl (PBBs) Polybrominated Biphenyl Ethers (PBBEs) Polybrominated Biphenyl (PCB) Polychlorinated Terphenyls (PCT) Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging Usage	 HP follows these guidelines to decrease the environmental impact of product packaging: Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. Eliminate the use of ozone-depleting substances (ODS) in packaging materials. Design packaging materials for ease of disassembly. Maximize the use of post-consumer recycled content materials in packaging materials. Use readily recyclable packaging materials such as paper and corrugated materials. Reduce size and weight of packages to improve transportation fuel efficiency. Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
End-of-life Management and Recycling	HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.



Technical Specifications

	The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.
HP, Inc. Corporate	For more information about HP's commitment to the environment:
Information	Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf
footnotes	 Percentage of ocean-bound plastic contained in each component varies by product Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard. External power supplies, WWAN modules, power cords, cables and peripherals excluded. 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic materials. Plastic cushions are made from >90% recycled plastic. Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams



Technical Specifications

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.



Summary

Change Log			
January 10, 2023	V1 to V2	Added	Environmental Data
April 12, 2023	V2 to V3	V2 to V3	Updated
April 29, 2024	V3 to V4	Updated	China Energy Label

