

Complet Vehicles Apporval Certificate

Name And Adress Of Producer : PALAZOGLU TARIM ALETLERI SAN. VE TIC LTD STI.

Çubuklubala Mahallesi Bayhan Sokak No: 2 İzmit/KOCAELİ - TURKEY

Responsible Person : Barbaros PALAZ
Ranking Position : General Manager

Producer: PALAZOGLU TARIM ALETLERI SAN. VE TIC LTD STI.

Type / Model : TR1S32

Trade Name : 3 Ton(s) Single Axle Slurry Tank

Trailer Category : R3a

Serial Number Plate Position : In front Of The Case / Chassis Frame Front Right

Serial Number / VIN : NR8PT1RDHSTR31897

Production Year : 2025 Kerb (Own) Weight : 1.250 Kg

Suspension: -

Wheel Size : 12,5/80-15,3 Brake Type : Pneumatic Brake

Palazoğlu Tarım Aletleri San. Ve Tic. Ltd. Şti declare mentioned clauses as a producer;

- Mentioned chassis numbered trailer is designed to agricultural purposes.
- All traffic regulations regarding braking, electric, signaling and reflectors are suitable to use it on public roads.
- For all other specifications declared on related chassis number technical characteristic data document.
- This Trailer produced According to 2006/42/EC & 167/2013/EC & 830/2018/EC Machinery Directive.
- This Trailer produced According to EU 2015/208 & EU 2015/68 & EU 1322/2014 Regulations

Date: 16.10.2025

Place: KOCAELİ - TURKEY

Barbaros PALAZ General Manager



Technical Characteristics Of Product

I.GENERAL DATA			
I.GENERAL	1.	Vehicle Type	Farm Trailer
	2.	Manufacturer	Palazoglu Tarım Aletleri San. Ve Tic. Ltd. Şti.
	3.	Type/Model	TR1S32
	4.	Body Type	Platform
	5.	Name Plate Position	Chassis Frame Front Right
	6.	Serial Number / VIN	NR8PT1RDHSTR31897
II.DIMENSIONS AND WEIGHT			
	1.	Lenght	4.700 mm
	2.	Width	1.780 mm
	3.	Height	2.200 mm
	4.	Number Of Axles	1
	5.	Wheel Truck	1.800 mm
	6.	Wheel Base	3.674 mm
	7.	Loading Case Lenght	3.500 mm
	8.	Loading Case Width	1.700 mm
	9.	Loading Case Height	1.200 mm
	10.	Tow Bar Hitch Ring Diameter	40
	11.	Kerb Weight	1.250 Kg
	12.	Permissible Weight	4.300 Kg
	13.	Permissible Loading Weight	3.000 Kg
	14.	Axle 1	4.300 Kg
	15.	Axle 2	-
	16.	Axle 3	-
	17.	Support Leg	2.500 Kg
	18.	Axle 1 kN	43
	19.	Axle 2 kN	-
	20.	Axle 3 kN	-
III.SUSPENSION			
	1.	Suspension Type	-
IV.WHEELS AND TYRES			
	1.	Number Of Wheels Pcs	2
	2.	Wheel Disk Size	9,00x15,3
	3.	Tyre Size PR Number	12,5/80-15,3
V.BRAKING SYSTEM			
		Service Brake	
	1.	Туре	Mechanical
	2.	Control	Pneumatic Brake
	3.	No Of Wheels Operated	2
		Parking Brake	
	1.	Туре	Mechanical
	2.	Control	Manuel By A Screw Gear
	3.	Operated Components	2 Rear Axle Wheels
VI.ELECTRICAL SYSTEM			
	1.	Voltage Rating	12v Feed By Tractor
VII.OPERATING DATA			
	1.	Maximum Speed	40 Km/h
	2.	Maximum Transport Speed	30 Km/h
	INFORMATIO		
	1.	Tractor Hitch Couplin	Upper Transport Hitch

Place: KOCAELİ - TURKEY

Date: 16.10.2025

MARRITA DILETRAL DATE: TRASCAS

General Manager



EC DECLARATION OF CONFIRMITY According to Machinery Directive 2006/42/EC

Manufacturer

Palazoğlu Tarım Aletleri San. ve Tic. Ltd. Şti.

Address

Çubuklubala Mahallesi Bayhan Sokak No: İzmit / KOCAELİ

Year Of Manufacture Type Of Product Serial / VIN No

2025 3 Ton(s) Single Axle Slurry Tank NR8PT1RDHSTR31897

Declaration

Here with we declare under our own responsibility that the products designated above EU Directive Machinery Safety Directive, which is manufactured in compliance with health, safety and the safety rules.

Directives

Machinery Safety Directive 2006/42/EC

Harmonized Standard

TS 585 Farm Trailers

TS 3413 Test Codes Of The Farm Trailers And Water Tanks

TS 1169 ISO 303 Road Vehicles-Installation Of Lighting And Light Signalling-Devices For Motor Vehicles

And Their Trailers

TS 1305 Dimensions Of Motor Vehicles And Their Trailers Designations And Definitions

TS EN 1853+A1 Agricultural Machinery- Trailers With Tipping Body- Safety

TS ISO 11407 Commercial Road Vehicles- Mechanical Coupling Between Towing Vehicles With

Coupling Mounted Forward And Below And Centre-Axle Trailers- Interchangeability

TS EN ISO 12100:2010 Safety Of Machinery - General Principles For Design - Risk Assessment And Risk

Reduction

Place: KOCAELİ - TURKEY

Date: 16.10.2025

Barbaros PALAZ General Manager