

Specificații tehnice

[Acest tabel va fi completat de către ofertant în coloanele 2, 3, 4, 6, 7, iar de către autoritatea contractantă – în coloanele 1, 5]

Numărul procedurii de achiziție: <i>ocds-b3wdp1-MD-1727240260343 din 29/09/204</i>
Obiectul achiziției: <i>Microfoane și seturi de portavoce pentru instituțiile din subordinea Direcției Cultură a Primăriei Mun.Chisinau</i>

Denumirea bunurilor/ serviciilor	Denumirea modelului bunului/ serviciului	Țara de origine	Producă torul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
Bunuri/servicii						
Allen & Heath M-SQ- WAVES3-A	M-SQ- WAVES3-A	China	Allen & Heath	64 × 64 Channel Interface Usable with 96 kHz or 48 kHz Can be integrated via Waves Plugin Server or Waves Native Multi-channel recording / playback 2 Ports with redundant and switch modes Internal Control Network Bridge Lockable Ethercon connector Available since October 2018 Item number 449259 Sales Unit 1 piece(s) Extension Card for Allen & Heath Type Waves Sound Garantie 36 luni	64 × 64 Channel Interface Usable with 96 kHz or 48 kHz Can be integrated via Waves Plugin Server or Waves Native Multi-channel recording / playback 2 Ports with redundant and switch modes Internal Control Network Bridge Lockable Ethercon connector Available since October 2018 Item number 449259 Sales Unit 1 piece(s) Extension Card for Allen & Heath Type Waves Sound Garantie 36 luni	CE
Allen & Heath SQ Slink	SQ Slink	China	Allen & Heath	Audio Network Expansion Card	Audio Network Expansion Card	CE

				For installation in Allen & Heath SQ mixing consoles Extends the mixer by a SLink output with a maximum of 128x128 channels and 48 / 96kHz operation Note: The built-in SLink port and the then additional SLink Option Card port are operated independently of each other and can work in 3 different modes: dSnake / ME, DX or GigaACE Available since October 2018 Sales Unit 1 piece(s) Extension Card for Allen & Heath Type SQ Garantie 36 luni	For installation in Allen & Heath SQ mixing consoles Extends the mixer by a SLink output with a maximum of 128x128 channels and 48 / 96kHz operation Note: The built-in SLink port and the then additional SLink Option Card port are operated independently of each other and can work in 3 different modes: dSnake / ME, DX or GigaACE Available since October 2018 Sales Unit 1 piece(s) Extension Card for Allen & Heath Type SQ Garantie 36 luni	
Thon Case for Allen & Heath SQ6	<i>SQ6</i>	China	Allen & Heath	Mixer Case For Allen & Heath SQ6 Material: 7 mm plywood 30 x 30mm Aluminium edges Foam padding 4 Spring-loaded butterfly latches 4 Folding handles 4 Steel ball corners 4 Steel ball corners with integrated L-corner 15 cm Cable duct External dimensions (W x D x H): 710 x 705 x 285 mm	Mixer Case For Allen & Heath SQ6 Material: 7 mm plywood 30 x 30mm Aluminium edges Foam padding 4 Spring-loaded butterfly latches 4 Folding handles 4 Steel ball corners 4 Steel ball corners with integrated L-corner 15 cm Cable duct External dimensions (W x D x H): 710 x 705 x 285 mm	CE

				<i>Weight: 12.8 kg</i> <i>Colour: Phenol Brown</i> <i>Available since</i> <i>December 2017</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>made for</i> <i>Allen & Heath</i> <i>Type</i> <i>Case</i> <i>Material</i> <i>7 mm Plywood</i> <i>Wheels</i> <i>No</i> <i>Dockhouse</i> <i>No</i> <i>Colour</i> <i>Phenol/Alu</i> <i>Weight</i> <i>12,8 kg</i> <i>External Width</i> <i>710 mm</i> <i>External Depth</i> <i>705 mm</i> <i>External Height</i> <i>285 mm</i> <i>Garantie 36 luni</i>	<i>Weight: 12.8 kg</i> <i>Colour: Phenol Brown</i> <i>Available since</i> <i>December 2017</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>made for</i> <i>Allen & Heath</i> <i>Type</i> <i>Case</i> <i>Material</i> <i>7 mm Plywood</i> <i>Wheels</i> <i>No</i> <i>Dockhouse</i> <i>No</i> <i>Colour</i> <i>Phenol/Alu</i> <i>Weight</i> <i>12,8 kg</i> <i>External Width</i> <i>710 mm</i> <i>External Depth</i> <i>705 mm</i> <i>External Height</i> <i>285 mm</i> <i>Garantie 36 luni</i>	
Sennheiser ew IEM G4 Twin A1-Band	IEM G4	China	Sennheiser	<i>In Ear System</i> <i>Evolution Wireless Series</i> <i>Consisting of 2x UHF</i> <i>Bodypack receiver (EK IEM G4), 9.5" transmitter (SR IEM G4) and 2x IE4 earphones</i> <i>Frequency range A1 band:</i> <i>470 - 516 MHz</i> <i>Stereo- / Focus- / Mono - Mode</i> <i>Up to 1680 frequencies in 42 MHz switching bandwidth</i> <i>20 Channel banks each with up to 16 presets</i> <i>Up to 16 compatible</i>	<i>In Ear System</i> <i>Evolution Wireless Series</i> <i>Consisting of 2x UHF</i> <i>Bodypack receiver (EK IEM G4), 9.5" transmitter (SR IEM G4) and 2x IE4 earphones</i> <i>Frequency range A1 band:</i> <i>470 - 516 MHz</i> <i>Stereo- / Focus- / Mono - Mode</i> <i>Up to 1680 frequencies in 42 MHz switching bandwidth</i> <i>20 Channel banks each with up to 16 presets</i> <i>Up to 16 compatible</i>	CE

				channels Frequency range: 25 - 15,000 Hz Frequency transmission via infrared interface Pocket receiver with charging contacts for optional BA 2015 rechargeable battery (NiMH) (battery not included) Pilot tone Auto tune to find free frequencies Audio Gain includes 60 dB 4-Digit battery indicator on the transmitter and receiver HDX compander OLED display with NF level and channel display 3.5 mm jack for earphones Adjustable limiter Switchable transmission power 10/30/50 mW WSM support (Ethernet interface for frequency management) Adjustable 6.3 mm headphone jack on the transmitter 1 BNC antenna jack 2 x Jack/XLR female balanced combo jack inputs Power supply 10.5 - 16 V DC Including power supply unit NT 2-3 CW, 2 earphones IE 4, 4 x 1.5 V batteries and rack kit GA 3 for 19" installation Available since May 2018	channels Frequency range: 25 - 15,000 Hz Frequency transmission via infrared interface Pocket receiver with charging contacts for optional BA 2015 rechargeable battery (NiMH) (battery not included) Pilot tone Auto tune to find free frequencies Audio Gain includes 60 dB 4-Digit battery indicator on the transmitter and receiver HDX compander OLED display with NF level and channel display 3.5 mm jack for earphones Adjustable limiter Switchable transmission power 10/30/50 mW WSM support (Ethernet interface for frequency management) Adjustable 6.3 mm headphone jack on the transmitter 1 BNC antenna jack 2 x Jack/XLR female balanced combo jack inputs Power supply 10.5 - 16 V DC Including power supply unit NT 2-3 CW, 2 earphones IE 4, 4 x 1.5 V batteries and rack kit GA 3 for 19" installation Available since May 2018	
--	--	--	--	--	--	--

				<i>Sales Unit</i> <i>1 piece(s)</i> <i>Switchable Frequencies</i> <i>Yes</i> <i>Mono/Stereo</i> <i>Stereo</i> <i>Limiter</i> <i>Yes</i> <i>Incl. Earpieces</i> <i>Yes</i> <i>Focus, Mixed, Dual Mono</i> <i>Yes</i> <i>Frequency from</i> <i>470 MHz</i> <i>Frequency to</i> <i>516 MHz</i> <i>Garantie 36 luni</i>	<i>Sales Unit</i> <i>1 piece(s)</i> <i>Switchable Frequencies</i> <i>Yes</i> <i>Mono/Stereo</i> <i>Stereo</i> <i>Limiter</i> <i>Yes</i> <i>Incl. Earpieces</i> <i>Yes</i> <i>Focus, Mixed, Dual Mono</i> <i>Yes</i> <i>Frequency from</i> <i>470 MHz</i> <i>Frequency to</i> <i>516 MHz</i> <i>Garantie 36 luni</i>	
Sennheiser EK IEM G4 A1-Band	IEM G4 A1	China	Sennheiser	<i>In-ear bodypack receiver</i> <i>Evolution Wireless Series</i> <i>Frequency range: A1-band, 470-516 MHz</i> <i>Charging contacts for optional BA 2015 (NiMH) rechargeable battery (battery is not included, must be purchased separately)</i> <i>Pilot tone</i> <i>4-Digit battery indicator</i> <i>LCD display with RF / AF level- and channel display</i> <i>3.5 mm Jack input for earphones</i> <i>Adjustable limiter</i> <i>Operates with 2x 1.5 V batteries or rechargeable battery</i> <i>Includes IE4 earphones</i> <i>Available since</i> <i>March 2019</i> <i>Item number</i> <i>436956</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>Incl. Earpieces</i> <i>Yes</i> <i>Type</i> <i>Receiver</i>	<i>In-ear bodypack receiver</i> <i>Evolution Wireless Series</i> <i>Frequency range: A1-band, 470-516 MHz</i> <i>Charging contacts for optional BA 2015 (NiMH) rechargeable battery (battery is not included, must be purchased separately)</i> <i>Pilot tone</i> <i>4-Digit battery indicator</i> <i>LCD display with RF / AF level- and channel display</i> <i>3.5 mm Jack input for earphones</i> <i>Adjustable limiter</i> <i>Operates with 2x 1.5 V batteries or rechargeable battery</i> <i>Includes IE4 earphones</i> <i>Available since</i> <i>March 2019</i> <i>Item number</i> <i>436956</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>Incl. Earpieces</i> <i>Yes</i> <i>Type</i> <i>Receiver</i>	CE

				<i>Frequency Range</i> 407 MHz – 516 MHz <i>Garantie 36 luni</i>	<i>Frequency Range</i> 407 MHz – 516 MHz <i>Garantie 36 luni</i>	
Sennheiser AC41 Antenna Combiner	AC41 Antenna	China	Sennheiser	<i>Active antenna combiner for ew G4</i> <i>Up to 4 IEM transmitters</i> <i>Compatible with SR IEM G4, SR 300 IEM G3, SR 2000 IEM and SR 2050 IEM</i> <i>Type: 9.5", / 1 U</i> <i>Includes power supply NT 3-1 and 4x BNC cable</i> <i>Available since</i> May 2018 <i>Sales Unit</i> 1 piece(s) <i>Device type</i> Combiner <i>Device type</i> Active <i>Frequency range up to - Frequency range from</i> 470 MHz – 870 MHz <i>Width</i> 212 mm <i>Height</i> 43 mm <i>Depth</i> 168 mm <i>Weight</i> 1,5 kg <i>Garantie 36 luni</i>	<i>Active antenna combiner for ew G4</i> <i>Up to 4 IEM transmitters</i> <i>Compatible with SR IEM G4, SR 300 IEM G3, SR 2000 IEM and SR 2050 IEM</i> <i>Type: 9.5", / 1 U</i> <i>Includes power supply NT 3-1 and 4x BNC cable</i> <i>Available since</i> May 2018 <i>Sales Unit</i> 1 piece(s) <i>Device type</i> Combiner <i>Device type</i> Active <i>Frequency range up to - Frequency range from</i> 470 MHz – 870 MHz <i>Width</i> 212 mm <i>Height</i> 43 mm <i>Depth</i> 168 mm <i>Weight</i> 1,5 kg <i>Garantie 36 luni</i>	CE
Sennheiser GZL RG 8x - 10m	GZL RG	China	Sennheiser	<i>BNC Cable</i> <i>Low damping</i> <i>With ultra-low resistance</i> 50 Ohm <i>For connecting remote antennae</i> <i>Length: 10 m</i> <i>Available since</i> October 2002 <i>Item number</i> 152574 <i>Sales Unit</i>	<i>BNC Cable</i> <i>Low damping</i> <i>With ultra-low resistance</i> 50 Ohm <i>For connecting remote antennae</i> <i>Length: 10 m</i> <i>Available since</i> October 2002 <i>Item number</i> 152574 <i>Sales Unit</i>	CE

				<i>1 piece(s)</i> <i>Application</i> <i>Antenna</i> <i>Input connector</i> <i>BNC male</i> <i>Output</i> <i>connector</i> <i>BNC male</i> <i>Length In cm</i> <i>10,00 m</i> <i>Connection</i> <i>BNC</i> <i>Cable type</i> <i>RG213</i> <i>Length</i> <i>10 m</i>	<i>1 piece(s)</i> <i>Application</i> <i>Antenna</i> <i>Input connector</i> <i>BNC male</i> <i>Output</i> <i>connector</i> <i>BNC male</i> <i>Length In cm</i> <i>10,00 m</i> <i>Connection</i> <i>BNC</i> <i>Cable type</i> <i>RG213</i> <i>Length</i> <i>10 m</i>	
Sennheiser ADP UHF 470-1075 MHz	ADP UHF 470-1075 MHz	China	Sennheiser	<i>Passive External</i> <i>Directional</i> <i>Antenna</i> <i>UHF range: 470</i> <i>Hz - 1075 MHz</i> <i>BNC connection</i> <i>3/8" and 5/8"</i> <i>thread for</i> <i>microphone stands</i> <i>Available since</i> <i>June 2021</i> <i>Item number</i> <i>519465</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>Type</i> <i>Directional</i> <i>antenna</i> <i>Frequency range</i> <i>up to - Frequency</i> <i>range from</i> <i>470 MHz – 1075</i> <i>MHz</i> <i>Connection</i> <i>BNC</i> <i>Connection 3/8"</i>	<i>Passive External</i> <i>Directional</i> <i>Antenna</i> <i>UHF range: 470</i> <i>Hz - 1075 MHz</i> <i>BNC connection</i> <i>3/8" and 5/8"</i> <i>thread for</i> <i>microphone stands</i> <i>Available since</i> <i>June 2021</i> <i>Item number</i> <i>519465</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>Type</i> <i>Directional</i> <i>antenna</i> <i>Frequency range</i> <i>up to - Frequency</i> <i>range from</i> <i>470 MHz – 1075</i> <i>MHz</i> <i>Connection</i> <i>BNC</i> <i>Connection 3/8"</i>	CE

				<i>Yes</i> <i>5/8" Connection</i> <i>Yes</i> <i>Antenne type</i> <i>Passive</i>	<i>Yes</i> <i>5/8" Connection</i> <i>Yes</i> <i>Antenne type</i> <i>Passive</i>	
SKB Roto-Molded 4U Shallow Rack	Roto-Molded 4U	China	SKB	Double Door Rack Installation depth: 27.18 cm 4 Butterfly latches Dimensions: 56.9 x 23.1 x 41.2 cm Weight: 5.81 kg Colour: Black Available since June 2014 Item number 342315 Sales Unit 1 piece(s) Formfactor 19" Construction Type Double-Door Vertical Height Units 4 U Internal Depht [mm] 270 mm Horizontal Height Units 0 U with display stand No Rack rail at the back Yes Service flap No With Wheels No Trolley No Shock Mount No Clasps Butterfly Material Plastic	Double Door Rack Installation depth: 27.18 cm 4 Butterfly latches Dimensions: 56.9 x 23.1 x 41.2 cm Weight: 5.81 kg Colour: Black Available since June 2014 Item number 342315 Sales Unit 1 piece(s) Formfactor 19" Construction Type Double-Door Vertical Height Units 4 U Internal Depht [mm] 270 mm Horizontal Height Units 0 U with display stand No Rack rail at the back Yes Service flap No With Wheels No Trolley No Shock Mount No Clasps Butterfly Material Plastic	CE

				Colour Black Weight 5,8 kg	Colour Black Weight 5,8 kg	
Thon Inlaycase BK Univ	Inlaycase BK Univ	Vhina	Thon	<i>Custom-Made Case for Inlay System</i> <i>For the Thon Inlay System</i> <i>Material: 7 mm coated plywood</i> <i>22 x 22 mm Aluminium edges</i> <i>2 Small butterfly latches</i> <i>1 Suitcase handle</i> <i>2 Locking hinges</i> <i>8 Steel ball corners</i> <i>Convolutd foam in the lid</i> <i>Internal dimensions (W x D x H): 405 x 375 x 60 mm</i> <i>External dimensions (W x D x H): Approximately 445 x 415 x 130 mm</i> <i>Weight: Approximately 4.6 kg</i> <i>Colour: Black</i> <i>Milled foam inlay</i> <i>Suitable for 2 U rack with pullout drawers or Thon inlay system case</i> <i>For 12 pockettransmitters</i> <i>Foam in two colours black/ red</i> <i>Accessory compartment</i> <i>Milled compartment for handheld transmitter (W x D x H): approx. 118 x 31 x 50 mm</i>	<i>Custom-Made Case for Inlay System</i> <i>For the Thon Inlay System</i> <i>Material: 7 mm coated plywood</i> <i>22 x 22 mm Aluminium edges</i> <i>2 Small butterfly latches</i> <i>1 Suitcase handle</i> <i>2 Locking hinges</i> <i>8 Steel ball corners</i> <i>Convolutd foam in the lid</i> <i>Internal dimensions (W x D x H): 405 x 375 x 60 mm</i> <i>External dimensions (W x D x H): Approximately 445 x 415 x 130 mm</i> <i>Weight: Approximately 4.6 kg</i> <i>Colour: Black</i> <i>Milled foam inlay</i> <i>Suitable for 2 U rack with pullout drawers or Thon inlay system case</i> <i>For 12 pockettransmitters</i> <i>Foam in two colours black/ red</i> <i>Accessory compartment</i> <i>Milled compartment for handheld transmitter (W x D x H): approx. 118 x 31 x 50 mm</i>	CE

				<i>Dimensions (WxDxH):</i> 405 x 375 x 60 mm <i>Available since</i> September 2018 <i>Item number</i> 449284 <i>Sales Unit</i> 1 piece(s) <i>suitable for</i> Bodypacks 12x <i>Material</i> 7 mm Plywood <i>Wheels</i> No <i>IP Class</i> No <i>Colour</i> Black <i>Weight</i> 4,8 kg <i>External Width</i> 445 mm <i>External Depth</i> 415 mm <i>External Height</i> 130 mm	<i>Dimensions (WxDxH):</i> 405 x 375 x 60 mm <i>Available since</i> September 2018 <i>Item number</i> 449284 <i>Sales Unit</i> 1 piece(s) <i>suitable for</i> Bodypacks 12x <i>Material</i> 7 mm Plywood <i>Wheels</i> No <i>IP Class</i> No <i>Colour</i> Black <i>Weight</i> 4,8 kg <i>External Width</i> 445 mm <i>External Depth</i> 415 mm <i>External Height</i> 130 mm	
Thon Rack Drawer 2U short	Rack Drawer 2U	China	Thon	<i>Rack Drawer 2 U</i> <i>Installation depth of rack drawer:</i> 210 mm <i>Material:</i> Metal Black powder-coated Robust castor guide <i>Inner dimensions (W x D x H):</i> 404 x 210 x 74 mm <i>Construction:</i> 19" / 2 U <i>Weight:</i> 3.4 kg <i>Available since</i> November 2017 <i>Item number</i> 417809 <i>Sales Unit</i> 1 piece(s) <i>Type</i>	<i>Rack Drawer 2 U</i> <i>Installation depth of rack drawer:</i> 210 mm <i>Material:</i> Metal Black powder-coated Robust castor guide <i>Inner dimensions (W x D x H):</i> 404 x 210 x 74 mm <i>Construction:</i> 19" / 2 U <i>Weight:</i> 3.4 kg <i>Available since</i> November 2017 <i>Item number</i> 417809 <i>Sales Unit</i> 1 piece(s) <i>Type</i>	CE

				19" Height in Rack Units 2 U Depth 210 mm Lock No Material Steel Weight 3,4 kg	19" Height in Rack Units 2 U Depth 210 mm Lock No Material Steel Weight 3,4 kg	
Thon Case A&H Stagebox AB/DT/DX 168	Case A&H Stagebox AB/DT/DX 168	China	Thon	Transport Case Suitable for one A&H Stagebox AB168, DT168 and DX168 Made of plywood coated 25 x 25 mm Aluminium edge 1 Medium-sized butterfly latch V4 1 Medium folding handle 2 Locking hinges 8 Medium ball corners Foam padding Exterior dimensions (W x D x H): approx. 325 x 255 x 515 mm Weight: approx. 4.8 kg Colour: Black Available since October 2020 Item number 504877 Sales Unit 1 piece(s) Profondità interna 255 mm Locks And Catches 1x Fluturaş Strap Handles No Flip Handles 1 Material 6,8 mm Plywood Wheels No Weight	Transport Case Suitable for one A&H Stagebox AB168, DT168 and DX168 Made of plywood coated 25 x 25 mm Aluminium edge 1 Medium-sized butterfly latch V4 1 Medium folding handle 2 Locking hinges 8 Medium ball corners Foam padding Exterior dimensions (W x D x H): approx. 325 x 255 x 515 mm Weight: approx. 4.8 kg Colour: Black Available since October 2020 Item number 504877 Sales Unit 1 piece(s) Profondità interna 255 mm Locks And Catches 1x Fluturaş Strap Handles No Flip Handles 1 Material 6,8 mm Plywood Wheels No Weight	CE

				4,8 kg <i>Speacial Features / Options</i> None <i>External Width [mm]</i> 325 mm <i>External Depht [mm]</i> 255 mm <i>External Heigh [mm]</i> 515 mm	4,8 kg <i>Speacial Features / Options</i> None <i>External Width [mm]</i> 325 mm <i>External Depht [mm]</i> 255 mm <i>External Heigh [mm]</i> 515 mm	
--	--	--	--	--	--	--

Semnata: _____ Numele, Prenumele: Constantin Alexandru În calitate de: director
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16

Specificații de preț

[Acest tabel va fi completat de către **ofertant în coloanele 5, 6, 7, 8**, iar de către autoritatea contractantă – în coloanele 1, 2, 3, 4, 9, 10]

Numărul procedurii de achiziție: *ocds-b3wdp1-MD-1727240260343 din 29/09/204*

Obiectul achiziției: *Microfoane și seturi de portavoce pentru instituțiile din subordinea Direcției Cultură a Primăriei Mun. Chisinau*

Cod CPV	Denumirea bunurilor/ serviciilor	Cantitatea	Unitatea de măsură	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de livrare/prestare	Clasificație bugetară (IBAN)
1	2	3	4	5	6	7	8	9	10
	Bunuri/Servicii								
	Allen & Heath M-SQ-WAVES3-A	1	buc	20510,00	24612,00	20510,00	24612,00	<i>Livrarea bunurilor în decurs de 2 zile de la semnarea contractului</i>	
	Allen & Heath SQ Slink	1	buc	5450,00	6540,00	5450,00	6540,00		
	Thon Case for Allen & Heath SQ6	1	buc	8930,00	10716,00	8930,00	10716,00		
	Sennheiser ew IEM G4 Twin A1-Band	3	buc	31990,00	38388,00	95970,00	115164,00		
	Sennheiser EK IEM G4 A1-Band	10	buc	11170,00	13404,00	111700,00	134040,00		
	Sennheiser AC41 Antenna Combiner	1	buc	18220,00	21864,00	18220,00	21864,00		
	Sennheiser GZL RG 8x - 10m	1	buc	1725,00	2070,00	1725,00	2070,00		
	Sennheiser ADP UHF 470-1075 MHz	1	buc	7825,00	9390,00	7825,00	9390,00		
	SKB Roto-Molded 4U Shallow Rack	1	buc	8730,00	10476,00	8730,00	10476,00		
	Thon Inlaycase BK Univ	2	buc	4550,00	5460,00	9100,00	10920,00		
	Thon Rack Drawer 2U short	1	buc	1050,00	1260,00	1050,00	1260,00		
	Thon Case A&H Stagebox AB/DT/DX 168	2	buc	5230,00	6276,00	10460,00	12552,00		
	TOTAL					299670,00	359604,00		

Semnat: _____ Numele, Prenumele: Constantin Alexandru În calitate de: director

Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16