

## Specificații tehnice

Numărul procedurii de achiziție: ocds-b3wdp1-MD-1753355418362

Obiectul de achiziție: Achiziționarea de tomberoane conform necesităților satului Corpaci, raionul Edineț

Denumirea bunurilor/ serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către oferant	Standarde de referință
1	2	3	4	5	6	7
<b>Bunuri/servicii</b>						
Cos p/u transportarea deșeurilor	MGB 120 Pro	Grecia	Helesi	Conform caietului de sarcini	Tomberon din HDPE <b>Virgin 100%</b> ; Rezistent la UV; Rezistența chimică - conform rezistenței chimice generale a produselor din HDPE; Volum - 120L; Ax din oțel zincat; Miner pentru transportate; Roti din <b>cauciuc</b> D.200 mm; Capac plat; Compatibil cu standardele (EN 1501) de ridicare și golire; Tomberon nou, a producerii 2025; Culoari diferite conform RAL. EN 840. Informație mai detaliată în fișa tehnică atașată.	EN 840
	MGB 240 Pro				Tomberon din HDPE <b>Virgin 100%</b> ; Rezistent la UV; Rezistența chimică - conform rezistenței chimice generale a produselor din HDPE; Volum - 240L; Ax din oțel zincat; Miner pentru transportate; Roti din <b>cauciuc</b> D.200 mm; Capac plat; Compatibil cu standardele (EN 1501) de ridicare și golire; Tomberon nou, a producerii 2025; Culoari diferite conform RAL. EN 840. Informație mai detaliată în fișa tehnică atașată.	

Numele, prenumele: Ruban Corneliu

În calitate de: Specialist achiziții

Ofertantul: Uniplast SRL

Adresa: str. Padurii 6/2, mun. Chisinau

Data: 01.08.2024

e-mail: ruban.corneliu@uniplast.md

Mob: 079995939



# MGB 120 Pro

## TECHNICAL SPECIFICATION

R-2-01



### New Design – New Advantages


- Profiled Sides
- Robust Design
- Alternative Axle Positions
- Clever Axle Fitting
- Supporting Edges

### Compatible and Adaptable

- Compatible with all lifting devices
- Diverse locking systems
- User specific - customizable
- Manufactured according to EN-840
- Versatile lid options
- Equipped with ID-chip nest



## DIMENSIONS & WEIGHTS



CAPACITY (lt)		117
DEAD WEIGHT (Kg)		8
PERMITTED MAXIMUM WEIGHT (Kg)		60
TOTAL HEIGHT (mm)	A	945
TOTAL WIDTH (mm)	B	480
TOTAL DEPTH (mm)	C	540
UPPER EDGE COMB (mm)	D	900
WHEEL DIAMETER (mm)	E	200/250



THE ABOVE DATA SHOULD BE USED AS A GUIDE ONLY. ALTERNATIONS MAY OCCUR WITHOUT PRIOR NOTICE.

## MATERIAL QUALITY & PRODUCTION DETAILS

CONSTRUCTION TECHNOLOGY	INJECTION MOULDING
CONSTRUCTION NORM	DIN – EN 840-1
PERFORMANCE REQUIREMENTS & TEST METHODS	DIN – EN 840-5
HEALTH & SAFETY REQUIREMENTS	DIN – EN 840-6
MATERIAL	HIGH DENSITY POLYETHYLENE (HDPE)
LIQUID ABSORPTION	NONE
RESISTANCE ON CORROSION	TOTAL
PROCESS	MASS COLORATION WITH UV PROTECTION

## CONSTRUCTION DETAILS

AXLE	GALVANIZED STEEL
LID	ATTACHED TO THE BODY WITH 2 HOLDING PINS
HOT PRINTING AREA BODY	210 X 300 mm
HOT PRINTING AREA STANDARD LID	210 X 300 mm
LIFTING SYSTEMS	FRONTAL RECEIVER COMB (DIN / AFNOR)
WHEELS	200mm or 250mm PLASTIC RIM WITH RUBBER TYRE

## ADDITIONAL OPTIONS

- Triangle Lock
- Gravity Lock
- Foot Pedal
- Reflective Stickers
- ID Chip
- Ventilated Holes on the Side for Composting
- Drain plug

## AVAILABLE LID OPTIONS

- Noise Reduction
- Glass Recycling
- Paper Recycling
- Ventilated Lid for Composting



Industrial Park of Markopoulo, Dorovateza Area, P.O. BOX 198, GR-19003, MARKOPOULO, Greece  
[www.helesi.com](http://www.helesi.com), email: [export@helesi.com](mailto:export@helesi.com)





# MGB 240 Pro

## TECHNICAL SPECIFICATION

R-2-01

### New Design – New Advantages

- Profiled Sides
- Robust Design
- Alternative Axle Positions
- Clever Axle Fitting
- Supporting Edges


### Compatible and Adaptable

- Compatible with all lifting devices
- Diverse locking systems
- User specific - customizable
- Manufactured according to EN-840
- Versatile lid options
- Equipped with ID-chip nest





## DIMENSIONS & WEIGHTS



CAPACITY (lt)		245
DEAD WEIGHT (Kg) (solid axle)		12,2
PERMITTED MAXIMUM WEIGHT (Kg)		110
TOTAL HEIGHT (mm)	A	1060
TOTAL WIDTH (mm)	B	577
TOTAL DEPTH (mm)	C	720
UPPER EDGE COMB (mm)	D	1000
WHEEL DIAMETER (mm)	E	200/250



THE ABOVE DATA SHOULD BE USED AS A GUIDE ONLY. ALTERNATIONS MAY OCCUR WITHOUT PRIOR NOTICE.

## MATERIAL QUALITY & PRODUCTION DETAILS

CONSTRUCTION TECHNOLOGY	INJECTION MOULDING
CONSTRUCTION NORM	DIN – EN 840-1
PERFORMANCE REQUIREMENTS & TEST METHODS	DIN – EN 840-5
HEALTH & SAFETY REQUIREMENTS	DIN – EN 840-6
MATERIAL	HIGH DENSITY POLYETHYLENE (HDPE)
LIQUID ABSORPTION	NONE
RESISTANCE ON CORROSION	TOTAL
PROCESS	MASS COLORATION WITH UV PROTECTION

## CONSTRUCTION DETAILS

AXLE	GALVANIZED STEEL
LID	ATTACHED TO THE BODY WITH 2 HOLDING PINS
HOT PRINTING AREA BODY	210 X 300 mm
HOT PRINTING AREA STANDARD LID	280 X 350 mm
LIFTING SYSTEMS	FRONTAL RECEIVER COMB (DIN/AFNOR)
WHEELS	200mm or 250mm PLASTIC RIM WITH RUBBER TYRE

### ADDITIONAL OPTIONS

- Triangle Lock
- Gravity Lock
- Foot Pedal
- Reflective Stickers
- ID Chip
- Ventilated Holes on the Side for Composting
- Drain plug

### AVAILABLE LID OPTIONS

- Noise Reduction
- Glass Recycling
- Paper Recycling
- Ventilated Lid for Composting



Industrial Park of Markopoulo, Dorovateza Area, P.O. BOX 198, GR-19003, MARKOPOULO, Greece  
[www.helesi.com](http://www.helesi.com), email: [export@helesi.com](mailto:export@helesi.com)

# Zertifikat *Certificate*

**Zertifikatsnummer Certificate No.:**

S 60181592 0001

**Berichtsnummer Report No.:**

HU24QZU6 002

**Genehmigungsinhaber License Holder:**

Hellenic Environmental  
Systems Industry S.A.  
8 I. Koutsochera St  
251 00 Egio  
Greece

**Fertigungsstätte Manufacturing Site:**

Hellenic Environmental  
Systems Industry S.A.  
29 Industrial Area O.T.  
691 00 Komotini  
Greece

**Prüfzeichen Test Mark:**

**Geprüft nach Tested according to:**

EN 840-1:2020  
EN 840-5:2020  
EN 840-6:2020  
RAL-GZ 951/1/08.23  
AfPS GS 2019:01 PAK

**Geräteidentifikation**
*Product Identification*
**Produkt:**
*Product:*

Waste Bin  
(Abfallsammler)

**Modell:**
*Type:*

Modelle sind auf nächste(r) Seite(n) gelistet  
*Type designation(s) are listed on the next page(s)*

**Technische Daten:**
*Technical Data:*

Technische Daten sind auf nächste(r) Seite(n) gelistet  
Ratings are listed on the next page(s)

**Gültig bis:**
*Date of expiry:*

2030-03-27

**Gültig ab:**
*Valid from:*

2025-03-28

**Zertifizierungsstelle:**
*Certification body:*
**Ausstellungsdatum:**
*Date of issue:*

2025-03-28

Mózes Tibor



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.  
Produkt und Fertigungsstätte erfüllen § 20 des  
Produktsicherheitsgesetzes.  
*This certificate is based on our Testing and Certification Regulation.  
The provisions of §20 Product Safety Act are complied with.*

**TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg**

<http://www.tuv.com/safety> E-mail: [markcheck@tuv.com](mailto:markcheck@tuv.com)  
Fax: +49 221 806-3935

# Zertifikat *Certificate*

**Zertifikatsnummer** *Certificate No.:*

S 60181592 0001

**Berichtsnummer** *Report No.:*

HU24QZU6 002

**Produkt** *Product:* Waste Bin  
(Abfallsammler)

**Modell** *Type:* **Bezeichnung** *Designation:*  
Fahrbare Abfall- & Wertstoffbehälter für Kammschüttungen /  
Mobile waste & recycling containers for comb lifting devices

Art.Nr./ art.no.	Nennvolumen/ nom. capacity	Maße (HxBxT)[mm]/ dim. (HxWxD)[mm]	Gewicht [kg]/ weight [kg]
MGB 120 Pro	120 l	945x480x540	8
MGB 140 Pro	140 l	1060x480x545	8,6
MGB 180 Pro	180 l	1060x550x610	10,2
MGB 240 Pro	240 l	1060x577x720	11,5
MGB 240 Std.	240 l	1060x575x730	11,9
MGB 360 Std.	360 l	1080x580x875	17,05

Anzahl Räder/no. of wheels: 2

Material/material: High Density Polyethylene (HDPE)

Ersetzt Zertifikat / supersedes certificate S 60153667







Certificate Number  
**00.12.1188**

Date of Initial Validity of the  
Certificate from  
**25/02/2021**

Date of the Validity of the  
current Certificate from  
**20/02/2024**

The Certificate is valid until  
**19/02/2027**

# CERTIFICATE

EUROCERT S.A. certifies that the company  
**HELLENIC AND ENVIRONMENTAL SYSTEMS  
INDUSTRY S.A./ HELESI S.A.**

INDUSTRIAL AREA OF KOMOTINI, GR 69100, KOMOTINI, GREECE

implements a Quality Management System  
according to the Standard:

**EN ISO 9001:2015**

for the following Scope of Certification:

DESIGN, PRODUCTION, MARKETING AND RECYCLING OF WASTE BINS AND PLASTIC AGRICULTURAL PACKAGING

On behalf of EUROCERT S.A.,  
Chalkiopolou Athi  
General Certification Director



**ATHANASIA  
CHALKIOPOULOU**

Lack of fulfillment of the conditions set out in the contract No.02.009064.23, makes this Certificate invalid.  
The validity of this Certificate is subject to annual surveillance.  
Check the validity of the Certificate with the QR code at right.



EUROCERT S.A. 89 Chlois & Lykovriseos str., 144 52, Metamorphosi - Greece  
T +30 210 62.52.495, +30 210 62.53.927, F +30 210 62.03.018, M eurocert@otenet.gr



Certificate Number  
**00.02.0835**

Date of Initial Validity of the  
Certificate from  
**25/02/2021**

Date of the Validity of the  
current Certificate from  
**20/02/2024**

The Certificate is valid until  
**19/02/2027**

# CERTIFICATE

EUROCERT S.A. certifies that the company  
**HELLENIC AND ENVIRONMENTAL SYSTEMS  
INDUSTRY S.A./ HELESI S.A.**

INDUSTRIAL AREA OF KOMOTINI, GR 69100, KOMOTINI, GREECE

implements Environmental Management System  
according to the Standard:

**EN ISO 14001:2015**

for the following Scope of Certification:

DESIGN, PRODUCTION, MARKETING AND RECYCLING OF WASTE BINS AND PLASTIC AGRICULTURAL PACKAGING

On behalf of EUROCERT S.A.,  
Chalkiopoulos Athi  
General Certification Director



**ATHANASIA  
CHALKIOPOULOU**

Lack of fulfillment of the conditions set out in the contract No.02.009064.23, makes this Certificate invalid.  
Check the validity of the Certificate with the QR code at right.  
The validity of this Certificate is subject to annual surveillance.



EUROCERT S.A. 89 Chlois & Lykovriseos str., 144 52, Metamorphosi - Greece  
T +30 210 62.52.495, +30 210 62.53.927, F +30 210 62.03.018, M eurocert@otenet.gr