


# **ABBOTT** GUIDE WIRES









Solutions for challenging anatomy and lesions. Offering high tip loads, excellent torque response, and superb crossing performance.

CORE COVER TYPE MATERIAL OR COILS		TIP STYLE	COATINGS	TIP LOAD (g
DURASTEEL Stainless Steel	Full Polymer	Core-To-Tip	Hydrophilic	2.7

Core-To-Tip

Core-To-Tip

Core-To-Tip

Hydrophilic

Hydrophilic

Hydrophilic

Hydrophilic

4.1

12.5

13.0

4.7

# HI-TORQUE PILOT 150 • Responsease Parabolic Core Grind

• CTO Indicated



#### **HI-TORQUE PILOT 200**

Responsease Parabolic Core GrindCTO Indicated



Full Polymer

Intermediate

Polymer Sleeve With

Exposed Tip Coils

Intermediate

Exposed Tip Coils

Polymer Sleeve With

## TAPERED TIP

#### **HI-TORQUE PROGRESS 140T**

- Responsease Parabolic Core Grind
- CTO Indicated
- Tip Tapers to 0.0105"



#### **HI-TORQUE PROGRESS 200T**

- Responsease Parabolic Core Grind
- CTO Indicated
- Tip Tapers to 0.009"

STAINLESS STEEL



HI-TORQUE CROSS-IT 100XT	Stainless Steel	Bare Coils	Core-To-T

HI-TORQUE CROSS-IT 200XT	Stainless Steel	Bare Coils	Core-To-Tip	Hydrophilic	
--------------------------	-----------------	------------	-------------	-------------	--

DURASTEEL

Stainless Steel

DURASTEEL

Stainless Steel

DURASTEEL

Stainless Steel



ш			CROSS	. IT 20	NAVT
п	I-IOR	OUE	CKO3:	5-11 St	JUXI

Stainless Steel	Bare Coils	Core-To-Tip	Hydrophilic	6.2



Solutions for challenging anatomy and lesions. Offering high tip loads, excellent torque response, and superb crossing performance.

	CORE MATERIAL	OR COILS	TIP STYLE	COATINGS	TIP LOAD (g)
STAINLESS STEEL					
HI-TORQUE CROSS-IT 400XT	Stainless Steel	Bare Coils	Core-To-Tip	Hydrophilic	8.7

DURASTEEL

Stainless Steel



HI-TORQUE WIGGLE





# STRAIGHT TIP

- HI-TORQUE PROGRESS 40
- Responsease Parabolic Core Grind
- CTO Indicated



Intermediate

Polymer Sleeve With

Exposed Tip Coils

#### **HI-TORQUE PROGRESS 80**

- Responsease Parabolic Core Grind
   CTO Indicated
- DURASTEEL Stainless Steel Intermediate Polymer Sleeve With Exposed Tip Coils Core-To-Tip Hydrophilic 9.7

Core-To-Tip

Hydrophilic

4.8



#### **HI-TOROUE PROGRESS 120**

- Responsease Parabolic Core Grind
- CTO Indicated

# DURASTEEL Stainless Steel Intermediate Polymer Sleeve With Exposed Tip Coils Core-To-Tip Hydrophilic 13.9

#### CORE MATERIALS

3 different core material options offer varied levels of strength, flexibility, and durability

- Stainless steel offers support and tip shape retention
- DURASTEEL is stronger than conventional stainless steel for outstanding durability
- ELASTINITE Nitinol is known for its flexible and durable properties







#### CORE DIAMETER AND SUPPORT

Support is a measure of a guide wire's resistance to a bending force

- A more supportive wire can aid in bulky device delivery
- A less supportive wire is designed to be flexible and can aid in access through tortuous anatomy



#### **CORE TAPERS**

Our core taper designs provide excellent guide wire tracking

- Longer core tapers yield superb wire tracking and a lower propensity to prolapse
- Shorter core tapers yield longer segments of consistent support but provide increased propensity to prolapse
- Responsease core tapers engineered with a parabolic grind is designed to maximize tracking while providing progressive support



Shartar Tanar



Responsease Parabolic Core Grind

#### TIP STYLES AND TIP LOAD

Offering 2 different tip styles with unique advantages and varied tip loads

- Shaping ribbon for tip softness and tip shapeability
- Core-to-tip design provides tactile feedback and tip control, enabling 1:1 torque
- Tip stiffness is a measure of the buckling force exerted by the tip of the wire on a surface. Abbott reports tip loads measured on the distal 10 mm of the tip
- High tip load helps cross challenging lesions
- Low tip load makes the tip very soft and atraumatic





#### SPRING COIL COVERS

For outstanding torque transmission and control

- Spring coil design contributes to the wire's tactile feedback
- Platinum alloy tip coils are radiopaque and stainless steel coils are radiolucent



# **POLYMER COVERS**

Designed for deliverability in tortuous anatomy and excellent distal access

- Full polymer covers over tip coils for outstanding delivery
- Intermediate polymer sleeve maintains exposed gentle tip coils while providing a lubricious surface for device delivery





#### COATINGS

Precision-engineered coatings designed to reduce surface friction and improve device interaction and guide wire tracking

- Hydrophilic coatings (Hydrocoat or Turbocoat) attract water to create a slippery "gel-like" surface for lubricity and smooth device delivery
- Hydrophobic coatings (Microglide and SmoothGlide) repel water to create a "wax-like" surface for moderate lubricity and smooth device interaction

## PRODUCT ORDERING INFORMATION

# ABBOTT GUIDE WIRES WORKHORSE

	STOCK NUMBER	TIP RADIOPACITY (cm)	TIP SHAPE	WIRE SIZE (in)	WIRE LENGTH (cm)
HI-TORQUE BALANCE	1001780-HC	3	Straight	.014	190
MIDDLEWEIGHT	1001780J-HC	3	Ј	.014	190
	1001782-HC	3	Straight	.014	300
	1001782J-HC	3	J	.014	300
	1001780	3	Straight	.014	190
	1001780J	3	J	.014	190
	1001782	3	Straight	.014	300
	1001782J	3	J	.014	300
HI-TORQUE BALANCE	1009660	3	Straight	.014	190
MIDDLEWEIGHT UNIVERSAL	1009660J	3	J	.014	190
	1009661	3	Straight	.014	300
	1009661J	3	J	.014	300
HI-TORQUE BALANCE	1009664	3	Straight	.014	190
MIDDLEWEIGHT UNIVERSAL II	1009664J	3	J	.014	190
	1009665	3	Straight	.014	300
	1009665J	3	J	.014	300
II-TORQUE BALANCE	1011880	3	Straight	.014	190
AIDDLEWEIGHT ELITE	1011880J	3	J	.014	190
	1011881	3	Straight	.014	300
	1011881J	3	J	.014	300
	1011882	3	Straight	.014	190
	1011882J	3	J	.014	190
	1011883	3	Straight	.014	300
	1011883J	3	J	.014	300
HI-TORQUE FLOPPY II	22339M	2	Straight	.014	190
	22339MJ	2	J	.014	190
	22359M	2	Straight	.014	300
	22359MJ	2	J	.014	300
	22339M-903	30	Straight	.014	190
HI-TORQUE FLOPPY II ES	22299Н	2	Straight	.014	190
	22299M	2	J	.014	190
	22299M-901	30	Straight	.014	300
	22359M-901	2	J	.014	300
HI-TORQUE POWERTURN	1044594	3	Straight	.014	190
ongot i omenionin	1044594J	3	J	.014	190
	1044595	3	Straight	.014	300
	1044595J	3	J	.014	300

## PRODUCT ORDERING INFORMATION

# ABBOTT GUIDE WIRES WORKHORSE

	STOCK NUMBER	TIP RADIOPACITY (cm)	TIP SHAPE	WIRE SIZE (in)	WIRE LENGTH (cm)
HI-TORQUE	1044592	3	Straight	.014	190
POWERTURN FLEX	1044592J	3	J	.014	190
	1044593	3	Straight	.014	300
	1044593J	3	J	.014	300
HI-TORQUE POWERTURN	1044590	3	Straight	.014	190
ULTRA FLEX	1044590J	3	J	.014	190
	1044591	3	Straight	.014	300
	1044591J	3	J	.014	300
HI-TORQUE TURNTRAC	1020013	3	Straight	.014	190
	1020014	3	Straight	.014	190
	1020015	3	Straight	.014	300
	1020016	3	Straight	.014	300
HI-TORQUE TURNTRAC FLEX	1020009	3	Straight	.014	190
	1020010	3	Straight	.014	190
	1020011	3	Straight	.014	300
	1020012	3	Straight	.014	300
HI-TORQUE VERSATURN	1013317	3	Straight	.014	190
	1013317J	3	J	.014	190
	1013319	3	Straight	.014	190
	1013319J	3	J	.014	190

## PRODUCT ORDERING INFORMATION

#### **ABBOTT** GUIDE WIRES ----- SPECIALTY -----

	STOCK NUMBER	TIP RADIOPACITY (cm)	TIP SHAPE	WIRE SIZE (in)	WIRE LENGTH (cm)
HI-TORQUE WHISPER MS	1005357H	3	Straight	.014	190
	1005357HJ	3	J	.014	190
	1005359H	3	Straight	.014	300
	1005359НЈ	3	J	.014	300
HI-TORQUE WHISPER ES	1011834H	3	Straight	.014	190
	1011834HJ	3	J	.014	190
	1011835H	3	Straight	.014	300
	1011835HJ	3	J	.014	300
HI-TORQUE WHISPER LS	1005351H	3	Straight	.014	190
	1005351HJ	3	J	.014	190
	1005353H	3	Straight	.014	300
	1005353HJ	3	J	.014	300

## PRODUCT ORDERING INFORMATION

ABBOTT GUIDE WIRES

—— SPECIALTY ——

	STOCK NUMBER	TIP RADIOPACITY (cm)	TIP SHAPE	WIRE SIZE (in)	WIRE LENGTH (cm)
HI-TORQUE BALANCE	1000462H	4.5	Straight	.014	190
HEAVYWEIGHT	1000462HJ	4.5	J	.014	190
	1000463H	4.5	Straight	.014	300
	1000463HJ	4.5	J	.014	300
HI-TORQUE EXTRA S'PORT	22225M	3	Straight	.014	190
	22225MJ	3	J	.014	190
	22235M	3	Straight	.014	300
	22235MJ	3	J	.014	300
HI-TORQUE ALL STAR	1001740	3	Straight	.014	190
	1001740J	3	J	.014	190
	1001741	3	Straight	.014	300
	1001741J	3	J	.014	300
HI-TORQUE IRONMAN	1001309	3	Straight	.014	190
	1001309J	3	J	.014	190
	1001311	3	Straight	.014	300
	1001311J	3	J	.014	300
HI-TORQUE CROSS-IT 100XT	1003309H	3	Straight	.014	190
	1003309HJ	3	J	.014	190
	1003310H	3	Straight	.014	300
	1003310HJ	3	J	.014	300
HI-TORQUE CROSS-IT 200XT	1003312H	3	Straight	.010	190
	1003312HJ	3	J	.010	190
	1003313H	3	Straight	.010	300
	1003313HJ	3	J	.010	300
HI-TORQUE CROSS-IT 300XT	1003315H	3	Straight	.010	190
	1003315HJ	3	J	.010	190
	1003316H	3	Straight	.010	300
	1003316HJ	3	J	.010	300
<b>HI-TORQUE CROSS-IT 400XT</b>	1003318H	3	Straight	.010	190
	1003318HJ	3	J	.010	190
	1003319H	3	Straight	.010	300
	1003319HJ	3	J	.010	300
HI-TORQUE WIGGLE	22299M-W2	2	Straight	.014	190
	22299M-W30	30	Straight	.014	190
	22359M-W2	2	Straight	.014	300
	22399M-W30	30	Straight	.014	300

## PRODUCT ORDERING INFORMATION

# ABBOTT GUIDE WIRES SPECIALTY

	STOCK NUMBER	TIP RADIOPACITY (cm)	TIP SHAPE	WIRE SIZE (in)	WIRE LENGTH (cm)
HI-TORQUE PILOT 50	1010480-H	3	Straight	.014	190
	1010480-HJ	3	J	.014	190
	1010483-H	3	Straight	.014	300
	1010483-HJ	3	J	.014	300
HI-TORQUE PILOT 150	1010481-H	3	Straight	.014	190
	1010481-HJ	3	J	.014	190
	1010484-H	3	Straight	.014	300
	1010484-HJ	3	J	.014	300
HI-TORQUE PILOT 200	1010482-H	3	Straight	.014	190
	1010482-HJ	3	J	.014	190
	1010485-H	3	Straight	.014	300
	1010485-HJ	3	J	.014	300
HI-TORQUE PROGRESS 140T	1011840	3	Straight w/ taper	.014	190
	1011841	3	Straight w/ taper	.014	300
HI-TORQUE PROGRESS 200T	1011842	3	Straight w/ taper	.014	190
	1011843	3	Straight w/ taper	.014	300
HI-TORQUE PROGRESS 40	1011836	3	Straight	.014	190
	1011837	3	Straight	.014	300
HI-TORQUE PROGRESS 80	1011838	3	Straight	.014	190
	1011839	3	Straight	.014	300
HI-TORQUE PROGRESS 120	1011844	3	Straight	.014	190
	1011845	3	Straight	.014	300

Caution: These products are intended for use by or under the direction of a physician. Prior to use, reference the Instructions for Use provided inside the product carton (when available), at <code>eifu.abbottvascular.com</code> or at <code>Manuals.sjm.com</code> for more detailed information on Indications, Contraindications, Warnings, Precautions and Adverse Events. <code>Information contained herein</code> for distribution outside the U.S. only. Check the regulatory status of the device in areas where CE marking is not the regulation in force.


Tests performed by and data on file at Abbott. All tip stiffness values are averages, based on a sample of 5 guide wires, tested with an automated machine in a controlled environment. All Device Support Level values are test results on a single guide wire under the same ambient conditions. Illustrations are artist's representations only and should not be considered as engineering drawings or photographs.

#### Abbott International BVBA

Park Lane, Culliganlaan 2B, 1831 Diegem, Belgium, Tel: 32.2.714.14.11

HI-TORQUE BALANCE MIDDLEWEIGHT, HI-TORQUE BALANCE MIDDLEWEIGHT ELITE, HI-TORQUE BALANCE MIDDLEWEIGHT UNIVERSAL II, HI-TORQUE CROSS-IT, HI-TORQUE EXTRA S'PORT, HI-TORQUE FLOPPY, HI-TORQUE PLOT, HI-TORQUE POWERTURN, HI-TORQUE PROGRESS, HI-TORQUE TURNTRAC, HI-TORQUE VERSATURN, HI-TORQUE WHISPER, HI-TORQUE WIGGLE, Hydrocoat, Microglide, SmoothGlide, and Turbocoat are trademarks of the Abbott Group of Companies.

www.Vascular.Abbott ©2018 Abbott. All rights reserved. AP2945509-OUS Rev. A





AP2945509-OUS

Document# Rev AP2945509-OUS A



Guide Wire Brochure: Portfolio

Effective Date: 5/16/2018

**Document #: AP2945509-OUS**Title: Guide Wire Brochure: Portfolio

Current Revision: A Future Revision: Change Type: Load

 Doc Owner:
 Howell, Laura
 CO Number:
 422666

 Last Review:
 5/16/2018
 Next Review:
 5/15/2021

Classification: Retention:

Superceded By Doc. # (Supercede only):

Supporting Documentation Attached? Yes  $\square$  No  $\square$ 

Site(s) where doc used: CA

N/A X Mat'l type: UOM: Alt. UOM: Qty: 0

Material Disposition: On Order:  $\frac{\text{Rec'g}}{\text{Insp:}}$  Stock: FU: FS:

Memo:

Material Division: Associated Products

Associated Products
(product name(s) only):

\*\*\* NONE \*\*\* (N)

Reference Documents

Document Location

Approval Signatures									
Level	Role / Function	Name	Signature	Date	Comments				
Į.	Doc Control/Labeling	Howell, Laura	CA	Howell, Laura	5/14/2018 3:02:38 PM				
!	Customer Service	Martinez, Catherine L	CA	Martinez, Catherine L	5/15/2018 2:37:22 PM				
	Doc Owner (AP2945509-OUS)	Howell, Laura	CA	Howell, Laura	5/14/2018 3:04:44 PM				
	Marketing Com	Merrill, Karie	CA	Merrill, Karie	5/16/2018 8:20:39 AM				
	Originator	Howell, Laura	CA	Howell, Laura	5/16/2018 10:43:20 AM				
	R&D	Durcan, Jonathan P	CA	Durcan, Jonathan P	5/15/2018 4:25:43 PM				
	RA (A & P)	McFerran, Aurora B	CA	McFerran, Aurora B	5/15/2018 2:56:44 PM				

Revision History.				
Revision	Date	Description of Change	CO Number	Originator
A		New document Purpose – To provide product information on the guide wire portfolio.  Geography – OUS Intended Audience – (1) Sales and Marketing (2) Physician and Healthcare Professionals (3) This material may also be shared with OUS Abbott distributors who are under legal confidentiality agreements with Abbott Method of Distribution – Electronic, Leave Behind		Howell, Laura

Page 1 of 1 Generated On: 6/17/2018 11:27:39 PM