

Soft torqueable catheter Optimized For Intracranial Access

SHAPABILITY

Steam shapability allows the Sofia™ catheter to overcome challenging anatomies



Image courtesy of **Michael Marks, M**D Stanford Hospital Stanford, CA USA


NAVIGATE

Exceptionally soft distal segment allows the Sofia™ catheter to navigate further distal



STABILITY

Hybrid braid & coil design enhances stability supporting distal navigation of interventional devices



KINK RESISTANCE

Inner layer coil reinforcement provides excellent kink resistance even in tortuous vessels

TORQUE

Braid overlay provides vital torque control for easier vessel selection in tortuous bends

SUPPORT

Low profile to support distal delivery and precise placement of the LVIS® and LVIS® Jr. Devices, FRED® System, ERIC® Retrieval Device and Scepter Occlusion Balloon Catheters















Distal Access Catheter

Enhanced control and stability for superior microcatheter performance and reliable device delivery

SOFIA™ Soft Torqueable Catheter Optimized For Intracranial Access Distal Access Catheter 1 per box and includes shaping mandrel and introducer sheath								
Product Code	Catheter Size (French)	Proximal OD (inch/mm)	Distal OD (inch/mm)	I D (inch)	Working Length (cm)	Distal Length (cm)	Proximal Length (cm)	Distal Tip Shape
DA5115ST	5F	0.068 / 1.7	0.068 / 1.7	0.055	115	17	98	STRAIGHT
DA5125ST	5F	0.068 / 1.7	0.068 / 1.7	0.055	125	17	108	STRAIGHT



Features Benefits

Exceptionally Soft Distal Shaft Easier navigation in tortuous vessels

Low Profile Compatible with 6F .070 inch ID guide catheter systems

Steam Shapeable Tip and Steerable around bifurcations
Torqueable Shaft

Enhanced Kink Resistance Easy to handle with 1:1 push/pull control



microvention.com

MicroVention, Inc.
Worldwide Headquarter

1311 Valencia Avenue Tustin, CA 92780 USA PH +1.714.247.8000 PH 1.800.990.8368 MicroVention UK Limited Suite 3, The Barracks Building

Suite 3, The Barracks Building 10 Cliffords Fort, North Shields Tyne and Wear, NE30 1JE United Kingdom PH 44 (0) 191 259 6777 MicroVention Europe, S.A.R.L

78100 Saint-Germain-en-Laye France PH +33 (1) 39 21 77 46 MicroVention Deutschland GmbH

Hildebrandtstr. 4 F D-40215 Düsseldorf Germany PH +49 211 210 798-0