

Formularul ofertei (F3.1)

Data: 11.03.2019

Licitația nr.: MD-1551180642489

Către: IMSP Institutul de Cardiologie

„BTS Pro” S.R.L. declară că:

a) Au fost examinate și nu există rezervări față de documentele de licitație, inclusiv modificările nr.

b) „BTS Pro” S.R.L. se angajează să furnizeze, în conformitate cu documentele de licitație și condițiile stipulate în specificațiile tehnice și de formare a prețurilor, următoarele bunuri: **Tehnica de calcul**

c) Suma totală a lotului fără TVA constituie:

254 492,50 (doua sute cincizeci și patru mii patru sute nouazeci și doi lei 50 bani) MDL fără TVA.

d) Suma totală a lotului cu TVA constituie:

305 391,00 (trei sute cinci mii trei sute nouazeci și unu lei) MDL cu TVA.

e) Prezenta ofertă va rămâne valabilă pentru perioada de timp specificată în FDA4.8., începînd cu data-limită pentru depunerea ofertei, în conformitate cu FDA5.2., va rămîne obligatorie și va putea fi acceptată în orice moment pînă la expirarea acestei perioade;

f) În cazul acceptării prezentei oferte, „BTS Pro” S.R.L. se angajează să obțină o Garanție de bună execuție în conformitate cu FDA7, pentru executarea corespunzătoare a contractului de achiziție publică.

g) Nu suntem în nici un conflict de interese, în conformitate cu punctul IPO5.4.

h) Compania semnatară, afiliații sau sucursalele sale, inclusiv fiecare partener sau subcontractor ce fac parte din contract, nu au fost declarate neeligibile în baza prevederilor legislației în vigoare sau a regulamentelor cu incidență în domeniul achizițiilor publice, în conformitate cu punctul IPO5.5.

Semnat:

Nume: Gnidaș Bogdan

În calitate de: Manager în comerț

Ofertantul: „BTS Pro” S.R.L.

Adresa: Republica Moldova, mun. Chișinău, Str. Ion Creangă, 6V



Numărul licitației: nr. MD-1551180642489	IMSP Institutul de Cardiologie	Data: 11.03.2019	Alternativa nr.: -
Denumirea licitației:	Tehnica de calcul	Lot: 1-5	Pagina_2_din_8_

SPECIFICAȚII TEHNICE (F4.1)


Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Producatorul	Specificatia din FDA	Specificatia propusa	Standarde
1	2	3	4	5	6	7	8
LOT 1							
1	1	Nettop	Navigator	RM	Ultraser ce	Procesor Intel Core i3 (8th Generation Intel® Core™ i3 Processors) Frecventa minimum 3 GHz. Numarul nucleelor 4. Memoria operative 8Gb DDR4. Video incorporat. Memorie de stocare SSD minimum 240 GB 3D-NAND TLC. Cardreader. Retea 10/100/1000 Mbit/s. Wi-Fi. USB 3.1/2 x USB2.0, 2 x USB3.0 gen. Mouse și Tasta USB fara fir. Garantie 2 ani Mini PC ASrock DESKMINI 310/B/BB (Intel Socket 1151,H310M-STX),Black Dimension - 155 x 155 x 80 mm CPU - Supports Intel® 8th Processors (Socket 1151)(Max. TDP 65W) Chipset - Intel® H310 Memory - Supports DDR4 2666MHz, 2 x SO-DIMM Slots, Max. 32GB Graphics - Supports Intel® UHD Graphics Graphics Output - 1 x HDMI, 1 x DP, 1 x VGA Audio - 1 x Head Phone with MIC Jack, 1 x MIC-In USB - Rear: 1 x USB 2.0 Type-A, 1 x USB 3.1 Gen1 Type-A - Front: 1 x USB 3.1 Gen1 Type-C ,1 x USB 3.1 Gen1 Type-A LAN - Intel® Gigabit I219V LAN Storage - 2 x SATA3 with Power connectors - 1 x Ultra M.2 (2280) SSD Slot (PCIe Gen3 x4 / SATA6Gb) - 1 x Micro SD Card Reader (bottom side) WiFi - 1 x M.2 (key E 2230) Slot for Wi-Fi + BT Module - Support Intel® CNVi module, PCIe Front I/O - 2 x USB 2.0 Headers, 1 x Front Panel Header, - 2 x 4-Pin fan connectors (CPU, SYS), COM Port - 1 x DC-In Jack (Supports 19V Power Adapters) - 1 x Internal Speaker Header (4-Pin) - 1 x Chassis Intrusion Header (2-Pin) Rear I/O - 1 x HDMI* - 1 x DP* - 1 x VGA* - 1 x USB 2.0 Type-A - 1 x USB 3.1 Gen1 Type-A CPU Intel Core i3-8100 3.6GHz (4C/4T,6MB, S1151,14nm,Intel Integrated UHD Graphics 630,65W) Tray AC Deepcool S1150,S1155,S1156,S775 "CK-11509" (26.8dBA,2200RPM,38.62 CFM Airflow, up to 65W) FAN Ø92X25mm, .8GB DDR4- 2666MHz SODIMM Transcend PC21300, CL19, 260pin DIMM 1.2V 2.5" SATA SSD 240GB ADATA Ultimate SU650 [R/W:520/450MB/s, 40K/75K IOPS, MK/SMI, 3D-NAND TLC] USB2.0 Mini Wireless LAN Adapter MERCUSYS "MW300UM", 300Mbps Provides fast 300Mbps Wi-Fi connections for wired devices Ideal for online gaming, HD streaming, web browsing, and more Supports Windows 10/8.1/8/7/XP (32/64bit) Wireless Keyboard & Mouse SVEN KB-C3100W, Splash proof, Fn key, Nano rec., 2.4GHz. 1xAAA/2xAAAA. Black	ISO
						CPU Intel Core i3-8100 3.6GHz (4C/4T,6MB, S1151,14nm,Intel Integrated UHD Graphics 630,65W) Tray	ISO
						AC Deepcool S1150,S1155,S1156,S775 "CK-11509" (26.8dBA,2200RPM,38.62 CFM Airflow, up to 65W) FAN Ø92X25mm,	ISO
						.8GB DDR4- 2666MHz SODIMM Transcend PC21300, CL19, 260pin DIMM 1.2V	ISO
						2.5" SATA SSD 240GB ADATA Ultimate SU650 [R/W:520/450MB/s, 40K/75K IOPS, MK/SMI, 3D-NAND TLC]	ISO
						USB2.0 Mini Wireless LAN Adapter MERCUSYS "MW300UM", 300Mbps Provides fast 300Mbps Wi-Fi connections for wired devices Ideal for online gaming, HD streaming, web browsing, and more Supports Windows 10/8.1/8/7/XP (32/64bit)	ISO
						Wireless Keyboard & Mouse SVEN KB-C3100W, Splash proof, Fn key, Nano rec., 2.4GHz. 1xAAA/2xAAAA. Black	ISO

Semnat:  Gricas Bogdan, manager în comerț, bg@bts.md. Ofertantul: BTS PRO SRL, adresa: mun. Chișinău, str. I. Creangă, 6-V, tel.: 022 870 244, fax.: 022 595 858

C/F 1008600061565 C/D MD79VI000000225131128MDL C/B VICBMD2X883 BC VICTORIABANK filiala 11, Chisinău

Numărul licitației: nr. MD-1551180642489	IMSP Institutul de Cardiologie	Data: 11.03.2019	Alternativa nr.: -
Denumirea licitației:	Tehnica de calcul	Lot: 1-5	Pagina_3_din_8_

Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Produce	Specificatia din FDA	Specificatia propusa	Stand-arde
1	2	3	4	5	6	7	8
						, Optical, 1000 dpi, 3 buttons, Ambidextrous - http://www.sven.fi/ru/catalog/keyboard/kb-c3100w.htm	
1 2	Monitor 21,5"	21.5" Philips "223V5LSB", Black (1920x1080, 5ms, 250cd, LED10M:1, DVI)	PRC	TPV	Monitor 21,5" cu intrare video ca la Nettop. Rezoluția ecranului: 1920x1080. VGA/DVI. Garantie 3 ani.	21.5" Philips "223V5LSB", Black (1920x1080, 5ms, 250cd, LED10M:1, DVI) (21.5" TFT+LED backlight, Full HD(16:9) 1920x1080, 0.248mm, 5ms, SmartContrast: 10000000:1 (1000:1), 250cd/m2, 170°/160° (C/R>10), H:30-83kHz, V:56-75Hz, D-Sub, DVI-D)	ISO
1 3	Surge Protector	Surge Protector 5 Sockets, 5.0m, Sven "SF-05L", BLACK flame-retardant material	PRC	Sven	SURGE PROTECTOR, 5 SOCKETS, 5.0M, BLACK	Surge Protector 5 Sockets, 5.0m, Sven "SF-05L", BLACK flame-retardant material - http://www.sven.fi/ru/catalog/filter/sf-05l.htm	ISO
LOT 2							
2 1	Multifuncțion ală MONO Laser Printer/Scanner/Copier	MFD Canon i-Sensys MF421dw	PRC	Canon	MONO Laser Printer/Scanner/Copier, A4, 1200X600 DPI, 18 PPM, 128MB, PAPER INPUT (STANDARD) 250-SHEET TRAY, Resurs de imprimare 15 000 pagini în lună. USB 2.0, LAN, WiFi, Garantie - 2 ani	MFD Canon i-Sensys MF421dw MFD, A4, 38ppm, DADF, WiFi Print, Copy and Scan Print speed: Single sided Up to 38 ppm (A4); Up to 63.1 ppm (A5-Landscape) Double sided Up to 30.3 ipm (A4) Printing method: Monochrome laser beam printing Print quality: Up to 1200 x 1200 dpi Print Resolution: 600 x 600 dpi Warm-up Time: Approx. 14 seconds or less from power on First Print Out Time: Approx. 5.5 seconds or less Printer languages: UFR II, PCL 5e, PCL6 Copier Copy Speed: Single sided (A4): Up to 38 ppm Double sided (A4): Up to 30.3 ipm First Copy Output Time (FCOT): ADF (A4): Approx. 6.6 seconds or less Platen (A4): Approx. 6.4 seconds or less Copy resolution: Up to 600 x 600 dpi Copy modes: Text, Text/Photo (Default), Text/Photo (High Quality), Photo Double sided copying: 2-sided to 2-sided (Automatic) Multiple Copy: Up to 999 copies Reduction/Enlargement: 25-400% in 1% increments	ISO



Semnat: Grigăș Bogdan, manager în comerț, bg@bts.md. Ofertantul: BTS PRO SRL, adresa: mun. Chișinău, str. I. Creangă, 6-V, tel.: 022 870 244, fax.: 022 595 858

C/F 1008600061565 C/D MD79VI000000225131128MDL C/B VICBMD2X883 BC VICTORIABANK filiala 11, Chișinău

Numărul licitației: nr. MD-1551180642489	IMSP Institutul de Cardiologie	Data: 11.03.2019	Alternativa nr.: -
Denumirea licitației:	Tehnica de calcul	Lot: 1-5	Pagina_4_din_8_

Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Produce	Specificatia din FDA	Specificatia propusa	Stand-arde
1	2	3	4	5	6	7	8
						Scanner Type: Colour Scan Resolution: Optical Up to 600 x 600 dpi Enhanced Up to 9600 x 9600 dpi Scan speed: Single sided mono 38ipm (300x600dpi) Single sided colour 13ipm (300x600dpi) Double sided mono 70ipm (300x600dpi) Double sided colour 26ipm (300x600dpi) Colour scanning depth: 24 bit/24 bit (input/output) Greyscales: 256 levels Compatibility: TWAIN , WIA, ICA Max. scan width 216mm Scan to E-mail / PC / USB memory key / FTP: TIFF/JPEG/PDF/Compact PDF/Searchable PDF Scan to Cloud: TIFF/JPEG/PDF/PNG iFAX: ITU-T.37 Platen, 2-sided ADF (single pass) Paper input (Standard): 250-sheet cassette 100-sheet multi-purpose tray 50-sheet ADF Paper input (Option): 550-sheet cassette Paper output: 150-sheet Interface type: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection Recommended Monthly Print Volume: 750 - 4,000 pages per month Duty cycle: Max. 80,000 pages per month Processor Speed: 800MHz x 2 Memory 1GB Control Panel: 12.7 cm LCD Colour Touch Screen Cartridges: Cartridge 052 (3,100 pages) Cartridge 052H (9,200 pages) Printer ships with Cartridge 052 (3,100 pages)	
2 2	Cartușe	Laser Cartridge for HP CF226A black Compatible	PRC	SCC	Cartușe de rezerva pentru MFD din punctul 2.1	Laser Cartridge for HP CF226A black Compatible Canon CRG 052	ISO
2 3	Cablu USB	Cable USB, AM/BM, 1.8 m, USB2.0 SVEN	PRC	Sven	Cablu USB 1,8 M	Cable USB, AM/BM, 1.8 m, USB2.0 SVEN http://www.sven.fi/ru/catalog/cables/usb_am_bm.htm	ISO


LOT 3

Semnat: Grigăș Bogdan, manager în comerț, bg@bts.md. Ofertantul: BTS PRO SRL, adresa: mun. Chișinău, str. I. Creangă, 6-V, tel.: 022 870 244, fax.: 022 595 858

C/F 1008600061565 C/D MD79VI000000225131128MDL C/B VICBMD2X883 BC VICTORIABANK filiala 11, Chișinău

Numărul licitației: nr. MD-1551180642489	IMSP Institutul de Cardiologie	Data: 11.03.2019	Alternativa nr.: -
Denumirea licitației:	Tehnica de calcul	Lot: 1-5	Pagina_5_din_8_

Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Produce	Specificatia din FDA	Specificatia propusa	Stand-arde
1	2	3	4	5	6	7	8
3 1	Multifuncțion ală MONO Laser/ Fax/ Printer/Scanner/Copier	MFD Canon i-Sensys MF426dw	PRC	Canon	MoNO Laser / Fax/Printer/Scanner/Copier, A4, 1200X600 DPI, 18 PPM, 128MB, PAPER INPUT (STANDARD) 250-SHEET TRAY, Resurs de imprimare 15 000 pagini în lună. USB 2.0, LAN, WiFi, Garanție - 2 ani	MFD Canon i-Sensys MF426dw MFD, A4, 38ppm, DADF, WiFi Print, Copy, Scan and Fax Print speed: Single sided Up to 38 ppm (A4); Up to 63.1 ppm (A5-Landscape) Double sided Up to 30.3 ipm (A4) Printing method: Monochrome laser beam printing Print quality: Up to 1200 x 1200 dpi Print Resolution: 600 x 600 dpi Warm-up Time: Approx. 14 seconds or less from power on First Print Out Time: Approx: 5.5 seconds or less Printer languages: UFR II, PCL 5e, PCL6, Adobe® PostScript Copier Copy Speed: Single sided (A4): Up to 38 ppm Double sided (A4): Up to 30.3 ipm First Copy Output Time (FCOT): ADF (A4): Approx. 6.6 seconds or less Platen (A4): Approx. 6.4 seconds or less Copy resolution: Up to 600 x 600 dpi Copy modes: Text, Text/Photo (Default), Text/Photo (High Quality), Photo Double sided copying: 2-sided to 2-sided (Automatic) Multiple Copy: Up to 999 copies Reduction/Enlargement: 25-400% in 1% increments Scanner Type: Colour Scan Resolution: Optical Up to 600 x 600 dpi Enhanced Up to 9600 x 9600 dpi Scan speed: Single sided mono 38ipm (300x600dpi) Single sided colour 13ipm (300x600dpi) Double sided mono 70ipm (300x600dpi) Double sided colour 26ipm (300x600dpi) Colour scanning depth: 24 bit/24 bit (input/output) Greyscales: 256 levels Compatibility: TWAIN , WIA, ICA Max. scan width 216mm Scan to E-mail / PC / USB memory key / FTP: TIFF/JPEG/PDF/Compact PDF/Searchable PDF Scan to Cloud: TIFF/JPEG/PDF/PNG iFAX: ITU-T.37 Fax Modem Speed: 33.6 Kbps (Up to 3 seconds/page) Platen, 2-sided ADF (single pass) Paper input (Standard): 250-sheet cassette 100-sheet multi-purpose tray	ISO




Semnat: Grigoras Bogdan, manager în comerț, bg@bts.md. Ofertantul: BTS PRO SRL, adresa: mun. Chișinău, str. I. Creangă, 6-V, tel.: 022 870 244, fax.: 022 595 858

C/F 1008600061565 C/D MD79VI000000225131128MDL C/B VICBMD2X883 BC VICTORIABANK filiala 11, Chișinău

Numărul licitației: nr. MD-1551180642489	IMSP Institutul de Cardiologie	Data: 11.03.2019	Alternativa nr.: -
Denumirea licitației:	Tehnica de calcul	Lot: 1-5	Pagina_6_din_8_

Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Produce	Specificatia din FDA	Specificatia propusa	Stand-arde
1	2	3	4	5	6	7	8
						50-sheet ADF Paper input (Option): 550-sheet cassette Paper output: 150-sheet Interface type: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection Recommended Monthly Print Volume: 750 - 4,000 pages per month Duty cycle: Max. 80,000 pages per month Processor Speed: 800MHz x 2 Memory 1GB Control Panel: 12.7 cm LCD Colour Touch Screen Cartridges: Cartridge 052 (3,100 pages) Cartridge 052H (9,200 pages) Printer ships with Cartridge 052 (3,100 pages)	
3 2	Cartuș	Laser Cartridge for HP CF226A black Compatible	PRC	SCC	Cartuș de rezerva pentru MFD din punctul 3.1.	Laser Cartridge for HP CF226A black Compatible Canon CRG 052	ISO
LOT 4							
4 1	Monitor 25"	25.0" PHILIPS "258B6QUEB", Black (IPS, 2560x1440, 5ms, 350cd, 20M:1, DP,DVI,HDMI,USB-C Dock, Pivot)	PRC	TPV	Contrast: 1000:1. Rezolutie: 2560 x 1440. Tip display: LED. Tip Panel: IPS. Timp de raspuns: 5 ms. Diagonala: 25 inch (63.5 cm). Intensitate luminoasa 350 cd/mp. Unghi maxim vizibilitate orizontala/verticala (grade): 178/178 grade. Rata orizontala de refresh (KHz): 30 - 83 kHz. Rata verticala de refresh (Hz): 56 - 76 Hz. Conectivitate Interfata: USB-C/ Jack Audio/ DisplayPort/ USB 3.0 x 3/ VGA (Analog)/ HDMI (digital, HDCP)/ RJ-45 prin USB tip C/ DVI-Dual Link (digital, HDCP). Plug & Play. Boxe integrate.	25.0" PHILIPS "258B6QUEB", Black (IPS, 2560x1440, 5ms, 350cd, 20M:1, DP,DVI,HDMI,USB-C Dock, Pivot) (25.0" IPS W-LED, 2560x1440 WQHD, 0.216mm, 5 ms GTG, 350 cd/m², DCR 20 Min:1 (1000:1), sRGB 16.7M Colors True 8-bit , 178°/178° @C/R>10, 30~83 KHz(H)/ 56~76Hz(V), USB-C, DisplayPort + HDMI + DVI-DL, D-Sub, Stereo Audio-In, Headphone-Out, Built-in speakers, USB-C Docking (USB 3.0 x3-Hub (1 w/fast charging), RJ45: through USB-C), Built-in PSU, HAS 130mm, Tilt: -5°/+20°, Swivel +/-65°, Pivot, VESA Mount 100x100, Flicker-Free, Super Narrow Border, Black)	ISO



Semnat: Grigoras Bogdan, manager în comerț, bg@bts.md. Ofertantul: BTS PRO SRL, adresa: mun. Chișinău, str. I. Creangă, 6-V, tel.: 022 870 244, fax.: 022 595 858

C/F 1008600061565 C/D MD79VI000000225131128MDL C/B VICBMD2X883 BC VICTORIABANK filiala 11, Chișinău

Numărul licitației: nr. MD-1551180642489	IMSP Institutul de Cardiologie	Data: 11.03.2019	Alternativa nr.: -
Denumirea licitației:	Tehnica de calcul	Lot: 1-5	Pagina_7_din_8_

Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Produce- catrurul	Specificatia din FDA	Specificatia propusa	Stand- arde
1	2	3	4	5	6	7	8
					Funcții: SmartImage, SmartControl. Pivot 90 grade. Swivel -65/65 grade. Inclinare: -5/20 degree. Ajustare inaltime: 130 mm. Contrast dinamic: 20.000.000:1. Montare pe perete: VESA 100 x 100 mm. Alimentare: 100-240 VAC, 50-60 Hz. Garantie: 3 ani.		
LOT 5							
5 1	MikroTik hAP ac lite RB952Ui-5ac2nD	Mikrotik RB952Ui-5ac2nD hAP ac lite	LV	Mikrotik	MikroTik hAP ac lite RB952Ui-5ac2nD. Garantie 2 ani	Mikrotik RB952Ui-5ac2nD hAP ac lite	ISO



Semnat: Grigăș Bogdan, manager în comerț, bg@bts.md. Ofertantul: BTS PRO SRL, adresa: mun. Chișinău, str. I. Creangă, 6-V, tel.: 022 870 244, fax.: 022 595 858

C/F 1008600061565 C/D MD79VI000000225131128MDL C/B VICBMD2X883 BC VICTORIABANK filiala 11, Chișinău

Numărul licitației: nr. MD-1551180642489	IMSP Institutul de Cardiologie	Data: 11.03.2019	Alternativa nr.: -
Denumirea licitației:	Tehnica de calcul	Lot: 1-5	Pagina_8_din_8_

SPECIFICAȚII DE PREȚ (F4.2)

Nr. CPV	Denumirea bunurilor	U.M.	Cant.	Pret unitar f/TVA	Pret unitar cu TVA	Suma f/TVA	Suma cu TVA	Garantie	Termen de livrare
				MDL	MDL	MDL	MDL	Luni	
1	2	3	4	5	6	7	8	9	10
LOT 1									
1 1	Nettop	Buc.	15	6660,00	7992,00	99900,00	119880,00	24	la solicitarea cumparatorului 2019
1 2	Monitor 21,5"	Buc.	15	1615,00	1938,00	24225,00	29070,00	36	la solicitarea cumparatorului 2019
1 3	Surge Protector	Buc.	15	65,00	78,00	975,00	1170,00	12	la solicitarea cumparatorului 2019
TOTAL LOT 1:						125100,00	150120,00		
LOT 2									
2 1	Multifuncțională MONO Laser Printer/Scanner/Copir	Buc.	15	7155,00	8586,00	107325,00	128790,00	24	la solicitarea cumparatorului 2019
2 2	Cartușe	Buc.	15	295,00	354,00	4425,00	5310,00	-	la solicitarea cumparatorului 2019
2 3	Cablu USB	Buc.	16	12,50	15,00	200,00	240,00	-	la solicitarea cumparatorului 2019
TOTAL LOT 2:						111950,00	134340,00		
LOT 3									
3 1	Multifuncțională MONO Laser/ Fax/ Printer/Scanner/Copir	Buc.	1	8697,50	10437,00	8697,50	10437,00	24	la solicitarea cumparatorului 2019
3 2	Cartuș	Buc.	1	295,00	354,00	295,00	354,00	-	la solicitarea cumparatorului 2019
TOTAL LOT 3:						8992,50	10791,00		
LOT 4									
4 1	Monitor 25"	Buc.	1	6800,00	8160,00	6800,00	8160,00	36	la solicitarea cumparatorului 2019
TOTAL LOT 4:						6800,00	8160,00		
LOT 5									
5 1	MikroTik hAP ac lite RB952Ui-5ac2nD	Buc.	2	825,00	990,00	1650,00	1980,00	24	la solicitarea cumparatorului 2019
TOTAL LOT 5:						1650,00	1980,00		
TOTAL:						254492,50	305391,00		

Valabilitatea ofertei: 45 zile



Semnat: Grigoras Bogdan, manager în comerț, bg@bts.md. Ofertantul: BTS PRO SRL, adresa: mun. Chișinău, str. I. Creangă, 6-V, tel.: 022 870 244, fax.: 022 595 858

C/F 1008600061565 C/D MD79VI000000225131128MDL C/B VICBMD2X883 BC VICTORIABANK filiala 11, Chișinău