

**CERTIFICAT**  
**privind lipsa sau existența restanțelor față de bugetul public național**

Nr.  
№ **A2202726**

din  
от **18.02.2022**

**1. Destinația / Назначение**

Pentru participare la proceduri de achizitii publice

**2. Date despre contribuabil / Информация о налогоплательщике**

Denumirea Наименование	Codul fiscal / Numărul de identificare Фискальный код / Идентификационный номер
<b>BIOSISTEM MLD S.R.L.</b>	<b>1010600028048</b>
Adresa sediului de bază (strada, numărul) Адрес основного месторасположения (улица, номер)	Codul - Denumirea localității Код - Наименование населенного пункта
<b>Albisoara nr.16 bl.1 of.7</b>	<b>0150-SEC.RISCANI</b>

**3. Atestarea lipsei sau existenței restanțelor conform datelor Sistemului Informațional Automatizat /**

Подтверждение отсутствия или наличия недоимки согласно данных Информационной автоматизированной системы

La data emiterii prezentului certificat restanța față de bugetul public național constituie/ На дату выдачи данной справки недоимка перед национальным публичным бюджетом составляет:  
**0,00 lei/лей.**

**4. Valabil până la / Действителен до 05.03.2022**

**5. Autentificarea Serviciului Fiscal de Stat / Подтверждение Государственной налоговой службы**

**Șef DDF Rîșcani**

**a DGDF**  
L.Ș/ M.П.

Executor: **Svetlana Slonovskaia**  
Numele și prenumele/Фамилия и имя  
tel: (022)823102



Semnătura/Подпись

**Petru GRICIUC**

Numele și prenumele/Фамилия и имя

Este extras din Sistemul Informațional al SFS SIA „Contul curent al contribuabilului”// 18.02.2022 ora 8:17:43  
cu aplicarea prevederilor pct: 82-83 Ordin IFPS nr.400 din 14.03.2014 (Monitorul Oficial 72-77/399, 28.03.2014)

NOTA (3,52)



# BC "MOLDINDCONBANK" S.A. Filiala "Invest"

Republica Moldova, MD-2068  
mun. Chişinău, bd. Moscovei, 14/1  
Tel. : (373-22) 43-44-81, 43-46-24  
Fax : (373-22) 43-44-22  
cod: MOLDM2X329

Data 14. IAN. 2016  
Nr. 03/2 - 19/23

Республика Молдова, MD-2068  
мун. Кишинэу, бул. Московей, 14/1  
Тел. : (373-22) 43-44-81, 43-46-24  
Факс : (373-22) 43-44-22  
код: MOLDM2X329

Filiala „Invest” BC „Moldindconbank” SA confirmă existența contului curent  
in moneda nationala al **“BIOSISTEM MLD” S.R.L. (c/f 1010600028048)**, cu  
**IBAN MD95ML000000002251429243.**

Codul băncii MOLDM2X329.

Director

Nina Turcan

Director financiar



Nina Balmuș

Ex. Diana Brinza  
Tel. 43-45-96

REPUBLICA



MOLDOVA

# CERTIFICAT DE ÎNREGISTRARE

**Societatea cu Răspundere Limitată "BIOSISTEM MLD"**  
— ESTE ÎNREGISTRATĂ LA CAMERA ÎNREGISTRĂRII DE STAT —

*Numărul de identificare de stat - codul fiscal*  
**1010600028048**

*Data înregistrării*

**12.08.2010**

*Data eliberării*

**12.08.2010**

**Svirepova Ludmila, registrator**

*Funcția, numele, prenumele persoanei  
care a eliberat certificatul*

*L. Svirepova*  
semnătura

MD 0101250





## I.P. "AGENȚIA SERVICII PUBLICE"

Departamentul înregistrare și licențiere a unităților de drept

### EXTRAS din Registrul de stat al persoanelor juridice

nr. 8506 din 28.04.2021

Denumirea completă: **Societatea cu Răspundere Limitată «BIOSISTEM MLD».**

Denumirea prescurtată: **«BIOSISTEM MLD» S.R.L.**

Forma juridică de organizare: **Societate cu Răspundere Limitată.**

Numărul de identificare de stat și codul fiscal: **1010600028048.**

Data înregistrării de stat: **12.08.2010.**

Sediul: **MD-2001, str. Albișoara, 16/1, ap.(of.) 7, mun. Chișinău, Republica Moldova.**

Obiectul principal de activitate:

- 1 Activitatea farmaceutică;**
- 2 Importul, fabricarea, comercializarea, asistența tehnică și (sau) reparația dispozitivelor medicale și (sau) a opticii;**
- 3 Acordarea asistenței medicale de către instituțiile medico-sanitare private;**
- 4 Comerțul cu ridicata al calculatoarelor, echipamentelor periferice și software-ului;**
- 5 Întreținerea și repararea mașinilor de birou și a tehnicii de calcul;**
- 6 Consultații în domeniul sistemelor de calcul.**

Capitalul social: **5400 lei.**

**Administrator: POIATA VITALIE,**

Asociați:

- 1. POIATA VITALIE 33,40 %**
- 2. NASEDCHIN ALEXANDR 33,30 %**
- 3. KOJEVNIKOV DMITRII 33,30 %.**

Prezentul extras este eliberat în temeiul art. 34 al Legii nr. 220-XVI din 19 octombrie 2007 privind înregistrarea de stat a persoanelor juridice și a întreprinzătorilor individuali și confirmă datele din Registrul de stat la data de: 28.04.2021.

Specialist coordonator  
tel. 022-207-840



**Lazari Aliona**



EB 0358735

## **Lista fondatorilor Biosistem-mld SRL**

<b>Nr.</b>	<b>Nume, Prenume</b>	<b>IDNP</b>
<b>1.</b>	<b>Vitalie Poiata</b>	<b>0983103892591</b>
<b>2.</b>	<b>Alexandr Nasedchin</b>	<b>2002001070747</b>
<b>3.</b>	<b>Dmitrii Kojevnikov</b>	<b>0972305012362</b>

Declaration of Conformity V 1.0

# Declaration of Conformity



**Manufacturer:** Shenzhen Mindray Bio-Medical Electronics Co., Ltd.  
Mindray Building, Keji 12th Road South, Hi-tech Industrial  
Park, Nanshan, Shenzhen, 518057, P. R. China

**EC-Representative:** Shanghai International Holding Corp. GmbH (Europe)  
Eiffestraße 80  
20537 Hamburg, Germany

**Product:** **Auto Hematology Analyzer**

**Model:** **BC-5150**  
Including reagents as following:  
**M-52D DILUENT**  
**M-52DIFF LYSE**  
**M-52LH LYSE**  
**PROBE CLEANSER**

**Classification:** The device not in IVDD annex II and not for self  
testing/performance evaluation

**Conformity Assessment Route:** IVDD Annex III(excluding Section 6)

We herewith declare that the above mentioned products meet the provisions of the Directive 98/79/EC on In Vitro Diagnostic Medical Devices. All supporting documentations are retained under the premises of the manufacturer.

**Standards Applied:**

List of (harmonized) standards for which documented evidence for compliance can be provided as attachment.

**Start of CE-Marking:** 2013-9-26

**Place, Date of Issue:** Shenzhen, 2013-9-26

**Signature:** \_\_\_\_\_

**Name of Authorized Signatory:** Mr.tan ChuanBin  
**Position Held in Company:** Manager ,Technical Regulation

Declaration of Conformity V 1.0

## Applied Standards List

**Product:** Auto Hematology Analyzer  
BC-5150、BC-5000  
Including reagents as following:  
**M-52D DILUENT**  
**M-52DIFF LYSE**  
**M-52LH LYSE**  
**PROBE CLEANSER**

### Applied Standards:

EN ISO 18113-1:2009	In vitro diagnostic medical devices —Information supplied by the manufacturer(labelling) Part 1: Terms, definitions and general requirements
EN ISO 18113-2:2009	In vitro diagnostic medical devices - Information supplied by the manufacturer (labelling) - Part 2: In vitro diagnostic reagents for professional use
EN ISO 18113-3:2009	In vitro diagnostic medical devices — Information supplied by the manufacturer (labelling) Part 3: In vitro diagnostic instruments for professional use
EN ISO 15223-1:2012	Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied —Part 1: General requirements
EN 13612: 2002	Performance evaluation of in vitro diagnostic medical devices
ISO 14971:2012	Medical devices – Application of risk management to medical devices
EN 61010-1:2001	Safety requirements for electrical equipment for measurement, control, and laboratory use Part 1: General requirement
EN 61010-2-081:2002+A1: 2003+A1: 2003	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 2-081: Particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes
EN 61010-2-101: 2002	Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-101: Particular requirements for in vitro diagnostic (IVD) medical equipment

## Declaration of Conformity V 1.0

IEC 61010-2-010: 2005	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 2-010: Particular requirements for laboratory equipment for the heating of materials
EN 61326-1:2006	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements
EN 61326-2-6:2006	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 2-6: Particular requirements - In vitro diagnostic (IVD) medical equipment
EN 62304:2008	Medical device software- Software life cycle processes
EN 62366:2008	Medical devices — Application of usability engineering to medical devices
EN 13640: 2002	Stability testing of in vitro diagnostic medical devices





America

# CERTIFICATE

No. QS5 044751 0140 Rev. 02

**Certificate Holder:** Shenzhen Mindray Bio-Medical  
Electronics Co., Ltd.  
Mindray Building  
Keji 12th Road South  
High-Tech Industrial Park  
Nanshan  
518057 Shenzhen  
PEOPLE'S REPUBLIC OF CHINA

**Certification Mark:**



**Scope of Certificate:** See Page 2 for Overall Scope Statement.

**Standard(s):** ISO 9001:2015

The Certification Body of TÜV SÜD America Inc. certifies that the company mentioned above has established and is maintaining a quality management system that meets the requirements of the listed standards.

**Report No.:** SH2005501

**Effective Date:** 2020-08-12

**Expiry Date:** 2023-06-30

Page 1 of 4

**Date of Issue:** 2020-08-20

Tina Israel  
Manager, US Certification Body,  
Medical and Health Services



America

# CERTIFICATE

No. QS5 044751 0140 Rev. 02

**Overall Scope Statement**

**Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories, Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Temperature Probe, Flow Sensor, Ambulatory Blood Pressure Monitor, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories, Ventilator, Air Compressor, Endoscope Camera System, Ultrasonic Diagnostic Equipment and Accessories, Digital Radiography System, Radiography System, Hematology Analyzer, Clinical Chemistry Analyzer, Urine Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunossay Analyzer, Flow Cytometer, (Auto) Sample Processing System, Auto Slide Maker and Stainer, Glycohemoglobin Analyzer, Specific Protein Analyzer), Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls, Reagents for Flow Cytometer, Reagents for Glycohemoglobin Analyzer, Calibrators and Controls for Glycohemoglobin Analyzer, Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag**

Page 2 of 4

Date of Issue: 2020-08-20

Tina Israel  
 Manager, US Certification Body,  
 Medical and Health Services



America

# CERTIFICATE

No. QS5 044751 0140 Rev. 02

**Facility(ies):** **Shenzhen Mindray Bio-Medical Electronics Co., Ltd.**  
Mindray Building, Keji 12th Road South, High-Tech Industrial Park, Nanshan, 518057, Shenzhen, PEOPLE'S REPUBLIC OF CHINA

**Facility Scopes:** Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories, Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Temperature Probe, Flow Sensor, Ambulatory Blood Pressure Monitor, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories, Ventilator, Air Compressor, Endoscope Camera System, Ultrasonic Diagnostic Equipment and Accessories, Digital Radiography System, Radiography System, Hematology Analyzer, Clinical Chemistry Analyzer, Urine Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunoassay Analyzer, Flow Cytometer, (Auto) Sample Processing System, Auto Slide Maker and Stainer, Glycohemoglobin Analyzer, Specific Protein Analyzer), Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls, Reagents for Flow Cytometer, Reagents for Glycohemoglobin Analyzer, Calibrators and Controls for Glycohemoglobin Analyzer, Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag

Page 3 of 4

Date of Issue: 2020-08-20

Tina Israel  
Manager, US Certification Body,  
Medical and Health Services



America

# CERTIFICATE

No. QS5 044751 0140 Rev. 02

**Facility(ies)**

**Shenzhen Mindray Bio-Medical Electronics Co., Ltd.**  
 1203 Nanhuan Avenue, Guangming District, 518106  
 Shenzhen, PEOPLE'S REPUBLIC OF CHINA

**Facility Scopes:**

Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories, Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Temperature Probe, Flow Sensor, Ambulatory Blood Pressure Monitor , Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories, Ventilator, Air Compressor, Endoscope Camera System, Ultrasonic Diagnostic Equipment and Accessories, Digital Radiography System, Radiography System, Hematology Analyzer, Clinical Chemistry Analyzer, Urine Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunoassay Analyzer, Flow Cytometer, (Auto) Sample Processing System, Auto Slide Maker and Stainer, Glycohemoglobin Analyzer, Specific Protein Analyzer), Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls, Reagents for Flow Cytometer, Reagents for Glycohemoglobin Analyzer, Calibrators and Controls for Glycohemoglobin Analyzer, Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag

Page 4 of 4

Date of Issue: 2020-08-20

Tina Israel  
 Manager, US Certification Body,  
 Medical and Health Services







# Certificate

No. Q5 044751 0164 Rev. 02

For the product(s)/product category (ies):

Patient Monitor and Accessories, Vital Signs Monitor,  
 Center Monitoring System, Telemetry Monitoring System,  
 Pulse Oximeter, Temperature Probe, Flow Sensor,  
 Ambulatory Blood pressure Monitor,  
 Defibrillator/Monitor and Accessories, Electrocardiograph,  
 Anesthesia Machine and accessories, Ventilator,  
 Air compressor, Endoscope Camera System,  
 Ultrasonic Diagnostic Equipment and Accessories,  
 Digital Radiography System, Radiography System,  
 Hematology Analyzer, Clinical Chemistry Analyzer,  
 Urine Analyzer, Microplate Reader,  
 Microplate Washer for invitro diagnostic use,  
 Chemiluminescence Immunoassay Analyzer,  
 Flow Cytometer, (Auto) Sample Processing System,  
 Auto Slide Maker&Stainer, Glycohemoglobin Analyzer,  
 Specific Protein Analyzer, Reagents for Hematology Analyzer,  
 Reagents for Clinical Chemistry Analyzer,  
 Chemiluminescence Immunoassay Reagents,  
 Chemiluminescence Immunoassay Calibrators and Controls,  
 Reagents for Flow Cytometer,  
 Reagents for Glycohemoglobin Analyzer,  
 Calibrators and Controls for Glycohemoglobin Analyzer,  
 Disposable Anesthesia Mask, Reusable Anesthesia Mask,  
 Respiratory Mask, Disposable Breathing Circuit,  
 Reusable Breathing Circuit, Heat and Moisture Exchanger,  
 Filter, Breathing Bag.