

nr. _____

din “ ____ ” _____ 20 ____

Specificații tehnice

[Acest tabel va fi completat de către ofertant în coloanele 2, 3, 4, 6, 7, iar de către autoritatea contractantă – în coloanele 1, 5,]

Numărul procedurii de achiziție 21063549 din 13 sept 2022
Obiectul de achiziției: Echipament și accesorii pentru computer

Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standard e de referință
1	2	3	4	5	6	7
Bunuri/servicii						
Lotul 2						
<i>Perete de proiectare</i>	SP2180SL	China	Asio Co., Ltd	<i>Demensiuni 178x178cm</i>	<i>Demensiuni 178x178cm</i>	
<i>Videoproiector</i>	<i>AY-5810</i>	China	Asio Co., Ltd	Vidioproiector AAO AY-5810.Tehnologie de protective:LCD(TFT).Rezolutie nativa:1280*800,support_108OP.Corectie digitala a panglicii :+/-15 Luminozitate:5500Lumeni.Raportul de contrast:3000:1 Raportul de perspectiva:16:9 Proiectie distanta:1.5-5.6M/4.92-18.37ft Imagine Flip:360degree flipb Obiectiv:5pieces of glass lenses Manual focus Limbi sustinute:23 Tipul lampilor LED:160W,50.000hours life Dimensiunea imaginii 40-200inch\ Chea de bolta:15degree physical correction Tensiunea de lucru:AC100-240V/50-60Hz Intrare interfata:HDMIx2/USBx@/VGA/AV/YPbPr/RJJ45 port Functie optionala:Android WIFI Dimensiunea 33.6*26.311.8cm Greutatea 3.1CGS/5KGS Garantie 24	Vidioproiector AAO AY-5810.Tehnologie de protective:LCD(TFT).Rezolutie nativa:1280*800,support_108OP.Corectie digitala a panglicii :+/-15 Luminozitate:5500Lumeni.Raportul de contrast:3000:1 Raportul de perspectiva:16:9 Proiectie distanta:1.5-5.6M/4.92-18.37ft Imagine Flip:360degree flipb Obiectiv:5pieces of glass lenses Manual focus Limbi sustinute:23 Tipul lampilor LED:160W,50.000hours life Dimensiunea imaginii 40-200inch\ Chea de bolta:15degree physical correction Tensiunea de lucru:AC100-240V/50-60Hz Intrare interfata:HDMIx2/USBx@/VGA/AV/YPbPr/RJJ45 port. Android WIFI Dimensiunea 33.6*26.311.8cm Greutatea 3.1CGS/5KGS Garantie 24	

<i>Set calculator (Ryzen3)</i>	PC Ryzen3	China	Nova Park Company srl	Calculator :Case: APU AMD Ryzen3/5600G 8GB RAM-1600MH,SSD-256GB,AMD Radeon R4Graphics,support HDCP,VGA,NDMI,!xPCI Ex16,2XSATA3,RAID,COM Header,ALC887 5.1-Ch ND A,GbE LAN , 2xUSB3.1 Monitor:21.5*PHILIPS,Black,TN,1920x1080 60Hz,5ms,200cd,10M:1,D Sub+HDMI+AudioOut(21.5 TN LED,1920x1080Full HD,0.248mm,5ms,200cd/m2,DCR10Min:1(10 00:1),16.7M Colors,HDMI+Analog D Sub,HDMI Audio-In,Headphone-Out,Buiit-in PSU,Fixed Stand (Tilt-5/+20),VESA Mount 100x100,,Black-Hairline) Tastiere Mouse SVEN KB-S320C,Fullsize layout, Splash proog,Fn key,Black,USB	Calculator :Case: APU AMD Ryzen3/5600G 8GB RAM-1600MH,SSD-256GB,AMD Radeon R4Graphics,support HDCP,VGA,NDMI,!xPCI Ex16,2XSATA3,RAID,COM Header,ALC887 5.1-Ch ND A,GbE LAN , 2xUSB3.1 Monitor:21.5*PHILIPS,Black,TN,1920x1080 60Hz,5ms,200cd,10M:1,D Sub+HDMI+AudioOut(21.5 TN LED,1920x1080Full HD,0.248mm,5ms,200cd/m2,DCR10Min:1(10 00:1),16.7M Colors,HDMI+Analog D Sub,HDMI Audio-In,Headphone-Out,Buiit-in PSU,Fixed Stand (Tilt-5/+20),VESA Mount 100x100,,Black-Hairline) Tastiere Mouse SVEN KB-S320C,Fullsize layout, Splash proog,Fn key,Black,USB	
<i>MFD Canon pixma G3411</i>	<i>Pixma G3411</i>	Japonia	Canon Inc. Corporate ,	MFD Canon pixma,MFD A4,Print,Copy,Scan Print Rezolution:Up to 4800x1200dpi Print Tehnolofv:2FINE cartridges (Black andColor),. Mono Print Speed:approx..8.8 ipm Color print Speed:Approx 5.0 ipm Photo Print Speed:Border;ess 10x15 cm:Approx. 60 seconde	MFD Canon pixma,MFD A4,Print,Copy,Scan Print Rezolution:Up to 4800x1200dpi Print Tehnolofv:2FINE cartridges (Black andColor),. Mono Print Speed:approx..8.8 ipm Color print Speed:Approx 5.0 ipm Photo Print Speed:Border;ess 10x15 cm:Approx. 60 seconde	
<i>Interactive SMART 65,4K,IQ</i>	DR Board	Taiwan	Ajita International Technology Co., Ltd	<i>Display interactive SMART 65,4K,IQ integrat,software Ecranul interactive tactil,proiectat pentru servicii educationale,va revolutiona</i>	<i>Display interactive SMART 65,4K,IQ integrat,software Ecranul interactive tactil,proiectat pentru servicii educationale,va revolutiona</i>	

				modul in care invatati si toate acestea fara dezavantaje legate de proiectare si tablouri interactive Smart Board 65 cu PC care functioneaza sub Android 6.0 cu 2GB RAM si 16GB ROM Inlocuete table traditionala in salile de conferinte si Sali de clasa	modul in care invatati si toate acestea fara dezavantaje legate de proiectare si tablouri interactive Smart Board 65 cu PC care functioneaza sub Android 6.0 cu 2GB RAM si 16GB ROM Integrat OPC Icore 5, 8GB RAM, 256 SSD, Windows 10 Inlocuete table traditionala in salile de conferinte si Sali de clasa	
JBL PartyBox 100	PartyBox 100	SUA	Harman International Industries	Boxă pentru Party JBL PartyBox 100 Model Party Compatibilitate Unive Puterea difuzoarelor 160 Interval de frecvență 45 Hz Diametrul difuzoarelor 133 m Conector audio 6.35 mm 1	Boxă pentru Party JBL PartyBox 100 Model Party 100 Compatibilitate Unive Puterea difuzoarelor 160 Interval de frecvență 45 Hz Diametrul difuzoarelor 133 m Conector audio 6.35 mm 1	

Semnat: _____ Numele, Prenumele: Pleşca Mihail În calitate de: Administrator
Ofertantul: Nova Park Company SRL Adresa: mun. Chişinău, or. Sîngera, str. Grigore Ureche № 8