



CERTIFICATE OF ANALYSIS

DERİNCE

Date : 4.05.2026

Form No : 23

Product	FERRIC CHLORİDE SOLUTION TYPE II	Waybill No :
Batch No	T-7 /4.05.2026	Quantity :
Production Date	4.05.2026	
Expiration Date	4.05.2028	
Customer	GEOTERCOM SRL	
Vehicle Plate No	PB 2902 HC - PB 8329 EB	

ANALYSIS REPORT

Parameters	Specifications	Units	Results	Methods for Analysis
Apperance	Dark Brown Liquid	-	Dark brown liquid	visual
Iron (III) Chloride (FeCl ₃)	40	%	40,77	Titrimetric
Density (20 °C)	1,43	gr / cm ³	1,479	Densimeter
Iron (II) (Fe +2)	max.0,35	%	0,10	Titrimetric

Comments
SON KULLANMA TARİHİ: ÜRETİM TARİHİNDEN İTİBAREN 2 YILDIR.

Quality Control Manager	Name	GÜLTEN HAHOLU	Name	NURDAN KOÇATÜRK
Signature	Signature		Signature	

KORUMA KLOR ALKALI
SANAYİ ve TİCARET A.Ş.
QUALITY CONTROL LABORATORY