

Specifications

THROUGHPUT

- Typically 140 tests / hour;
- Up to 266 ISE tests / hour.

- ## REAGENT AND SAMPLE SYSTEM

- One rotor combining both sample and reagent positions;
- Inner rotor ring:
 - 30 refrigerated reagent positions for 10 ml, 25 ml and 50 ml reagent bottles;
 - Cooled to 10°C +/-2°C at normal laboratory conditions;
 - All reagent positions can be assigned as R1, R2 and R3;
- Outer rotor ring:
 - 25 barcode readable positions;
 - All positions fit 13x75 mm primary and secondary tubes and pediatric cups;
 - All positions can be used for Calibrators, Controls, Normal, Pediatric and STAT samples.

- 1000 μ l Reagent syringe:
 - R1 volume 110 - 400 μ l;
 - R2 volume 0 - 180 μ l;
 - R3 volume 0 - 180 μ l;
 - Programmable in 1 μ l steps;
- 100 μ l Sample syringe;
 - Sample volume 1 - 30 μ l;
 - Programmable in 0.1 μ l steps.
- Programmable dilution ratios
1:5 up to 1:200 in one step increments with 3 possible diluents;
- Pre-heated probe with level detection, collision protection and integrated mixer.

- Cost effective, semi-disposable cuvette rotor with 48 cuvettes, path length 7mm;
- >10.000 tests per rotor;
- Typical reagent consumption 250 μ l per test;
- Measuring temperature 37°C, controlled by Peltier elements.

- Quartz-iodine lamp 12V-20W.

- 340 - 800 nm;
- Optical unit with 8 position filter wheel;
- Automatic wavelength selection;
- 340, 405, 505, 546, 578, 620, 660, 700 nm standard installed;
- Other wavelengths available on request.

- 0.1 to 3.0 Absorbance;
- Resolution 0.001 Abs.

- Kinetic measurement with linearity check;
- Mono- and bichromatic end point measurement with or without bichromatic reagent blank and/or sample blank correction;
- Two point measurement; with or without slope blank;
- Graphic plot of all measuring points;
- Predilution and automatic reflex dilution as needed;
- Non-linear calibration curves;
- Prozone check for immunology tests
- Cut-off declaration;
- Calculated tests.

- Up to 15 different controls can be defined, 3 per test;
- Westgard rules;
- Levey-Jennings plots;
- Quality control statistics.

- ~950 mL per hour max, continuous operation.

- CE-IVD;
- CB;
- FDA;
- UL.

- 90cm (36in) x 75cm (30in) x 60cm (24in) (W x H x D);
- Weight: 75 kg (165 lbs.).

- State of the art Host-Query interface available;
- Host: RS232 or Ethernet (TCP/IP) through LIS-2A protocol.

- Temperature: 15 – 32 °C (59 – 90 °F);
- Humidity: 15 – 85% RH;
- Altitude: up to 2000 m;
- Plumbing: No dedicated system water or drain required;
- Electrical:
 - Voltage: 100 – 240 Vac;
 - Frequency: 50 – 60 Hz;
 - Power (max): 400VA.

- Touch screen navigation;
- Operating System: Windows™ Embedded.

- Hand held CCD bar code reader used for reagent identification and automated programming of assays, controls, and calibrators.

- Patented Solid State Electrode Technology;
- Indirect Measurement;
- Dilution 1:14;
- Measures Sodium, Potassium, Chloride and CO₂.

- Positive Sample Identification (PSID) via integrated barcode reader. Reads all popular formats including Codes 39, 128, 93, CODABAR, and Interleaved 2/5.

- Printer supported by MS Windows™.

preventive maintenance.

About ELITech Clinical Systems...

Our mission is to enable better medical decisions by bringing high-value diagnostic solutions and services to laboratories that are closer to the patient (proximity laboratories).

Delivering Trouble-Free Results Laboratories can Trust

Robust, Always gets the job done

- ✓ True workhorse with proven system reliability
- ✓ Support you can count on
- ✓ Best in class operator interface, easy to train, operate & maintain

Trouble-Free Operations

- ✓ Simplifies lab operations & reduces error
- ✓ Best vendor services, application & lab operations support
- ✓ Cost effective, minimizes labor, maintenance & waste

Right Results, On Time

- ✓ Designed with mistake proofing and error reducing capabilities
- ✓ Management of difficult samples
- ✓ Proven methodologies, referenced and traceable to industry standards

Together with a dedicated range of ready-to-use reagents from ELITech Clinical Systems, the Selectra Pro Series provides an ideal chemistry solution for laboratories that are closer to the patient.

Middle East & Africa T: +971 4 375 2744

Part nr: ECS 6003-500-490-2011/00EN

* Included with System
in North America

Belgium T: +32 9 2820 531
Brazil T: +55 27 3025 1415
France T: +33 4 83 36 10 82
Italy T: +39 02 48 40 35 42

Middle East & Africa T: + 971 4 375 2744
Serbia T: + 381 11 2467119
Switzerland T: + 41 26 663 86 60
The Netherlands T: + 31 313 430 574


UK T: + 44 1442 869320
United States T: + 1 855 354 8324

Headquarters T: +33 1 41 45 07 13
www.elitechgroup.com
info@elitechgroup.com

DELIVERING **TROUBLE-FREE** RESULTS
LABORATORIES CAN **TRUST**

SELECTRA *PRO*

CHEMISTRY SYSTEM



ELITech
Clinical Systems



ELITech
Clinical Systems

Selectra ProS System

The latest in the new Selectra Pro Series, the Selectra ProS is the most compact, fully featured system with enhanced performance and best in class operator interface. New system features enable significant productivity and performance enhancements not typically found in BenchTop Chemistry Analysers.

Together with a superior menu of ready-to-use stable-liquid reagents from ELITech Clinical Systems, the Selectra ProS System provides a state of the art, fully integrated chemistry solution for laboratories that are closer to the patient.



With random access throughput typically 140 tests per hour, the Selectra ProS System is the ideal BenchTop workhorse for primary, STAT or back-up testing needs. This system offers minimal maintenance and effective use of consumables to truly reduce operational cost.

Building on the successful Selectra Family, the Selectra ProS Chemistry System offers an ideal solution of proven quality, performance and value to get the job done with results laboratories can trust, every time and on time.

- ✓ **New customer driven software** with world class operator interface simplifies operation
- ✓ **New productivity and error reducing capabilities** including on-board PSID, Host query and programmable result checks
- ✓ **New automated reagent management** with 2D bar code programming of assays, calibrators and controls and increased capacity with 30 cooled positions on-board
- ✓ **New designs to enhance performance**, significant reduction in maintenance requirements, and optimize the state-of-the-art Dry ISEs
- ✓ **New annual ProActive Maintenance Kit** for cost-effective preventative maintenance

Simplified Operations with growing line of liquid-stable reagents

- ✓ Dedicated line of ready-to-use assays, packaged to fit the BenchTop laboratory
- ✓ Tied to proven methodologies, referenced and traceable to industry standards
- ✓ Standardized results across ELITech Clinical Systems SELECTRA Family
- ✓ Ongoing commitment to develop new methods and enhancements


Designed to deliver trouble-free results Laboratories can trust

Capability that Improves Laboratory Operations



On-board PSID and data management features

PSID is one of the most effective productivity and error reducing capabilities in modern laboratory operations. The Selectra ProS brings on-board PSID to BenchTop Laboratories. Together with advanced data management features like our host-query LIS interface, versatile barcode based PSID eliminates the tedious job of programming samples and error prone matching of sample positions. Tests can be auto-validated versus laboratory defined parameters, improving walk-away operation and further increasing confidence in the results.



Integrated State-of-the-Art Dry ISE Technology

Patented solid state electrodes can be left dry when not in use which limits routine priming of ISE reference solutions. This reduces reagent consumption and improves cost effectiveness. The Selectra ProS ISE design incorporates new control software and hydraulics which significantly enhances performance and reliability.

Superior Test Menu*

Committed to delivering leading edge assays such as TxBCardio™ and Hyaluronic Acid test kit.

General Chemistry	ALT, AST, ALP, LDH, γ -GT, CK-NAC, CK-MB, Amylase
	Albumin, Uric Acid, Bilirubin Total, Bilirubin Direct, Cholesterol, HDL Cholesterol, LDL Cholesterol, Creatinine, Glucose, Total Protein, Microprotein, Triglycerides, Urea
	Calcium, Magnesium, Phosphorus, Iron, TIBC
Specific Proteins	HbA1C, CRP, APO A1, APO B, Microalbumin, Transferrin, IGA, IGG, IGM, Prealbumin, Haptoglobin, Orosomucoid
Ion Selective Electrodes	Potassium, Chloride, CO ₂ , Sodium

*Subject to regulatory clearance for some markets.

Simplicity that Drives Productivity

Best in Class Operator Interface

Selectra Systems are known for easy-to-use software, and the Selectra ProS sets a new standard for software navigation and operator interface. Touch screen operated with a next generation design, the state of the art software significantly boosts laboratory productivity.

The software is designed to have intuitive ease of use across a wide range of laboratory settings, from labs with basic IT to operations with fully automated informatics, from new operators to those with deep experience.

Intuitive icons guide the operator through their workflow and color coded graphic and audible alerts highlight conditions that operators need to know. Details are just a touch away.

Taking software to the next level

The intuitive simplicity designed into the software enables inexperienced staff to operate the Selectra ProS within an hour. Interactive routines lead the operator to the results quickly. Simplified operation brings new staff up to speed quickly, delivers continuous productivity improvements, and reduces errors.

- ✓ The unique combination of PSID, host-query LIS interface and programmable result checks dramatically improves walk-away time and reduces sample and test request entry and associated errors.
- ✓ Customizable start and end-of-day checklists guide operators through daily tasks, tracking upcoming maintenance, inventory on-board, and expiring calibrations and reagents.
- ✓ Operators' manual and system maintenance instructions are integrated in the software. Touch HELP on your daily checklist and the system links you directly to the instructions.
- ✓ To further optimize productive laboratory time, the system is capable of remote diagnostics, and will have software aided service adjustments and performance tests to maximize uptime.

THE NEW STATE OF THE ART IN BENCHTOP CHEMISTRY, SOFTWARE DESIGNED TO DELIVER TROUBLE-FREE RESULTS LABORATORIES CAN TRUST.



Home screen



Start of the day



Patient request